



HENDI

Tools for Chefs

POTS, PANS
GN CONTAINERS



KNIVES
KITCHEN TOOLS



ICE CREAM
PASTRY



FOOD
PROCESSING



VACUUM
PACKING



THERMAL
PROCESSING



OVENS
OVEN TRAYS



PIZZA & PASTA
KEBAB



COOLING



TABLE
PRESENTATION



BUFFET
PRESENTATION



BAR



COFFEE
ACCESSORIES
HOT DRINKS



THERMOBOXES
TROLLEYS



DISHWASHERS
HYGIENE



FURNITURE



BARBECUES



Catalogue 2026/2027




HENDI

Tools for Chefs

CATALOGUE 2026 | 2027

The latest price information can be found in our digital catalogue online
or at your local HENDI sales partner.





TOOLS FOR CHEFS. TRUSTED QUALITY. PREFERRED BY PROFESSIONALS.

With over 90 years of experience, HENDI has built a strong reputation as a trusted supplier of equipment for the HoReCa and foodservice industry, delivering products that meet the highest standards.

Quality, innovation and reliability remain at the core of everything we do, supporting kitchens in their daily pursuit of consistency and efficiency.

In this catalogue, you will find our widest range to date, with over **4,000 products**, both electrical and non-electrical, for use in the kitchen and front-of-house.

From established best-sellers to new innovations, each product is developed with purpose, shaped by industry insights, tested for technical performance, and designed to stand out.

This season, we've further expanded our cooling range, making our offering even more attractive.

Our equipment is available directly from stock, so chefs worldwide can keep their kitchens running without interruption.

That is the HENDI standard. Everything you need, chosen by professionals who expect more.

■ HENDI Netherlands

Innovatielaan 6,
6745 XW De Klomp, Netherlands
T: +31 317 68 10 40
F: +31 317 68 10 45
info@hendi.eu

■ HENDI Poland

ul. Firmowa 12,
62-023 Robakowo, Poland
T: +48 61 658 70 00
F: +48 61 658 70 01
export@hendi.pl

■ HENDI Spain

Polígono Campollano Calle B, 120
02007 Albacete, Spain
T: +34 967 48 61 93
espana@hendi.eu

■ HENDI Austria

Ehring 15
5112 Lamprechtshausen, Austria
T: +43 6274 200 10 0
F: +43 6274 200 10 20
office.see@hendi.eu

■ HENDI Italy

Via Cassa di Risparmio 13,
39100 Bolzano (BZ), Italy
T: 800 727 438
office.italy@hendi.eu

■ HENDI Nordic

c/o Flexiwork Kollektivet
Folkungagatan 16, Göteborg,
Sweden
T: +31 317 68 10 40
nordic@hendi.eu

■ HENDI Romania

Str. Sânzieni FN, DE 305, 507075,
Ghimbav, Braşov, Romania
T: +40 268 320 330
F: +40 268 320 335
office@hendi.ro

■ HENDI France

Numéro gratuit depuis
la France: 0800 944442
Depuis la Belgique : 0800 29588
francais@hendi.eu

■ HENDI Hong Kong

1201, 12/F, Exchange Tower
33 Wang Chiu Road, Kowloon Bay
Hong Kong
info-hk@hendi.eu



Scan to watch our
company movie

HENDI
Spain

HENDI
Netherlands

HENDI
Austria

HENDI
Italy

HENDI
Poland

HENDI
Romania



„I want to become the best in the world at what I enjoy most: cooking.“

– Gustav Leonhardt



Gustav Leonhardt, Swedish Chef of the Year 2021

A relentless pursuit of excellence

Sweden's culinary tradition is defined by seasonality, craftsmanship and a respect for ingredients. Gustav Leonhardt belongs to a generation of chefs who honour that heritage while bringing a contemporary perspective to Swedish cooking.

Every chef remembers their first kitchen. Gustav Leonhardt's was at sixteen, washing dishes for renowned Swedish chef Tommy Myllymäki. In that first role, he had a front-row seat to the discipline and teamwork behind professional cooking. A few years later, while serving dishes to the jury at the 2014 Bocuse d'Or Europe in Stockholm, he set himself a clear goal. One day, he would return as a competitor. That ambition shaped the years that followed.

Gustav sought experience in some of Sweden's most respected kitchens, including Agrikultur and AIRA, steadily building his career among the country's leading restaurants. In 2021, he was crowned Swedish Chef

of the Year (Årets Kock), one of the country's highest culinary honours. Four years later, after extensive preparation with the Swedish Bocuse d'Or team, Gustav stood on the podium in Lyon, earning a bronze medal at the world's most prestigious culinary competition.

For Gustav, the competition kitchen is not separate from the restaurant kitchen. One is judged by an international jury, the other by guests. The pace may change and the setting may differ, but the commitment remains the same. Every dish deserves the same level of care. Today, Gustav collaborates with HENDI, bringing a chef's perspective to equipment designed for the realities of professional kitchens.

"Good equipment should feel like a natural extension of the kitchen. HENDI understands what chefs need. The best equipment is the kind you don't have to think about, allowing us to focus entirely on the food."







design by
Robert Bronwasser

UNIQ

Buffet reinvented

We collaborate with Dutch designer Robert Bronwasser, whose approach combines functionality with a distinctive visual identity.

This collaboration has resulted in a growing collection of HENDI products that balance practical performance with recognisable design.

Introducing the expanded HENDI UNIQ line, designed by Robert Bronwasser, bringing practical functionality with a contemporary style to buffet presentation. Originally awarded the Red Dot Award 2024 for its chafing dishes and soup kettles, the UNIQ range now includes juicers, roll-top displays and more, creating a cohesive solution for buffets and food service environments.

The collection features energy efficiency, sustainable materials and a stylish, unified aesthetic that reflects the evolving needs of the HoReCa industry.

With HENDI UNIQ, the standard buffet becomes a modern concept. Buffet reinvented.



reddot winner



 HENDI





The right fit for every need: HENDI Profi Line PLUS, Profi Line, Kitchen and Budget Line

Each of them fulfils different requirements and is profiled towards the specific needs of different levels of chefs and cooks.

PROFI LINE PLUS

The partner for the most demanding professionals- chefs and foodservice establishments with the highest operational standards.

Reinforced, exceptionally durable construction made from premium – grade materials and components, designed to withstand the most intensive daily use. Guaranteed exceptionally long service life, reliability and ease of maintenance, resulting in lower operating costs, high energy efficiency and safe day-to-day operation.

KITCHEN LINE

Reliable tools for professional kitchens. Made of standardized materials, high quality at a reasonable price. Intended for regular, balanced use, guarantee reliable gastronomic results with an energy-saving focus.

PROFI LINE

The ideal partner for professionals, ideally suited for even the most demanding kitchens. Well thought-out and solid constructions made of the highest quality materials and components. Ready for intensive everyday usage. The long-term operational reliability and ease of maintenance result in lower costs over time.

BUDGET LINE

When money counts these are our most cost-efficient tools for daily use in professional kitchens. They're made from basic but good materials with a more basic finish. A well-thought-out design facilitates simple and uncomplicated use.

All lines meet standards...



WELCOME TO HENDI'S DIGITAL CATALOGUE:

- + powerful search tool
- + ALWAYS up-to-date prices
- + fast sharing



Scan and explore

EASY TO NAVIGATE

- Go to the next page
- Go to the first/last page



SHARE WITH ONE CLICK



MORE INFO

Watch videos to get more details



YOUR INDIVIDUAL CATALOGUE

Build your own catalogue with your selected pages



USEFUL TOOLS


Click the register to go to the chapter



POWERFUL SEARCH FUNCTION

Search for item names & article numbers



	32		42		52		58		71		81	POTS, PANS GN CONTAINERS	
	88		96		152		158		160		164	KNIVES KITCHEN TOOLS	
	180		186		193		198		199		202	ICE CREAM PASTRY	
	224		228		236		238		251		253	FOOD PROCESSING	
	264		268		269		270		271		272	VACUUM PACKING	
	276		288		307		316		320		325	THERMAL PROCESSING	
	352		356		360		366		371		373	OVENS OVEN TRAYS	
	378		384		392		399		404		405	PIZZA & PASTA KEBAB	
	410		420		422		430		439		470	COOLING	
	475		486		492		503		522		526	TABLE PRESENTATION	
	548		560		564		568		570		585	BUFFET PRESENTATION	
	601		612		616		632		636		637	BAR	
	644		650		652		654		649		660	COFFEE ACCESSORIES HOT DRINKS	
	668		672		676		680		683		689	THERMOBOXES TROLLEYS	
	696		717		720		724		730		734	DISHWASHERS HYGIENE	
	750		751		755		758		759		761	FURNITURE	
	764		771		772		778		779		780	BARBECUES	

Selection of new products for 2026/2027

Gastronorm containers
Profi Line PLUS
page 58



Gastronorm containers
Polypropylene
Kitchen Line
page 73

Cutting boards
HACCP 20-25 mm
thickness
page 90



Forged knives
Profi Line PLUS
page 96

Whetstone knife
sharpeners
page 121



Mango slicer
page 113



Refrigerator
thermometer, digital
page 170



HACCP knives Profi Line
page 102



Dessert mixing machine
page 183



Hot dog warmer
page 217



Electric slicers heavy-duty
page 242



Bowl cutter, electric Profi Line
page 227




Tray sealer Dual
page 265



UFO burger, gelato panini press
page 213



Vacuum bags, biodegradable
page 270



Deep fryers Budget Line
page 313


NEW



Selection of new products for 2026/2027




Food warmer,
infrared
page 284



Induction stove, 4 hobs
page 279



Induction cooker 3500 H XXL
page 293



Rise and fall
heat lamp,
bell-shaped
page 282



Frying oil
tester
page 315



Warming bridge
page 285

Egg boiler
with baskets
page 303



Smash burger set
page 319



Sausage rolling grill, 1 zone
page 339





Rice cooker, 12 L
page 329



High-speed oven CombiTurbo page 350




Microwave air fry oven
page 341



Drive-in trolley
page 369



Trolley for pizza dough boxes
page 387




Baguette tray
page 375



Tray with 6 moulds, Convectomat Pancake
page 371



Selection of new products for 2026/2027



Electric conveyor ovens
page 380



Pizza rocker cutter
page 392

Kebab grill,
gas
page 402



Blast chillers
page 436



Freezer
Profi Line Plus
page 410



Heated buffet
& Salad buffet
page 464



Roll-top cooling display,
double page 570

Cooling plate
page 572



Cutlery set with tray
page 478






Chafing dish UNIQ
& soup kettle UNIQ
page 534

NEW

Chiller UNIQ
page 538

UNIQ
Buffet reinvented



Serving tray, trapezoidal
page 585

Furniture covers Profi Line
page 591



BARUP
OPENERS

Bottle opener,
automatic
page 600

arctic



Hair net dispenser
page 738



Milk cooler
Profi Line
page 644



Coffee slush
machine
page 624



Insect killer
page 730

HENDI Water filters
page 724



Dishwashers double-skin
model Profi Line
page 696



INDEX A-Z

50x60 dishwasher for trays and pots – electronically controlled, with detergent dosing system and drain pump	716
3-shelf polypropylene service cart	675
3-tier glass rimmer	607
5 wheel dough cutter	205
7 wheel dough cutter	205

A

Accessories for Blackbolt	250
Accessories for Blackbolt 221570	249
Acrylic pepper mill	521
Acrylic salt grinder	521
Adaptor bar for GN containers	67, 69
Adaptor bar for GN containers	302
Additional stoppers for vacuum wine saver	628
Adhesive plate for insect killers	733
Agitators for milkshake mixers – Design by Bronwasser	191
Air pot	511
Aluminium rolling pin	199
Aluminium scoop	149
Aluminium storage rack for GN containers	692
Analog kitchen timer	172
Analogue thermometer	169
Angled frying spatula	146
Anti-slip mat	95
Apple corer	118
Apron dispenser	738
Ash shovel	391
Ashtray	528
Ashtray with fire rim	528
Ashtray with funnel	529
Ashtray with lid	528
Ashtray with push button	528
Asparagus pan XL	39
Asparagus peeler	111
Automatic coffee machine	644

B

Back bar refrigerators	448, 450, 457-458
Back bar refrigerators with illuminated doors	456
Bag rolls attachment	269
Baguette basket	504
Baguette board	95
Baguette tray	375
Bain-marie pan	39, 200, 553
Bain-marie Ranger	302

Bain-marie set Ranger	303
Bain-marie set with drain tap Ranger	303
Bain-marie with drain tap Ranger	302
Bake- & Grill-Master	768
Bake-Master Maxi	768
Bake-Master Mini	768
Bakers' sieve	205
Bakery basket	507
Bakery basket angled	507
Bakery basket GN size	503
Bakery basket oval	507
Bakery basket with bag	505
Baking mould, adjustable	197
Baking paper	372
Baking tray	374-375, 495
Baking tray Convectomat Classic GN 2/1	370
Baking tray with non-stick coating Convectomat Bake	371
Baking tray with removable side panel	375
Ball measured pourer	603
Banquet tray GN 1/1, with decorative rim	583
Banquet tray GN 1/1 with smooth rim	582
Barbecue apron	781
Barbecue skewers	766
Bar blade	600
Bar blender	633
Bar blender digital	633
Bar blender jar BPA-free	633
Bar blenders	632
Bar blender with sound enclosure	632
Bar Caddy - 6 compartments	607
Barkit in tube	615
Bar mat	629
Bar scoop	618
Bar spoon	609
Bar spoon with muddler	609
Bar strainer	610
Bar strainer conical	610
Bar table	593
Bartender bag	613
Base for manual slicer RETRO 300	244
Basin tap with shower	721
Basket for pasta cooker	407
Basket riser	507
Baskets	504, 506
Baskets with woven sides	502
Basting spoon	151
Beer bucket	635
Beer glass carrier	635
Beer skimmer	635
Beer tray	582

Bench	590
Bent wooden spatula	146
Beverage dispenser	657
Blackboard markers 15 mm	527
Blackboard markers 3 mm	527
Blackboard markers 6 mm	527
Blackboards	526
Blackboard with easel	526
Blackboard with stand	527
Blast chillers	437
Blast chillers 70 mm insulation thickness	436
Blender shaft for stick blender	258
Boston shaker	613
Boston shaker glass	613
Bottle for sauce warmer	215
Bottle opener, automatic	600
Bottle opener with catcher bin	600
Bowl, 7 litres	250
Bowl ashtray black	528
Bowl cutter, electric Profi Line	227
Bowl cutter Kitchen Line	227
Bowl rectangular	496
Bowl Vanilla	489
Brass & stainless steel wire brush set	782
Bread bag, round	505
Bread bags	505
Bread basket display GN 1/2	504
Bread basket GN 1/1	504
Bread basket oval	504, 506
Bread basket, rectangular	506
Bread basket - round	506
Bread board	95
Bread cutting board	94
Bread display basket	503
Breadroll dispenser	471
Bread roll holder, perforated	471
Brushes for glass polisher - 2 pcs	641
Bucket	136, 498
Bucket Budget Line	137
Bucket Kitchen Line	137
Bucket miniatures	498
Buckets with handle	500
Bucket with reinforced base Profi Line	137
Buffet table	591
Buffet table foldable	590
Buffet table, round	592
Buffet table, square	590
Built-in induction heater, 1000 W	295
Butcher's hooks	131
Butcher's twine	131
Butcher's twine red & white	131

Butter and fat brush flat silicone.....	200
Butter and fat brush with natural bristles ..	200
Butter curler	118
Butter roller	127, 235
Butter & sauce dish	501

C

Cake cooler	197
Cake displays	439
Cake dome with server	572
Cake mould	196
Cake plate round	579
Cake ring, adjustable	197
Cake scoop/cutter	579
Cake server	579
Cake stand	576, 579
Cake stand square	579
Cake tong	145
Can opener	123
Cappuccino cup	481, 483, 485
Carafe	567
Carbon steel pans	48
Carbon steel woks and frying pans	46
Cart for 500x500 mm universal racks	719
Carving board	95
Carving fork	151
Casserole dish, enamelled	53
Casserole with non-stick coating	41
Cast iron casserole enamelled	40
Cast iron grid	373, 766
Cast iron griddle	373, 766
Cast iron grill pan	50-51
Cast iron platter with wooden underliner and gripper	51
Cast iron pot	51
Cast iron skillet	50
Cast iron Tortilla Press	233
Catering chair	595
Catering furniture, foldable	590
Central and wall tables - bolted Kitchen Line	752
Central and wall tables - bolted Profi Line	750
Central table with shelf - bolted, ..	750, 752
Central work table Budget Line	749
Cereal dispenser	569
Chafing dish electric Pollina	550
Chafing dish electric Tellano	550
Chafing dish electric Tesino	551
Chafing dishes Profi Line	556, 558
Chafing Dish fuel	560
Chafing dish fuel bottle	562
Chafing dish fuel bucket	562

Chafing dish fuel can	560
Chafing dish fuel can holder - 2 pcs	562
Chafing dish fuel jerry can	562
Chafing dish Gastronorm 1/1	552-553
Chafing dish Gastronorm 1/2	552
Chafing dish GN 1/1 mirror finish	558
Chafing dish GN 1/1 satin finish	557
Chafing dish GN 1/2 satin finish	557
Chafing dish GN 2/3 satin finish	557
Chafing dish heater	555
Chafing dish HENDI UNIQ	532
Chafing dish ladles and serving spoons	564
Chafing dish - round	552
Chafing dish round satin finish	557
Chafing dish set	553-554
Chafing dish UNIQ	535
Chafing dish UNIQ, analogue control	537
Champagne bowl	616
Champagne cooler	616-617
Champagne cooler holder	617
Champagne stopper	604
Charcoal barbecue Patio	779
Charcoal barbecue Resto	779
Charcoal barbecues	779
Cheese grater	119
Cheese grater, electric	405
Cheese knife for hard cheese	119
Cheese knife for soft cheese	119
Cheese slicer	119
Cheese slicer for soft cheese	119
Cheese/sugar dish	524
Chef plating set, 6 pcs, black	116
Chef plating set, 6 pcs, satined	116
Chef's hat - 10 pcs	718
Chef's torch	208
Chest freezers	434-435
Chiller UNIQ	532, 539
Chips bag holder	493
Chips colander aluminium	134
Chips colander stainless steel	134
Chips scoop	134
Chips shovel	134
Chocolate fountain	221
Cigarette receptacle	528
Citrus juicer electric	634
Citrus squeezer	631
Clamp bottle stopper	604
Clearing trolley - 15x 600x400, Profi Line	668
Clearing trolley - 15 x GN 1/1, Profi Line	668
Clearing trolley - 7 x GN 1/1, Profi Line	668
Clearing trolley compact storage - 15 x GN 1/1	670

Clearing trolley, Kitchen Line	669
Clips for sausage casings	237
Cloth strainer	157
Cobbler shaker 3-part	612-613
Cocktail mug	612
Coffee automat cleaner, 120 tabs	736
Coffee cup	481, 483, 485
Coffee decanter	653
Coffee distributor	650
Coffee grinder, electric	648
Coffee machine cleaner	736
Coffee machines	652
Coffee machines Verona	646
Coffee slush machine	624
Coffee tamper	650
Coffee tamper with spring	650
Coffee/tea pot with lid	512
Coin tokens - 100 pcs	635
Colander	159
Colander Kitchen Line	159
Colander Profi Line	159
Colanders	159
Collapsible tray stand	584
Condense hoods	368
Condiment holder	606
Condiment holder - 3 containers	606
Condiment holder - 4 containers	606
Condiment holder - 5 containers	606
Condiment holder - 6 containers	606
Condiment rack black	519
Condiment rack round	519
Condiment set	522-523
Confectionery display tray	300, 470
Confectionery funnel Kitchen Line	173
Confectionery funnel Profi Line	173
Conical strainer	157
Conical strainer, wire mesh	157
Conical strainer with wire mesh	157
Conical strainer with wire mesh, reinforced	157
Contact	362
Contact grill - double grill	322
Contact grill, double grill with timer	323
Contact grill - double version	322
Contact grill for hot dogs and wraps	319
Contact grill, kebab XL	323, 401
Contact grill Panini	320-321
Contact grill Panini XL	322
Contact grills	320
Contact grill - single version	320
Container for service cart	675
Container with non-stick coating	375



Control	362	Curved serving tong	144	black	493
Convection bakery ovens with humidity		Cutlery basket	502, 581, 718	Deep plate	496
600x400 mm	359	Cutlery basket holder	580	Degreaser foam	735
Convection oven H90	354	Cutlery box	519	Delta	485
Convection oven H100	352	Cutlery holder	581	Descaler concentrate	736
Convection ovens 429x345 mm	357	Cutlery set with tray	478	Descaler powder	736
Convection oven with humidification		Cutlery tray	581	Dessert mixing machine	183, 620
H100S	353	Cut resistant gloves, certified	122	Detachable poultry shears	112
Convection oven with humidification		Cutting board	93, 95	Dicing disc	226
H90S	355	Cutting board HACCP	88-89	Digital bar blender with sound enclosure	632
Convection steam oven - Evolution Next		Cutting board HACCP 450x300	88, 92	Digital kitchen timer	172
5 x GN 2/3, electric, with direct steam		Cutting board HACCP 600x400	88, 91-92	Digital scale up to 200 kg	160
and a touchscreen control panel	361	Cutting board HACCP Gastronorm 1/1	89, 91	Digital thermometer with foldable probe	166
Convection steam oven - Evolution Next		Cutting board HACCP Gastronorm 1/2	89	Dinner plate	481, 483, 485
5 x GN 2/3, electric, with direct steam,		Cutting board HACCP GN 1/1	92	Discover the world of professional	
electromechanical control	360	Cutting board HACCP GN 1/2	92	bartending accessories	599
Convection steam ovens	362	Cutting board rack	94	Dish warmer with 2 candle holders	555
Convection steam ovens Contact	364	Cutting board scraper	91	Dish warmer with 3 candle holders	555
Convection steam ovens Control	363	Cutting boards HACCP	92	Dishwasher 50x50	710
Convection steam ovens, Touch	365	Cutting boards HACCP 20-25 mm		Dishwasher 50x50 Doppio	706
Convection steam oven with grill	356	thickness	90	Dishwasher 50x50 - electronic control	708
Conveyor toaster	336	Cutting boards HACCP GN 1/1 -		Dishwasher basket for cutlery	717
Cook and hold oven	328	set of 6 colours	89	Dishwasher basket for glasses	718
Cooling adaptor GN 1/1	686	Cutting board with grip	95	Dishwasher basket for glassware	717
Cooling display tray	543, 570, 583	Cutting board with groove	93	Dishwasher basket for plates	717
Cooling display UNIQ	540	Cutting board with handle	93, 607	Dishwasher basket for trays	718
Cooling element	541, 543, 685			Dishwasher racks & tote box Profi Line	717
Cooling plate	572			Dishwashers double-skin model	
Cordless kebab knife electric	403	D		Profi Line	696, 698, 700, 702
Cordless Stick blender Smart Pressure	257	Daily food safety labels, multi-use,		Dishwashers single-skin model	
Corkscrew	601	easy removable	82	Dishwashers Kitchen Line	704
Cotton candy machine	218, 220	Decorating and injector tips	180	Dishwasher stand	761
Countertop display freezer 90L	451	Decoration knife	118	Dishwasher universal basket	717
Countertop heating display cabinets	298	Decoration toolset - 6 pcs	116	Dispenser bottles	174
Countertop salad display	440	Deep fryer	209, 306	Dispensers and jugs	568
Countertop wine cooler, 2-zone Cellar	461	Deep fryer Budget Line	313	Display freezers and coolers SLIM	455
Cover	575	Deep fryer Profi Line, 2 x 8 l	311	Display tray	300, 470-471
Cover for cotton candy machine	218, 220	Deep fryer Profi Line, 8 l	311	Display trays aluminium	470
Cover for roller sausage machine	339	Deep fryer Profi Line with drain tap,		Display trays melamine	470
Cover for trolleys	671	2 x 8 l	311	Display trays stainless steel	471
Cream jug	513	Deep fryer Profi Line with drain tap, 8 l	311	Dome with plate	572
Cream whipper	182	Deep fryer Profi Line	310	Door sign	517
Cream whipper chargers	185, 605	Deep fryers Budget Line	313	Double deck pizza oven 3000W	378
Cream whipper Kitchen Line	181, 605	Deep fryers digital Profi Line	310	Double handled cheese knife	109
Cream whipper Profi Line	180	Deep fryers Kitchen Line	312	Double induction cooker	289
Crêpe maker	213	Deep fryers Profi Line	307, 311	Double mobile trolley - 12 x GN 1/1	669
Crêpe pan	44, 46, 48	Deep fryer with drain tap digital - 8 l	310	Double mobile trolley - 12 x GN 1/1	669
Crepes and waffle makers	212	Deep fryer with drain tap digital - 2 x 8 l	310	Double roll-top cooling display Duo UNIQ	543
Crêpes pan	49	Deep fryer XL with drain tap	307	Double timer	172
Crêpes pan Titanium Professional	43	Deep fryer XL with drain tap		Double trolley - 30 x GN 1/1	670
Cup	496	HENDI Goliath	308-309	Double wall shelf, adjustable,	
Cupcake mould	196	Deep frying basket miniatures	492	with 2 brackets	757
		Deep frying basket miniatures stackable	492	Dough cutter	195
		Deep frying basket miniatures stackable	492		

Dough cutter serrated blade	118
Doughnut filling dispenser	215
Dough roller	197
Dough rollers, electric	382
Dough rollers, electric Touch&Roll	382
Dough scraper	195, 387
Dough scraper flexible	195
Dough scrapers, rectangular	195
Dough scrapers, trapezoidal	195
Drainage mat	629
Drainer plate for GN containers COOL	74
Dressing pot	580
Drive-in trolley	369
Dry aging cabinets	420
Dry aging cabinet, undercounter	421
Dumplings maker	405

E

Egg boiler with baskets	303, 559
Egg container HENDI Ovobox 120	81
Egg cup - 6 pcs	518
Egg ring with handle	317
Egg slicer	122
Egg slicer - oval	122
Egg slicer - rectangular	122
Egg spoon - 6 pcs	518
Ejector disc for Vegetable Cutter	226
Electric conveyor ovens	380
Electric juice extractors Profi Line	626-627
Electric kebab grill	401
Electric kettle cordless	654-655
Electric kettle cordless with temperature control	655
Electric meat tenderiser	231
Electric slicers heavy-duty	242
Electric soup kettles	548
Electronic water flow meter for HENDI filters	727
Embossed vacuum bags	270
Embossed vacuum seal bags	271
Enamelled	496
Enamelled paella bowls	53, 497
Enamelled pan	53, 497
Enamelled roasting tray	769, 771
Enamelled roasting tray for Bake & Grill - Master Mini	777
Espresso cup	481, 483, 485
Extendable sink colander	159
Extender for dishwasher basket	717
Extractor hood, angled, wall-mounted, bolted	759
Extreme Milk System Cleaner	

New Formula, a professional milk frother liquid cleaner for automatic coffee machines	737
Extreme Professional combi oven cleaner	735
Extreme Shine Professional rinse aid for tableware and catering equipment	734
Extreme Wash Professional dishwashing detergent for commercial dishwasher	734
Extreme Wash & Shine Professional set	734

F

Falafel scoop	233
Fast food trays	586
Fast response thermometer	167
Fat skimmer	135
Fibreglass	584
Fiesta XL	771
Filter coffee maker	652-653
Fish bone tweezer, slanted tip	141
Fish bone tweezers, slanted head	141
Fish frying pan - oval	44
Fish frying pan - oval Titanium Professional	43
Fish scaler	133
Flame tamer	372, 767
Flat beater	250
Flat beater with silicone rim	250
Flat plate	496
Flexible heat lamp	284
Flora	481
Flour sifter	205
Foldable kitchen scale	160
Folding chair cover Kitchen Line	595
Fondue-burner - 2 pcs	562
Food container with graduation	80
Food dehydrator Kitchen Line	304
Food dehydrator Profi Line	305
Food pan GN 1/1, with 2 compartments	553
Food ring	196
Food ring and pusher square	196
Food ring round	196
Food rotation labels, multi-use, easy removable	82
Food safety labels, multi-use, easy removable, "USE BEFORE"	82
Food safety labels, multi-use, easy removable, "USE FIRST"	82
Food safety stickers, multi-use, easy removable	82
Food sprayer electric	139
Food warmer	551
Food warmer, infrared	284

Forged knives Profi Line PLUS	96
Free-flow pourer	602-603
Free-flow pourer - 3 pieces	524, 602
Free-flow pourer long	602
Free flow pourers	603
Free-standing paper towel dispenser	741
Freezer Profi Line Plus	411
Freezing element	684
French corkscrew	601
French fries and nachos funnel scoop	135
French fries cutter	130
French fries cutting disc	226
French fries oven basket, waved Convectomat Fry	372
French fries warmer	315
French whisk	152
French whisk with 8 stiff wires	152
Fresh pasta drying box	387
Fries cutting blade	130
Fruit basket angled round black	502
Frying basket	307, 309
Frying oil tester	315
Frying pan	44-46, 49
Frying pan, non-stick coating	35
Frying pans aluminium 'Marble Professional'	44
Frying pans aluminium 'Platinum Professional'	45
Frying pans die-cast aluminium 'Titanium Professional'	42-43
Frying pans traditional	49
Frying pan Titanium Professional	43
Frying pan, without lid	35, 37
Frying spatula	146
Fuel for fondue-burners - 3 pcs	562
Fuel pump	562
Funnel	137
Furniture covers Kitchen Line	592-593
Furniture covers Profi Line	591, 593

G

Galvanised buckets	500
Garlic press	113
Gas barbecue Atlanta	774
Gas barbecue Europa	774
Gas barbecue Tampa	773, 775
Gas canister	208
Gas cooker - 5 burners, open frame	278
Gas cooker - 5 burners with electric oven	278
Gas cooker 4-burner with convection oven GN 1/1	276



Gas cooker Kitchen Line 6-burner with convection oven GN 1/1.....	277	GN 1/4 container, dropped handles.....	61	Grill plate, ribbed Convectomat Grillplate.....	371
Gasgrill Fiesta 600.....	772	GN 1/6 container, dropped handles.....	61	Grill plates and grates Convectomat.....	371
Gasgrill Fiesta 800.....	772	GN 1/1 container, polypropylene.....	78	Group head cleaning brush.....	650
Gas grill hob, smooth, on a cabinet enclosed on 3 sides.....	281	GN 1/2 container, polypropylene.....	79		
Gas Grill Roast-Master Pro Black.....	769	GN 1/3 container, polypropylene.....	79	H	
Gasgrills Fiesta.....	772	GN 1/4 container, polypropylene.....	79	HACCP Cutting mat set - 6 pieces.....	93
Gas hose assembly Bake-, Grill- & Roast-master.....	777	GN 1/6 container, polypropylene.....	79	HACCP knives Profi Line.....	103
Gas hose assembly Green Fire Barbecues..	766	GN 1/9 container, polypropylene.....	79	Hair net dispenser.....	738
Gas hose assembly Hokkers.....	281	GN 2/3 container, polypropylene.....	78	Hamburger film patty dividers.....	235
Gas hose assembly Xenon Pro & Fiesta barbecues.....	775	GN 1/1 tray.....	578	Hamburger paper patty dividers.....	235
Gas kebab grills.....	400	GN banquet tray.....	578	Hamburger press.....	234-235
Gas lighter - set of 2 pcs.....	177, 281, 562	GN container, dropped handles.....	61	Hamburger turner.....	146-147
Gastronorm container holder.....	83	GN containers made of porcelain.....	580	Ham holder.....	245
Gastronorm containers Budget Line.....	68	GN containers with dropped handles.....	65	Hand dryer.....	720
Gastronorm containers COOL.....	74-75	Gourmet, stamped knives Profi Line.....	98	Handle cover for pans.....	48
Gastronorm containers Kitchen Line.....	66	Grapefruit knife.....	118	Hanging cabinets - welded, with sliding doors Profi Line.....	754
Gastronorm containers Kitchen Line - Perforated.....	67	Grater 4-sided.....	129	Hawthorne paper strainer.....	608
Gastronorm containers polypropylene HACCP.....	76	Grater 6-sided.....	129	Heated buffet.....	464
Gastronorm containers polypropylene HACCP with lid.....	78	Grater 4-sided with container.....	129	Heated countertop cabinet.....	298
Gastronorm containers Polypropylene Kitchen Line.....	72-73	Grating disc.....	226	Heated countertop display.....	297-299
Gastronorm containers polypropylene Profi Line.....	71	Gravy boat.....	489	Heated countertop display two levels.....	298
Gastronorm containers Profi Line.....	63	Grease filters - 50 pcs.....	136	Heat resistant barbecue gloves.....	367, 780
Gastronorm containers Profi Line PLUS..	58	Greaseproof paper.....	494	Heat resistant gloves, leather.....	367, 781
Gastronorm containers with handles Budget Line.....	69	Grease trap.....	720	Heat resistant leather barbecue gloves.....	367, 780
Gastronorm pan GN 1/1.....	580	Green Fire with 2 burners.....	764	Heat resistant leather barbecue mitts.....	367, 780
Gastronorm pan GN 1/2.....	580	Green Fire with 3 burners.....	765	Heavy-duty storage rack.....	693
Gastronorm pan GN 1/3.....	580	Green Fire with 4 burners.....	765	HENDI Jet chefs' torch - set with cartridge.....	206
Gastronorm tray Profi Line.....	372	Green - fruits & vegetables.....	105, 107	HENDI Water filters.....	724
Gastronorm tray Profi Line GN 2/1.....	372	Grid.....	767	High-speed oven CombiTurbo.....	351
Glass brushes.....	629	Griddle 1/3 ribbed.....	316-317	High-speed oven tray, non-stick.....	351
Glass dishwasher 40x40.....	710	Griddle, flat.....	316-318	High-speed oven tray, non-stick, reinforced.....	351
Glass dome.....	177	Griddle for induction cookers.....	42	High voltage insect killer.....	730
Glass dome with vent.....	177	Griddle, half flat, half ribbed.....	318	Hokker Kitchen Line.....	280
Glass hanging rack.....	628	Griddle half ribbed.....	316-317	Hokker Kitchen Line XL.....	280
Glass holder.....	628	Griddle ribbed.....	316-318	Hokker Profi Line.....	280
Glass jug.....	567	Griddles Budget Line.....	318	Hokker stand.....	280
Glass mug.....	567	Griddle scraper.....	316, 782	Honey dispenser.....	524
Glass polisher.....	641	Griddles Kitchen Line.....	317	Hood dishwasher 50x50.....	714
Glass washer.....	628	Griddles Profi Line.....	316	Hood dishwasher - electronic controller.....	712
Glove dispenser.....	739	Grid for Grill Master.....	769, 776	Hook for heavy dough.....	250
Gloves and mitts.....	366	Grid for Grill-Master Mini.....	776	Horeca markers.....	77, 79, 527
Gloves with silicone coating.....	366	Grid for ovens.....	373	Horizontal universal peeler.....	111
		Grid for Roast Master Maxi 50/50.....	776	Hose with rinse head for appliances.....	369, 723
		Grill barbecue Green Fire.....	764	Hot chocolate dispenser.....	649
		Grill grate Convectomat Grill.....	371	Hot dog warmer.....	217, 324
		Grill-Master Maxi.....	768	Hot drinks boiler.....	657, 664
		Grill-Master Mini.....	768	Hot drinks boiler double-walled.....	658
		Grill-Master Pro gas grills.....	769		
		Grill-Master Quattro.....	771		
		Grill pan - ridged surface Titanium Professional.....	43		
		Grill pan, square.....	46		

Hot drinks boiler, double-walled	665
Hot drinks boiler single-walled	659
Hot drinks boiler UNIQ	662
Hot drinks boiler UNIQ – Design by Bronwasser	547
Hot tray	295

I

Ice bucket	618
Ice bucket double walled	618
Ice container, insulated	677
Ice cream bowl Clown	489
Ice cream cones stand	188
Ice cream container Kitchen Line	189
Ice cream container Profi Line	189
Ice cream container, round Kitchen Line	189
Ice cream container, round Profi Line	189
Ice-cream cup	513
Ice cream dipper	188
Ice cream display freezer	440
Ice cream maker	183
Ice cream scoop for left-handers	187
Ice cream scoop Kitchen Line	186
Ice cream scoop Profi Line	186
Ice cream scoop Stöckel	186
Ice cream scoop washer	188
Ice cream spatula	187
Ice crusher	636
Ice crusher – manual	636
Ice cube machine	468-469, 639-640
Ice cube maker	466-467, 637-638
Ice cube mould gem-shaped	619
Ice cube mould mini cube	619
Ice cube mould with lid	619
Ice cube mould with lid and bottom tray	619
Ice cube mould XL	619
Ice cube tongs	145, 618
Ice flake machine	468, 639
Ice scoop slotted	618
Ice shot glass mould	619
Icing tips	193-194
Icing tips – round	194
Icing tips – serrated	193-194
Icing tips – smooth	193-194
Icing tips – star	194
Induction cooker 3500 D	290
Induction cooker 3500 D XL	290, 292
Induction cooker 3500 H XXL	293
Induction cooker 2000W	288
Induction cooker 3500W	288
Induction cooker model 1800	293
Induction cooker model 2000	293

Induction cooker model 7000	291
Induction cooker model 5000 D	291
Induction cooker model 3500 M	291
Induction cookers black Kitchen Line	288
Induction deepfryer	314
Induction deep fryer with drain tap, 8 l	314
Induction deep fryer with drain tap – 2 x 8 l	314
Induction frying pan	42
Induction heater 800W	295
Induction hokker high power	281
Induction hot plate	289
Induction hot plate Kitchen Line	295
Induction stove, 4 hobs	279
Induction stove, 6 hobs	279
Induction stoves	279
Induction wok model 3500	290
Infrared heat bulb	284
Infrared lamp, halogen	285
Infrared thermometer	166
Infrared thermometer with probe	166
Ingredient boxes	606
Ingredient trolley	676
Insect killer	730
Insect killers for indoor use	730
Insect killers for outdoor use	731
Insect killers for use in the kitchen & restaurant	730
Insect killer water resistant	731
Insect killer with adhesive plate 120 m²	731
Insect killer with adhesive plate 100 m²	730
Insect killer with adhesive plate, 80 m²	733
Installation kit for HENDI filters	727
Insulated beverage dispenser with tap	682
Insulated catering container GN 1/1, top-loaded	682
Insulated portable container Kitchen Line	689
Insulated portable container Profi Line	690-691
Insulated portable container – with a tap Profi Line	691

J

Japanese knives	108
Japanese mandoline Samurai	124
Japanese mandoline Shōgun 將軍	126
Japanese mandoline Shōgun 將軍 PRO	126
Japanese mandolines Shōgun 將軍	126
Jigger 20/40 ml	614
Jigger 25/35 ml	614
Jigger 25/50 ml	614

Jug	567
Juice dispenser	568-569, 621
Juice extractor Compact Profi Line	627
Juice extractor Titan Profi Line	626
Juice extractor Vito Kitchen Line	625
Juice jug	567
Juicer UNIQ	545
Julep strainer	608
Julienne disc	226
Kebab grill, gas	402
Kebab knife, electric	403
Kebab shovel	401
Keep warm element	684
Kettle	654
Kitchen bowl	154
Kitchen Line	476
Kitchen scale 10 kg	161
Kitchen scale 15 kg	161
Kitchen scale 3 kg	160
Kitchen scale 5 kg	160
Kitchen shears	112
Kitchen sink – with knee-operated faucet	721
Knife magnet with hooks	117
Knife set – 4-piece	115
Knife set – 9-piece	114
Knife set, 3-piece	115
Knife sharpener	120
Knives carrying case	117
Knives HACCP Kitchen Line	106
Knives Kitchen Line	99
Knives Profi Line	97
Knock box drawer	651
Knock box GN	651
Knock box in wooden frame	651

L

Ladle	151
Ladle non-drip	151
Ladles and serving spoons buffet supreme	564
Ladles and serving spoons, heat resistant	565
Ladles & skimmers Kitchen Line	151
Ladles & skimmers Profi Line	151
Laundry bag for laundry trolley	741
Laundry Trolley	741
Lava rocks – coarse	767
Lava rocks – fine	767
LED lamp for insect killers	733
Lemon Zester	118
Lid clips for HACCP storage containers	77
Lid for bucket with reinforced base Profi Line	137
Lid for cutlery trays	581

Lid for food container.....	80	Meat mincing attachment for Blackbolt mixer.....	249	Multitrack.....	588
Lid for GN containers... 60, 65, 67, 69, 72-73		Meat mixer with tilting tank.....	233	Multi Toaster 6 tongs.....	335
Lid for GN containers COOL.....	74-75	Meat tenderiser Profi Line.....	133	Mussel & gravy pans.....	52
Lid for GN containers made of polypropylene, with seal.....	71	Meat Tenderizers.....	132	Mussel pan - with lid.....	52
Lid for GN containers polypropylene..	71, 77	Meat tenderizing hammer.....	132		
Lid for GN containers purple.....	77	Meat tenderizing hammer XL.....	132	N	
Lid for GN containers with handle recess.....	61, 65	Meat tray.....	470-471	Nacho warmer.....	219
Lid for GN containers with ladle recess.....	67, 69	Mechanical kitchen scale.....	161	Napkin holder.....	515
Lid for GN containers with silicone rim.....	60-61, 65, 67, 69	Melamine.....	578	Non-drip bracket wall mounted.....	603
Lid for GN containers with spoon recess.....	60, 65	Melon scoop double.....	118	Non-drip pouer.....	603
Lid for pot.....	34	Melon scoop serrated.....	118	Non-drip sauce bottle.....	174
Lid for racks.....	719	Menu and cutlery box.....	519	Non-slip display stands.....	579
Lid for round waste bin.....	742	Menu card holder - 2 pcs.....	518	Non-slip pastry bags.....	192
Lid for trash container.....	740	Menu card table stand.....	518	Non-stick coated blade.....	239
Lid holder.....	41	Menu card table stand - 6 pcs.....	518	Non-stick silicone baking mat.....	201
Lids for stew pots.....	37	Menu clipboard.....	515	Nut and seafood cracker matt black.....	525
Lid spacer for pizzas - 500 pcs.....	388	Mesh food cover.....	576		
Lid with dispenser for GN containers.....	214	Milk container with lid.....	645	O	
Lid with handle recess and silicone rim.....	65	Milk cooler Profi Line.....	645	Oak serving board.....	486
Lift Salamander 450.....	334	Milk dispenser - 10,5 l.....	569	Oak serving board, end-grain.....	486
Lift Salamander 600.....	334	Milk frother.....	649	Offset tweezers.....	140
Liquid fuel with wick.....	561	Milk frothing thermometer.....	169, 651	Oil and vinegar set.....	524
Lobster and crab cracker.....	525	Milk jug.....	512	Oil filter holder.....	136
Lobster forks - 6 pcs.....	525	Milk jug black.....	651	Olive oil dispenser.....	524
Low pot with lid.....	38	Milk jug - matt black.....	651	Open cover for round waste bin.....	742
LPG gas cartridge.....	207	Milk jug with measure.....	512, 651	Open multi-shelf display 75 L.....	299
Lyonnais pan.....	48	Milkshake mixer.....	190	Oval dish.....	481, 485
		Mincing knife.....	128	Oven dishes white porcelain.....	487
M		Mini griddle pan Little Chef.....	491	Oven dish round.....	487
Mandoline.....	124	Mini oval pan Little Chef.....	491	Oven mitts.....	366, 780
Mandoline V-type.....	125	Mini round pan Little Chef.....	491	Oven mitts, cotton - 2 pcs.....	366
Mango slicer.....	113	Mini sauce dispenser - set of 4 pcs.....	174	Oven mitts, fiberglass - 2 pcs.....	366
Manual Citrus Juicer.....	630	Mini saucepan Little Chef.....	491	Oven thermometer.....	171
Manual sausage clipper.....	237	Mixing bowl.....	154	Oven tray with non-stick coating	
Mat for rice cookers, non-stick.....	329	Mixing bowl with rubber base.....	154	Convectomat Roast.....	371
Measuring cup.....	155	Mixing cup for milkshake mixer.....	191	Oyster knife round.....	117
Measuring jug.....	138	Mixing cup for milkshakers.....	191	Oyster knife straight.....	117
Measuring jug polypropylene		Mobile table, with shelf - bolted.....	761	Paella pan.....	45, 772
Budget Line.....	138	Mobile trolley for dishwasher baskets - 7 x 500x500 mm.....	719	Palette knife.....	201
Measuring jug Profi Line.....	138	Mop bucket.....	741	Pancake pan.....	48
Measuring jug stackable Kitchen Line.....	138	Mounting bracket for scoop washer.....	188	Pan gripper.....	388
Meat axe.....	131	Mounting frame for induction heater, 800W.....	295	Pan series Budget Line.....	38
Meat mincer 12.....	229	Muddler.....	611	Pan support adapter.....	278
Meat mincer 22.....	229	Muesli/salad bowl.....	481	Pan support adaptor.....	35
Meat Mincer 198.....	230	Mug.....	483, 496	Paper bread bags.....	505
Meat mincer knife.....	229	Multi-purpose food processor HENDICHEF.....	286	Paper coffee filters for filter coffee makers.....	653
Meat mincers.....	228	Multipurpose jugs.....	512, 651	Paper towel bin.....	739
		Multipurpose tweezers.....	140-141	Paper towel dispenser.....	738
				Paper towel dispenser, lockable.....	738
				Paring knife with wooden handle.....	109
				Paring knives.....	109-110

Party cooler.....	459	Pizza board with handle.....	388	Platform trolley.....	679
Party freezer.....	459	Pizza counters.....	428, 432	Platter, rectangular.....	578
Party pan.....	337	Pizza cutter.....	119, 388	Pocket thermometer with probe.....	167
Party tub.....	500, 616	Pizza cutter heavy-duty Pizzer.....	392	Polyester tray for self-service restaurants..	585
Pass-through cupboards with sliding doors.....	758	Pizza delivery bag 35 cm.....	398	Polyester tray, non-slip, oval.....	584
Pass-through cupboard with partition and sliding doors - bolted.....	758	Pizza delivery bag 45 cm Kitchen Line..	398	Polyester tray, non-slip, rectangular.....	584
Pass-through cupboard with sliding doors - bolted.....	758	Pizza dough box.....	386	Polyester tray, non-slip, round.....	584
Pass-through dishwasher table.....	760	Pizza & food delivery backpack insulated..	399	Polyester tray, oval, XL.....	584
Pass-through dishwasher table with sink..	760	Pizza oven.....	337, 378	Polyethylene butcher block with base....	131
Pasta and dumplings cooker.....	406	Pizza oven Basic.....	379	Polypropylene cutlery basket.....	581
Pasta and pizza plates.....	394	Pizza oven cleaning brush.....	391	Polypropylene Euronorm.....	587
Pasta attachments for Blackbolt mixer - set of 3.....	249	Pizza oven compact.....	378	Polypropylene fast food tray GN 1/1.....	586
Pasta cooker.....	406-407	Pizza oven compact.....	378	Polypropylene fast food tray, large.....	586
Pasta cooker basket.....	39	Pizza pans.....	396	Polypropylene fast food tray, medium.....	586
Pasta maker.....	404	Pizza pan rectangular.....	397	Polypropylene fast food tray, oval.....	586
Pasta maker electric.....	404	Pizza peel.....	390	Polypropylene fast food tray, small.....	586
Pasta plate.....	485	Pizza peel, round.....	390	Popcorn machine.....	216, 219
Pasta plate Barocco.....	394	Pizza peel, squared.....	390-391	Popcorn machine with cart.....	217
Pasta plate Speciale.....	395	Pizza peel squared with short handle....	389	Potato masher.....	156
Pastry bag nylon.....	193	Pizza peel with short handle, squared, perforated.....	389	Potato mashers and ricers.....	156
Pastry bags.....	192	Pizza plate Barocco.....	394	Potato peeler.....	118
Pastry bags, reusable.....	193	Pizza plate Crete.....	395	Potato peeler 10 kg.....	252
Pastry cutters, round - set.....	197	Pizza plate Drops Collection.....	395	Potato peeler 18 kg.....	252
Pastry tong.....	144-145	Pizza plate Granite.....	395	Potato peeler 5 kg.....	252
Pavement blackboard.....	526	Pizza plate Recipe Collection Black.....	394	Potato peelers Kitchen Line.....	252
Pedal bin.....	743	Pizza plate Recipe Collection Brick Red..	394	Potato ricers.....	156
Peeler.....	111	Pizza plate Speciale.....	395	Pots and pans with capsule bottom Kitchen Line.....	36
Pepper shaker & Salt shaker.....	135, 522	Pizza plate Traditional.....	395	Pots and pans with sandwich bottom	
Percolator, double-walled.....	665	Pizza rocker cutter.....	392	Profi Line.....	32, 34
Percolator, single-walled.....	664	Pizza sauce ladle heavy-duty.....	393	Pot stand.....	761
Percolator UNIQ.....	547, 660	Pizza sauce spoon.....	389	Pot stand, bolted.....	761
Perfect for preparing freddo cappuccino, frappé and milkshakes.....	191	Pizza scoop, wooden.....	389	Poultry shears.....	112
Perforated drip shelf for GN containers..	67, 69	Pizza screen.....	397	Pourer with flip top.....	602
Perforated GN Containers.....	60, 64	Pizza screen/pan rack.....	397	Prep tray.....	83
Perforated pizza pan.....	396	Pizza shear heavy-duty.....	393	Presentation miniatures.....	491-492
Perforated plate.....	229	Pizza slicer.....	119, 388	Pressure food sprayer.....	139
Piano mixing whisk.....	152	Pizza spatula heavy-duty.....	393	Pressure regulator 50 mBar.....	281, 777
Piano whisk.....	152-153	Pizza thermobox Profi Line.....	686	Pressure regulator 37mBar.....	777
Piano whisk with 12 piano wires.....	153	Placemat.....	479	Professional grill and oven cleaner..	368, 735
Pie cutter.....	205	Placemat, frame.....	479	Pull-out basin tap.....	721
Pineapple slicer.....	113	Placemat, geometric pattern.....	479	Purple - allergens.....	105, 107
Pitcher.....	567	Planetary Mixer Blackbolt.....	249	Push lid for round waste bin.....	742
Pitcher with ice tube.....	567	Planetary Mixer Blackbolt PRO.....	247		
Pitta bread basket - oval.....	506	Planetary Mixers Kitchen Line.....	251		
Pitta bread basket - round.....	506	Plastic spice mat for food dehydrators..	304		
Pizza bench scraper heavy-duty.....	393	Plate Bark.....	489		
Pizza board.....	397	Plate, bear shape.....	489		
		Plate trolley.....	678		
		Plate warmer double.....	296		
		Plate warmer single.....	296		
		Plate with high rim Oslo.....	488		



Rasping disc.....	226	Rollers for shoarma.....	231	Sandwich type multi-layered bottom	32
Receipt holder.....	127, 518	Rolling pin, stainless steel.....	199	Saturn	483
Receipt holder - 3 pcs.....	518	Rolling pin with non-stick coating.....	199	Sauce boat.....	489
Reception bell	515	Rolltop-Chafing dish Gastronorm 1/1.....	558	Sauce dispenser with pump	175
Rectangular serving tray	582	Rolltop Chafing dish, GN 1/1.....	559	Sauce ladle.....	565
Rectangular tray with lid	575	Rolltop-Chafing dish - round	559	Saucepan - without lid.....	35, 37
Refrigerated bar counters	446	Roll-top cooling display, double	570	Saucer	481
Refrigerated countertop server.....	430	Roll top cooling display Duo UNIQ.....	542-543	Saucer for cappuccino cup	483, 485
Refrigerated display cabinet, glass doors..	452	Roll-top cooling display, single.....	570	Saucer for coffee cup.....	481, 483, 485
Refrigerated display cabinets..441-442, 454		Roll-top cover.....	575	Saucer for espresso cup.....	481, 483, 485
Refrigerated display cabinets		Roll-top display	571	Saucer for soup bowl	483, 485
with back access	444	Roll-top display tray.....	572	Sauce stand.....	175
Refrigerator counter Profi Line		Rotating bubble waffle maker	210	Sauce warmer.....	215
700 series.....	424	Rotating cake stand	576	Sausage and hot-dog buns warmer	338
Refrigerator counter three glass door ..	427	Round cake display	441	Sausage cutter	230
Refrigerator & freezer counters Profi Line		Round display with roll-top cover.....	573	Sausage cutter - electric.....	230
700 series, with a backsplash.....	422-423	Round knock box.....	650	Sausage cutter - manual.....	230
Refrigerators and Freezers		Round pedal waste bin with inner bin	744	Sausage filling machine, electric	237
Budget Line.....	416, 418	Round tip tweezers	141	Sausage filling machine Profi Line.....	236
Refrigerators and freezers Kitchen Line ..	415	Round tray with cover	573	Sausage filling machines.....	236
Refrigerators and freezers Profi Line		Round tray with lid	573	Sausage rolling grill, 1 zone	339
420+420 l and 890+420 l.....	414	Round tray with rolltop lid	573	Sausage rolling grill, 2 zones	339
Refrigerators & Freezers Profi Line		Round waste bin.....	742	Sausage rolling grills.....	339
700 series.....	413	Rubber band for trash bag holder.....	743	Sausage rolling grill XL - 2 zones.....	339
Refrigerators & Freezers Profi Line		Rubber seal for pressure regulator	777	Sausage warmer	338
800 series.....	412	Rustica oven dish oval.....	487	Sauté pan Titanium Professional	43
Refrigerator thermometer.....	170-171	Rustica oven dish rectangular.....	487	Sauté pan - without lid.....	35-36
Refrigerator thermometer, digital.....	170	Rustica oven dish round.....	487	Scales.....	160
Replacement knife for kebab knives.....	403	Rustica oven dish square.....	487	Scoop.....	149, 216, 618
Replacement lamp for fly killers	731			Scraper.....	146, 148-149
Restaurant calling system	589			Scraper Kitchen Line	149
Restaurant pagers - set of 10 pcs.....	589			Scraper spoon shaped.....	149
Rice cooker, 12 L.....	329			Seafood platter	577
Rice cooker 10 L.....	331			Sealer film PET/PE peel 12/40	267
Rice cooker 4.2 L.....	331			Serving baskets fast food style.....	505
Rice cooker & warmer 5.4 l	330			Serving dish	583
Rice cooker with steamer function.....	330			Serving pan	46
Ring for Hokker.....	280			Serving stand for plates.....	577
Rinse tap	722			Serving stands	577
Rinse tap, extendible	721			Serving tong	144
Rinse tap, wall-mounted	722			Serving tong HACCP 250 mm	143
Rise and fall heat lamp, bell-shaped	282			Serving tongs	142-144
Rise and fall heat lamp, conical	283			Serving tongs HACCP 300 mm	143
Rise and fall heat lamp, cylindrical.....	283			Serving tray GN 1/1.....	582
Rise and fall heat lamp, dome-shaped ..	282			Serving tray GN 1/1, with slanted rim ..	582
Rise and fall heat lamps	282			Serving tray, oval.....	582
Roasting pan	39			Serving tray, oval, non-slip, laminated ..	587
Roasting thermometer with timer.....	170			Serving tray, rectangular, non-slip, black ..	587
Roast-Master Maxi.....	770			Serving tray, rectangular, non-slip,	
Roast-Master Maxi 50/50.....	770			laminated	587
Roast-Master Pro Gas barbecue	769			Serving tray, round.....	583
Rollers for poultry.....	231			Serving tray, round, non-slip	587

Serving tray, round, non-slip, high rim, black.....	587	Sink table	757	Soup bowl.....	481, 483, 485, 500
Serving tray, round, non-slip, high rim, laminated	587	Sink table, bolted	753	Soup bowl Lionhead.....	489
Serving trays, non-slip.....	587	Sink table – bolted, depth 600 mm.....	751	Soup chafing dish.....	552
Serving tray, trapezoidal.....	585	Sink tables – bolted Kitchen Line.....	753	Soup chafing dish mirror finish.....	558
Serving tray with melamine laminate, non slip, with wood design.....	588	Sink tables – bolted Profi Line.....	751	Soup & gravy pan - with lid.....	52, 497
Serving trolley.....	672-673	Sink tables, cabinets, welded	755	Soup kettle, 8 l	548
Serving trolley matt black.....	673	Sink table, welded, with cabinet and hinged doors	755	Soup kettle HENDI UNIQ.....	532
Serving trolley, welded.....	672	Sink table with shelf and space for undercounter dishwasher	760	Soup kettle UNIQ.....	533
Serving trolley with 4 shelves	674	Sink table with shelf, bolted	751, 753	Soup kettle UNIQ, analogue control	537
Serving trolley with 5 shelves	674	Sink tap	723	Soup kettle waterless, 10L	549
Set: 2 x Stainless steel sauce container with dispenser.....	214	Sink tap with long lever	723	Soup pan for electric soup kettle.....	548
Set: Bain-marie Ranger + 2x 4L container with lid.....	303	Skimmer	151	Soup plate	481, 483, 485
Set: Induction cooker 3500W + saucepan + frying pan	292	Slider 250	241, 243	Soup strainer	158
Set of 6 cutting boards HACCP with rack.....	92	Slider 300	241, 243	Soup tureen.....	489
Set of 4 egg trays for HENDI Ovobox 120 ..	81	Slider 350	243	Sous vide cooker 30	326
Set of food safety labels, multi-use, easy removable, with dispenser	82	Slider 300 Profi Line.....	239	Sous vide cooker 50	326
Set: Stick blender 350 with variable speed + whisk + wall-mounted rack.....	260	Slider 195 Profi Line.....	238	Sous vide cooker 80	327
Shaker.....	522	Slider 220 Profi Line.....	238	Sous-vide cooking bags for vacuum packing machines.....	271
Shelf for cooling and freezing cabinets GN 2/1	411-413	Slider 250 Profi Line.....	239	Sous-vide cooking balls – 500 pcs.....	326
Shelf for cooling and freezing cabinets GN 2/1	415	Slider 220 Red Edition Profi Line.....	240	Sous-vide system	325
Shelf for GN 1/1 refrigerated counters and cabinets.....	423	Slider 250 Red Edition Profi Line.....	240	Sous vide system GN 1/1	325
Shellfish cutlery	525	Slider, automatic 350	243	Sous-vide system GN 2/3.....	325
Sieve	158	Slider, manual RETRO 300.....	244	Spaghetti tong.....	145
Sieve, double mesh.....	158	Slider Profi Line	238, 240	Spare blade for 855201	316
Sieve – set of 3 pcs.....	610	Sliders Kitchen Line	241	Spare parts set.....	180-181
Silicone mould HEART.....	198	Slicing disc	226	Spatula	146, 151, 201
Silicone mould MINI-MUFFIN	198	Slim waste bin.....	740	Speed peeler	111
Silicone mould MUFFIN	198	Slotted spatula	151	Speed rack	611
Silicone mould OVAL	198	Slotted spoon	151	Sphere ice mould	619
Silicone moulds.....	198	Slush machine Kitchen Line	623	Spice mat for Food Dehydrator.....	304
Silicone mould SEMI-SPHERE	198	Slush machine Profi Line.....	622	Spiral mixers.....	384-385
Silicone mould SQUARE	198	Small frying pan.....	499	Spiral mixer with fixed head and bowl ..	384
Silicone tong for cooking	142	Small sauce pan with spout.....	499	Spiral mixer with fixed head and bowl, 2 speeds	385
Single basin, depth 600 mm, height 300 mm	756	Smash burger press	318	Spiral mixer with rising head and removable bowl.....	384
Single basin, depth 700 mm, height 300 mm	756	Smash burger press Kitchen Line.....	234	Spiral whisk	152
Single pastry guitar.....	202	Smash burger press Profi Line	234	Sponge cake saw	203
Single Pedestal Pre-Rinser	723	Smash burger set	234, 319	Spoon	148
Sink	749	Smoke infuser	177	Spoon holder.....	564
Sink strainer	720	Smoke oven electric.....	305	Spreader - serrated	118
		Smoking gun rechargeable – 3 speeds of smoke infusion.....	176	Square bowl	578
		Snack can	498	Stainless steel cleaner	737
		Snack pan.....	498	Stainless steel furniture	749
		Snail fork - 6 pcs	525	Stainless steel sauce container with dispenser.....	214
		Snail tongs - 2 pcs	525	Stand for convection steam oven with grill 4x GN 2/3	356
		Soda chargers	605	Standing ashtray pole	529, 745
		Soda siphon.....	605	Standing waste bin with ashtray.....	529, 744
		Soft serve and whipped cream machine cleaner	737	Steak cutlery.....	478
		Soup and sauce bowls	500		



Steak fork.....	478	Tabletop blackboard - 2 pcs.....	527	Thermo Whipper.....	184
Steak knife.....	478	Tabletop litter bin.....	514	Tiered stand.....	577
Steak knife XL.....	478	Tabletop litter bin or cutlery holder.....	514	Timer.....	172
Steak thermometer - set of 4 pcs.....	169	Tabletop litter bin with swing cover.....	514	Tin-on-Tin Boston shaker.....	612
Stew pot high - with lid.....	33, 36, 38	Table with 2 sinks and shelf - bolted.....	751, 753	Toaster 4-slice.....	335
Stew pot high - without lid.....	34, 37	Table with 2 sinks - bolted.....	753	Toaster tong.....	335
Stew pot low - with lid.....	33, 36	Table with 2 sinks, cabinet - welded, with sliding doors.....	755	Tomato knife offset.....	118
Stew pot low - without lid.....	34, 37	Table with 2 sinks - welded.....	754	Tomato slicer.....	133
Stew pot medium - with lid.....	33, 36, 38	Table with single wash trough, with splashback - bolted, depth 600 mm.....	756	Top grid for charcoal barbecues.....	779
Stew pot medium - without lid.....	34, 37	Taco holder.....	175, 471	Top grid for Roast-master.....	776
Stick blender 250 - with adjustable speed.....	254	Tamping mat.....	650	Top grid for Xantos barbecue.....	776
Stick blender HENDI BLEND.....	255	Tamping stand.....	650	Tortilla Press.....	233
Stick blender Kitchen Line 160 with adjustable speed.....	259	Tapas dish Cacerole.....	490	Tote box.....	718
Stick blender Profi Line 400 - adjustable speed set with storage rack.....	254	Tapas dish Concha.....	490	Touch.....	362
Stick blenders Kitchen Line.....	258	Tapas dish Cuadrado.....	490	Trash bag holder.....	743
Stick blenders Profi Line.....	253	Tapas dish Cuchara.....	490	Trash container.....	740
Stick blender with spiral cord.....	256	Tapas dish Huevo.....	490	Tray Convectomat.....	372
Stöckel ice cream dipper.....	188	Tapas dish Leon.....	490	Tray Convectomat Classic 600x400.....	370
Stöckel ice cream scoop.....	187	Tapas dish oval.....	487	Tray Convectomat Classic GN 1/1.....	370
Stöckel oval ice cream scoop.....	187	Tapas dish Plato.....	490	Tray Convectomat Classic GN 2/3.....	370
Stopper.....	604	Tapas dish Redondo.....	490	Tray for ovens H90 and H90S.....	375
Stopper with cap.....	604	Tapas dish Triangulo.....	490	Trays Convectomat Classic.....	370
Storage rack, aluminium.....	692	Tapas mini.....	490	Tray sealer Compact.....	267
Storage rack with 4 full shelves - bolted.....	758	Tape for top sealbar, non-stick.....	273	Tray sealer Dual.....	265
Storage rack with 5 shelves.....	693	Tap with pull out rinser.....	722	Tray sealer matrix.....	267
Store & pour bottle.....	604	Tea box.....	655	Tray sealers.....	264
Strainer reinforced.....	158	Tea & herb strainer.....	513	Tray sealer Supreme.....	264
Strip vacuum packaging machine.....	268	Tea strainer with hinged handle.....	513	Trays with 3 rims.....	374
Strip vacuum packaging machine Profi Line.....	269	Teppanyaki turner.....	147	Trays with 4 rims.....	374
Strip vacuum packaging machine with roll feeder.....	268	Thermal insulation container made of piocelan.....	688	Tray with 6 moulds, Convectomat Pancake.....	371
Sugar bowl.....	513	Thermo box 9x 600x400mm.....	683	Tray with non-stick coating Convectomat Eggplate.....	371
Sugar cube tongs.....	145, 513	Thermobox Profi Line.....	686-687	Triangle cocktail strainer.....	608
Sugar dispenser.....	524	Thermo catering box.....	684-685	Trolley for chairs.....	595
Sugar/whipped cream dish.....	513	Thermo catering container.....	680	Trolley for containers, 6 wheels.....	679
Sushi display.....	438	Thermo front loaders.....	684	Trolley for dishwasher racks.....	719
Suspended shower unit.....	722	Thermo-insulated container with heating function - catering.....	681	Trolley for dishwasher racks with handle.....	719
T		Thermometer.....	168-169	Trolley for pizza dough boxes.....	387
Table caddy.....	500, 519	Thermometer, foldable.....	168	Trolley for round waste bin.....	742
Tablecloth clip.....	515	Thermometer, foldable and infrared.....	168	Trolley for tables.....	592
Table cover, rectangular Kitchen Line.....	591	Thermometer with foldable probe.....	166	Trolley for thermo container.....	679-681
Table cover, round.....	593	Thermometer with probe.....	167	Truffle slicer.....	119
Table cover, round Kitchen Line.....	592-593	Thermosystem.....	301	Tumbler.....	496
Table sign 'No smoking'.....	517	Thermosystem 1.....	301	Turner flexible.....	147
Table sign reserved.....	516	Thermosystem 2.....	301	Turner flexible, perforated.....	147
Tablestand numbers.....	517	Thermosystem 4.....	301	Tweezer, curved, with profiled handle.....	140
Tables with wash troughs - welded Profi Line.....	756			Tweezer, high precision tip.....	141
				Tweezer, round head.....	140
				Tweezers, curved.....	140
				Tweezer, square head.....	140

U	
UFO burger, gelato panini press.....	213, 324
Universal cutting board white.....	93
Universal knives Profi Line.....	100
Universal peelers.....	111
Universal peeler with serrated blade.....	111
Universal tongs.....	142-143
Upright freezer.....	453
Utility knives.....	109
UV sterilizer.....	720

V	
Vacuum bags, biodegradable.....	270, 273
Vacuum chamber packaging machine...	272
Vacuum cooking bags.....	270
Vacuum jug.....	509-510, 653
Vacuum jug with glass inner bottle.....	510
Vacuum packaging machine Kitchen Line...	269
Vacuum packaging machines.....	273
Vacuum packing bags, for chamber vacuum packing machines.....	271
Vacuum seal bags, embossed ..270, 273, 327	
Vacuum wine saver.....	628
Vegetable corer.....	118
Vegetable cutter heavy duty.....	225
Vegetable cutter Profi Line.....	224
Vegetable dish.....	500
Vegetable spoon.....	151
Vegetable strainer.....	155
Velocity slanted bowls.....	501

W	
Waffle maker 'Brussels'.....	212
Waffle maker corn dog.....	211
Waffle maker 'Heart'.....	212
Waffle maker 'Liège'.....	212

Waffle maker lollypop.....	211
Waffle maker round.....	210
Waiter's corkscrew.....	601
Wall blackboard.....	526
Wall mounted ashtray.....	529, 745
Wall mounted bottle opener.....	600
Wall-mounted extractor hood, angled...	759
Wall-mounted extractor hood, bolted...	759
Wall-mounted paper towel dispenser...	741
Wall mounted storage rack.....	253
Wall rack for pastry bags.....	201
Wall shelf adjustable, single, with 2 brackets.....	757
Wall shelf, with 2 brackets.....	757
Wall table cabinet with sliding doors - welded.....	754
Wall table with shelf - bolted.....	750, 752
Wall work table cabinets - welded.....	754
Warehouse scale, foldable.....	163
Warming bridge.....	285
Washbasin knee operated.....	721
Waste bin.....	739
Waterproof thermometer.....	167
Water softener.....	729
Water softener, automatic.....	728
Water softener, semi-automatic.....	728
Water softeners Manual.....	729
Water softeners (semi-)automatic.....	728
Wet floor sign.....	741
Whetstone.....	121
Whetstone knife sharpeners.....	121
Whisk attachment for stick blender 222140.....	259
Whisk attachment for stick blenders.....	258
Whisk for stick blender Profi Line 300, 400 & 500.....	253

Whisk for whipping.....	250
Whisks.....	152
Wine and champagne bucket.....	616
Wine cooler.....	617
Wine cooler, 1-zone, 224 bottles.....	463
Wine coolers, dual zone.....	462
Wine cooler stand.....	617
Wine cooler table bracket.....	617
Wire basket deco oval.....	502
Wire brush.....	782
Wire brush - 2 pcs.....	782
Wire brush set narrow - 3 pcs.....	782
Wire brush Y-shaped.....	782
Wok.....	44, 47, 280, 291
Wok 3-ply - without lid.....	52
Wok Titanium Professional.....	43
Wok with wooden handle.....	47
Wooden pepper mill.....	520
Wooden rolling pin.....	199
Wooden salt grinder.....	520
Wooden spatula.....	146
Wooden spoon - set of 3, various sizes ..	147
Wooden spreader for crêpe makers.....	213
Wood fibre cutting board.....	94
Work cabinet with sliding doors, bolted..	752
Work table with backsplash Budget Line..	749
Worm shaft.....	229

X	
Xantos Black Gas grill.....	778
Xantos Gas grill.....	778
Xenon Pro.....	773, 775

Z	
Zester.....	128



01

Pots, pans, GN containers

Cook with passion,
serve with perfection





POTS AND PANS WITH SANDWICH BOTTOM PROFI LINE



Watch the video

Sandwich type bottom
formed by special
impact bonding


Handles don't
get hot

831007

832004

830055

cold pot



hot pot



SANDWICH TYPE MULTI-LAYERED BOTTOM

Perfect integration – the bottom is formed by special impact bonding, which ensures perfect joining of layers. Corrosion resistance.

Energy savings up to 30% - faster heat distribution.

Faster cooking.


Optimal heat distribution over the entire bottom surface even cooking without a burn pot.

Sandwich bottom forged by impact bonding under a weight of 2,500 tons.

Aluminium purity - 95%.

Over 99% bonding efficiency of 3 layers.

- The thick sandwich base (stainless steel/aluminium/ stainless steel) combines the heat-spreading properties of aluminium with the durability and magnetic properties of stainless steel, making it suitable for use on induction stoves.
- The base is formed using high-impact bonding, which welds the entire surface of the layers seamlessly.
- The hollow handles ensure that the heat from the pans isn't transferred into the handles.
- The pans are easy to clean.



STEW POT HIGH - WITH LID

code	liters	wall (mm)	mm
832004	3	0.6	ø160x(H)150
832202	5.9	0.6	ø200x(H)190
832400	9.8	0.8	ø240x(H)220
832509	15.9	0.8	ø280x(H)260
832608	24	1	ø320x(H)300
832707	36.5	1	ø360x(H)360
832806	50	1	ø400x(H)400
832929	71	1.2	ø450x(H)450



STEW POT MEDIUM - WITH LID

code	liters	wall (mm)	mm
831007	2.1	0.6	ø160x(H)110
831205	4	0.6	ø200x(H)130
831403	6.7	0.8	ø240x(H)150
831502	10.3	0.8	ø280x(H)170
831601	15.1	0.8	ø320x(H)190
831700	23.2	1	ø360x(H)230



STEW POT LOW - WITH LID

code	liters	wall (mm)	mm
830000	1.5	0.6	ø160x(H)75
830208	2.8	0.6	ø200x(H)90
830406	4.8	0.6	ø240x(H)105
830505	7.5	0.8	ø280x(H)120
830604	12	0.8	ø320x(H)150





POTS AND PANS WITH SANDWICH BOTTOM PROFI LINE



STEW POT HIGH - WITHOUT LID

code	liters	thickness (mm)	mm
830529	3	0.6	ø160x(H)150
830536	5.9	0.6	ø200x(H)190
830543	9.8	0.8	ø240x(H)220
830567	15.9	0.8	ø280x(H)260
830574	24	1	ø320x(H)300
830581	36.5	1	ø360x(H)360
830628	50	1	ø400x(H)400
830635	71	1.2	ø450x(H)450



STEW POT MEDIUM - WITHOUT LID

code	liters	thickness (mm)	mm
830307	2.1	0.6	ø160x(H)110
830314	4	0.6	ø200x(H)130
830321	6.7	0.8	ø240x(H)150
830338	10.3	0.8	ø280x(H)170
830345	15.1	0.8	ø320x(H)190
830390	23.2	1	ø360x(H)230



STEW POT LOW - WITHOUT LID

code	liters	thickness (mm)	mm
830130	1.5	0.6	ø160x(H)75
830147	2.8	0.6	ø200x(H)90
830161	4.7	0.6	ø240x(H)105
830178	7.3	0.8	ø280x(H)120
830185	12	0.8	ø320x(H)150



LID FOR POT

code	thickness (mm)	mm
833919	0.6	ø160x(H)46
833926	0.6	ø200x(H)47
833933	0.6	ø240x(H)50
833940	0.6	ø280x(H)52
833957	0.8	ø320x(H)53
833964	0.8	ø360x(H)55
833971	0.8	ø400x(H)56
833988	0.8	ø450x(H)68



SAUCEPAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	liters	wall (mm)	mm
830048	1	0.6	ø140x(H)70
830055	1.5	0.6	ø160x(H)75
830154	2	0.6	ø180x(H)80
830253	2.8	0.6	ø200x(H)90



830048

SAUTÉ PAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.
- Ideal for pouring thanks to the sharply formed edge.

code	liters	wall (mm)	mm
830352	1	0.6	ø160x(H)60
830376	1.6	0.6	ø200x(H)60



830352

FRYING PAN, WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	wall (mm)	mm
835449	0.6	ø200x(H)45
835432	0.8	ø240x(H)50
835531	0.8	ø280x(H)50
835630	0.8	ø320x(H)58



835432

FRYING PAN, NON-STICK COATING

- Non-stick coating.
- Long, stay-cool handle made of stainless steel.
- Handle attached with rivets.

code	wall (mm)	mm
835456	0.6	ø200x(H)45
835401	0.8	ø240x(H)50
835500	0.8	ø280x(H)50
835609	0.8	ø320x(H)58



835401



PAN SUPPORT ADAPTOR

- For placing small pans on large pan supports.

code	mm
839997	255x255x(H)25



839997





POTS AND PANS WITH CAPSULE BOTTOM KITCHEN LINE

- Encapsulated sandwich type bottom.
- Combines the heat distribution of aluminium with the durability and magnetic properties of steel to allow induction cooking.
- Satin finish of all outer surfaces.
- Steel handles affixed with multi-point welding stay cool enough to touch.



Watch the video




837306




836309



836026



839409



STEW POT HIGH - WITH LID

code	liters	wall (mm)	mm
837108	2.8	0.6	ø160x(H)140
837207	5	0.8	ø200x(H)160
837306	9	0.8	ø240x(H)200
837405	13.5	0.8	ø280x(H)220
837603	21	1	ø320x(H)270
837139	32	1	ø360x(H)320
837146	45	1	ø400x(H)360

STEW POT MEDIUM - WITH LID

code	liters	wall (mm)	mm
836101	1.8	0.6	ø160x(H)95
836200	3.5	0.6	ø200x(H)115
836309	6	0.6	ø240x(H)135
836408	9.5	0.6	ø280x(H)155
836507	15	0.8	ø320x(H)190

STEW POT LOW - WITH LID

code	liters	wall (mm)	mm
836002	1.4	0.6	ø160x(H)75
836019	2.9	0.6	ø200x(H)95
836026	4.9	0.6	ø240x(H)110
836033	7.3	0.6	ø280x(H)120
836040	11.9	0.8	ø320x(H)150

SAUTÉ PAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	liters	wall (mm)	mm
839300	1	0.6	ø160x(H)60
839409	1.7	0.6	ø200x(H)65

STEW POT HIGH - WITHOUT LID

code	liters	wall (mm)	mm
837757	2.8	0.6	ø160x(H)140
837764	5	0.8	ø200x(H)160
837771	8.9	0.8	ø240x(H)200
837788	13.4	0.8	ø280x(H)220
837795	21	1	ø320x(H)270
837115	32	1	ø360x(H)320
837122	45	1	ø400x(H)360



837771

STEW POT MEDIUM - WITHOUT LID


code	liters	wall (mm)	mm
837696	1.8	0.6	ø160x(H)95
837719	3.5	0.6	ø200x(H)115
837726	6	0.6	ø240x(H)135
837733	9.4	0.6	ø280x(H)155
837740	15	0.8	ø320x(H)190



837726

STEW POT LOW - WITHOUT LID

code	liters	wall (mm)	mm
837641	1.4	0.6	ø160x(H)75
837658	2.9	0.6	ø200x(H)95
837665	4.9	0.6	ø240x(H)110
837672	7.3	0.6	ø280x(H)120
837689	11.9	0.8	ø320x(H)150



837665

LIDS FOR STEW POTS

code	mm
837818	ø160
837825	ø200
837832	ø240
837849	ø280
837856	ø320
837863	ø360
837870	ø400



837832

SAUCEPAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	liters	wall (mm)	mm
838105	1.4	0.6	ø160x(H)75
838204	2.9	0.6	ø200x(H)95
838303	4.9	0.6	ø240x(H)110



838105

FRYING PAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	wall (mm)	mm
837153	0.6	ø200x(H)45
838501	0.6	ø240x(H)50
838600	0.6	ø280x(H)50
838617	0.6	ø320x(H)59



838501





PAN SERIES BUDGET LINE

- Sandwich type bottom (stainless steel / aluminium / 18/0 stainless steel) combines the heat distribution of aluminium with the durability and magnetic properties of stainless steel to allow induction cooking.
- Satin finish of all outer surfaces.
- Riveted stainless steel handles which don't get hot.



STEW POT HIGH - WITH LID

- Lid with steam release holes.

code	liters	wall (mm)	mm
832882	17	0.8	ø280x(H)280
832899	21	0.8	ø300x(H)300
834206	25	0.8	ø345x(H)350
834404	36	1	ø360x(H)360
834701	50	1	ø400x(H)400
834909	71	1	ø450x(H)450
835104	98	1	ø500x(H)500


STEW POT MEDIUM - WITH LID

- Lid with steam release holes.

code	liters	wall (mm)	mm
832820	9	0.8	ø250x(H)180
832837	14	0.8	ø300x(H)200
832844	23	1	ø350x(H)240
832851	32	1	ø400x(H)260

LOW POT WITH LID

code	liters	thickness (mm)	mm
836514	8.5	1.75	ø320x(H)110
836521	10.8	1.95	ø360x(H)110



Sandwich type bottom



Riveted handle



Handles don't get hot



833032

BAIN-MARIE PAN

- Double walled, with reservoir for water.
- Fill the reservoir with water to melt chocolate au bain-marie.
- With stainless steel handle.

code	liters	mm
833032	1	330x165x(H)95

18/0
stainless steel



833506



Watch the video

With extra hook to support while draining.

18/10
stainless steel

PASTA COOKER BASKET

- Suitable for stew pan Ø 360 mm - 831700.
- With extra hook to support while draining.

code	liters	mm
833506	1.5	160x160x(H)230



833100

Al
aluminium

S.S.
stainless steel

18/0
stainless steel



ASPARAGUS PAN XL

- Extra height allows the steaming of extra long asparagus.
- Can also be used for steaming other vegetables, steaming fish, cooking pasta, keeping hot dogs warm, etc.
- Set consists of pan, steamer basket and lid.

code	liters	wall (mm)	mm
833100	5.5	0.6	ø162x(H)280

ROASTING PAN

- Made of stainless steel.
- With handles.
- Only suitable for ovens, not for direct contact heating.

code	mm
508503	310x240x(H)45
508510	385x275x(H)50
508527	430x310x(H)60



S.S.
stainless steel



508503



CAST IRON CASSEROLE ENAMELLED

- Made from cast iron, with enamel coating on the outside.
- Lid with bumps on the inside that force water droplets (steam) to fall back, keeping the dish moist and aromatic.
- Suitable for all heat sources including induction.
- Not dishwasher safe.
- Available in different sizes; the smallest can be used as a serving dish (code: 626856, 626894).

code	colour	liters	mm
626856	Red	0.27	130x100x(H)48
626894	Black	0.27	130x100x(H)48
626832	Red	3.7	317x240x(H)105
626870	Black	3.7	317x240x(H)105
626849	Red	4.4	365x290x(H)115
626887	Black	4.4	365x290x(H)115
626825	Red	6.88	405x255x(H)134
626863	Black	6.88	405x255x(H)134



CASSEROLE WITH NON-STICK COATING

- Made of die-cast aluminium with a heat-resistant coating.
- PTFE non-stick coating.
- Knob made of stainless steel.
- Suitable for use on gas, induction, electric and ceramic stoves.
- Induction base.
- Oven safe up to 250°C; not suitable for use at higher temperatures.
- Casserole is oven safe.
- Lid is not oven safe.

code	liters	mm
611043	9	405x332x(H)138
611036	7.5	387x310x(H)130
611029	7	367x290x(H)122
611012	4.3	425x332x(H)70



LID HOLDER

- Made of stainless steel.
- Non-slip coating.
- Dishwasher safe.

code	mm
470534	224x52x(H)105





FRYING PANS DIE-CAST ALUMINIUM 'TITANIUM PROFESSIONAL'

- Made of cast aluminium, suitable for all heat sources and even suitable for use in ovens (up to 250°C).
- Cast aluminium excels at conducting heat.
- The handle is made from 18/10 stainless steel and remains cool during use.
- The 'Teflon™ Platinum Plus' non-stick coating has a high temperature resistance (up to 250°C).
- The coating is applied in three layers which increases the wear resistance and makes the pan ideal for intensive use.
- Very easy to clean after use.



Primer coating: for anti-corrosion, anti-shock & better durability of coatings

Titanium coating: for anti-scratch & anti-abrasion

Mid coating: Whitford® Xylan non-stick

Top coating: reinforcement of non stick layer and brighten surface



INDUCTION FRYING PAN

code	ø bottom [mm]	mm
629154	190	ø250x(H)50
629253	220	ø290x(H)55
629345	260	ø330x(H)60



GRIDDLE FOR INDUCTION COOKERS

code	mm
629130	390x260x(H)35



FRYING PANS DIE-CAST ALUMINIUM 'TITANIUM PROFESSIONAL'

- Made of cast aluminium, suitable for all heat sources except induction and even suitable for use in ovens (up to 250°C).
- Cast aluminium excels at conducting heat.
- The handle is made from 18/10 stainless steel and remains cool during use.
- The Whitford® Xylan non-stick coating has a high temperature resistance (up to 250°C).
- Adhesion of the non-stick coating is improved by a layer of titanium between the aluminium and the coating.
- This double-layer procedure improves the service life of the coating and provides additional scratch-resistance.
- Very easy to clean after use.




Primer coating: for anti-corrosion, anti-shock & better durability of coatings

Titanium coating: for anti-scratch & anti-abrasion

Mid coating: Whitford® Xylan non-stick

Reinforcement of non stick and bright surface



Aluminum pan base

FRYING PAN TITANIUM PROFESSIONAL

code	ø bottom (mm)	mm
629109	180	ø240x(H)55
629307	260	ø320x(H)55
629208	220	ø280x(H)55
629352	300	ø360x(H)55
629390	340	ø400x(H)55



629208



839010

WOK TITANIUM PROFESSIONAL

code	ø bottom (mm)	mm
839010	157	ø320x(H)100



629505

SAUTÉ PAN TITANIUM PROFESSIONAL

code	ø bottom (mm)	mm
629505	225	ø280x(H)85



629802

GRILL PAN - RIDGED SURFACE TITANIUM PROFESSIONAL

code	ø bottom (mm)	mm
629802	220	550x290x(H)55



629604

FISH FRYING PAN - OVAL TITANIUM PROFESSIONAL

code	ø bottom (mm)	mm
629604	175	400x275x(H)35



629413


CRÊPES PAN TITANIUM PROFESSIONAL

code	ø bottom (mm)	mm
629413	260	ø320x(H)20



FRYING PANS ALUMINIUM 'MARBLE PROFESSIONAL'

- Made of durable aluminium, suitable for all heat sources, even suitable for use in ovens.
- Aluminium offers even heat conduction, the pan is quickly ready for use.
- The handle is made of epoxy coated steel.
- The 'Marble' non-stick coating has a high temperature resistance (up to 260°C).
- The coating is applied in 3 layers and is wear-resistant.
- Very easy to clean after use.



627631



FRYING PAN

code	ø bottom (mm)	mm
627600	140	ø200x(H)40
627617	180	ø240x(H)42
627662	200	ø260x(H)45
627624	220	ø280x(H)50
627631	260	ø320x(H)50
627648	280	ø360x(H)50
627655	300	ø390x(H)50

627747



627686



627716



WOK

code	ø bottom (mm)	mm
627730	210	ø280x(H)75
627747	210	ø320x(H)95

CRÊPE PAN


code	ø bottom (mm)	mm
627679	240	ø280x(H)25
627686	280	ø320x(H)20

FISH FRYING PAN - OVAL

code	ø bottom (mm)	mm
627716	185	280x400x(H)55

FRYING PANS ALUMINUM 'PLATINUM PROFESSIONAL'

- Made of durable aluminium, suitable for all heat sources.
- Aluminium excels at conducting heat, the pan is quickly ready for use.
- Stainless steel handle with insulating silicon handle for a good grip.
- The 'Teflon' Platinum Plus' non-stick coating has a high temperature resistance (up to 260°C).
- The coating is applied in three layers which increases the wear resistance and makes the pan ideal for intensive use.
- Very easy to clean after use.



Insulated silicon handle for a good grip



FRYING PAN

code	ø bottom (mm)	mm
621103	140	ø200x(H)44
621110	180	ø240x(H)50
621127	200	ø260x(H)52
621134	200	ø280x(H)52
621158	215	ø320x(H)60

PAELLA PAN

- Carbon steel construction with excellent heat conductivity.
- Traditional Spanish-style paella pan.
- Wide, shallow design.
- Suitable for use on gas burners, charcoal grills, open fires, and in ovens.
- Sturdy side handles.
- Requires seasoning before first use.



622094
622100
622308
622407

code	capacity	Suitable for Fiesta gas grill	mm
622094	4 portions*		ø300x(H)45
622100	6 portions*		ø340x(H)50
622117	8 portions*		ø380x(H)45
622216	10 portions*		ø420x(H)50
622308	12 portions*		ø460x(H)55
622353	16 portions*		ø550x(H)60
622407	20 portions*	146002	ø600x(H)55
622605	40 portions*	146804 & 146842	ø800x(H)75

* 1 portion = 550 g



622605



CARBON STEEL WOKS AND FRYING PANS

- Made of carbon steel.
- Suitable for all types of cookers, including induction.
- Not dishwasher safe.
- NOTE: should be seasoned before use.



628058

FRYING PAN

- Ergonomic handle made of carbon steel, with a hanging hole.
- Can be used in an oven in temperature up to 220°C.

code	ø bottom (mm)	mm
628058	254	ø327x593



628003

FRYING PAN

- Ergonomic handle made of carbon steel, with a hanging hole.
- Can be used in an oven in temperature up to 220°C.

code	ø bottom (mm)	mm
628003	156	ø204x385
628010	186	ø244x470
628027	205	ø264x490
628034	230	ø282x504
628041	238	ø306x530



627976

CRÊPE PAN

- Ergonomic handle made of carbon steel, with a hanging hole.
- Flat bottom, perfect for making crepes and also tortillas.
- Can be used in an oven in temperature up to 220°C.

code	ø bottom (mm)	mm
627976	255	520x282x(H)85



627983

GRILL PAN, SQUARE

- Ribbed surface.
- Ergonomic handle made of carbon steel, with a hanging hole.
- With a spout for easy pouring out excess oil.
- Can be used in an oven in temperature up to 220°C.

code	mm
627983	480x282x(H)80



627945

SERVING PAN

- Pan made of carbon steel.
- 2 handles made of stainless steel.
- Can be used in an oven in temperature up to 250°C.

code	ø bottom (mm)	mm
627914	95	ø144x170
627921	110	ø164x195
627938	125	ø184x216
627945	140	ø204x240
627952	170	ø243x280
627969	185	ø264x297



627990

WOK

- Ergonomic handle made of carbon steel, with a hanging hole.
- Can be used in an oven in temperature up to 220°C.

code	ø bottom (mm)	mm
627990	180	ø304x530



627907

WOK WITH WOODEN HANDLE

- Handles made of rubber wood mounted on a steel core, one with a hanging hole.

code	ø bottom (mm)	mm
627907	110	ø324x565

STEP-BY-STEP GUIDE:



Step 1

Before first use, wash the pan with hot soapy water using a sponge



Step 2

Thoroughly dry before use.



Step 3

Heat the pan and add oil. Do not overheat the pan.



Step 4

For cleaning, use hot running water and a sponge or scrub brush. Dry immediately.



Step 5

Before storing, rub the pan with a little oil to strengthen the patina layer that prevents sticking.



Step 6

For burnt-on residue, scrub the pan with salt and paper towels. Never soak this pan or put it in the dishwasher.



CARBON STEEL PANS

- Made of carbon steel.
- Ergonomic handle made of carbon steel with a hanging hole.
- Suitable for various heat sources including induction, gas, electric and ceramic.
- Not dishwasher safe.



- Excellent thermal conductivity.
- Solid construction, very long service life.
- Note: Must be seasoned before use.



629420 – 629475



629482



629499



629529



844465

NEW

LYONNAISE PAN

- Perfect for a variety of cooking techniques, from browning and frying to searing and sautéing.
- Lightweight and easy to handle – perfect for daily cooking.
- Develops natural non-stick surface over time through seasoning.
- Heats quickly – excellent for searing and caramelising.
- French-style handle for comfortable grip.
- Equipped with a hanging hole for easy storage.
- It can be used in an oven for up to 10 minutes at a maximum temperature of 200°C.

code	mm
629420	ø210x(H)100
629437	ø220x(H)100
629444	ø240x(H)100
629451	ø260x(H)130
629468	ø280x(H)130
629475	ø320x(H)130
629482	ø360x(H)140

CRÊPE PAN

- Rim's specially designed for easy slip of crêpes or pancakes.

code	mm
629499	ø290x(H)100

PANCAKE PAN

- Sharp bottom angle designed for flipping pancakes.

code	mm
629512	ø120x(H)100
629529	ø140x(H)100
629536	ø180x(H)100



HANDLE COVER FOR PANS

- Made of heat-resistant silicone.
- Suitable for pan handles, including cast iron and stainless steel pans.
- Fits securely around metal handles.

code	mm
844465	141xx(H)50

FRYING PANS TRADITIONAL

- Traditional frying pans made of rolled steel.
- Favourite pans of cooking masters.
- Simplicity, quality, firmness and versatility, features appreciated by many generations.
- Oil well to keep it ready for use.
- The handle is welded which ensures that it doesn't break.



628614

FRYING PAN

code	ø bottom (mm)	mm
628638	180	ø240x(H)45
628614	220	ø280x(H)50
628706	240	ø300x(H)50
628621	260	ø320x(H)50



628805

CRÊPES PAN

code	ø bottom (mm)	mm
628805	200	ø230x(H)25

BEFORE FIRST USE:



Step 1

Put cooking oil in the pan and heat it. Add potato peelings and a lot of salt, then let it fry a bit.



Step 2

Take a kitchen towel and carefully rub the mixture around the inside of the pan.



Step 3

After rubbing the pan thoroughly, empty the pan. Now there will be residue of the potato peelings left in the pan.



Step 4

To remove the residue put a lot of salt in the pan and rub the salt around the pan with a kitchen towel to remove the residue. Don't do this on the stove.



Step 5

Remove the dirty salt, wipe the pan clean and pour a thin layer of oil in the pan.



Step 6

Spread the oil in the pan with a clean kitchen towel. The pan is now ready for first use or storage.





CAST IRON SKILLET

- With 2 spouts - 1 on each side.
- Large handle with a hanging hole.
- Available in 3 sizes (629314, 629321, 629338).

code	mm
629314	ø165x(H)35
629321	ø200x(H)40
629338	ø250x(H)40



629925

CAST IRON GRILL PAN

- Cast iron handle.
- With 2 spouts.

code	mm
629925	398x265x(H)48



629376

CAST IRON POT

- Complete set with a lid and a handle.
- Handle is ideal for moving and for hanging over fire.

code	liters	wall (mm)	mm
629376	7.2	4	ø310x(H)130



629291

CAST IRON POT

- Complete set with a lid and a handle.
- Handle is ideal for moving and for hanging the pot above fire.
- On 3 legs - traditional design descended from South Africa.

code	mm
629291	ø245x(H)280

CAST IRON PLATTER WITH WOODEN UNDERLINER AND GRIPPER

- Platter and handle made of cast iron.
- Underliner made of birch wood.
- Oven safe platter.
- With detachable handle.
- The set is not dishwasher safe.

code	mm
629383	280x143x(H)33



629383



629932

CAST IRON GRILL PAN

- Made of cast iron.
- With 1 spout.
- Temperature resistance range: up to 220°C.
- Handle includes a hanging hook.
- Pre-seasoned with a protective layer of oil.
- Not dishwasher safe.

code	mm
629932	230x230x(H)25



629369

CAST IRON GRILL PAN

- Ribbed surface for grilling.
- With a spout for easy pouring out excess oil/fat.
- Handle with a hanging hole.

code	mm
629369	250x250x(H)50



MUSSEL & GRAVY PANS



MUSSEL PAN - WITH LID

- Black enamel.
- Flanged stainless steel rim.

code	max. contents in kg.	liters	usable capacity [l]	mm
625002	1	2	2,0	ø200x(H)180
625057	1.5	2.5	2,5	ø220x(H)190
625101	2	4.2	4,2	ø260x(H)210



625057



625804

625705

SOUP & GRAVY PAN - WITH LID

- Enamelled.
- Flanged stainless steel rim.
- Low lid.

code	colour	liters	mm
625804	Blue	0.3	ø115x(H)90
625705	Black	0.5	ø135x(H)105



839003

18/8 stainless steel (0.4 mm) →
aluminium (1.5 mm) →
18/0 stainless steel (0.5 mm) →

WOK 3-PLY - WITHOUT LID

- 3-Ply construction that sandwiches a layer of aluminium (1.5 mm) between an exterior layer of 18/0 stainless steel (0.5 mm) and an interior layer of 18/8 stainless steel (0.4 mm) from base to rim.
- Fast heating and excellent heat distribution.
- Very durable through high wear resistance.
- Long hollow handle made of stainless steel.
- Flat bottom of Ø 125 mm.

code	mm
839003	ø360x(H)100



622742

ENAMELLED PAN

- Made of carbon steel with an enamelled coating.
- Equipped with two handles.
- Suitable for use on gas, ceramic, and electric hobs.
- Dishwasher safe.

code	mm
622704	ø100x(H)20
622711	ø120x(H)25
622728	ø150x(H)27
622735	ø200x(H)36
622742	ø240x(H)40
622773	ø300x(H)50
622780	ø340x(H)50



622858

ENAMELLED PAELLA BOWLS

- Deep model.
- Made of enamelled steel.

code	mm
622810	ø145x(H)40
622827	ø170x(H)40
622834	ø185x(H)43
622841	ø205x(H)57
622858	ø245x(H)70



CASSEROLE DISH, ENAMELLED

- Made of carbon steel.
- Enamelled finish.
- 2 handles.
- Suitable for gas, ceramic & electric stoves.
- Dishwasher safe.

code	mm
622551	ø200x(H)45
622544	ø160x(H)45
622537	ø140x(H)45
622520	ø120x(H)40
622513	ø100x(H)40





GN GASTRONORM SYSTEM

- Designation of standard size containers used in food industry, determined in EN 631-1:1996 standard.
- Standardisation of container dimensions makes it easier to use them in various kitchen appliances which are designed based on these dimensions, e.g. in ovens, insulated containers, refrigerated cabinets, bain-maries, transport trolleys.



HEIGHT (MM)



20 mm



40 mm



65 mm



100 mm



150 mm



200 mm

DIMENSIONS OF GN CONTAINERS:



GN 2/1
650x530 mm



GN 1/1
530x325 mm



GN 2/3
354x325 mm



GN 2/4
530x162 mm



GN 1/2
325x265 mm



GN 1/3
325x176 mm



GN 1/4
265x162 mm



GN 1/6
176x162 mm



GN 1/9
176x108 mm





Gastronorm containers

STAINLESS STEEL GN CONTAINERS



PROFI LINE PLUS

PROFI LINE

KITCHEN LINE

BUDGET LINE

SUITABLE FOR:

Convection ovens	✓	✓	✓	✓
Bain-marie system	✓	✓	✓	✓
Chafing dishes	✓	✓	✓	✓
Refrigerators	✓	✓	✓	✓
Food storage	✓	✓	✓	✓
Dishwasher cleaning	✓	✓	✓	✓

PROPERTIES:

For use at temperatures	-40 / 300°C	-40 / 300°C	-40 / 300°C	-40 / 300°C
Stackable	✓	✓	✓	✓

CONSTRUCTION:

Made of	AISI 304	AISI 304	AISI 201	AISI 201
Thickness (mm)	0,8	0,7-0,8	0,6-0,7	0,6-0,7
Available heights (mm)	20-200	20-200	20-200	20-200

ACCESSORIES:

Perforated containers	✓	✓	✓	
Lids	✓	✓	✓	✓
Lids with silicone rim	✓	✓	✓	✓
Lids with spoon recess	✓	✓	✓	
Dripping tray			✓	✓
Adaptor bar	✓	✓	✓	✓

ADDITIONAL INFO:

Uniform 0.8 mm thickness, including the top rim, ensures enhanced strength and improved shape retention. Compliant with the most stringent food contact regulations (e.g. suitable for hospital use). Excellent corrosion resistance. Highly durable for long service life.

Compliant with the most strict food contact regulations (for hospitals) Excellent corrosion resistance (salt & sour resistant) Very strong and durable

Reinforced corners to add strenght If treated correctly corrosion resistant

If treated correctly corrosion resistant



PLASTIC GN CONTAINERS

PORCELAIN GN CONTAINERS

SAN

POLYPROPYLENE



COOL



PROFI LINE



KITCHEN LINE



HACCP



COOL	PROFI LINE	KITCHEN LINE	HACCP	
				✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
-40 / 90°C	-40 / 80°C	-40 / 100°C	-40 / 80°C	-40 / 600°C
✓	✓	✓	✓	✓
SAN	polypropylene	polypropylene	polypropylene	porcelain
2,0-3,0	2,0-2,9	2,0-2,9	2,0-2,9	
65-200	100-200	65-200	65-200	20-65
✓	✓	✓	✓	
	✓			
✓				

Ideal for use in freezers.
Excellent transparency.
Good impact resistance.
Bottom features a photo-engraved, scratch-resistant surface.
GN size and capacity marking included.

GN size and capacity marking.
Semi-transparent material.

GN size and capacity marking.
Semi-transparent or black material.

GN size and capacity marking.
Integrated HACCP label embedded in the material for monitoring food storage processes.
Transparent material.
Lids and colored clips for product identification in line with HACCP.
Airtight.

Special, ultra-durable type of porcelain – among the strongest available on the market.
Maximum resistance to scratches, chipping, and thermal shock.
Exceptionally clean, bright white color.
Ideal for presentation.





GASTRONORM CONTAINERS PROFI LINE PLUS

- Made of high-grade AISI 304.
- Thickness: 0.8 mm.
- Strong edges with the same 0.8 mm thickness for extra rigidity.
- Solid design with smooth edges.
- Excellent resistance to corrosion.
- Suitable for convection ovens, refrigerators, bain-marie systems, and chafing dishes.
- Temperature range: -40°C to 300°C.
- Food-contact compliant.
- Optimised internal corner radius increases usable capacity.
- Stackable.

304

stainless steel



indoor



oven



micro



stackable


NEW



-40°C



300°C



GN 2/1	GN 1/1	GN 2/3	GN 1/2	GN 1/3	GN 1/4	GN 1/6	GN 1/9
650x530 mm	530x325 mm	354x325 mm	325x265 mm	325x176 mm	265x162 mm	176x162 mm	176x108 mm

2/1



818664

code	liters	height (mm)
818688	58	200
818671	44	150
818664	29	100
818657	19	65
818640	11	40
818633	5.5	20

1/1



818244

code	liters	height (mm)
818268	28	200
818251	21	150
818244	14	100
818237	9	65
818220	5	40
818213	2.5	20

2/3



818428

code	liters	height (mm)
818442	15.5	200
818435	13	150
818428	9	100
818411	5.5	65
818404	3	40
818398	1.5	20

2/4



818619

code	liters	height (mm)
818626	8.6	150
818619	5.8	100
818602	4	65
818596	2.5	40
818589	1.2	20

1/2



818305

code	liters	height (mm)
818329	12.5	200
818312	9.5	150
818305	6.5	100
818299	4	65
818282	2	40
818275	1	20

1/3



818367

code	liters	height (mm)
818381	7.8	200
818374	5.7	150
818367	4	100
818350	2.5	65
818343	1.5	40
818336	0.8	20

1/4



818480

code	liters	height (mm)
818503	5.5	200
818497	4	150
818480	2.8	100
818473	1.7	65
818466	1.3	40
818459	0.9	20

1/6



818527

code	liters	height (mm)
818541	3.4	200
818534	2.4	150
818527	1.6	100
818510	1	65

1/9



818565

code	liters	height (mm)
818572	1.3	150
818565	1	100
818558	0.6	65





PERFORATED GN CONTAINERS

- Perforated bottom.
- Containers with a depth of 100 mm or more have perforated sides in addition to the base.
- Optimised internal corner radius increases usable capacity.
- Stackable.



NEW

1/1



818022

code	liters	height (mm)
818008	28	200
818015	21	150
818022	14	100
818039	9	65
818046	5	40
818053	2.5	20

2/3



818084

code	liters	height (mm)
818060	15.5	200
818077	13	150
818084	9	100
818091	5.5	65
818107	3	40

1/2



818138

code	liters	height (mm)
818114	12.5	200
818121	9.5	150
818138	6.5	100
818145	4	65
818152	2	40

1/3



818183

code	liters	height (mm)
818169	7.8	200
818176	5.7	150
818183	4	100
818190	2.5	65
818206	1.5	40



818862



819005

LID FOR GN CONTAINERS

code	GN	mm
818923	GN 2/1	650x530
818848	GN 1/1	530x325
818916	GN 2/4	530x162
818879	GN 2/3	354x325
818855	GN 1/2	325x265
818862	GN 1/3	325x176
818886	GN 1/4	265x162
818893	GN 1/6	176x162
818909	GN 1/9	176x108

LID FOR GN CONTAINERS WITH SPOON RECESS

- Integrated spoon recess.

code	GN	mm
818992	GN 1/1	530x325
819005	GN 2/3	354x325
819012	GN 1/2	325x265
819029	GN 1/3	325x176
819036	GN 1/4	265x162
819043	GN 1/6	176x162

GN CONTAINER, DROPPED HANDLES

- Dropped handles for easier lifting and handling.
- Optimised internal corner radius increases usable capacity.
- Stackable.

NEW

1/1



818701

code	liters	height (mm)
818695	28	200
818701	21	150
818718	14	100

1/2



818732

code	liters	height (mm)
818725	12.5	200
818732	9.5	150
818749	6.5	100

1/3



818763

code	liters	height (mm)
818756	7.8	200
818763	5.7	150
818770	4	100

1/4



818800

code	liters	height (mm)
818787	5.5	200
818794	4	150
818800	2.8	100

1/6



818831

code	liters	height (mm)
818817	3.4	200
818824	2.4	150
818831	1.6	100

819067



LID FOR GN CONTAINERS WITH HANDLE RECESS

- Integrated handle recess.

code	GN	mm
819050	GN 1/1	530x325
819067	GN 1/2	325x265
819074	GN 1/3	325x176
819081	GN 1/4	265x162
819098	GN 1/6	176x162

818947



LID FOR GN CONTAINERS WITH SILICONE RIM

- Integrated silicone rim for airtight sealing.

code	GN	mm
818930	GN 1/1	530x325
818947	GN 2/3	354x325
818954	GN 1/2	325x265
818961	GN 1/3	325x176
818978	GN 1/4	265x162
818985	GN 1/6	176x162





UNIQ

Buffet reinvented




design by
Robert Bronwasser



GASTRONORM CONTAINERS PROFI LINE

- Made of high grade stainless steel 18/8.
- Very solid design.
- Smooth edges, easy to clean.
- Can be used in convection ovens, refrigerators, bain-marie systems and chafing dishes.



Very strong and durable.

For use at temperatures
-40°C / 300°C.

Excellent resistance to
corrosion.

Reduced inner radius increases
maximum capacity.

GN 2/1 GN 1/1 GN 2/3 GN 1/2 GN 1/3 GN 1/4 GN 1/6 GN 1/9

650x530 mm	530x325 mm	354x325 mm	325x265 mm	325x176 mm	265x162 mm	176x162 mm	176x108 mm
---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

2/1



801109

1/1



801222

2/3



801321

code	liters	thickness (mm)	height (mm)
801109	58	0.8	200
801116	43	0.8	150
801123	30	0.8	100
801130	19	0.8	65
801147	11	0.8	40
801154	5.5	0.8	20

code	liters	thickness (mm)	height (mm)
801208	28	0.8	200
801215	21	0.8	150
801222	14	0.8	100
801239	9	0.8	65
801246	5	0.8	40
801253	2.5	0.8	20

code	liters	thickness (mm)	height (mm)
801307	18	0.8	200
801314	13	0.8	150
801321	9	0.7	100
801338	5.5	0.7	65
801345	3	0.7	40
801352	1.5	0.7	20

2/4



801666

1/2



801420

1/3



801529

code	liters	thickness (mm)	height (mm)
801840	8.6	0.7	150
801666	5.8	0.7	100
801857	4	0.7	65
801864	2.5	0.7	40
801871	1.2	0.7	20

code	liters	thickness (mm)	height (mm)
801406	12.5	0.8	200
801413	9.5	0.7	150
801420	6.5	0.7	100
801437	4	0.7	65
801444	2	0.7	40
801451	1	0.7	20

code	liters	thickness (mm)	height (mm)
801505	7.8	0.8	200
801512	5.7	0.7	150
801529	4	0.7	100
801536	2.5	0.7	65
801543	1.5	0.7	40
801550	0.8	0.7	20

**1/4**

801628

code	liters	thickness (mm)	height (mm)
801604	5.5	0.8	200
801611	4	0.7	150
801628	2.8	0.7	100
801635	1.8	0.7	65
801642	1.7	0.7	40
801659	0.9	0.7	20

1/6

801727

code	liters	thickness (mm)	height (mm)
801703	3.4	1	200
801710	2.4	0.8	150
801727	1.6	0.7	100
801734	1	0.7	65

1/9

801826

code	liters	thickness (mm)	height (mm)
801826	1	0.7	100
801833	0.6	0.7	65

PERFORATED GN CONTAINERS

- Perforated bottom.
- Perforated sides with a height of 100mm or higher.

**1/1**

802229

code	liters	thickness (mm)	height (mm)
802205	28	0.8	200
802212	21	0.8	150
802229	14	0.8	100
802236	9	0.8	65
802243	5	0.8	40
802168	2.5	0.8	20

2/3

802328

code	liters	thickness (mm)	height (mm)
802328	9	0.7	100
802335	5.5	0.7	65
802342	3	0.7	40

1/2

802427

code	liters	thickness (mm)	height (mm)
802427	6.5	0.7	100
802434	4	0.7	65
802441	2	0.7	40

1/3

802526

code	liters	thickness (mm)	height (mm)
802502	7.8	0.7	200
802519	5.7	0.7	150
802526	4	0.7	100
802533	2.5	0.7	65
802540	1.2	0.7	40

GN CONTAINERS WITH DROPPED HANDLES

1/1



803202

code	liters	height (mm)
803240	14	100
803202	28	200

1/2



803400

code	liters	height (mm)
803400	12.5	200
803257	6.25	100

1/3



803509

code	liters	height (mm)
803509	7.8	200
803264	3.9	100



804100

LID FOR GN CONTAINERS

- Fits on HENDI Profi Line GN containers.

code	thickness (mm)	GN	mm
804100	0.8	GN 1/1	530x325
804117	0.7	GN 2/3	354x325
804179	0.8	GN 2/4	530x162
804124	0.7	GN 1/2	265x325
804131	0.7	GN 1/3	325x176
804148	0.7	GN 1/4	265x162
804155	0.7	GN 1/6	176x162
804162	0.7	GN 1/9	176x108



804209

LID FOR GN CONTAINERS WITH HANDLE RECESS

code	GN	mm
804209	GN 1/1	530x325
804223	GN 1/2	265x325
804230	GN 1/3	325x176



805114

LID FOR GN CONTAINERS WITH SPOON RECESS

- Fits HENDI GN containers Profi Line.
- Integrated spoon recess.

code	thickness (mm)	GN	mm
805138	0.7	GN 1/3	325x176
805107	0.7	GN 1/1	530x325
805114	0.7	GN 2/3	354x325
805121	0.7	GN 1/2	265x325
805145	0.7	GN 1/4	265x162
805152	0.7	GN 1/6	176x162



804322

LID WITH HANDLE RECESS AND SILICONE RIM

- Suitable only for GN Profi Line and containers.
- Includes silicone rim.
- Includes handle recess.
- Stackable.

code	GN	mm
804322	GN 1/2	265x325
804339	GN 1/3	325x176



802601

LID FOR GN CONTAINERS WITH SILICONE RIM

- Fits HENDI GN containers Profi Line.
- Integrated silicone rim.

code	GN	mm
802601	GN 1/1	530x325
802618	GN 2/3	354x325
802625	GN 1/2	265x325
802632	GN 1/3	325x176
802649	GN 1/4	265x162
802656	GN 1/6	176x162





GASTRONORM CONTAINERS KITCHEN LINE

- Extra strong due to reinforced corners.
- Gastronorm size is engraved.
- Smooth edges, easy to clean.
- Can be used in convection ovens, refrigerators, bain-marie systems and chafing dishes.



-40°C 300°C



Extra strong due to reinforced corners.

For use at temperatures -40°C / 300°C.

Corrosion-resistant (when used properly).

Thickness 0,6-0,7 mm.

GN 1/1	GN 2/3	GN 1/2	GN 1/3	GN 1/4	GN 1/6	GN 1/9
530x325 mm	354x325 mm	325x265 mm	325x176 mm	265x162 mm	176x162 mm	176x108 mm

1/1



806135

2/3



806234

1/2



806333

code	liters	thickness (mm)	height (mm)
806159	28	0.7	200
806142	21	0.7	150
806135	14	0.6	100
806128	9	0.6	65
806111	5	0.6	40
806104	2.5	0.6	20

code	liters	thickness (mm)	height (mm)
806258	15.5	0.7	200
806241	13	0.7	150
806234	9	0.6	100
806227	5.5	0.6	65
806210	3	0.6	40
806203	1.5	0.6	20

code	liters	thickness (mm)	height (mm)
806357	12.5	0.7	200
806340	9.5	0.7	150
806333	6.5	0.6	100
806326	4	0.6	65
806319	2	0.6	40
806302	1	0.6	20

1/3



806432

1/4



806531

1/6



806630

code	liters	thickness (mm)	height (mm)
806449	5.7	0.7	150
806456	7.8	0.7	200
806432	4	0.6	100
806425	2.5	0.6	65
806418	1.5	0.6	40
806401	0.6	0.6	20

code	liters	thickness (mm)	height (mm)
806555	5.5	0.7	200
806548	4	0.7	150
806531	2.8	0.6	100
806524	1.8	0.6	65

code	liters	thickness (mm)	height (mm)
806654	3.4	0.7	200
806647	2.4	0.7	150
806630	1.6	0.6	100
806623	1	0.6	65

1/9



806722

code	liters	thickness (mm)	height (mm)
806746	1.3	0.7	150
806739	1	0.7	100
806722	0.6	0.6	65

GASTRONORM CONTAINERS KITCHEN LINE – PERFORATED

1/1



807132

- Perforated bottom.
- Perforated sides with a height of 100mm or higher.

code	liters	thickness (mm)	height (mm)
807118	5	0.6	40
807132	14	0.6	100
807125	9	0.6	65

2/3



807224

- Perforation diameter 3 mm.
- Perforated bottom.

code	liters	thickness (mm)	height (mm)
807224	5.5	0.6	65

1/2



807330

- Perforation diameter 3 mm.
- Perforated bottom.
- Perforated sides with a height of 100mm or higher.

code	liters	thickness (mm)	height (mm)
807330	6.5	0.6	100
807323	4	0.6	65

806845



806937



806197



LID FOR GN CONTAINERS

code	thickness (mm)	GN	mm
806814	0.7	GN 1/1	530x325
806821	0.7	GN 2/3	354x325
806838	0.7	GN 1/2	265x325
806845	0.7	GN 1/3	325x176
806852	0.7	GN 1/4	265x162
806869	0.7	GN 1/6	176x162
806876	0.7	GN 1/9	176x108

LID FOR GN CONTAINERS WITH LADLE RECESS

code	thickness (mm)	GN	mm
806913	0.7	GN 1/1	530x325
806920	0.7	GN 2/3	354x325
806937	0.7	GN 1/2	265x325
806944	0.7	GN 1/3	325x176
806951	0.7	GN 1/4	265x162
806968	0.7	GN 1/6	176x162
806975	0.7	GN 1/9	176x108

PERFORATED DRIP SHELF FOR GN CONTAINERS

code	GN
806197	GN 1/1
806296	GN 2/3
806395	GN 1/2
806494	GN 1/3
806593	GN 1/4
806692	GN 1/6

808153



808108

ADAPTOR BAR FOR GN CONTAINERS

- For fitting small GN-containers in bain-maries, chafing dishes etc.

code	GN	mm
808108	GN 1/2	325x22x(H)10
808153	GN 1/1	530x22x(H)10

807606



LID FOR GN CONTAINERS WITH SILICONE RIM

- With silicone rim for airtight sealing.
- The airtight seal helps to keep the food fresh and prevents leaking during transportation.
- Fits on Gastronorm container Kitchen & Budget Line, containers must be deeper than 65 mm in order to provide a secure seal.

code	GN	mm
807606	GN 1/1	530x325
807613	GN 2/3	354x325
807620	GN 1/2	265x325
807637	GN 1/3	325x176
807644	GN 1/4	265x162
807651	GN 1/6	156x142



GASTRONORM CONTAINERS BUDGET LINE

- Very solid design.
- Smooth edges, easy to clean.
- Intended for use in convection ovens, refrigerators, bain-marie systems and chafing dishes.



-40°C 300°C



For use at temperatures
-40°C / 300°C.

Corrosion-resistant
(when used properly).

Thickness 0,6-0,7 mm.

GN 1/1	GN 2/3	GN 1/2	GN 1/3	GN 1/4	GN 1/6	GN 1/9
530x325 mm	354x325 mm	325x265 mm	325x176 mm	265x162 mm	176x162 mm	176x108 mm



1/1



800133



2/3



800232



1/2



800331

code	liters	height (mm)
800157	28	200
800140	21	150
800133	14	100
800126	9	65
800119	5	40
800102	2.5	20

code	liters	height (mm)
800225	5.5	65
800249	13	150
800232	9	100
800218	3	40

code	liters	height (mm)
800355	12.5	200
800348	9.5	150
800331	6.5	100
800324	4	65
800317	2	40
800300	1	20



1/3



800430



1/4



800539



1/6



800638

code	liters	height (mm)
800454	7.8	200
800447	5.7	150
800430	4	100
800423	2.5	65
800416	1.5	40
800409	0.8	20

code	liters	height (mm)
800553	5.5	200
800546	4	150
800539	2.8	100
800522	1.8	65

code	liters	height (mm)
800652	3.4	200
800645	2.4	150
800638	1.6	100
800621	1	65



1/9



800737

code	liters	height (mm)
800744	1.3	150
800737	1	100
800720	0.6	65

GASTRONORM CONTAINERS WITH HANDLES BUDGET LINE

1/1



817148

code	liters	height (mm)
817155	28	200
817148	21	150

1/2



817346

code	liters	height (mm)
817353	12.5	200
817346	9.5	150

code	liters	height (mm)
817452	7.8	200
817445	5.7	150

1/3



817445



806845



806937



817810

LID FOR GN CONTAINERS

code	thickness (mm)	GN	mm
806814	0.7	GN 1/1	530x325
806821	0.7	GN 2/3	354x325
806838	0.7	GN 1/2	265x325
806845	0.7	GN 1/3	325x176
806852	0.7	GN 1/4	265x162
806869	0.7	GN 1/6	176x162
806876	0.7	GN 1/9	176x108

LID FOR GN CONTAINERS WITH LADLE RECESS

code	thickness (mm)	GN	mm
806913	0.7	GN 1/1	530x325
806920	0.7	GN 2/3	354x325
806937	0.7	GN 1/2	265x325
806944	0.7	GN 1/3	325x176
806951	0.7	GN 1/4	265x162
806968	0.7	GN 1/6	176x162
806975	0.7	GN 1/9	176x108



806197

PERFORATED DRIP SHELF FOR GN CONTAINERS

code	GN
806197	GN 1/1
806296	GN 2/3
806395	GN 1/2
806494	GN 1/3
806593	GN 1/4
806692	GN 1/6



808153

808108

ADAPTOR BAR FOR GN CONTAINERS

- For fitting small GN-containers in bain-maries, chafing dishes etc.

code	GN	mm
808108	GN 1/2	325x22x(H)10
808153	GN 1/1	530x22x(H)10

LID FOR GN CONTAINERS

- With cut-out for the handles.

code	GN	mm
817810	GN 1/1	530x325
817834	GN 1/2	325x265
817841	GN 1/3	325x176



807613

LID FOR GN CONTAINERS WITH SILICONE RIM

- With silicone rim for airtight sealing.
- The airtight seal helps to keep the food fresh and prevents leaking during transportation.
- Fits on Gastronorm container Kitchen & Budget Line, containers must be deeper than 65 mm in order to provide a secure seal.

code	GN	mm
807606	GN 1/1	530x325
807613	GN 2/3	354x325
807620	GN 1/2	265x325
807637	GN 1/3	325x176
807644	GN 1/4	265x162
807651	GN 1/6	156x142





arktic


PROFESSIONAL REFRIGERATION

A HENDI BRAND



GASTRONORM CONTAINERS POLYPROPYLENE PROFI LINE

- Doesn't absorb odours or flavours.
- Temperature resistant from -40°C to 80°C.



For use at temperatures
-40°C / 80°C

Graduated

GN 1/1 GN 1/2 GN 1/3 GN 1/4 GN 1/6 GN 1/9

530x325 mm 325x265 mm 325x176 mm 265x162 mm 176x162 mm 176x108 mm

1/1



880029

code	liters	height (mm)
880005	24	200
880012	18	150
880029	12	100

1/2



880128

code	liters	height (mm)
880104	11	200
880111	8	150
880128	5	100

1/3



880227

code	liters	height (mm)
880203	6,5	200
880210	5	150
880227	3,5	100

1/4



880326

code	liters	height (mm)
880302	4,5	200
880319	3,5	150
880326	2	100

1/6



880425

code	liters	height (mm)
880401	2,5	200
880418	2	150
880425	1,5	100

1/9



880524

code	liters	height (mm)
880524	0,75	100

880609

LID FOR GN CONTAINERS POLYPROPYLENE

- Suitable for all HENDI polypropylene Gastronorm containers, including HACCP storage containers.

code	GN	mm
880609	GN 1/1	530x325
880616	GN 1/2	325x265
880623	GN 1/3	325x176
880630	GN 1/4	265x162
880647	GN 1/6	176x162
880654	GN 1/9	176x108

881811



LID FOR GN CONTAINERS MADE OF POLYPROPYLENE, WITH SEAL

- Lid with hermetic santoprene seal; the seal is tight enough to prevent leaking when the container is tilted.
- With lip to break the airtight seal for easy opening.
- Fits on HENDI GN containers Polypropylene



code	GN	mm
881804	GN 1/1	530x325
881811	GN 1/2	325x265
881828	GN 1/3	325x176
881835	GN 1/4	265x162
881842	GN 1/6	176x162
881859	GN 1/9	176x108



GASTRONORM CONTAINERS POLYPROPYLENE KITCHEN LINE

- Made of polypropylene.
- Temperature resistant from -40°C to 100°C.
- Does not absorb odours or flavours.
- Dishwasher safe.
- Available in translucent and black.
- GN dimensions are approximate.
- Measurement markings in litres and US quarts/ounces.
- Stackable.



NEW



-40°C

100°C

Graduation scale
on the container.

Temperature resistance
from -40°C to 100°C.



1/1



865019

code	liters	height (mm)
865033	18	200
865026	13.5	150
865019	9	100
865002	5.8	65

1/2



865057

code	liters	height (mm)
865071	9	200
865064	6.5	150
865057	4.5	100
865040	2.9	65

1/3



865095

code	liters	height (mm)
865163	5.5	200
865118	4.5	150
865095	3	100
865088	2	65

1/4



865187

code	liters	height (mm)
865194	3.5	150
865187	2	100
865170	1.5	65

1/6



865217

code	liters	height (mm)
865224	2.2	150
865217	1.5	100
865200	0.9	65

1/9



865248

code	liters	height (mm)
865255	1.5	150
865248	1	100
865231	0.6	65



865262

LID FOR GN CONTAINERS


code	GN	mm
865262	GN 1/1	530x325
865279	GN 1/2	325x265
865286	GN 1/3	325x176
865293	GN 1/4	265x162
865309	GN 1/6	175x162
865316	GN 1/9	176x108

GASTRONORM CONTAINERS POLYPROPYLENE KITCHEN LINE

- Made of polypropylene.
- Temperature resistant from -40°C to 100°C.
- Does not absorb odours or flavours.
- Dishwasher safe.
- Available in translucent and black.
- GN dimensions are approximate.
- Measurement markings in litres and US quarts/ounces.
- Stackable.



NEW



Graduation scale
on the container.
Temperature resistance
from -40°C to 100°C.



1/1



865330

code	liters	height (mm)
865354	18	200
865347	13.5	150
865330	9	100
865323	5.8	65

1/2



865378

code	liters	height (mm)
865392	9	200
865385	6.5	150
865378	4.5	100
865361	2.9	65

1/3



865415

code	liters	height (mm)
865439	5.5	200
865422	4.5	150
865415	3	100
865408	2	65

1/4



865453

code	liters	height (mm)
865460	3.5	150
865453	2	100
865446	1.5	65

1/6



865484

code	liters	height (mm)
865491	2.2	150
865484	1.5	100
865477	0.9	65

1/9



865514

code	liters	height (mm)
865521	1.5	150
865514	1	100
865507	0.6	65



865538

LID FOR GN CONTAINERS

code	thickness (mm)	GN	mm
865538	2.5	GN 1/1	530x325
865545	2.5	GN 1/2	325x265
865552	2.5	GN 1/3	325x175
865569	2.5	GN 1/4	265x160
865576	2.5	GN 1/6	175x162
865583	2.5	GN 1/9	176x108



GASTRONORM CONTAINERS COOL

- Made of high-quality SAN.
- Suitable for temperatures from -40°C to +90°C.
- Suitable for refrigerated storage and freezer use.
- Not recommended for use in bain-marie systems.
- Good shock resistance.
- Does not absorb odours or flavours.
- Dishwasher safe.
- Available in black and highly transparent.
- Handle with care to avoid breakage from accidental falls.
- Recommended for use with detergents with pH below 11.



SAN
plastic


outdoor

indoor

in- & outdoor

stackable

NEW



Made of high-quality
SAN plastic.

Temperature resistance
from -40°C to +90°C.

Graduation scale
on the container.



2/1



code	liters	height (mm)
882412	55.5	100

1/1



code	liters	height (mm)
882061	26.4	200
882047	20	150
882023	13.3	100
882009	9	65

1/2



code	liters	height (mm)
882139	11.9	200
882115	9	150
882092	6.1	100
882078	4	65

1/3



code	liters	height (mm)
882214	7.1	200
882191	5.5	150
882177	3.8	100
882153	2.5	65

1/4



code	liters	height (mm)
882290	4.8	200
882276	3.8	150
882252	2.6	100
882238	1.7	65

1/6



code	liters	height (mm)
882368	2.8	200
882344	2.3	150
882320	1.6	100
882306	1	65

1/9



code	liters	height (mm)
882399	0.9	100
882382	0.6	65

1/6



DRAINER PLATE FOR GN CONTAINERS COOL

code	GN	mm
882542	GN 1/1	530x325
882559	GN 1/2	325x265
882566	GN 1/3	325x176
882573	GN 1/6	176x162

882429

LID FOR GN CONTAINERS COOL


code	GN	mm
882429	GN 1/1	530x325
882443	GN 1/2	325x265
882467	GN 1/3	325x176
882481	GN 1/4	265x163
882504	GN 1/6	176x162
882528	GN 1/9	108x176
882535	GN 2/1	650x325

GASTRONORM CONTAINERS COOL

- Made of high-quality SAN.
- Suitable for temperatures from -40°C to +90°C.
- Suitable for refrigerated storage and freezer use.
- Not recommended for use in bain-marie systems.
- Good shock resistance.
- Does not absorb odours or flavours.
- Dishwasher safe.
- Available in black and highly transparent.
- Handle with care to avoid breakage from accidental falls.
- Recommended for use with detergents with pH below 11.



NEW



Made of high-quality
SAN plastic.

Temperature resistance
from -40°C to +90°C.

Graduation scale
on the container.



1/1



882030

code	liters	height (mm)
882054	20	150
882030	13.3	100
882016	9	65

1/2



882108

code	liters	height (mm)
882146	11.9	200
882122	9	150
882108	6.1	100
882085	4	65

1/3



882184

code	liters	height (mm)
882221	7.1	200
882207	5.5	150
882184	3.8	100
882160	2.5	65

1/4



882269

code	liters	height (mm)
882283	3.8	150
882269	2.6	100
882245	1.7	65

1/6



882337

code	liters	height (mm)
882375	2.8	200
882351	2.3	150
882337	1.6	100
882313	1	65

1/9



882405

code	liters	height (mm)
882405	0.9	100



882436

LID FOR GN CONTAINERS COOL


code	GN	mm
882436	GN 1/1	530x325
882450	GN 1/2	325x265
882474	GN 1/3	325x176
882498	GN 1/4	265x163
882511	GN 1/6	176x162





GASTRONORM CONTAINERS POLYPROPYLENE HACCP

- Airtight sealing.
- Doesn't absorb odours or flavours.
- Lids and lid clips (green, yellow, blue, red or purple as per HACCP guidelines) available separately.
- Wear-proof label for monitoring of food storage process.
- Temperature resistant from -40°C to 80°C.
- Erasable markers not included.



GN 1/1

530x325 mm



GN 1/2

325x265 mm



GN 1/3

325x176 mm



GN 1/4

265x162 mm

GN 1/6

176x162 mm

1/1



880050

code	liters	height (mm)
880050	28	200
880067	21	150
880074	12	100
880036	9	65

1/2



880159

code	liters	height (mm)
880159	12.5	200
880166	9.5	150
880173	6.5	100

1/3



880258

code	liters	height (mm)
880258	7.8	200
880265	5.7	150
880272	4	100
880289	2.5	65

1/4



880371

code	liters	height (mm)
880357	5.5	200
880364	3.5	150
880371	2.8	100
880388	1.8	65

1/6



880456

code	liters	height (mm)
880456	3.4	200
880463	2.4	150
880470	1.6	100
880487	1	65

1/9



880555

code	liters	height (mm)
880555	0.9	100
880562	0.6	65

871546

NEW

871553

HORECA MARKERS

- Comes in a set of 2 pieces.
- Erasable.
- Intended for writing on food containers.
- Always test on a small area before use.

code	colour	packed per
871546	Black	2
871553	White	2

N



880623

LID FOR GN CONTAINERS POLYPROPYLENE

- Suitable for all HENDI polypropylene Gastronorm containers, including HACCP storage containers.

code	GN	mm
880609	GN 1/1	530x325
880616	GN 1/2	325x265
880623	GN 1/3	325x176
880630	GN 1/4	265x162
880647	GN 1/6	176x162
880654	GN 1/9	176x108



881705

LID FOR GN CONTAINERS PURPLE

- Suitable for all HENDI polypropylene Gastronorm containers, including HACCP storage containers.

code	GN	mm
881705	GN 1/1	530x325
881712	GN 1/2	325x265
881729	GN 1/3	325x176
881736	GN 1/4	265x162
881743	GN 1/6	176x162
881750	GN 1/9	176x108

LID CLIPS FOR HACCP STORAGE CONTAINERS

- 12 pcs.
- In blister pack.

code	colour	packed per
880661	Red	12
880678	Green	12
880685	Yellow	12
880692	Blue	12
880869	Purple	12



880661

880685

880692

880678

880869





GASTRONORM CONTAINERS POLYPROPYLENE HACCP WITH LID



- Made of polypropylene.
- Colour clips included (green, yellow, blue and red as per HACCP guidelines).
- Label embedded in the container and can be used with erasable markers.
- Secure, leak-resistant seal.
- Does not absorb odours.
- Temperature resistance: from -40° to +100°C.
- Stackable.
- With lid.
- Markers for filling in labels must be ordered separately.



GN 1/1	GN 2/3	GN 1/2	GN 1/3	GN 1/4	GN 1/6	GN 1/9
530x325 mm	354x325 mm	325x265 mm	325x176 mm	265x162 mm	176x162 mm	176x108 mm

1/1



873342

2/3



873298

GN 1/1 CONTAINER, POLYPROPYLENE

code	liters	height (mm)
873366	28	200
873359	21	150
873342	13	100
873335	8	65

GN 2/3 CONTAINER, POLYPROPYLENE

code	liters	height (mm)
873328	19	200
873311	13.5	150
873298	9	100

1/2



873267

GN 1/2 CONTAINER, POLYPROPYLENE

code	liters	height (mm)
873281	12.5	200
873267	6.5	100
873274	10	150
873250	4	65

1/3



873236

GN 1/3 CONTAINER, POLYPROPYLENE

code	liters	height (mm)
873243	6	150
873236	4	100
873229	2.5	65

1/4



873199

GN 1/4 CONTAINER, POLYPROPYLENE

code	liters	height (mm)
873212	4.3	150
873199	2.8	100
873182	1.8	65

1/6



873168

GN 1/6 CONTAINER, POLYPROPYLENE

code	liters	height (mm)
873175	2.6	150
873168	1.7	100
873151	1.1	65

1/9



873137

GN 1/9 CONTAINER, POLYPROPYLENE

code	liters	height (mm)
873144	1.5	150
873137	1	100
873120	0.6	65

871546

NEW

871553

HORECA MARKERS

- Comes in a set of 2 pieces.
- Erasable.
- Intended for writing on food containers.
- Always test on a small area before use.


code	colour	packed per
871546	Black	2
871553	White	2

N






FOOD CONTAINER WITH GRADUATION



Stackable

Made of food contact safe polypropylene resistant to chemical agents



- Made of transparent polypropylene.
- BPA-free.
- Volume graduated scale on the container wall.
- The scale is marked in litres and quarts.
- Temperature resistance: -40°C to +70°C.
- Stackable.
- Suitable for use in the microwaves.
- Dishwasher safe.
- Recyclable.
- Lid can be purchased separately.

code	liters	mm
870969	20.8	290x290x(H)400
870952	17.2	290x290x(H)320
870938	7.6	235x235x(H)230
870945	11.4	290x290x(H)210
870921	5.7	235x235x(H)180
870914	3.8	190x190x(H)180
870907	1.9	190x190x(H)95



LID FOR FOOD CONTAINER

- Made of polypropylene.
- Completely BPA-free material.
- Temperature resistance from -40°C up to +70°C.
- Microwave safe.
- Dishwasher safe.
- Recyclable.

code	mm
870976	190x190
870983	235x235
870990	290x290

EGG CONTAINER HENDI OVOBOX 120

- Intended for safe storage of sterilised eggs in a cold chamber - without the risk of transferring salmonella again onto eggs or into the cold chamber.
- Perfectly transparent container made of polypropylene - the contents of the container are always visible.
- GN 2/3 sized container, suitable for 4 trays filled with eggs.
- The set includes: container, lid, 8 egg trays.
- Trays made of PS, stackable, with profiled cuts on both sides for easy taking off the trays from the container.
- Each tray can hold 30 eggs (5x6 rows) - the whole container can hold 120 eggs in total.
- Temperature resistance: -40°C - $+60^{\circ}\text{C}$.
- Container is dishwasher safe.
- Additional trays can be purchased separately.
- CAUTION: Eggs must be sterilised before being placed on the trays and in the container to prevent salmonella contamination.
- Place the egg trays alternately in the container, rotating each one 90 degrees from the previous one.

code	liters	mm
870785	18	355x325x(H)200



Watch the video



included:

8x



HENDI OVOBOX 120

Tools for Chefs



Max capacity: 120 eggs

Supplier: Super Eggs
 Use by: 20 / 6 / 2024
 Batch no.: 95/24
 Operator: Anna
 Temperature range: 2-8°C
 Sterilization date: 15 / 5 / 24



870785

SET OF 4 EGG TRAYS FOR HENDI OVOBOX 120

- Made of PS.
- Each tray can hold 30 eggs (5x6 rows) - the whole set can hold 120 eggs in total.
- Easily stackable.
- Temperature resistance: -40°C - $+60^{\circ}\text{C}$.
- Recommended for use with the HENDI Egg container OVOBOX 120 (code: 870785).
- ATTENTION: before putting eggs onto the trays they must be sterilised to prevent salmonella contamination.

code	mm
870792	291x288x(H)41



870792



FOOD SAFETY STICKERS, MULTI-USE, EASY REMOVABLE

- Easy to remove from plastic, metal and glass.
- Remove the sticker before washing the containers.
- Self-adhesive labels for easy identification of semi-finished and finished products; use in order to meet food service safety standards.



850909

SET OF FOOD SAFETY LABELS, MULTI-USE, EASY REMOVABLE, WITH DISPENSER

- Space to write the date.
- Dispenser made of durable, thick cardboard.
- Number of labels per roll: 1000 pcs.
- Capacity: 7 label rolls.
- Label size: 25x25 mm.
- Every day of week marked with a different colour.
- Label in 3 languages: Dutch, French, and German.

code	mm
850572	240x80x(H)100



DAILY FOOD SAFETY LABELS, MULTI-USE, EASY REMOVABLE

- Space for extra notes.
- Number of stickers per roll: 1000 pcs.
- Every day of week marked with a different colour.
- Label in 3 languages: Dutch, French, and German.

code		packed per	mm
850473	Monday	1000	25x25
850480	Tuesday	1000	25x25
850497	Wednesday	1000	25x25
850503	Thursday	1000	25x25
850510	Friday	1000	25x25
850527	Saturday	1000	25x25
850534	Sunday	1000	25x25



850558

FOOD SAFETY STICKERS, MULTI-USE, EASY REMOVABLE, "USE BEFORE"

- Space for date, time and additional notes.
- Number of stickers per roll: 500 pcs.
- Label in 3 languages: Dutch, French, and German.

code	packed per	mm
850558	500	ø50



850565

FOOD SAFETY STICKERS, MULTI-USE, EASY REMOVABLE, "USE FIRST"


- Number of stickers per roll: 500 pcs.
- Label in 3 languages: Dutch, French, and German.

code	packed per	mm
850565	500	ø50

FOOD ROTATION LABELS, MULTI-USE, EASY REMOVABLE

- Space for date, time and additional notes.
- Number of stickers per roll: 500 pcs.
- Label in 3 languages: Dutch, French, and German.

code	packed per	mm
850541	500	100x50



850541



S.S.
stainless steel

indoor



GASTRONORM CONTAINER HOLDER

- Made of stainless steel.
- For organising GN containers **(not included)**.
- Non-slip rubber feet.
- Optional wall mounting.

code	mm
820049	745x245x(H)215
820032	512x245x(H)215



820032

3x GN 1/6



2x GN 1/9 + 3x GN 1/6

820049



PREP TRAY

- Made of polyethylene.
- Dishwasher safe.

code	liters	mm
873410	3	340x235x(H)70
873427	6	430x285x(H)75
873434	8	480x330x(H)80
873441	12	535x385x(H)85



02


Knives, kitchen tools

Precision in every cut





HACCP




Food Safety in Your Kitchen – HACCP in Practice

HACCP (Hazard Analysis and Critical Control Points)

is a food safety management system that identifies and controls potential hazards at every stage of food preparation. It is mandatory for all food service establishments within the EU.

HACCP Best Practices – What You Should Know:

- Use separate tools for different food groups (e.g. meat, vegetables and fish).
- Monitor temperatures during storage and cooking – this is a key element of the system.
- Keep records of inspections – our equipment helps you maintain the required documentation.




HACCP Product Category	How It Supports HACCP	HENDI Products
Colour-coded HACCP sets	Reduces the risk of cross-contamination	GN containers with clips, knives, cutting boards, serving tongs, pizza cutters, ice cream scoops
Thermometers and temperature data loggers	Monitors Critical Control Points (CCPs)	Digital probe thermometers
Temperature retention products	Continuous temperature monitoring	Refrigerators, sous vide immersion circulators, ovens, insulated food containers
Stainless steel and easy-to-clean products	Hygienic work surfaces	Kitchen utensils, work tables, sinks, pastry bags





CUTTING BOARD HACCP

- Made of polyethylene HDPE 500.
- Meets HACCP standards.
- Both sides suitable for cutting.
- Dishwasher safe for short programme.



**VERY HARD
POLY-
ETHYLENE**

CUTTING BOARD HACCP 600X400

- Both sides are smooth and suitable for use.


code	colour	mm	thickness (mm)
825600	White	600x400	18
825617	Red	600x400	18
825624	Blue	600x400	18
825631	Green	600x400	18
825648	Brown	600x400	18
825655	Yellow	600x400	18
825662	Purple	600x400	18

CUTTING BOARD HACCP 450X300

code	colour	mm	thickness (mm)
825518	White	450x300	13
825525	Red	450x300	13
825532	Blue	450x300	13
825549	Green	450x300	13
825556	Brown	450x300	13
825563	Yellow	450x300	13
825570	Purple	450x300	13

CUTTING BOARD HACCP

- Made of polyethylene HDPE 500.
- Meets HACCP standards.
- Both sides suitable for cutting.
- Dishwasher safe for short programme.



VERY HARD
POLY-
ETHYLENE

CUTTING BOARD HACCP GASTRONORM 1/1

- One side smooth and other side with groove.

code	colour	mm	thickness (mm)
826003	White	530x325	15
826010	Red	530x325	15
826027	Blue	530x325	15
826034	Green	530x325	15
826041	Brown	530x325	15
826058	Yellow	530x325	15
826065	Purple	530x325	15
826072	Black	530x325	15

N



826676



CUTTING BOARDS HACCP GN 1/1 - SET OF 6 COLOURS

- Set of 6 in the colours red, brown, blue, green, white, yellow.
- Each cutting board is 10 mm thick.
- Dishwasher safe on short cycles.

code	thickness (mm)	mm
826676	10	530x325





NEW

**VERY HARD
POLY-
ETHYLENE**

**CUTTING BOARDS HACCP
20-25 MM THICKNESS**



- Made of durable polyethylene (HDPE).
- Heavyweight construction designed for intensive use.
- Meets HACCP standards.
- Double-sided design: one side with groove, one side smooth.
- Both sides are suitable for cutting.
- Surface texture is designed to improve knife control during cutting.
- Improved resistance to knife marks and warping.
- Dishwasher safe.

Side with
groove



Smooth
side



400

325



CUTTING BOARD HACCP GASTRONORM 1/1

code	colour	mm	thickness (mm)
827253	White	530x325	20
827246	Red	530x325	20
827215	Blue	530x325	20
827239	Green	530x325	20
827222	Brown	530x325	20
827260	Yellow	530x325	20
827208	Black	530x325	20

827321	White	530x325	25
827314	Red	530x325	25
827284	Blue	530x325	25
827307	Green	530x325	25
827291	Brown	530x325	25
827338	Yellow	530x325	25
827277	Black	530x325	25

CUTTING BOARD HACCP 600X400

code	colour	mm	thickness (mm)
827390	White	600x400	20
827383	Red	600x400	20
827352	Blue	600x400	20
827376	Green	600x400	20
827369	Brown	600x400	20
827406	Yellow	600x400	20
827345	Black	600x400	20

827468	White	600x400	25
827451	Red	600x400	25
827420	Blue	600x400	25
827444	Green	600x400	25
827437	Brown	600x400	25
827475	Yellow	600x400	25
827413	Black	600x400	25

NEW



CUTTING BOARD SCRAPER

- Made of LDPE with a stainless steel blade.
- Ergonomic handle.
- Smooth working edge.
- Designed for cleaning food residue from scratched cutting board surfaces.
- Suitable for daily cleaning during food preparation.

code	mm
827482	170x60x(H)95





CUTTING BOARDS HACCP

- Made of LDPE (low-density polyethylene).
- Both sides are smooth and suitable for use.
- Compliant with the HACCP standard.
- Available in 6 colours.
- Dishwasher safe on a short cycle.



825686

CUTTING BOARD HACCP 600X400

code	colour	mm	thickness (mm)
827109	White	600x400	15
827116	Red	600x400	15
827123	Blue	600x400	15
827130	Green	600x400	15
827147	Brown	600x400	15
827154	Yellow	600x400	15

CUTTING BOARD HACCP GN 1/1

code	colour	mm	thickness (mm)
826805	White	530x325	10
826812	Red	530x325	10
826850	Yellow	530x325	10
826829	Blue	530x325	10
826836	Green	530x325	10
826843	Brown	530x325	10

CUTTING BOARD HACCP GN 1/2

code	colour	mm	thickness (mm)
826904	White	325x265	10
826911	Red	325x265	10
826928	Blue	325x265	10
826935	Green	325x265	10
826942	Brown	325x265	10
826959	Yellow	325x265	10

CUTTING BOARD HACCP 450X300

code	colour	mm	thickness (mm)
827000	White	450x300	10
827017	Red	450x300	10
827024	Blue	450x300	10
827031	Green	450x300	10
827048	Brown	450x300	10
827055	Yellow	450x300	10

SET OF 6 CUTTING BOARDS HACCP WITH RACK

- Cutting boards made of LDPE (low-density polyethylene),
- Rack made of PP (polypropylene).
- Both sides of each board are smooth and suitable for use.
- 6 colour-coded boards, compliant with the HACCP standards:
 - blue board recommended for raw fish.
 - white board for dairy products.
 - brown board for cooked meat.
 - red board for raw meat,
 - yellow board for poultry.
 - green board for vegetables and fruit.
- Dishwasher safe on short cycles.
- Rack can also be purchased separately (code: 825693).

code	thickness (mm)	mm
825686	10	450x300



CUTTING BOARD WITH HANDLE

- Made of polyethylene HDPE.
- Both sides suitable for cutting.

code	colour	mm	thickness (mm)
826348	White	250x150	10
826478	Black	250x150	10
826355	White	300x200	10
826485	Black	300x200	10



HACCP CUTTING MAT SET - 6 PIECES

- Colour coded set of 6 mats to facilitate kitchen hygiene.
- White, red, blue, green, brown, yellow.
- Flexible, allowing easy pouring of cut products.
- Lightweight and easy to store and transport.

code	thickness (mm)	mm
826300	1	380x305

UNIVERSAL CUTTING BOARD WHITE



CUTTING BOARD WITH GROOVE

- Made of HDPE (high-density polyethylene).
- Groove around the perimeter to collect liquid - prevents spills onto a countertop.
- Dishwasher safe only in professional dishwashers on a short cycle.

code	mm
826362	355x250x(H)15



CUTTING BOARD

- Made of polyethylene HDPE.
- Non-slip feet.

code	thickness (mm)	mm
826379	20	450x300
826386	18	500x350
826393	20	600x400





505731



505762

**WOOD FIBRE CUTTING BOARD**

- Made of wood fibre composite, denser and more durable than regular natural wood.
- Groove around the perimeter for liquid collection - reduces spilling on countertops.
- Fitted with silicone anti-slip feet.
- With a hanging hole.
- Available in 3 sizes and 2 colours:
 - black (codes: 505755, 505762, 505779),
 - natural wooden (codes: 505724, 505731, 505748).
- Dishwasher safe.

code	colour	mm
505724	Brown	300x235x(H)6
505731	Brown	370x275x(H)6
505748	Brown	440x325x(H)6
505755	Black	300x235x(H)6
505762	Black	370x275x(H)6
505779	Black	440x325x(H)6



505502

**BREAD CUTTING BOARD**

- Made of rubberwood.
- Removable grid - horizontal rifling.
- 4 non-slip feet ensuring stability during cutting.
- Not dishwasher safe.

code	thickness (mm)	mm
505502	20	475x322

**CUTTING BOARD RACK**

- For 6 cutting boards up to 20 mm thick.

code	mm
826201	315x212x(H)200



826201



825693

**CUTTING BOARD RACK**

- Made of PP (polypropylene).
- Holds 6 boards up to 2,6 cm thick.
- Not dishwasher safe.

code	mm
825693	320x230x(H)160



ANTI-SLIP MAT

- Multifunctional anti-slip mat.
- Made of PVC foam.
- Easy to cut to size.
- Wash by hand at 40°C.
- Not suitable for direct food contact.

code	mm
598047	1500x300



BAGUETTE BOARD

- Solid beech wood.
- Combined model, 1 side grooved and 1 side ribbed.
- Not dishwasher safe.

code	thickness (mm)	mm
505403	18	530x325

CARVING BOARD

- Solid beech wood.
- Grooved.

code	thickness (mm)	mm
505205	16	390x230

BREAD BOARD

- Solid beech wood.

code	thickness (mm)	mm
505007	14	340x200

CUTTING BOARD WITH GRIP

- Solid beech wood.

code	thickness (mm)	mm
505106	13	390x160



CUTTING BOARD

- Rubberwood.
- With handles.

code	thickness (mm)	mm
506905	45	530x325
506912	45	265x325





AI

NEWPOM
POM plasticGerman
Steel
X50CrMoV15**FORGED KNIVES PROFI LINE PLUS**

- Blade made of German steel with 56 HRC hardness.
- Classic forged knife series made from a single piece of stainless steel.
- Well-balanced design supports stable, controlled handling.
- Rounded bolster.
- Handle made of durable POM.
- 3 stainless steel rivets secure the handle firmly to the blade.
- Classic design suitable for open kitchens and buffet presentation.

	1	2	3	4	5	6	7	8	9	10	11	12
code												
783740	1	Chef's knife	2.7	260	385		783795	7	Santoku knife	2.5	192	307
783733	2	Chef's knife	2.8	210	332		783771	8	Boning knife	2	160	272
783757	3	Chef's knife	2.6	150	277		783818	9	Carving knife	2.4	200	326
783832	4	Utility knife	2.4	152	275		783849	10	Tomato knife	1.7	128	240
783825	5	Salmon knife	2.4	263	378		783764	11	Paring knife	1.8	108	212
783788	6	Bread knife	2.4	222	337		783801	12	Carving fork		150	298



KNIVES PROFI LINE

- All knives are precision hot drop forged from a single blank of high carbon German stainless steel.
- The specialised Chromium-Molybdenum-Vanadium surgical alloy steel X50CrMoV15 guarantees the following characteristics: - razor sharp - long-lasting cutting edge - easily restorable edge - high stain resistance. Some 50 major manufacturing steps are required to produce each knife.

- Traditional skills and precision machinery continue the grinding and polishing operations until the final cutting edge is applied at the most appropriate blade angle.
- The handle combines balance, safety, heft and control with an exclusive look.
- Each knife is individually packed in a PET presentation blister.



code		thickness (mm)	blade length (mm)	length (mm)
844205	1	3.3	250	390
844212	2	3.3	200	335
844250	3	2	148	262
844311	4	2.7	250	380
844304	5	2.6	202	330
844267	6	2	150	270
844236	7	1.9	88	198
844328	8	2.6	300	430

code		thickness (mm)	blade length (mm)	length (mm)
844298	9	2.4	213	345
844281	10	2.4	220	350
844335	11	3	165	300
844274	12	3	180	310
844229	13	9	150	285
844403	14	10.4	310	450





GOURMET, STAMPED KNIVES PROFI LINE

- Blade made of German steel.
- Classic stamped knife series made from a single piece of stainless steel.

NEW

POM
POM plastic

German Steel
X50CrMoV15

- Well-balanced construction for controlled handling.
- Handle made of durable POM.
- 3 stainless steel rivets secure the handle firmly to the blade.



code			thickness (mm)	blade length (mm)	length (mm)
844502	1	Chef's knife	2.4	250	385
844496	2	Chef's knife	2.4	205	340
844489	3	Chef's knife	2.4	165	285
844588	4	Utility knife	2.3	152	272
844526	5	Salmon knife	2.4	260	377
844519	6	Bread knife	2.4	202	322
844533	7	Cleaver	4.4	160	290

code			thickness (mm)	blade length (mm)	length (mm)
844571	8	Santoku knife	2.3	174	297
844557	9	Boning knife	2.3	153	273
844564	10	Carving knife	1.8	201	322
844595	11	Tomato knife	1.3	130	236
844540	12	Paring knife	1.3	100	207
844472	13	Peeling knife	1.4	67	175



KNIVES KITCHEN LINE

- Made of one piece of hard, forged chrome molybdenum steel.
- Due to the highest quality of the workmanship, HENDI knives are durable and resistant to corrosion with long-lasting sharpness of the blade.
- A unique design of the handle prevents depositing of food residues in the handle/blade transition area.
- Each knife is individually packed in a PET presentation blister.
- With safe, profiled black POM plastic handle.



code		thickness (mm)	blade length (mm)	length (mm)
781319	1	3.3	200	340
781357	2	3.3	150	285
781340	3	3.3	200	330
781371	4	2.8	150	285
781333	5	3.3	210	335
781388	6	3.5	125	240

code		thickness (mm)	blade length (mm)	length (mm)
781395	7	3	90	200
781401	8	5.8	140	260
781364	9	1.9	175	290
781302	10	2.4	180	300
781326	11	2.4	215	350
781418	12	10	230	350





UNIVERSAL KNIVES PROFI LINE

- Blade made of German steel with 56 HRC hardness for reliable cutting performance and long edge retention.
- Lightweight construction.
- Handle resistant to oils, fats, detergents, and common kitchen chemicals.

AI

German
Steel
X50CrMoV15

NEW



code			thickness (mm)	blade length (mm)	length (mm)
845431	1	Chef's knife	2.5	250	383
845387	2	Chef's knife	2.4	205	335
845318	3	Chef's knife	2.3	160	293
845646	4	Paring knife	1.3	100	204
845561	5	Salmon knife	1.5	308	442
845202	6	Bread knife	1.9	200	340
845523	7	Cleaver	3.5	173	327

code			thickness (mm)	blade length (mm)	length (mm)
845264	8	Santoku knife	2.4	172	295
845493	9	Butcher's knife	2.5	250	381
845462	10	Butcher's knife	2.9	195	331
845752	11	Boning knife	2.8	159	286
845714	12	Boning knife	2.8	134	261
845615	13	Pastry knife	2.2	350	490
845233	14	Pastry knife	2.4	250	383

**ERGONOMIC
NON SLIP
HANDLE**

BLACK - UNIVERSAL

– Polypropylene handle in accordance with HACCP guidelines.

Granton
indentations for
non-stick cutting



code		thickness (mm)	blade length (mm)	length (mm)
842201 1	Universal knife	1.2	90	200
842102 2		1.2	100	210
842409 3	Carving knife	2.5	150	290
842607 4	Chef's knife	2.5	180	320
842706 5		2.5	240	380
842904 6		1.7	350	490
	Ham/kebab knife with the Granton edge			

code		thickness (mm)	blade length (mm)	length (mm)
843000 7	Bread knife	1.5	250	380
843109 8		1.5	300	430
844427 9	Butcher's knife	2.5	200	330
844410 10		2.5	250	380
844441 11	Boning knife	1.8	150	280
844434 12	Fillet knife	1.8	150	260
781418 13	Knife sharpener	10	230	350





HACCP KNIVES PROFI LINE

- Blade made of German steel with 56 HRC hardness for reliable cutting performance and long edge retention.
- Designed to support hygienic food preparation and reduce cross-contamination risks.
- Colour-coded handles comply with HACCP and food safety regulations.
- Lightweight construction.
- Handle resistant to oils, fats, detergents, and common kitchen chemicals.

NEW

German
Steel
X50CrMoV15



RED - RAW MEAT



code			thickness (mm)	blade length (mm)	length (mm)
845455	1	Chef's knife	2.5	252	383
845400	2	Chef's Knife	2.4	205	335
845349	3	Chef's Knife	2.3	160	293
845585	4	Salmon knife	1.5	308	442
845288	5	Santoku knife	2.4	172	295
845516	6	Butcher's knife	2.5	250	381
845486	7	Butcher's knife	2.9	195	331
845547	8	Cleaver	3.5	173	327
845776	9	Boning knife	2.8	159	286
845738	10	Boning knife	2.8	134	261
845677	11	Paring Knife	1.3	100	204



YELLOW - POULTRY



code			thickness (mm)	blade length (mm)	length (mm)
845448	1	Chef's knife	2.5	252	383
845394	2	Chef's Knife	2.4	205	335
845332	3	Chef's Knife	2.3	160	293
845578	4	Salmon knife	1.5	308	442
845271	5	Santoku knife	2.4	172	295
845509	6	Butcher's knife	2.5	250	381
845479	7	Butcher's knife	2.9	195	331
845530	8	Cleaver	3.5	173	327
845769	9	Boning knife	2.8	159	286
845721	10	Boning knife	2.8	134	261
845660	11	Paring Knife	1.3	100	204

BLUE - FISH



code			thickness (mm)	blade length (mm)	length (mm)
845554	1	Chef's knife	2.5	252	383
845417	2	Chef's Knife	2.4	205	335
845356	3	Chef's Knife	2.3	160	293
845592	4	Salmon knife	1.5	308	442
845295	5	Santoku knife	2.4	172	295
845783	6	Boning knife	2.8	159	286
845684	7	Paring Knife	1.3	100	204

WHITE - CHEESE & BREAD



code			thickness (mm)	blade length (mm)	length (mm)
845325	1	Chef's Knife	2.4	205	335
845219	2	Bread Knife	0.9	208	340
845622	3	Pastry Knife	2.2	350	490
845240	4	Pastry Knife	2.4	250	383
845653	5	Paring Knife	1.3	100	204

GREEN - FRUITS & VEGETABLES



code			thickness (mm)	blade length (mm)	length (mm)
845608	1	Chef's knife	2.5	252	383
845424	2	Chef's Knife	2.4	205	335
845363	3	Chef's Knife	2.3	160	293
845301	4	Santoku knife	2.4	172	295
845745	5	Boning knife	2.8	134	261
845691	6	Paring Knife	1.3	100	204

PURPLE - ALLERGENS




code			thickness (mm)	blade length (mm)	length (mm)
845370	1	Chef's Knife	2.4	205	335
845226	2	Bread Knife	0.9	208	340
845639	3	Pastry Knife	2.2	350	490
845257	4	Pastry Knife	2.4	250	383
845707	5	Paring Knife	1.3	100	204





KNIVES HACCP KITCHEN LINE

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.



BROWN - COOKED MEAT



code			thickness (mm)	blade length (mm)	length (mm)
842669	1	Chef's knife	2.5	180	320
842799	2	Chef's knife	2.5	240	385
842966	3	Ham/salmon knife with a Granton edge	1.7	350	490

RED - RAW MEAT



code			thickness (mm)	blade length (mm)	length (mm)
842423	4	Carving knife	2.5	150	285
842522	5	Filleting knife	0.9	150	300
842621	6	Chef's knife	2.5	180	320
842720	7	Chef's knife	2.5	240	385
842928	8	Ham/kebab knife with a Granton edge	1.7	350	490

YELLOW - POULTRY



code			thickness (mm)	blade length (mm)	length (mm)
842539	9	Filleting knife	0.9	150	300
842638	10	Chef's knife	2.5	180	320
842737	11	Chef's knife	2.5	240	385

BLUE - FISH



code			thickness (mm)	blade length (mm)	length (mm)
842546	12	Filleting knife	0.9	150	300
842645	13	Chef's knife	2.5	180	320
842744	14	Chef's knife	2.5	240	385

ERGONOMIC NON SLIP HANDLE



Granton
indentations for
non-stick cutting

Granton
indentations for
non-stick cutting



WHITE - CHEESE & BREAD



code		thickness (mm)	blade length (mm)	length (mm)
842355	15	1.2	130	230
842652	16	2.5	180	320
842751	17	2.5	240	385
843055	18	1.5	250	385
843154	19	1.5	300	430

GREEN - FRUITS & VEGETABLES



code		thickness (mm)	blade length (mm)	length (mm)
842218	20	1.2	90	190
842317	21	1.2	130	230
842119	22	1.2	100	205
842614	23	2.5	180	320
842713	24	2.5	240	385

PURPLE - ALLERGENS



code		thickness (mm)	blade length (mm)	length (mm)
842676	25	2.5	180	320
842775	26	2.5	240	385



JAPANESE KNIVES

- Manufactured in Japan – traditional Japanese design.
- All knives from this line form a complete set for traditional sushi preparation.
- Blade made of Japanese stainless steel SUS 420J2.
- Handle made of poplar wood.
- Blade hardness: approx. 53 HRC.
- Not dishwasher safe.

code			thickness (mm)	blade length (mm)	length (mm)
845035	1	Santoku	1.5	165	290
845097	2	Deba	3	150	275
845028	3	Nakiri	1.5	165	290
845059	4	Sashimi	2	210	335
845042	5	Sashimi	2.5	240	375
845127	6	Sashimi	2.5	270	405





PARING KNIVES

- Set with 6 different colours: white, red, blue, green, black and yellow.

code	thickness (mm)	blade length (mm)	length (mm)
842003	1.2	75	175



842003

PARING KNIVES

- Set with 6 different colours: white, red, blue, green, black and yellow.

code	thickness (mm)	blade length (mm)	length (mm)
842010	2.5	90	185



842010

PARING KNIFE WITH WOODEN HANDLE

code	blade length (mm)	length (mm)
841020	60	165



841020



UTILITY KNIVES

- Blade made of German stainless steel X50CrMoV-15.
- Handle made of polypropylene.
- Blade thickness: 1,3 mm.
- Dishwasher safe.

code			blade length (mm)	length (mm)
842447	1	Paring knife, curved	60	170
842454	2	Paring knife, straight	70	180
842461	3	Paring knife, pointed	85	195
842485	4	Steak knife, serrated	117	227
842492	5	Utility knife	105	215



842447

842454

842461

842485

842492



856413



DOUBLE HANDLED CHEESE KNIFE

- Long, rigid blade made of stainless steel.
- Ergonomic handles made of polypropylene.
- Not dishwasher safe.

code	thickness (mm)	blade length (mm)	length (mm)
856413	3	380	655





PARING KNIVES

- Blade made of high-quality chromium-molybdenum-vanadium stainless steel (X50CrMoV15).
- Handle made of PP (polypropylene).
- Available in 3 colours: black, red, green.



code		colour	blade length (mm)
841129	1	Black	(L)158
841532	2	Red	(L)158
841549	3	Green	(L)158
841105	4	Black	(L)180
841556	5	Red	(L)180
841563	6	Green	(L)180
841136	7	Black	(L)214
841594	8	Red	(L)214
841600	9	Green	(L)214

code		colour	blade length (mm)
841112	10	Black	(L)192
841570	11	Red	(L)192
841587	12	Green	(L)192
841617	13	Black	(L)211
841624	14	Red	(L)211
841631	15	Green	(L)211

UNIVERSAL PEELERS

- Blade made of stainless steel.
- Handle made of PP (polypropylene).
- Available in 3 colours: black, red, green.
- Dishwasher safe.



HORIZONTAL UNIVERSAL PEELER

code	colour	blade length (mm)	length (mm)
841501	Black	50	110
841518	Red	50	110
841525	Green	50	110



UNIVERSAL PEELER WITH SERRATED BLADE

code	colour	blade length (mm)	length (mm)
841471	Black	50	175
841488	Red	50	175
841495	Green	50	175

SPEED PEELER

- Transverse model.



code	blade length (mm)	length (mm)
841228	50	110

841228



PEELER

- Pendulum model.



code	blade length (mm)	length (mm)
841235	50	150

841235



ASPARAGUS PEELER

- Made of stainless steel.
- Ergonomic grip, fits nicely in the hand for comfortable use.
- Included blade shields made of PP (polypropylene).
- Dishwasher safe.

code	blade length (mm)	mm
856406	43	200x50x(H)30



856406





856420



856314

**POULTRY SHEARS**

- High carbon steel.
- Softgrip.

code	thickness (mm)	blade length (mm)	length (mm)
856314	3.5	115	240

DETACHABLE POULTRY SHEARS

- Made of stainless steel and aluminium.
- Detachable.


code	thickness (mm)	blade length (mm)	length (mm)
856420	3.5	130	260



782590



856307



856284

Bottle opener
integrated**KITCHEN SHEARS**

- 2 blades made of stainless steel:
1 serrated and 1 smooth.
- Handle made of polypropylene.
- Includes additional serrated edges
for cracking nuts.
- Dishwasher safe.

code	mm
782590	(L)252

KITCHEN SHEARS

- Serrated blade, made of stainless steel.
- Handle made of polypropylene, soft inside.
- Shears can be disassembled into 2 parts
for easy cleaning.

code	mm
856307	(L)200

KITCHEN SHEARS

- Serrated blade, made of stainless steel.
- Handle made of polypropylene, soft inside.
- Additional serrated edges in the handle for
removing caps from bottles.
- Shears can be disassembled into 2 parts
for easy cleaning.

code	mm
856284	(L)225

18/0
stainless steel



856260

GARLIC PRESS

- Made of stainless steel – durable and easy to clean.
- Its curved arch enables quick and effortless crushing of multiple cloves at once.
- Can be used for other produce, like ginger.
- Hole diameter: ø3 mm

code	mm
856260	105x50



570715



GARLIC PRESS

- Solid construction made from a single piece of aluminum.
- CAUTION: Not dishwasher safe.

code	mm
570715	175x30



856123



GARLIC PRESS

- Easy to clean.
- Two removable grids.

code	mm
856123	180x25

ABS
plastic



NEW

MANGO SLICER

- Blade made of 18/0 stainless steel.
- Body made of ABS.
- Non-slip handles made of TPE.
- Press the cutter down through the mango to remove the pit.
- The fixed, evenly spaced blades create uniform slices every time.

code	mm
570173	195x133



570173

ABS
plastic

18/0
stainless steel



PINEAPPLE SLICER

- Central rod made of 18/0 stainless steel.
- Handle made of ABS.
- Not dishwasher safe.

code	mm
856437	240x100



856437





KNIFE SET - 9-PIECE

- Made of one piece of hard, stainless steel 3Cr13.
- Handle made of stainless steel 430 with anti-slip rubber coating.
- Due to the highest quality of the workmanship, knives are durable and resistant to corrosion with long-lasting sharpness of the blade.
- With safe, profiled handle.
- Included:
 - 1 - Paring knife 193 mm
 - 2 - Boning knife 285 mm
 - 3 - Bread knife 333 mm
 - 4 - Carving knife 331 mm
 - 5 - Chef's knife 330 mm
 - 6 - Chef's knife 370 mm
 - 7 - Santoku knife 336 mm
 - 8 - Knife sharpener 340 mm
 - 9 - Carving fork curved 320 mm
 - 10 - Convenient carrying case

code	mm
975770	445x260x(H)65





KNIFE SET - 4-PIECE

- Made from a single piece of stainless steel 3CR13.
- Solid design and corrosion resistance.
- Durable blade.
- Comfortable shaped handle, for safe use.
- The set includes:
 - 1 - Chef's knife 373 mm.
 - 2 - Chef's knife 333 mm.
 - 3 - Carving knife 333 mm.
 - 4 - Peeler 195 mm.

code

781029



KNIFE SET, 3-PIECE

- Knife blades made of stainless steel, sharpening steel made of carbon steel.
- Handles made of polypropylene.
- Set contains:
 - 18 cm Chef Knife (blade dimensions: 180x38 mm, handle 140 mm, thickness 2,5 mm).
 - 24 cm Chef Knife (blade dimensions: 240x50 mm, handle 140 mm, thickness 2,5 mm).
 - 23 cm sharpening steel (rod/sharpener dimensions: 230x10 mm, handle 125 mm).

code

842683





856291

**DECORATION
TOOLSET - 6 PCS.**

- The set includes:
 - Fruit baller double-ended
 - Fruit coring knife ø20 mm
 - Decoration knife
 - Fruit baller serrated
 - Citrus zester
 - Channel knife

code	mm
856291	280x100x(H)50



400081



400074

**CHEF PLATING SET, 6 PCS, SATINED**

- Perfect for plating dishes, cakes and other desserts, as well as sushi.
- Made of satin stainless steel.
- Tweezers are perfect for gripping very delicate ingredients and optimised for effortless use.
- The drawing spoon with a spout for precise pouring of sauces.
- With compact roll-up case for protecting against damage.
- Straight tweezers: 23 cm
- Curved tweezers: 20 cm
- Offset tweezers (sushi): 21 cm
- Drawing spoon: 22,5 cm
- Small spoon: 15 cm
- Spatula: 19 cm
- Dishwasher safe.

code	mm
400081	255x25x(H)100

**CHEF PLATING SET, 6 PCS, BLACK**

- Perfect for plating dishes, cakes and other desserts, as well as sushi.
- Made of stainless steel with black PVD coating.
- Tweezers are perfect for gripping very delicate ingredients and optimised for effortless use.
- The drawing spoon with a spout for precise pouring of sauces.
- With compact roll-up case for protecting against damage.
- Straight tweezers: 23 cm
- Curved tweezers: 20 cm
- Offset tweezers (sushi): 21 cm
- Drawing spoon: 22,5 cm
- Small spoon: 15 cm
- Spatula: 19 cm
- Not dishwasher safe.

code	mm
400074	255x25x(H)100



781913

OYSTER KNIFE ROUND

code	thickness (mm)	blade length (mm)	length (mm)
781913	2.3	60	165



781920

OYSTER KNIFE STRAIGHT

code	thickness (mm)	blade length (mm)	length (mm)
781920	1.6	60	160

KNIVES CARRYING CASE

- Briefcase model for 6 knives (max. length 400 mm).
- Knives are held in place by elastic bands.
- Case reinforced with plastic for a solid construction.
- Dimensions open (LxW): 450x400 mm.
- Knives not included.

code	mm
856383	450x70x(H)110



6 knives (max.
length 400 mm)

856383

KNIVES CARRYING CASE

- Compact case with plenty of room for knives and accessories.
- Space for 10 knives (max length 450 mm), knives are held in place by elastic.
- The knives are protected by additional covers which are held in place by either a zipper or velcro, this ensures that knives don't make direct contact when the case is folded to a close.
- With 1 big pocket for note pads, 4 small pockets for business cards and space for 3 pens or other small accessories.
- The shoulder strap length can be adjusted between 770 mm and 1270 mm.
- Dimensions unfolded: 515x675 mm.
- Knives not included.

code	mm
856277	510x50x(H)170



856277

10 knives (max.
length 450 mm)

KNIFE MAGNET WITH HOOKS

- With 2 magnetic strips.

code	-	mm
820209	3 hooks	(L)340
820308	5 hooks	(L)470
820407	6 hooks	(L)620

820209

820308

820407





Watch the video



LEMON ZESTER

code	mm
856031	(L)155



GRAPEFRUIT KNIFE

code	blade length (mm)	length (mm)
856185	100	210



VEGETABLE CORER

code	blade length (mm)	length (mm)
856086	110	220



MELON SCOOP SERRATED

code	ø	length (mm)
856024	22	(L)150



MELON SCOOP DOUBLE

code	-	mm
856000	ø 22-25 mm	(L)165



APPLE CORER

code	ø	length (mm)
856079	20	(L)215



DOUGH CUTTER SERRATED BLADE

code	ø	length (mm)
856154	60	(L)188



BUTTER CURLER

- Serrated.

code	mm
856192	(L)194



SPREADER - SERRATED

code	blade length (mm)	length (mm)
855768	85	210



POTATO PEELER

code	blade length (mm)	length (mm)
856178	65	175



TOMATO KNIFE OFFSET

code	blade length (mm)	length (mm)
856253	116	228



DECORATION KNIFE

code	blade length (mm)	length (mm)
856062	90	200



CHEESE SLICER

code	mm
856208	(L)200



CHEESE SLICER FOR SOFT CHEESE

code	mm
856215	(L)160



PP polypropylene
S.S. stainless steel

CHEESE GRATER

code	mm
856222	(L)170



CHEESE KNIFE FOR SOFT CHEESE

code	blade length (mm)	length (mm)
856246	160	270



Watch the video



CHEESE KNIFE FOR HARD CHEESE

code	blade length (mm)	length (mm)
856239	130	250



PIZZA SLICER

code	ø	length (mm)
617007	100	(L)230



PIZZA CUTTER

- Stainless steel knife blade, polypropylene handle.
- With HACCP color coding system, coloured clips are not removable after placing.

code	ø	length (mm)
617014	100	(L)230

S.S.
stainless steel

TRUFFLE SLICER

- Slice thickness adjustable with a screw: up to 4mm.
- Hole to hang up.

code	-	mm
229835	Smooth edge	175x83
856444	Serrated edge	175x83



229835

856444

NEW
MODEL





DEEP GUIDERAIL
Reinforced deep guiderail – facilitates blade guidance.

224403

ABRASIVE DISCS
Sharpening and smoothing in 1 process.

VERSATILITY
The wide grinding track allows sharpening of very thick blades and various types of knives.

KNIFE SHARPENER


- Suitable for quick and easy sharpening of knives.
- Sand paper easy to change.

ABS
plastic

code	V	W	mm
224403	230	50	295x110x(H)110

SAND PAPER FOR KNIFE SHARPENER

code		mm
224410	Grit 320	200x50
229828	Grit 1000	200x50



CERAMIC:
crossed
electroplated
rods for ceramic
knives.

COARSE: carbide
sharpener for
a precision edge
every time.

FINE: crossed
ceramic rods for
professional grade
edge honing.

820612

ABS
plastic

KNIFE SHARPENER

- Ergonomic handle and non-slip base provide safety and comfort.
- 3 functions for sharpening all kinds of knives, even ceramic knives.
- Do not use to sharpen serrated blades or scissors.

code	mm
820612	200x46x(H)75



820605

KNIFE SHARPENER

- Sharpening blades made of carbide.
- For all kinds of knives, including knives with serrated blades.
- With a finger guard.
- Dishwasher safe.

PP
polypropylene

code	mm
820605	140x15x(H)65



NEW

WHETSTONE KNIFE SHARPENERS

- Made of white aluminium oxide (corundum) abrasive.
- Hard binder construction for increased durability.
- Suitable for sharpening knives, razors, chisels and scissors.
- For use with water during sharpening.
- Supplied with a protective storage case.



820612



820698



820704

WHETSTONE

- Designed for repairing and sharpening cutting edges.
- Green side (#220 grit) for repairing damaged and dull blades.
- White side (#1000 grit) for regular sharpening and edge maintenance.

code	mm
820681	234x95x(H)41

WHETSTONE

- Designed for repairing and sharpening cutting edges.
- Blue side (#280 grit) for repairing damaged or very dull blades.
- White side (#1000 grit) for regular sharpening and edge maintenance.

code	mm
820698	234x95x(H)41

WHETSTONE

- Designed for sharpening and polishing cutting edges.
- White side (#1000 grit) for regular sharpening and restoring edge sharpness.
- Yellow side (#3000 grit) for fine sharpening and edge finishing.

code	mm
820704	234x95x(H)41

SHARPENING KNIVES ON A JAPANESE WHETSTONE



Step 1

Soak the sharpener in water for 3-5 minutes.



Step 2

Place the knife on the wetstone at a 10-15° angle and move the knife back and forth across the stone, maintaining a consistent angle and light pressure. Check the consistency of the angle by the sound.



Step 3

Repeat on both sides of the blade until the burrs are gone.



Step 4

Do not wipe off the wet slurry from the stone during sharpening.



556641

**CUT RESISTANT GLOVES, CERTIFIED – SET OF 2 PCS.**

- Made of HPPE, polyester and nylon fibres.
- Level 2 blade cut resistance.
- TDM cut resistance: D.
- Level 3 abrasion resistance.

code	packed per	mm
556641	2	(L)260



556665

18/10
stainless steel**CUT RESISTANT GLOVES, CERTIFIED**

- Outer glove made of 18/8 stainless steel.
- Inner glove made of polyester.
- Suitable for right and left hand use.
- Grade F straight cut resistant.
- Food contact approved.
- Included:
- 2 gloves, 1 polyester inner glove and 1 chain mail outer glove.

code		mm
556672	Large	(L)305
556665	Medium	(L)280



570104

**EGG SLICER – RECTANGULAR**

- Made of aluminum, lightweight but robust construction.
- CAUTION: Not dishwasher safe.

code	mm
570104	130x85x(H)30



570012

**EGG SLICER – OVAL**

- Made of aluminum, lightweight but robust construction.
- CAUTION: Not dishwasher safe.

code	mm
570012	120x115x(H)35



570029

**EGG SLICER**

- Body made of ABS.
- Wires made of stainless steel 18/8.
- Matte finish.
- Cuts through boiled eggs with minimal effort.

code	mm
570029	152x112

NEW



CAN OPENER

- Includes a table mount.
- Suitable for worktops with max. 55 mm thickness.
- Opens cans with max. 335 mm height.

code	mm
690000	250x115x(H)550



CAN OPENER

- Made of stainless steel.
- Equipped with a comfortable polypropylene handle.
- Dishwasher safe.

code	mm
856116	(L)180



SAFE CAN OPENER

- This safe can opener removes the lid without leaving sharp edges and provides the possibility to place the lid back on the can.
- The cutting mechanism operates by cutting the side of the can just below the lid.

code	mm
856161	(L)190



856161





237922

JAPANESE MANDOLINE SAMURAI

- Sturdy construction, made from stainless steel, ABS and Polypropylene.
- Surface finished with a non-stick PTFE coating for smooth slicing.
- Ultra-sharp main blades, switch easily between the smooth or crinkle blade.
- Slicing thickness can be set between 0,5 and 9 mm.
- With integrated blades for 4,5 mm julienne and 9 mm thick fries.
- Possibility to remove the julienne blades for cleaning, unlock position printed on the dial.
- With retractable foot and bowl hook, can be used free standing, placed on a bowl or even in the hand.
- Bowl hook and feet lined with non-slip TPR (thermoplastic rubber), ensures stability during use.
- Comes with a product holder to protect the fingers during slicing and blade shields for safe storage.

code	mm
237922	395x165x(H)115



222652



MANDOLINE

- Made of stainless steel.
- Handle and dial made of ABS.
- Ultra-sharp main blade, slicing thickness can be set between 0,5 and 9 mm.
- Possibility to remove the blade for cleaning, unlock position printed on the dial.
- Retractable feet are lined with non-slip TPR.
- The blade position is changed by turning a knob, enabling julienne cuts of 4,5 mm or 9 mm.
- Comes with a produce holder for protection.
- Dishwasher safe.

code	mm
222652	418x135x(H)135



MANDOLINE V-TYPE

- Made of hard black PP and ABS.
- Including 5 high quality stainless steel blades.
- Foldable stand with rubber feet.
- V-shaped main cutting blade.
- Blades for julienne or french fries, 6 or 9 mm wide.
- Adjustable slice thickness from 1-9 mm.
- Product holder with metal pins.
- Height: 140 mm with raised support.



V-shaped cutting blade for fast slicing

222614

code	mm
222614	130x335x(H)75
229903	Set of 5 spare cutting discs for mandoline 222614



222676



MANDOLINE V-TYPE

- Made of stainless steel.
- The thickness can be changed by replacing the pad, 1.5 mm, 2.5 mm, and 3.5 mm.
- With 2 pads for julienne: 4.5 mm and 9 mm thick.
- Food holder is made of PP and stainless steel 18/8.
- Unlock the pads with the single lock/release button.
- Retractable feet are lined with non-slip TPR, ensures stability during use.
- Can be used free standing, placed on a bowl or even in the hand.

- Comes with a pad storage box, produce holder to protect the fingers during slicing and blade shield for safe storage.

code	mm
222676	405x135x(H)145





JAPANESE MANDOLINES SHŌGUN 将軍

- Blades made of Japanese stainless steel SUS 420J2.
- Body made of ABS.
- Smooth and easy adjustment of cutting thickness: 1-5 mm.
- Fitted with:
 - flat, built-in blade which can cut very thin, almost transparent slices,
 - finger guard/holder made of polypropylene, for protecting fingers and holding down vegetables/fruits during cutting.
- Not dishwasher safe.



221280



JAPANESE MANDOLINE SHŌGUN 将軍

- Included: 3 interchangeable serrated blades for cutting julienne: 1 mm, 2 mm, 8 mm thick.

code	mm
221280	380x158x(H)47



1 mm



2 mm



8 mm



Thickness 1-5 mm

221297



JAPANESE MANDOLINE SHŌGUN 将軍 PRO

- Wide cutting surface suitable for large vegetables and fruit.

code	mm
221297	380x180x(H)45



Thickness 1-5 mm



SALAD SPINNER

- Ideal for drying large amounts of vegetables and fruits after washing.
- With an easy to use water draining system.
- Removable inner basket.
- Not available in France.

code	liters	mm
222553	12	ø335x(H)430
222560	25	ø430x(H)530



222560



RECEIPT HOLDER

- Made of satin aluminium.
- Mounted with screws and adhesive - included in the set.

code	mm
513736	(L)455
513705	(L)610
513712	(L)915
513743	(L)1015
513750	(L)1220

513750



BUTTER ROLLER

- Made of stainless steel.
- Roller and shaft system.
- Full rod construction.
- Suitable for butter and margarine.
- Suitable for commercial kitchen use.

code	mm
443101	176x162x(H)65



443101

NEW





Extremely sharp,
laser cut rasps



856352



856369



856376



Watch the video



856321



856338



856345



ZESTER

- Laser cut blades, high precision and extremely sharp.

code	-	blade length (mm)	mm
856352	Fine	220	36x395
856369	Coarse	220	35x405
856376	Ribbon	220	36x395

ZESTER

- Laser cut blades, high precision and extremely sharp.

code	-	blade length (mm)	mm
856321	Coarse	134	65x318
856338	Ribbon	135	65x318
856345	Shaver	134	65x330



844366

844359



Watch the video

MINCING KNIFE

code	-	blade length (mm)	mm
844359	single blade	220	215x150
844366	double blade	220	215x150

GRATER 4-SIDED

- Solid construction.

code	mm
443002	90x65x(H)200



443002

GRATER 4-SIDED WITH CONTAINER

- Grater made of stainless steel, with ABS handle and non-slip base.
- Collection container made of PP.
- 4 different grating sides: fine, medium, coarse and slicing.
- Dishwasher safe.



code	mm
443026	158x130x(H)310




443026

GRATER 6-SIDED

- Made of stainless steel.
- 4 different grating sides and 2 for slicing.
- Dishwasher safe.



code	mm
443033	135x113x(H)215



443033





Special mounting plate allows easy removal and cleaning




FRENCH FRIES CUTTER

- Knives made of stainless steel.
- Comes with 4 blades: 6, 9 and 13 mm, as well as a knife for 8 parts.
- Mountable to working table or wall.
- Handle covered by plastic for easier pressing.
- Stainless steel mounting plate allows easy removal and cleaning.
- With rubber feet to hold firmly when using on table.

code	mm
630402	430x168x(H)290

With suction cup feet



630419



932933

FRIES CUTTING BLADE

- Fits HENDI French fries cutter 630402.
- Comes with pressing plate.

code	
932902	6x6 mm
932919	9x9 mm
630419	11x11 mm
932926	13x13 mm
932933	wedges



POLYETHYLENE BUTCHER BLOCK WITH BASE

- Made of HDPE500 polyethylene.
- Stainless steel stand.

code		mm
505687	505656 + 505670	500x400x(H)800
505656	Butcher block HDPE	500x400x(H)50
505663	Butcher block HDPE	500x400x(H)80
505670	Base for butcher block	500x400x(H)750



559239

BUTCHER'S TWINE RED & WHITE

- Soft and flexible, easy to bind and knot.
- Spool with 200g of string, about 132 meters.
- Made of red and white, unbleached cotton.

code	
559239	132 m



MEAT AXE

- Blade made of stainless steel.
- Handle made of PE (polyethylene) – contrary to wooden handles, it does not break, crumble, or leave splinters.
- Dishwasher safe.



code	blade length (mm)	length (mm)
843390	125	450
843383	79	250



559208

BUTCHER'S TWINE

- Soft and flexible, easy to bind and knot.
- Spool with 100g of string, about 70 meters.
- Made of unbleached cotton.

code	
559208	70 m
559222	140 m



513538




BUTCHER'S HOOKS

code	mm
513538	90x4
513545	110x5
513569	150x6



MEAT TENDERIZERS



MEAT TENDERIZING HAMMER

- Made of aluminium alloy.
- Double sided: flat side for flattening, spiked side for tenderizing.
- Long handle with an eyelet.

code	colour	mm
513002	Light grey	255x65x(H)70
513118	Black	255x65x(H)70



MEAT TENDERIZING HAMMER XL

- Made of aluminium alloy.
- Double sided: flat side for flattening, spiked side for tenderizing.
- Long handle with an eyelet.

code	colour	mm
513057	Light grey	300x80x(H)80
513125	Black	300x80x(H)80



MEAT TENDERISER PROFI LINE

- Modern and effective tool for meat improvement, the interspaced vertical blades reduce the length of meat fibers.
- Perfectly tenderises meat by softening the tissue and flattening meat at the same time.
- Marinating time can be reduced by up to 25%, because the surface area of the meat is significantly increased.
- During frying, the subtle perforation will allow sauces poured over the meat to penetrate.
- Soft springs, easier use, better result.

code	colour	mm
843451	Red	42x150x(H)118

Specially designed grip

843451



Watch the video

51 stainless steel blades for cutting meat

Wave-shaped tabs on the bottom for flattening meat



680223



FISH SCALER

- Made of stainless steel.
- Very sharp and specially shaped blade for efficient and smooth removal of scales without tearing.

code	blade length (mm)	length (mm)
680223	105	240



TOMATO SLICER

- Only for cutting tomato or soft vegetables/fruits.
- Slice thickness $\approx$ 5 mm.
- Easy to clean.
- With suction cup feet.
- Screw tightening tools such as Hex socket wrench not included.

code	mm
570159	432x202x(H)210

Fitted with hand protection



With suction cup feet

570159





mesh size
7,5x7,5 mm



CHIPS SCOOP

- Made of stainless steel with PA handle.
- With extra deep scoop.

code	mm
640913	ø240x640
640920	ø260x650




mesh size 5x5 mm

CHIPS SCOOP

- With reinforced wire handle.

code	mm
640401	ø160x470
640500	ø180x470
640609	ø200x510
640708	ø220x540
640807	ø240x540



mesh size 5x5 mm

CHIPS SCOOP

- With wire handle.

code	mm
640104	ø100x310
640203	ø125x360



mesh size
5x5 mm



CHIPS SHOVEL

- With 150 mm long wire handle.

code	mm
642504	455x160



mesh size
5x5 mm / 1x1 mm



CHIPS SHOVEL

- With 225 mm long wire handle.
- Double mesh.

code	mm
642603	335x175



630006



CHIPS COLANDER ALUMINIUM

- Fixed bottom and removable strainer.

code	mm
630006	ø400x(H)170



630808



CHIPS COLANDER STAINLESS STEEL

- Completely made of stainless steel.
- With stainless steel handle.
- With removable bottom tray.

code	mm
630808	ø410x(H)170



630808



Watch the video



PEPPER SHAKER & SALT SHAKER

- With screw cap.



code		mm
630235	Pepper shaker	ø63x(H)100
630136	Salt shaker	ø80x(H)175



PEPPER SHAKER & SALT SHAKER

- With screw cap.




code		mm
630204	Pepper shaker	ø65x(H)105
630105	Salt shaker	ø80x(H)175



FAT SKIMMER

- Made of stainless steel.
- With wire handle.
- Fine mesh.

code	mm
646205	ø125x350
646304	ø150x440



FRENCH FRIES AND NACHOS FUNNEL SCOOP

- With detachable handles. Fill opening 80 mm.
- Left and right handed.

code	mm
642559	230x220



FRENCH FRIES AND NACHOS FUNNEL SCOOP

- Fill opening 75 mm.
- Left and right handed.

code	mm
642566	233x205





632901

**OIL FILTER HOLDER**

code	mm
632901	ø250x(H)240



632802

GREASE FILTERS – 50 PCS

- Essential in professional gastronomy – effectively extends oil life thanks to efficient filtration.
- Made of synthetic silk.
- Extremely durable, with thermal resistance up to 200°C.
- Efficiently capture impurities, including food particles that can lead to grease ignition.
- As a result, they optimise the use of deep frying equipment.
- With food contact declaration of compliance.

code	packed per	mm
632802	50	254x254

Effectively extend oil life



196007



196038

NEW**BUCKET**

- Suitable for storing frying oil and sauces.
- Made of white polypropylene.
- High heat resistance.
- Suitable for liquids with temperatures of up to 95°C.
- Comfortable plastic handle.
- Polypropylene lid included.
- Side surface suitable for offset printing or labelling.
- Stackable.

code	liters	mm	
196038	5.8	ø260x(H)195	N
196007	11.5	ø300x(H)230	



Graduated

516720

Wide,
reinforced base
for stability and
hygiene



BUCKET WITH REINFORCED BASE PROFI LINE

- Graduated.

code	liters	mm
516683	10	ø280x(H)265
516706	12	ø300x(H)310
516720	15	ø305x(H)330



516713

LID FOR BUCKET WITH REINFORCED BASE PROFI LINE

code	-	mm
516690	516683	ø280x(H)15
516713	516706	ø290x(H)15
516737	516720	ø305x(H)15



518700



FUNNEL

code	mm
518700	ø128x(H)115



516744

BUCKET KITCHEN LINE

- Made of stainless steel
- Shape of the edge ensures easy control of the liquid while pouring

code	liters	mm
516744	12	ø310x(H)300



516768

BUCKET BUDGET LINE

- Made of stainless steel.
- The edge shape ensures easy control over the liquid during pouring.

code	liters	mm
516768	10	ø278x(H)235



567616

FUNNEL

code	mm
567616	ø100x(H)115
567630	ø130x(H)117
567654	ø150x(H)140





516300

NEW**MEASURING JUG
PROFI LINE**

- Made of high-density polypropylene.
- Integrated handle.
- Stamped litre and millilitre scale.

code	liters	mm
427774	1	ø120x120
427781	2	ø150x150
427798	3	ø170x170
427811	5	ø200x200
427828	0.5	ø90x90




567838

**MEASURING JUG STACKABLE
KITCHEN LINE**

- Scale embossed in the side of the jug.
- Shape of the handle allows multiple jugs to be stacked.

code	liters	mm
567814	0.5	ø95x(H)136
567821	1	ø124x(H)170
567838	2	ø160x(H)205
567845	3	ø181x(H)233
567852	5	ø210x(H)270



567401

**MEASURING JUG POLYPROPYLENE
BUDGET LINE**

- With gradation.

code	liters	mm
567104	0.5	ø90x(H)140
567203	1	ø110x(H)170
567302	2	ø140x(H)215
567401	3	ø160x(H)240
567500	5	ø190x(H)270



516300

MEASURING JUG

- Top quality.
- Scale inside the jug.



code	liters	mm
516102	0.5	ø90x(H)105
516201	1	ø120x(H)130
516300	2	ø140x(H)170



FOOD SPRAYER ELECTRIC

- Piston made of stainless steel, container made of HDPE.
- Intended for liquids of low to medium viscosity, such as: oils, egg wash, jelly, sauces, marinades.
- Uniformly spraying a product - from very thin layer to very thick.
- Adjustable product flow.
- Non-electric parts can be cleaned in a dishwasher, after disassembly.
- Container is microwave safe - up to 70°C.



- Included in set:
 - screwed-in container with capacity of 700 ml,
 - flat fan nozzle,
 - round jet nozzle,
 - bent nozzle extension.

code	V	W	mm
270882	230	60	220x90x(H)240

PRESSURE FOOD SPRAYER

- Ideal for: greasing baking molds, applying food additives and flavourings, wetting bread dough.
- Spraying a perfectly even layer of a product.
- Pressure sprayer function in the kitchen without the need to use heavy appliances.
- Made of very durable polymer - HDPE.
- Wide bottom of the bottle, ensuring stability.
- Silicone seals which do not require greasing.
- An adjustable nozzle able to change its position in 360°.
- The suction pipe has a filter to prevent clogging.
- A measuring scale for easy control of liquid level.
- A breather protecting against the lid sucking-in.
- Pressure: 2,2 bar.
- Weight: 0,59 kg.

code	liters	mm
270875	1.5	140x220x(H)330





Watch the video

18/0
stainless steel



680025

MULTIPURPOSE TWEEZERS

code	mm
680049	(L)160
680032	(L)215
680025	(L)230
680018	(L)300
680230	(L)250

TWEezer, CURVED, WITH PROFILED HANDLE

code	mm
680186	(L)240

680186

680063

TWEEZERS, CURVED

code	mm
680070	(L)160
680063	(L)237
680056	(L)305

680162

TWEezer, SQUARE HEAD

code	mm
680162	(L)145

680087

OFFSET TWEEZERS

code	mm
680087	(L)210
680094	(L)160

680124

TWEezer, ROUND HEAD

code	mm
680124	(L)150
680193	(L)305



18/0
stainless steel



680155

TWEEZER, HIGH PRECISION TIP

code	mm
680155	(L)155



680131

MULTIPURPOSE TWEEZERS

- With, by means of PVD applied, black coating.
- High quality and lasting.

code	mm
680131	(L)300



ROUND TIP TWEEZERS

- Made of 18/0 stainless steel.
- Black PVD coating.
- High quality and durability.

code	mm
680216	(L)305



680117

680100

FISH BONE TWEEZERS, SLANTED HEAD

code	mm
680117	(L)120
680100	(L)130



680148

FISH BONE TWEEZER, SLANTED TIP

code	mm
680148	(L)100



SALAD TONGS

- With fastening clip.
- Solid design.

code	mm
171707	(L)240
171806	(L)310
171905	(L)400



171806

**SOLID
DESIGN -
THICKNESS
1 MM**



171318



SERVING TONGS

- With heat resistant silicone tongs.
- Soft-grip with lock.

code	mm
171301	(L)267
171318	(L)345
171325	(L)445



171349

SILICONE TONG FOR COOKING

- Made of high temperature resistant silicone.
- Can withstand temperatures up to 280°C making it ideal for use during cooking.
- The tongs provide plenty of grip and are comfortable to use.
- Dishwasher safe.

code	mm
171349	(L)290



524008

UNIVERSAL TONGS

- With fastening clip.
- Detachable.



code	mm
524008	(L)270



Watch the video



SERVING TONG HACCP 250 MM

- For professional food service - HACCP compliant handpiece colours.
- Length: 250mm.
- Not dishwasher safe.

code	colour	mm
171837	Red	(L)250
171844	Blue	(L)250
171875	Green	(L)250
171882	Purple	(L)250
171899	Yellow	(L)250

SERVING TONGS HACCP 300 MM

- For professional food service - HACCP compliant handpiece colours.
- Length: 300mm.
- Not dishwasher safe.

code	colour	mm
171721	Red	(L)300
171738	Blue	(L)300
171745	Green	(L)300
171783	Purple	(L)300
171790	Yellow	(L)300



SERVING TONGS

code	colour	mm
171752	Black	(L)250
171851	Black	(L)300



UNIVERSAL TONGS

code	colour	mm
657607	Black	(L)228





171028

SERVING TONGS

code	packed per	mm
171028	2	(L)240
171127	2	(L)300



171417

CURVED SERVING TONG

code	mm
171417	(L)235
171516	(L)295



171400

SERVING TONG

code	mm
171400	(L)220
171509	(L)292



171622

PASTRY TONG

code	mm
171608	(L)220
171622	(L)276



171615

**CAKE TONG**

code	mm
171615	(L)220



523018

**PASTRY TONG**

code	mm
523018	(L)215



523315

**SALAD TONG**

code	mm
523315	(L)212



523216

**SPAGHETTI TONG**

code	mm
523216	(L)200



523629

**SUGAR CUBE TONGS**

code	packed per	mm
523629	2	(L)160



523520

**ICE CUBE TONGS**

code	packed per	mm
523520	2	(L)180



525159

BENT WOODEN SPATULA

- Made of beech wood - not only durable, but also lightweight.
- Resistant to high temperatures.
- Bent for easy flipping ingredients in a frying pan.
- Flat handle with a hanging hole.
- Suitable for pans with non-stick coating - not damaging their delicate surface.

code	packed per	mm
525159	2	320x70



525142

WOODEN SPATULA

- For professional use in gastronomy.
- Versatile use.
- Made of beech wood.
- Flat handle with a hole.
- Length: 300 mm.
- Set of 4.
- ATTENTION: Not dishwasher safe.

code	packed per	mm
525142	4	300x55



658000

FRYING SPATULA

- Frying spatula is a versatile kitchen accessory.
- Made of polyamide.
- High thermal resistance (up to 200°C).
- Dishwasher safe.

code	mm
658000	280x70



659502

SPATULA

- Slotted.
- Made of reinforced polyamide.

code	mm
659502	300x90



659601

ANGLED FRYING SPATULA

code	mm
659601	325x90



855713

**SCRAPER**

- Black plastic handle.

code	blade length (mm)	mm
855713	120	249x101



855119

**SCRAPER**

- With wooden handle.

code	blade length (mm)	mm
855119	118	251x100



855508

**HAMBURGER TURNER**

- With wooden handle.

code	blade length (mm)	mm
855508	120	270x75
855607	150	305x110



HAMBURGER TURNER

- Handle made of black plastic.

code	blade length (mm)	mm
855676	145	274x76
855652	174	313x108



855676



TURNER FLEXIBLE

- Handle made of black plastic.
- Flexible.

code	blade length (mm)	mm
855737	239	368x76
855669	160	310x96



855669



TURNER FLEXIBLE, PERFORATED

- Handle made of black plastic.
- Perforated.
- Flexible.

code	blade length (mm)	mm
855720	239	368x76



855720



TEPPANYAKI TURNER

code	blade length (mm)	mm
855799	85	240x105



855799

WOODEN SPOON - SET OF 3, VARIOUS SIZES

- For professional use in gastronomy
- Versatile use
- Elegant, classic shape
- Made of beech wood

code	mm
525005	(L)475



525005





563106

**SPOON**

- Made of durable and lightweight PBT.
- High temperature resistance (from -40°C up to 220°C).
- Suitable for use in microwaves.
- Dishwasher safe.

code	mm
563007	375x70
563106	450x80
563205	575x105



659809

**SPOON**

- Made of reinforced polyamide.

code	mm
659700	305x50
659809	385x60

NEW

659434

Ergonomic handle made of glass-fibre reinforced nylon with a matt finish for enhanced user comfort.

Flexible spatula made of natural rubber - makes it easier to scoop dough, and less sticky.

658901



658604

SCRAPER

- Ergonomic handle made of glass-fiber reinforced nylon, with a matte finish for increased comfort of use.
- Flexible scraping element made of natural rubber - easier dough scraping and dough doesn't stick to scraper.
- Only suitable for cold food preparation.

code	blade length (mm)	mm
658604	90	260x55

NEW

659434

SCRAPER

- Scraper edge made of non-stick silicone.
- Handle made of polyamide.
- Food-grade, BPA-free silicone.
- Temperature resistance range: Up to 175°C.
- Safe for use on all cookware surfaces.

code	blade length (mm)	mm
659410	88	266x50
659427	114	369x71
659434	115	420x71



658901

SCRAPER

- Ergonomic handle made of glass-fiber reinforced nylon, with a matte finish for increased comfort of use.
- Flexible scraping element made of natural rubber - easier dough scraping and dough doesn't stick to scraper.
- Only suitable for cold food preparation.

code	blade length (mm)	mm
658703	90	320x75
658802	90	425x75
658901	150	515x100



659403



SCRAPER

- Handle made of ABS.
- Blade made of TPR.
- Dishwasher safe.

code	blade length (mm)	mm
659205	90	257x52
659304	116	358x70
659403	116	406x70



659472



SCRAPER SPOON SHAPED

- Handle made of ABS.
- Blade made of TPR.
- Dishwasher safe.

code	blade length (mm)	mm
659458	88	254x57
659465	117	357x75
659472	117	408x75



659106



SCRAPER KITCHEN LINE

- PA handle.
- Silicone blade.

code	blade length (mm)	mm
659014	90	266x55
659007	105	354x70
659106	105	420x70



562079



SCOOP

code	liters	mm
562000	0.125	(L)187
562017	0.25	(L)250
562079	0.65	(L)330



521502



ALUMINIUM SCOOP

code	liters	mm
521205	0.125	180x65x(H)33
521304	0.2	205x68x(H)35
521403	0.3	245x90x(H)50
521502	0.5	265x95x(H)50
521601	0.65	310x108x(H)60
521809	2	390x150x(H)80



521489



SCOOP

- Made of stainless steel.
- Handle with hook.
- Dishwasher safe.

code	liters	mm
521441	0.11	235x70
521458	0.19	263x80
521465	0.36	335x100
521472	0.54	360x117
521489	0.92	432x140





design by
Robert Bronwasser



LADLES & SKIMMERS PROFI LINE

- Professional, seamless one piece, in accordance with HACCP standards.

- Heavy-duty stainless steel.
- Thickness 2,7 mm

2.7 MM
THICKNESS



LADLE NON-DRIP

- With non-drip pouring rim.

code	liters	mm
540107	0.06	ø60x360
540305	0.12	ø80x400
540404	0.25	ø100x430
540503	0.5	ø120x555
540602	0.75	ø145x575
540701	1	ø165x630

SLOTTED SPOON

code	mm
541104	ø80x390
541203	ø100x400
541302	ø120x460
541500	ø160x530

VEGETABLE SPOON

code	mm
542507	485x75

CARVING FORK

code	mm
542705	465x32

BASTING SPOON

code	mm
542606	410x100

SPATULA

code	blade length (mm)	mm
542200	120	510x100

LADLES & SKIMMERS KITCHEN LINE



1.5 MM
THICKNESS



LADLE

code	liters	mm
527108	0.05	ø60x320
527207	0.17	ø90x390
527306	0.25	ø100x420

SKIMMER

code	mm
528105	ø90x310
528204	ø115x370

SLOTTED SPATULA

code	blade length (mm)	mm
526118	85	370x70

SPATULA

code	blade length (mm)	mm
526101	85	370x70

CARVING FORK

code	mm
526200	350x35

VEGETABLE SPOON

code	mm
526309	325x60

WHISKS

509470



Stiff wires



1 MM
THICKNESS

PIANO WHISK

- 5 flexible piano wires, with thin handle.
- Wire thickness: 1 mm.

code	mm
509470	(L)285

510100



Stiff wires



2.2 MM
THICKNESS

FRENCH WHISK

- 8 heavy stiff wires, with eyelet.
- Wire thickness: 2,2 mm.

code	mm
510001	(L)290
510100	(L)335
510209	(L)380
510308	(L)435
510407	(L)490
511503	(L)540
511701	(L)640

509104



Stiff wires



2 MM
THICKNESS

FRENCH WHISK WITH 8 STIFF WIRES

- 8 stiff wires.
- Polypropylene handle with eyelet.
- Wire thickness: 2 mm.

code	mm
509005	(L)270
509104	(L)320
509203	(L)365
509302	(L)415
509401	(L)465

2 MM
THICKNESS

509487



SPIRAL WHISK

code	mm
509487	(L)280

2 MM
THICKNESS

856109



SPIRAL WHISK

code	mm
856109	(L)300



1.4 MM
THICKNESS

Extremely flexible wires perfect for whipping



509494

PIANO MIXING WHISK

- Made of stainless steel.
- 5 flexible wires, intended for small portions.
- Handle with a hanging hole.
- Wire thickness: 1.4 mm.
- Dishwasher safe.

code	mm
509494	(L)160



532201

Extremely flexible wires
perfect for whipping



1.4 MM
THICKNESS

PIANO WHISK

- 7 flexible piano wires, with eyelet.
- Wire thickness: 1.4 mm.

code	mm
532003	(L)230
532102	(L)275
532201	(L)330
532300	(L)375



511732

Extremely flexible wires
perfect for whipping



1.4 MM
THICKNESS

PIANO WHISK

- 12 flexible piano wires.
- Stainless steel handle with eyelet.

code	mm
511718	(L)285
511725	(L)335
511732	(L)385
511749	(L)435
511756	(L)485



509449

Extremely flexible wires
perfect for whipping



1.4 MM
THICKNESS

PIANO WHISK WITH 12 PIANO WIRES

- 12 flexible piano wires.
- Polypropylene handle with eyelet.
- Piano wire thickness: 1.4 mm.

code	mm
509418	(L)250
509425	(L)270
509432	(L)320
509449	(L)360
509456	(L)410
509463	(L)460





567562

**MIXING BOWL WITH RUBBER BASE**

- Bowl made of stainless steel.
- Non-slip rubber base.
- With a measure inside the bowl.
- Dishwasher safe.

code	liters	mm
567562	3	ø265x(H)125
567579	6	ø330x(H)155



The base of the bowl features a non-slip layer made of rubber.



Measurement markings inside the bowl.



530702

**KITCHEN BOWL**

code	liters	mm
530108	0.7	ø160x(H)63
530207	1.2	ø205x(H)74
530306	1.5	ø227x(H)83
530405	2.6	ø254x(H)95
530504	3.3	ø281x(H)100
530603	4.4	ø310x(H)107
530702	5.7	ø340x(H)113



517604

**MIXING BOWL**

code	liters	mm
517109	0.7	ø158x(H)55
517208	1.4	ø197x(H)68
517307	2.3	ø240x(H)88
517406	3.3	ø259x(H)92
517604	4.9	ø300x(H)118

MEASURING CUP

- Made of stainless steel.
- Flat bottom to ensure stability and prevent tipping.
- 2 spouts on each cup for easy pouring of the contents.
- Fitted with ergonomic handles with eyelets.
- Engraved capacity markings in 2 spots - no rubbing off,



596487

MEASURING CUP - SET OF 7 PCS.

- 7 different capacities included in the set: $\frac{1}{8}$ cup = 30 ml, $\frac{1}{4}$ cup = 60 ml, $\frac{1}{2}$ cup = 80 ml, $\frac{1}{2}$ cup = 120 ml, $\frac{3}{4}$ cup = 160 ml, $\frac{3}{4}$ cup = 180 ml, 1 cup = 240 ml.

code	mm
596487	140x85x(H)52



well visible:

- on the side of the cup, capacity in the American unit - cups,
- on the handle, capacity in 2 units: cups and millilitres.
- The cups are stackable - for saving storage space.
- Dishwasher safe.



596494

MEASURING CUP - SET OF 4 PCS.

- 4 different capacities included in the set: $\frac{1}{8}$ cup = 30 ml, $\frac{1}{4}$ cup = 60 ml, $\frac{1}{2}$ cup = 120 ml, $\frac{3}{4}$ cup = 180 ml.

code	mm
596494	135x80x(H)45



Watch the video



Fitted with 2 scraping wires on the bottom

18/10
stainless steel

VEGETABLE STRAINER

- Perfect for preparation of cream soups and tomato sauces.
- Including 2 straining discs ($\varnothing$ 140 mm), coarse and fine.

code	mm
515501	400x215x(H)175

POTATO MASHERS AND RICERS



POTATO MASHER

code	mm
693254	ø118x310
693261	ø118x455

POTATO MASHER

code	mm
693001	130x85x(H)355
693100	600x180x(H)85
693209	770x180x(H)85

POTATO MASHER

code	mm
693216	610x200x(H)130
693223	810x200x(H)130



856147



POTATO MASHER

- Comfortable handle made of polypropylene.

code	mm
856147	ø95x230



515181

POTATO RICER

code	mm
515181	270x100x(H)95



515105



POTATO RICER

code	mm
515105	320x110x(H)110



CONICAL STRAINER, WIRE MESH

- Fine mesh.

code	ø	length (mm)
647516	160	360x160x(H)105
647509	180	415x160x(H)105



CONICAL STRAINER WITH WIRE MESH

- Fine mesh.

code	ø	length (mm)
647554	205	460x205x(H)170
647561	245	500x245x(H)210



CONICAL STRAINER

code	ø	length (mm)
547304	180	380x180x(H)150
547502	235	435x235x(H)220



CONICAL STRAINER WITH WIRE MESH, REINFORCED

- Entirely made of satin stainless steel.
- Very fine mesh, reinforced.
- Flat handle with a hole, reinforced.
- Fitted with an additional supporting handle.
- Everted rim.
- Dishwasher safe.

code	ø	length (mm)
567555	250	505x250x(H)200



CLOTH STRAINER

- 100% Cotton.
- Washable up to 95°C.
- Ideal for clarifying broth.

code	mm
556719	700x700



635605

mesh size
1x1 mm**SIEVE**

- With wire handle.

code	ø	length (mm)
635001	120	280x125x(H)47
635155	160	323x160x(H)65
635209	180	343x190x(H)85
635308	200	360x210x(H)80
635407	230	395x260x(H)90
635605	255	413x280x(H)110



639023

mesh size 4x4 mm/
1,5x1,5 mm**SIEVE, DOUBLE MESH**

- Wooden handle.

- Reinforcing bracket.

code	ø	length (mm)
639009	260	605x260x(H)120
639016	305	788x305x(H)150
639023	355	840x355x(H)190



638903

mesh size
0,5x0,5 mm**SIEVE**

- With wire handle.

code	ø	length (mm)
638309	105	250x105x(H)40
638507	145	350x145x(H)50
638705	210	430x210x(H)80
638903	230	450x230x(H)80



637609

mesh size
1x1 mm**SIEVE**

- With wire handle.

code	ø	length (mm)
637104	160	325x160x(H)70
637203	182	344x190x(H)80
637302	200	360x210x(H)80
637401	215	385x215x(H)90
637500	240	405x250x(H)110
637609	255	425x255x(H)120



639238

mesh size
1x1 mm**SOUP STRAINER**

- Made of stainless steel.

- With an additional handle for secure placement over a bowl or pot.

code	ø	length (mm)
639238	260	535x260x(H)111



639252

mesh size
1x1 mm**STRAINER REINFORCED**

- Made of stainless steel.
- Very fine mesh, reinforced.
- With wire handle.
- Fitted with additional supporting handles for secure placement over a bowl or pot.
- Dishwasher safe.

code	ø	length (mm)
639252	260	560x260x(H)145
639269	305	595x305x(H)145
639276	345	700x345x(H)145

COLANDERS

COLANDER PROFI LINE

- With base and 2 riveted handles.

code	mm
535523	ø415x(H)210
535516	ø365x(H)185
535509	ø325x(H)175



535516



535424

535301

639283

COLANDER

- 2 handles and a base.

code	mm
535400	ø225x(H)90
535417	ø285x(H)100
535424	ø315x(H)120



COLANDER KITCHEN LINE

- With base and 2 handles.

code	mm
535103	ø240x(H)110
535202	ø280x(H)135
535301	ø340x(H)160



COLANDER

- Made of stainless steel.
- Dishwasher safe.

code	mm
639283	ø257x(H)110
639290	ø310x(H)126
639306	ø363x(H)147



NEW

COLANDER

- Made of polypropylene.
- Equipped with 2 handles.
- Raised base: 20 mm.
- Suitable for rinsing and draining.

code	mm
427859	ø360x(H)185



427859



EXTENDABLE SINK COLANDER

- Entirely made of stainless steel.
- Extendable handles, non-slip - covered with rubber.
- Support-legs to place it directly in the sink.
- Fine mesh.
- Adjustable to max. sink width: 545 mm.
- Dishwasher safe.

code	mm
535219	360x240x(H)115



SCALES

ABS
plastic

S.S.
stainless steel

ABS
plastic



580011

KITCHEN SCALE 3 KG

- Housing made of ABS and stainless steel.
- Built-in LED display.
- Measuring up to 3000 g.
- Readout in grams (g), millilitres (ml), ounces (oz) or pounds (lb).
- Available functions control panel: on/off, tare, changing the unit.
- Auto power off and reset (auto tare).
- Overload and low battery notifications.
- Power: 3 x 1.5V AAA batteries - included in the set.
- Accuracy:
 - up to 200 g accuracy 0,1 g,
 - 200-1000 g accuracy 0,5 g,
 - over 1000 g accuracy 1 g.

code	max. kg	mm
580011	3	165x180x(H)31



580226

KITCHEN SCALE 5 KG

- Housing made of stainless steel.
- Built-in digital LCD display.
- Measuring up to 5000 g.
- Readout in grams (g), ounces (oz) or pounds (lb).
- Auto power off and reset (auto tare).
- Overload and low battery notifications.
- Power: 1 x 3V lithium battery - included in the set.
- Accuracy:
 - up to 1 kg: ± 4 g.
 - 1 kg-3 kg: ± 8 g.
 - 3 kg-5 kg: ± 10 g.

code	max. kg	mm
580226	5	169x218x(H)13



580035

FOLDABLE KITCHEN SCALE

- Made of metal and ABS.
- LCD display indicates overload and low battery.
- Taring and zeroing function, automatic switch-off.
- Option to change units from g to oz or lb.
- Powered by 1x CR2032 battery (not included).
- Weighing range: from 0 to 5 kg.
- Accuracy:
 - up to 1 kg: ± 4 g,
 - 1 kg-3 kg: ± 8 g,
 - 3 kg-5 kg: ± 10 g.

code	max. kg	mm
580035	5	219x180x(H)16



580462



DIGITAL SCALE UP TO 200 KG

- Stainless steel scale.
- Precise measurement thanks to advanced technology - from 200 g to 200 kg (440 lb).
- Reading in kg or lb.
- Tare function.
- Operation via separate digital display with 4 buttons.
- Energy-saving LCD display with battery charge indicator.
- Fingerprint-resistant coating.
- Power supply: 2 AAA batteries (included).
- USB-C port - kit includes cable.
- NOTE: Power adapter not included.
- Accuracy:
 - up to 25 kg: ± 40 g.
 - 25 kg-50 kg: ± 100 g.
 - 50 kg-100 kg: ± 200 g.
 - 100 kg-150 kg: ± 300 g.
 - 150 kg-200 kg: ± 400 g.

code	max. kg	mm
580462	200	298x248x(H)37



RECHARGEABLE
BATTERY



18/8
stainless steel



580028

KITCHEN SCALE 10 KG

- Waterproof housing made of ABS and stainless steel.
- Built-in LED display.
- Measuring up to 10 000 g.
- Readout in grams (g), millilitres (ml), ounces (oz) or pounds (lb).
- Available functions on the touchscreen panel: on/off, tare, changing the unit.
- Auto power off and reset (auto tare).
- Overload and low battery notifications.
- Power: built-in rechargeable lithium battery.
- USB cable for recharging included in the set.
- Waterproof and dustproof rate: IP67.
- Accuracy:
 - up to 1 kg: ± 4 g.
 - 1 kg-3 kg: ± 8 g.
 - 3 kg-5 kg: ± 10 g.
 - 5 kg-8 kg: ± 15 g.
 - 8 kg-10 kg: ± 20 g.

code	max. kg	mm
580028	10	160x210x(H)19



580233

KITCHEN SCALE 15 KG

- Weighs up to 15,000g with gradation of 1g with a minimum of 2g.
- Seamless stainless steel surface, housing made of HIPS plastic with integrated display.
- High precision strain gauge sensor for accurate measurements.
- Readout in grams.
- Touch control with on-off and tare buttons.
- With auto tare, overload and low power indication.
- Auto power off.
- Powered by 3 AAA batteries (not included).
- Accuracy:
 - up to 500 g: ± 2 g.
 - 500 g-2 kg: ± 5 g.
 - 2 kg-5 kg: ± 14 g.
 - 5 kg-10 kg: ± 29 g.
 - 10 kg-15 kg: ± 44 g.

code	max. kg	mm
580233	15	266x269x(H)34



MECHANICAL KITCHEN SCALE

- Made of stainless steel.
- Mechanical dial display, no batteries required.
- Graduation: 20 g.
- Read out in kg.
- Bowl dimensions: $\varnothing 207 \times (H) 42$ mm
- Max capacity: 5 kg
- Manual zero reset.
- Accuracy:
 - <1 kg, $\pm 2d(40$ g)
 - 1 kg-3 kg, $\pm 3d(60$ g)
 - 3 kg-5 kg, $\pm 4d(80$ g)

code	max. kg	mm
580042	5	207x231x(H)254



580042





BARUP

BARWARE



S.S.
stainless steel

Fe
carbon steel

NEW

WAREHOUSE SCALE, FOLDABLE

- Control panel, display pole, and body made of powder-coated carbon steel.
- Weighing platform made of stainless steel.
- Foldable display pole.
- Large 6-digit LED display.
- Equipped with anti-slip feet.
- Weighing range: 0-150 kg.
- Platform size: 490x390 mm.
- Graduation: 50 g.
- Accuracy:
 - 0-100 kg: ± 50 g.
 - 100-150 kg: ± 75 g.
- Units: kg / lb / oz / pcs / %.
- Control panel with function keys:
 - ZERO: resets the reading to zero.
 - TARE: subtracts container weight.
 - HOLD: retains the displayed reading.
 - BACKLIGHT: switches display backlight on/off.
- Suitable for weighing parcels, stock, and cargo.

code	max. kg	mm
580493	150	390x661x(H)819



580493



Thermometers



	Infrared thermometer	Infrared thermometer with probe	Thermometer with probe	Fast response thermometer
Code	271148	271254	271407	271230
Unit	°C / °F	°C / °F	°C / °F	°C / °F
Reaction time	quick	quick	medium	quick
Temperature min.	-32°C	-60°C	-50°C	-50°C
Temperature max.	400°C	350°C	300°C	350°C
Accuracy	±1,5°C	±1,5°C	±1°C	±0,8°C
Gradation	0,1°C	0,2°C	0,1°C	0,1°C
Hold function	✓	✓	✓	✓
Probe length		96 mm	213 mm	130 mm
Probe material		stainless steel	stainless steel	stainless steel
Suitable for use in the oven				
Waterproof			splash-resistant	✓
Auto off	✓	✓	✓	✓
Battery included	✓		✓	✓
Additional information	Distance and spot size ratio 12:1 Laser pointer for accurate measurement target.	Distance and spot size ratio 8:1	Min / Max temperature function. With table stand, including protection case.	IP65 waterproof. With probe cover.



	Thermometer, foldable	Thermometer, foldable and infrared	Thermometer	Thermometer	Analogue thermometer	Milk frothing thermometer
Code	270943	270936	270981	270998	271384	271247
Unit	°C / °F	°C / °F	°C	°C	°C	°C
Reaction time	standard	standard	standard	standard	medium	standard
Temperature min.	-40°C	-40°C	-40°C	50°C	0°C	-10°C
Temperature max.	250°C	500°C	250°C	250°C	300°C	110°C
Gradation	0,1°C	0,1°C	0,1°C	2,5°C		1°C
Probe length	107,5 mm	125 mm	130 mm	330 mm	126 mm	140 mm
Probe material	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel
Suitable for use in the oven					✓	
Waterproof	IP65	IP54	IP65			
Auto off	✓	✓	✓			
Battery included	✓	✓	✓			
Additional information	180° upside down reading display with backlight	Display with backlight. Hold function to save momentary temperature.	Hold function to save momentary temperature.	Tempered glass lens. Analogue display.	Probe cover with clip	With clip to fasten the thermometer to the milk jug



Thermometer with foldable probe

Digital thermometer with foldable probe

Pocket thermometer with probe

Waterproof thermometer

Roasting thermometer with timer

271308

271315

271209

271162

271346

°C / °F

°C / °F

°C / °F

°C / °F

°C / °F

medium

medium

medium

medium

standard

-50°C

-50°C

-40°C

-50°C

-50°C

300°C

300°C

200°C

300°C

250°C

±1°C

±1°C

±1°C

±1°C

±1°C

0,1°C

0,1°C

0,1°C

0,1°C

1°C



110 mm

115 mm

65 mm

120 mm

150 mm

stainless steel

stainless steel

stainless steel

stainless steel

stainless steel

only probe



Min / Max temperature function.

Max. and min. temperatures are recorded during measurements.

With probe cover.

Measures temperature in one second. With cover and ergonomic handle.

With timer function. With temperature alert setting.



Steak thermometer

Refrigerator thermometer

Oven thermometer

Oven thermometer

Refrigerator thermometer

Refrigerator thermometer, digital

Refrigerator thermometer

Refrigerator thermometer

271339

270820

270813

271179

271186

271445

271117

271124

°C / °F

°C

°C

°C

°C

°C / °F

°C

°C

standard

standard

standard

standard

standard

standard

standard

standard

-30°C

-50°C

50°C

-50°C

-20°C

-40°C

-50°C

30°C

300°C

300°C

25°C

40°C

40°C

50°C

1°C

10°C

10°C

10°C

0,1°C

1°C

1°C

50 mm

stainless steel



With indication rare-medium-well done.

Fitted with hook to hang from

Fitted with hook to hang from

With special hook and support. Easy to read.

With special hook and support. Easy to read.

Fitted with hook to hang from. With a magnet at the back.

Fitted with hook to hang from

Fitted with hook to hang from



271254

**INFRARED THERMOMETER WITH PROBE**

- Temperature scan by infrared or foldable probe.
- HACCP check lights provide instant recognition of safe/unsafe temperatures.
- With foldable 90 mm long stainless steel probe.
- Measuring range -60°C to 350°C.
- Gradation 0,2°C.
- Infrared accuracy: -60/65°C ≈ 1°C, 65/350°C ≈ 1.5%.
- Probe accuracy: -60/-5°C ≈ 1°C, -5/65°C ≈ 0.5°C, 65/350°C ≈ 1%.
- Distance spot ratio (D:S) 8:1.
- Auto power off after 15 seconds.
- Battery: 2xAAA [excluded].

code	range	mm
271254	-60/350°C	39x53x(H)158



271308

**THERMOMETER WITH FOLDABLE PROBE**

- Temperature range from -50° to 300°C.
- Unit of measurement °C or °F.
- Gradation 0,1°C, accuracy 1°C between 0° and 100°C.
- Lock mode - for continuous monitoring of temperatures.
- Min/max temperature function.
- With foldable 110 mm long stainless steel probe.
- Turns off automatically after 60 minutes.
- Battery included.

code	range	mm
271308	-50/300°C	160x40x(H)25

**INFRARED THERMOMETER**

- Laser pointer for accurate targeting.
- Measuring range: -32 to +400°C.
- Gradation: 0.1°C, accuracy: up to ≈ 1.5°C/≈ 1.5%.
- The ratio of the measuring distance to the area to be measured: 12:1.
- "Lock mode" function for continuous temperature monitoring.
- Automatic switch off.
- 9 V battery, included.

code	range	mm
271148	-32/400°C	37x70x(H)150

**DIGITAL THERMOMETER WITH FOLDABLE PROBE**

- Foldable probe made of stainless steel AISI 304, 115 mm long.
- Unit of temperature can be set to °C or °F.
- Temperature range: -50°C to 300°C.
- Measurement accuracy:
 - ≈ 1°C in the range of -19,9°C to 119,9°C,
 - ≈ 2°C in the range of -50°C to -20°C and 120 to 199,9°C,
 - ≈ 3°C in the range of 200°C to 250°C,
 - ≈ 5°C in the range of 250°C to 300°C.
- Readout resolution: 0,1°C (the temperature measurement result is displayed to one decimal point).
- Auto power-off after 45 minutes of inactivity.
- Operating ambient temperature range: 0°C to 50°C.
- Max. and min. temperatures are recorded during measurements.
- Powered with 1x AAA battery [included].

code	range	mm
271315	-50/300°C	160x55x(H)20



THERMOMETER WITH PROBE

- Temperature range -50°C to 300°C / -58°F to +572°F
- Unit of measurement °C or °F.
- Readability: 0.1° for -19.9° ~ +199.9°, otherwise 1°
- Accuracy: ±1°C in the range of -30°C ~ +250°C, otherwise more than ±2°C
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- 164 +/-3 mm removable stainless steel probe.
- Turns off automatically.
- With table stand, including protection case.
- Alarm for the set temperature.
- Battery included.


code	range	mm
271407	-50/300°C	195x85x(H)45



POCKET THERMOMETER WITH PROBE

- Temperature range -40°C to 200°C.
- Unit of measurement °C or °F.
- Gradation 1°C.
- Accuracy 1°C between -20°C and 100°C.
- Hold function - saves momentary temperature.
- 65 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

code	range	mm
271209	-40/200°C	150x20x(H)15



FAST RESPONSE THERMOMETER

- Provides fast and accurate temperature readings.
- IP65 waterproof.
- Measuring range -50°C to 350°C, unit of measurement °C or °F.
- Gradation 0.1°C, accuracy ±0.8%/0.8°C.
- Hold function - saves momentary temperature.
- 130 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

code	range	mm
271230	-50/350°C	204x42x(H)20




WATERPROOF THERMOMETER

- Waterproof.
- Temperature range -50°C to 300°C.
- Gradation 0.1°C between -19.9°C and 199.9°C, for other temperature ranges 1°C.
- Accuracy 1°C between -20°C and 100°C.
- Lock mode - for continuous monitoring of temperatures.
- 120 mm stainless steel probe.
- Measures temperature in one second.
- With cover and ergonomic handle.
- Turns off automatically after 10 minutes.
- Battery included.

code	range	mm
271162	-50/300°C	290x48x(H)40

**NEW**

270943


**THERMOMETER, FOLDABLE**

- Probe made of 18/8 stainless steel.
- Casing made of ABS.
- Probe length: 107,5 mm.
- Foldable.
- Temperature range: from -40° to 250°C.
- Unit of measurement: °C or °F.
- Gradation: 0,1°C.
- IP65 waterproof.
- 180° upside down reading display with backlight.
- Accuracy:
 - ± 2°C (from -20 to 250°C);
 - ± 3-5°C (from -40 to -20°C);
- Turns on/off automatically during opening/closing the probe.
- Battery included.

code	range	mm
270943	-40/250	150x35x(H)27


**NEW**

270936

**THERMOMETER, FOLDABLE AND INFRARED**

- Body made of 18/0 stainless steel.
- Probe made of 18/8 stainless steel.
- Probe length: 125 mm.
- Temperature range by probe from -40° to 250°C.
- Temperature range by infrared from 0°C to 500°C.
- Unit of measurement: °C or °F.
- Gradation: 0,1°C.
- Display with backlight.
- Hold function to save momentary temperature.
- Accuracy by probe:
 - ±1°C (-10°C to 100°C);
 - ±2°C (100°C to 150°C);
 - ±3-5°C (150°C to 250°C & -40°C to -10°C).
- Accuracy by infrared:
 - ±2,5°C (0°C to 100°C);
 - ±5°C (100°C to 200°C);
 - ±7,5°C (200°C to 300°C);
 - ±10°C (300°C to 400°C);
 - ±12,5°C (400°C to 500°C).
- Battery included.

code	range	mm
270936	-40/500	175x40x(H)22


**NEW**

270981

THERMOMETER

- Probe made of stainless steel 18/8.
- Probe length: 130 mm.
- Temperature range: from -40° to 250°C.
- Unit of measurement: °C.
- Gradation: 0,1°C.
- IP65 waterproof.
- Hold function to save momentary temperature.
- Accuracy: ±1°C (between -10°C to 100°C);
 - ±2°C (from 100°C to 150°C);
 - ±3-5°C (from 150°C to 250°C and -40°C to -10°C).
- Battery included.


code	range	mm
270981	-40/250	210x25x(H)15



NEW



270998




THERMOMETER

- Probe made of stainless steel 18/8.
- Dial case made of 18/0 stainless steel.
- Probe length: 330 mm.
- Dial case diameter: 62 mm.
- Tempered glass lens.
- Analogue display.
- Temperature range by probe: from 50° to 250°C.
- Unit of measurement: °C.
- Gradation: 2.5°C.
- Accuracy: $\pm 5^{\circ}\text{C}$.

code	range	mm
270998	50	$\varnothing 62 \times \text{H} 330$



271247




MILK FROTHING THERMOMETER

- With a clip to fasten the thermometer to the milk jug.
- Green marking indicates the perfect milk temperature for cappuccino etc.
- Temperature adjustable from -10°C to 110°C.
- 1°C gradation, accuracy: $\approx 2\%$.
- Stainless steel probe, cover with clip.
- Easy to read.

code	range	mm
271247	-10/110°C	$\varnothing 44 \times \text{H} 140$



271216




ANALOGUE THERMOMETER

- Probe made of 18/8 stainless steel, dial case is 18/0 and 127 mm long.
- Analogue display.
- Temperature range: 0°C to 100°C.
- Unit of measurement: °C.
- Accuracy: $\approx 2^{\circ}\text{C}$.
- Includes a cover with a metal clip.

code	range	mm
271216	0/100°C	$\varnothing 44.5 \times \text{H} 140$



271384



ANALOGUE THERMOMETER

- Probe made of 18/8 stainless steel, dial case is 18/0 and 126 mm long.
- Analogue display.
- Temperature range: 0°C to 300°C.
- Unit of measurement: °C.
- Accuracy:
 - $\pm 3^{\circ}\text{C}$: 0°C to 75°C.
 - $\pm 5^{\circ}\text{C}$: 75°C to 225°C.
 - $\pm 10^{\circ}\text{C}$: 225°C to 300°C.
- Includes a cover with a metal clip.

code	range	mm
271384	0/300°C	$\varnothing 52 \times \text{H} 140$

STEAK THERMOMETER – SET OF 4 PCS.


- The range is: rare – medium – well done.
- Accuracy: $\approx 2\%$.
- Stainless steel 50 mm probe.
- Can be used in ovens.

code	packed per	mm
271339	4	$\varnothing 25 \times \text{H} 70$



271339






271346

ROASTING THERMOMETER WITH TIMER

- Timer function with countdown.
- Measuring range: from -50 to +250°C.
- Interchangeable between: °C and °F.
- Possibility of continuous temperature monitoring.
- Accuracy:
 - ±4/5 °C between -50 and -20°C
 - ±1°C between -10 ~ 100°C.
 - ±2°C between 100 ~ 150°C / -20--110°C.
 - ±3°C between 150 ~ 200°C.
 - ±5°C between 200 ~ 250°C.
- Max./min. temperature function.
- Signals when the set temperature is reached.
- Stainless steel probe 150 mm (heat resistant), can be left in the oven during baking.
- 1 AAA 1.5 V alkaline battery included [disposable].

code	range	mm
271346	-50/250°C	65x70x(H)17



271124




REFRIGERATOR THERMOMETER

- With hook.
- Temperature range -50 °C to 50 °C.
- Gradation 1°C.
- Easy to read.

code	range	mm
271124	-50/50°C	ø72x(H)21




271261



REFRIGERATOR THERMOMETER

- Horizontal model, with hooks.
- Temperature range -40 to 20 °C.
- Graduation 1°C.

code	range	mm
271261	-40/20°C	123x30x(H)19



REFRIGERATOR THERMOMETER

- With hook.
- Temperature range -40 to 40 °C.
- Graduation 1°C.

code	range	mm
271117	-40/40°C	150x23x(H)9




271117

NEW



271445




ABS plastic

REFRIGERATOR THERMOMETER, DIGITAL

- Housing made of ABS.
- LCD display for clear temperature readings.
- Temperature range -20°C to 40°C.
- Unit of measurement: °C or °F.
- Accuracy +- 1°C
- Gradation 0,1°C.
- It features an integrated hanging hook.
- With a magnet at the back.
- Battery included.

code	mm
271445	67x62x(H)12




271179



OVEN THERMOMETER

- Measuring range: from +50 to +300°C.
- 10 °C gradation, accuracy: ±5%.
- Stainless steel housing.
- Equipped with special hook and support.
- Easy to read.

code	range	mm
271179	50/300°C	60x40x(H)70




271186



REFRIGERATOR THERMOMETER

- Temperature range from -50°C to +25°C.
- Gradation 2,5°C.
- Stainless steel housing with special hook and support.
- Easy to read.

code	range	mm
271186	-50/25°C	60x40x(H)70



NEW


270820



REFRIGERATOR THERMOMETER

- Housing made of 18/0 stainless steel and tempered glass lens.
- Temperature range: from -30° to 30°C.
- Unit of measurement: °C.
- Gradation: 1°C.
- Accuracy: ±2°C
- With integrated hanging hook.

code	mm
270820	ø75.5x(H)97



NEW

270813



OVEN THERMOMETER

- Dial case made of 18/0 stainless steel.
- Tempered glass lens.
- Temperature range: from 50° to 300°C.
- Unit of measurement: °C.
- Gradation: 10°C.
- Accuracy: ±15°C.
- With integrated hanging hook.

code	mm
270813	ø75.5x(H)97





ABS
plastic



ABS
plastic

TIMER

- Housing made of ABS, with a fold-out stand, a hanging hole, and also a magnet to hang on metal surfaces.
- 3 alarm modes: quiet, moderate, loud.
- After the set time:
 - a red light flashes in each mode,
 - in moderate and loud modes, the alarm goes off.
- The light and sound alarm turn off automatically after 1 minute.
- Max. set time: 100 min. with 10 sec. accuracy.
- 2 functions: counting down (99-0 min.), counting up (0-99 min.).
- Powered with 3x AAA batteries - not included.

code	mm
582039	82x20x(H)88

DOUBLE TIMER

- Housing made of ABS, with a fold-out stand, a hanging hole, and also a magnet to hang on metal surfaces.
- 3 alarm modes: quiet, moderate, loud.
- After the set time passes:
 - a red light flashes in each mode,
 - also a sound alarm turns on in the moderate and loud mode.
- The light and sound alarm turn off automatically after 1 minute.
- Possibility to set 2 independent times, with the diode/alarm setting off after each one.
- Max. set time: 100 min. with 1 sec. accuracy.
- 2 functions: counting down (99-0 min.), counting up (0-99 min.).
- Memory function: user can save their setting for each of the 2 timers and turn it on with 1 push of a button.
- Powered with 3x AAA batteries - not included.

code	mm
582046	82x20x(H)86



ABS
plastic

S.S.
stainless steel

ANALOG KITCHEN TIMER

- Max. 60 minutes.
- Accurate to 1 minute.
- Magnetic rear.
- Red marking indicates remaining time.
- Well visible from a distance.

code	mm
582015	ø80x(H)30

582022



DIGITAL KITCHEN TIMER

- With stand and magnet.
- 99 min. 59 s.
- count down.

code	mm
582022	65x70x(H)17



With clip



Magnetic

DIGITAL KITCHEN TIMER

ABS
plastic

- With magnetic clip.
- 99 min 59s count down.
- 1 X 1.5V AAA Alkaline Battery included(non-rechargeable).

code	mm
271155	67x20x(H)67



551813

With three different
nozzles (4, 5 and 6 mm)



18/8

stainless steel

CONFECTIONERY FUNNEL KITCHEN LINE

- With ergonomic handle, design of stop valve ensures a tight seal.
- With three different nozzles (Ø 4, 5 and 6 mm).
- Designed for dosing sauces of various consistency and decorating dishes and confectionery.
- With wire stand.

code	liters	mm
551813	1.5	270x195x(H)270



Ergonomic
polypropylene
handle

551806

With three different nozzles (4, 5 and 6 mm)

ABS
plastic

S.S.
stainless steel

CONFECTIONERY FUNNEL PROFI LINE

- Ergonomic handle made of ABS.
- Design of stop valve ensures a tight seal.
- With three different nozzles (Ø 4, 5 and 6 mm).
- Wire stand and dripping dish.
- Designed for dosing sauces of various consistencies and decorating of dishes and confectionery.

code	liters	mm
551806	1.5	ø212x(H)315



Watch the video





558003

558010

558027



Easily returns to
its original shape

DISPENSER BOTTLES

- Body made of LDPE.
- Lid made of PP.
- Suitable for sauces, dressings, oils, and condiments.
- Wide opening supports easy filling and cleaning.

code	packed per	colour	liters	mm
558003	1	Yellow	0.2	ø50x(H)177
558010	1	Red	0.2	ø50x(H)177
558027	1	Transparent	0.2	ø50x(H)177
557808	1	Yellow	0.35	ø55x(H)205
557815	1	Red	0.35	ø55x(H)205
557822	1	Transparent	0.35	ø55x(H)205
557907	1	Yellow	0.7	ø70x(H)245
557914	1	Red	0.7	ø70x(H)245
557921	1	Transparent	0.7	ø70x(H)245
558058	3	Transparent	0.2	ø50x(H)177
557853	3	Transparent	0.35	ø55x(H)205
557952	3	Transparent	0.7	ø70x(H)245



design by
Robert Bronwasser



NON-DRIP SAUCE BOTTLE

- Designed by Robert Bronwasser.
- Clear bottle with specially designed dosing cap.
- Thanks to the construction of this piece of equipment, the bottle can be placed upside down without the risk of sauce spillage.

code	liters	mm
558096	0.23	ø50x(H)160



558096

Non-drip tip



557990



MINI SAUCE DISPENSER - SET OF 4 PCS.



- Made of half-transparent polyethylene.
- Screw cap with a stopper.
- Reusable product.
- Dishwasher safe.
- 2 capacities available: 30 ml (code: 557981), 50 ml (code: 557990).

code	liters	mm
557990	0.05	ø35x(H)100
557891	0.03	ø30x(H)85



18/0
stainless steel

557969

SAUCE STAND

- Quality finish.
- Suitable for HENDI dispenser bottles.

code	-	mm
557969	3 holes ø 50 mm	209x80x(H)78
557976	3 holes ø57 mm	229x90x(H)78
557983	3 holes ø70 mm	274x102x(H)98



429457

429440

S.S.
stainless steel

TACO HOLDER

code	-	mm
429440	2 slots	135x115x(H)50
429457	4 slots	225x115x(H)50



203521

203538

203545

ABS
plastic

SAUCE DISPENSER WITH PUMP

- Pump dispenser for various types of sauces.
- For use in snack bars, buffets, restaurants, and during catering events.
- ABS housing, removable sauce container completely BPA-free - does not affect the taste and smell of its contents.
- Sauce container has a measuring scale, lid and removable pump, all made from polypropylene.
- Pump fitted with lock to prevent accidental dispensing during transport.

- Capacity: 2.5 l.
- Dosage: 20 ml.
- Temperature resistance up to +70°C.
- Easy to disassemble and stackable.
- Available in red, yellow and white.

code	colour	liters	mm
203521	Red	2.5	230x210x(H)327
203545	White	2.5	230x210x(H)327
203538	Yellow	2.5	230x210x(H)327



SMOKING GUN RECHARGEABLE – 3 SPEEDS OF SMOKE INFUSION

- Smoking is a very flavourful addition to your meat, fish and vegetable dishes, but can also create a wow-factor when serving.
- The cold smoke is gentle for delicate fruits and vegetables, smoke without changing the texture or temperature.
- One button operation, the smoking gun has 3 speeds
- The aluminium fan chamber functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with integrated mesh filter.
- Flexible silicone hose (50 cm long) for easy injection of smoke into resealable bags and containers.
- Lightweight with a comfortable handle making it easy to use with one hand.
- Powered by a rechargeable Lithium battery of 1000mAh.
- Very complete, comes with 3 spare filter meshes, a tweezer and USB charging cable.
- Wood or herbs for smoking not included.

code	mm
199640	215x70x(H)160



RECHARGEABLE
BATTERY





199992



SMOKE INFUSER

- The aluminium body functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with removable filter.
- Large woodchip holder.
- Flexible rubber hose (30 cm long) for easy injection of smoke into resealable bags and containers.

- Compact and lightweight enough to use with one hand.
- Gentle enough for use on delicate fruits and vegetables without changing their texture of temperature.
- Powered by 2 AA batteries, not included.
- Wood or herbs for smoking not included.

code	mm
199992	90x54x(H)122



199664

Smoke
infuser tube
opening

199657

GLASS DOME WITH VENT

- Made from borosilicate glass, fitted with rubber vent to hold the tube of a smoking gun.
- Ideal to use in combination with a smoking gun.

code	-	mm
199664	Plate dome	ø260x(H)175
199657	Cocktail dome	ø130x(H)282



199978

GLASS DOME

- Ideal for use in combination with the smoking gun.
- With a seal on the bottom rim.

code	mm
199978	ø275x(H)140



198124

GAS LIGHTER - SET OF 2 PCS.

- Refillable.
- Supplied empty.



code	packed per	mm
198124	2	(L)230



03

Pastry, ice cream

Sweet masterpieces
– art in every detail





Watch the video

**CREAM WHIPPER PROFI LINE**

- Makes delicious whipped cream, mousses, desserts, cold foams and sauces easily.
- Perfect for garnishing cappuccinos, coffees, shakes and ice cream.
- Suitable for dispensing warm creams and sauces up to 70°C.
- Keeps contents fresh for up to 14 days in the refrigerator.
- Includes 3 stainless steel nozzles and a cleaning brush.
- Requires cream charger (N₂O) to operate, not included.

code	liters	mm
588017	0.5	ø85x(H)235
588024	1	ø98x(H)330

**SPARE PARTS SET**

code	-	mm
589205	Profi Line	120x30x(H)240



for cream



for liquid



for decorating

**DECORATING AND INJECTOR TIPS**

- Ideal for decorating, filling, injecting, marinating, etc.
- Set of 4 stainless steel tips:
 - 1 long injector tip ø3x(H)106 mm.
 - 1 long injector tip ø5x(H)106 mm.
 - 1 short injector tip ø3x(H)40 mm.
 - 1 short injector tip ø5x(H)40 mm.
- Suitable for use only with HENDI Profi Line cream whippers.

code	
589106	Profi Line



CREAM WHIPPER KITCHEN LINE

- Aluminium head and white coated aluminium bottle.
- With 3 different nozzles, charger holder as well as a cleaning brush.
- Not suitable for hot sauces.
- Requires cream charger (N₂O) to operate, not included.

code	liters	mm
588031	0.25	ø80x(H)200
588369	0.5	ø80x(H)260
588376	0.95	ø95x(H)320

SPARE PARTS SET

code	-	mm
589007	Kitchen Line	120x30x(H)240



CREAM WHIPPER KITCHEN LINE

- Matte black coated aluminium bottle and head.
- Not suitable for preparing hot sauces.
- Supplied with: 3 different polypropylene nozzles and a cleaning brush.
- To be used with cream whipper chargers (N₂O) (chargers not included).

code	liters	mm
588420	0.5	ø80x(H)260
588598	0.95	ø95x(H)320





975855

975893

975886

975862

975879

**CREAM WHIPPER**

- Completely made of aluminium
- Set of 3 polypropylene nozzle, as well as a cleaning brush.
- Not suitable for hot sauces.
- Requires cream charger (N₂O) to operate, not included

code	colour	liters	mm
975855	Pastel yellow	0.5	ø80x(H)260
975862	Pastel blue	0.5	ø80x(H)260
975879	Pastel green	0.5	ø80x(H)260
975886	Pastel pink	0.5	ø80x(H)260
975893	Taupe	0.5	ø80x(H)260





NEW



274231



ICE CREAM MAKER

- Produces ice cream, sorbets, and frozen yoghurt in up to 90 minutes.
- 2 L ice cream container made of stainless steel.
- Air-cooled compressor with temperature range from -10°C to -35°C.
- No pre-chilling of ingredients required.
- Cooling extension function keeps products chilled for up to 2 hours after preparation.
- Large back-lit digital display showing operating time, freezing temperature, and mixing status.
- Mixing paddle made of POM.
- Transparent lid with "Twist-Lock" safe-close system.
- Measuring cup and spoon included.

code	V	W	mm
274231	230	180	340x285x(H)357



237373

DESSERT MIXING MACHINE

- Housing made of carbon steel with a powder-coated finish.
- Mixing shaft made of 18/8 stainless steel.
- Rotary knob made of ABS.
- Transparent anti-splash guard.
- Powered by a durable DC motor.
- Speed control via rotary knob for simple, one-hand operation.
- Designed for mixing thick frozen desserts.
- Pulse function for short bursts of power.
- ON/OFF switch with indicator light.
- Non-slip feet for stable operation.
- Open design with base support for cups.
- Recessed mixing area helps reduce splashing during use.
- Suitable for use in ice cream shops, cafés, smoothie bars, and restaurant.

code	V	W	mm
237373	230	200	253x252x(H)650





Non-slip silicone base

Double wall made of durable stainless steel, providing excellent insulation



588697



THERMO WHIPPER

- Made of double-walled stainless steel.
- Non-slip silicone base ring.
- Siphon is suitable for both hot and cold sauces.
- Includes 3 different stainless steel nozzles, a gas cap, and a cleaning brush.
- Suitable for use with HENDI cream whipper chargers 588208, 588215, 586907 (not included).
- Dishwasher safe.

code	liters	mm
588697	0.5	ø95x(H)275



UNIVERSAL
FOR ALL
WHIPPED CREAM
MAKERS



588208



588215



586907

CREAM WHIPPER CHARGERS

- Suitable for commercially available cream dispensers.
- N₂O
- Best before 5 years after production date.

code	packed per	order unit
588208	10	36
588215	24	25
586907	50	12





ICE CREAM SCOOP PROFI LINE

- Made of stainless steel.
- Polyamide handle.

code	liters	mm
759233	1/24	ø51
759240	1/30	ø49
759257	1/36	ø46
759264	1/40	ø44



18/8

stainless steel

ICE CREAM SCOOP KITCHEN LINE

- Made of stainless steel.

code	liters	mm
572016	1/10	ø70
572313	1/20	ø56
572115	1/12	ø66
572214	1/16	ø59
572412	1/24	ø53
572511	1/30	ø50
572610	1/36	ø48
572719	1/40	ø44



ICE CREAM SCOOP STÖCKEL

- Perfect choice not only for ice cream, but also for serving mashed potatoes.
- Easy to keep portions identical in size.

code	liters	mm
755006	1/4	ø100
755013	1/8	ø80
755020	1/10	ø70
755037	1/12	ø67
755044	1/16	ø59
755051	1/20	ø56
755068	1/24	ø51
755075	1/30	ø49
755082	1/36	ø47
755099	1/40	ø45
755105	1/50	ø43
755112	1/60	ø40
755143	1/100	ø30

stöckel




755372

Identify the portion size with ease.

STÖCKEL ICE CREAM SCOOP

- Fiberglass-reinforced nylon handle.
- Better portion size identification thanks to colored markers.
- Made of stainless steel.



code	liters	mm
755334	1/12	ø67
755341	1/16	ø59
755358	1/20	ø56
755365	1/24	ø51
755372	1/30	ø49
755389	1/36	ø47
755396	1/40	ø45



stöckel

755259



755273

STÖCKEL OVAL ICE CREAM SCOOP

- Made of stainless steel.



code	liters	mm
755259	1/20	70x52
755273	1/30	62x43



755228

Identify the portion size with ease.



ICE CREAM SCOOP FOR LEFT-HANDERS

- Handle designed specifically for left-handed users.
- Fiberglass-reinforced nylon handle.
- Better portion size identification thanks to coloured markers.
- Made of stainless steel.
- Dishwasher safe.

code	liters	mm
755211	1/36	ø46
755204	1/30	ø49
755228	1/40	ø45



755808

755815

755822

755839

ICE CREAM SPATULA

- Spatula made of stainless steel 18/10.
- Handle made of BPA-free material.
- Suitable for serving and portioning ice cream and frozen desserts.
- Dishwasher safe.



code	colour	mm
755808	Blue	(L)260
755815	Red	(L)260
755822	Yellow	(L)260
755839	Purple	(L)260



ICE CREAM DIPPER

- Made of aluminum.
- Light weight.
- Long and comfortable handle filled with oil for better portioning
- the oil heats up through the heat of the hand, making it easier and quicker to release the ice cream.
- NOTE: Not dishwasher safe.

code	liters	mm
759301	1/30	ø56x225



759301



STÖCKEL ICE CREAM DIPPER

code	liters	mm
755556	1/20	ø56x120
755563	1/24	ø51x120
755570	1/30	ø49x120



755556

ICE CREAM CONES STAND

- Fits 3 cones.



code	mm
755730	200x95x(H)85



755730



802007



802007

802014

ICE CREAM SCOOP WASHER

- Facilitates quick and thorough washing of ice cream scoops and other small ice-cream accessories.
- Enables cleaning with low water consumption.
- Very easy to use and clean.
- Can be mounted on a wall with item 802014 or on refrigerated display counters and food equipment.
- 3/8" water supply line, 3/4" drainage line.
- Made of 18/8 stainless steel.

code	mm
802007	270x111x(H)115

MOUNTING BRACKET FOR SCOOP WASHER

code	mm
802014	302x115x(H)122



ICE CREAM CONTAINER PROFI LINE

- Made of stainless steel.
- Material thickness: 0.7 mm.
- Solid design.
- Rounded edges for easy cleaning.
- Suitable for use in refrigerators and freezers.

code	liters	mm
802045	3.6	360x165x(H)80
802052	5.5	360x250x(H)80
802038	5	360x165x(H)120



ICE CREAM CONTAINER KITCHEN LINE

- Made of stainless steel.
- Material thickness: 0.6 mm.
- Solid design.
- Rounded edges for easy cleaning.
- Suitable for use in refrigerators and freezers.

code	liters	mm
807019	5	360x165x(H)120



807019



802083

ICE CREAM CONTAINER, ROUND PROFI LINE

- Made of 18/8 polished stainless steel, thickness: 0.8 mm.
- Rounded edges for easy cleaning.
- Can be used in refrigerators and freezers.
- Dishwasher safe.

code	liters	mm
802083	7	ø200x(H)250



807002

ICE CREAM CONTAINER, ROUND KITCHEN LINE

- Made of polished stainless steel
- Thickness: 0.9 mm.
- Can be used in refrigerators and freezers.
- Dishwasher safe.

code	liters	mm
807002	7.6	ø200x(H)260





design by
Robert Bronwasser



Powerful motor with two speeds:
15,000 and 19,000 rpm.



221600

221617

221624

221631

221648

221655

2 sets of
replaceable
BPA-free material
stirrers
(2 pieces each)



2 cups: made of stainless
steel (capacity: 0.95 l)
and of BPA-free material
(capacity: 0.9 l)

MILKSHAKE MIXER

- Housing made of ABS.
- Weighted base with rubber feet for extra stability.
- Designed by Dutch designer Robert Bronwasser.
- Available in 6 attractive colours.
- Suitable for preparing milkshakes, frappés, and freddo cappuccinos.
- 2-speed motor with agitator disc speeds of 15,000 and 19,000 RPM.
- Easily accessible 2-speed switch located on the top.
- Equipped with a microswitch for operation only when the cup is correctly placed.
- Supplied with 1 stainless steel cup and 1 BPA-free material cup.
- Includes 2 single-layer and 2 double-layer agitators made of BPA-free material.
- Dishwasher-safe cups and agitators.

code	colour	V	W	mm
221617	White	230	400	170x196x(H)490
221600	Black	230	400	170x196x(H)490
221624	Caramel	230	400	170x196x(H)490
221631	Yellow	230	400	170x196x(H)490
221648	Red	230	400	170x196x(H)490
221655	Blue	230	400	170x196x(H)490

221631

PERFECT FOR
PREPARING FREDDO
CAPPUCCINO,
FRAPPÉ
AND MILKSHAKES



221617



221600



221624



**BPA
FREE**

961124

MIXING CUP FOR MILKSHAKE MIXER

- Made of durable, BPA-free material.
- For use with HENDI Milkshake mixers, designed by Robert Bronwasser.
- Compatible with models: 221600, 221617, 221624, 221631, 221648, 221655.
- Dishwasher safe.

code	liters	mm
961124	0.5	ø116x(H)161




961117

MIXING CUP FOR MILKSHAKERS

- Made of stainless steel.
- To be used with milkshakers: 221600, 221617, 221624, 221631, 221648, 221655.
- Dishwasher safe.

code	liters	mm
961117	0.5	ø113x(H)160

S.S.
stainless steel



**BPA
FREE**

961131

AGITATORS FOR MILKSHAKE MIXERS – DESIGN BY BRONWASSER

- Made of durable, BPA-free material.
- Set includes two agitators: single and double.
- For use with HENDI Milkshake mixers, designed by Robert Bronwasser.
- Compatible with models: 221600, 221617, 221624, 221631, 221648, 221655, 221495.
- Dishwasher safe.

code	mm
961131	32x27x(H)50





Strong and durable

Non-toxic

Odourless

For warm and cold ingredients



557112



557303



557150

PASTRY BAGS

- Made of LDPE, BPA free.
- Disposable.
- Suitable for warm and cold ingredients.
- Complies with HACCP standards.
- Film thickness: 80 microns.
- Roll of 100 pcs.

code	mm
557112	445x220
557105	530x285

NON-SLIP PASTRY BAGS

- Made of TPE, BPA free.
- Disposable.
- Suitable for warm and cold ingredients.
- Complies with HACCP standards.
- Film thickness: 80 micron.
- Roll of 100 pcs.

code	mm
557303	515x280

NON-SLIP PASTRY BAGS

- Made of TPE, BPA free.
- Disposable.
- Suitable for hot and cold ingredients, up to 100°C.
- Complies with HACCP standards.
- Film thickness: 115 microns.
- Roll of 70 pcs.

code	mm
557150	520x280



PASTRY BAGS, REUSABLE

- Reusable.
- Made of cotton, inside coated with polyurethane.
- Hanging hole made of cotton.
- Safe for cleaning in water at 60-70°C.
- 2pcs.


code	packed per	mm
550120	2	(L)300
550229	2	(L)350
550328	2	(L)400
550427	2	(L)450
550526	2	(L)500



PASTRY BAG NYLON

- Made of seamless super nylon.
- Heavy duty, with a hang tag.
- Suitable for cleaning in boiling water.

code	packed per	mm
550106	1	(L)300
550205	1	(L)350
550304	1	(L)400
550403	1	(L)450
550502	1	(L)500



ICING TIPS - SERRATED

- Set of 7 sizes.


code	-
551110	ø 3-5-7-9-11-13-15



ICING TIPS - SMOOTH

- Set of 7 sizes.

code	-
551011	ø 5-7-9-11-13-15-17




ICING TIPS

- Set of 12 different icing tips in a box.

code	-
551400	ø 6-8-10-12



**ICING TIPS - SERRATED**

551790

ICING TIPS - SERRATED

- Set of 5 sizes.

code	-
551790	ø6-8-10-12-14



551714

ICING TIPS - STAR

- Set of 7 sizes.

code	-
551714	ø6-8-10-12-14-16-18

ICING TIPS - SMOOTH

18/8

stainless steel




551691

ICING TIPS - SMOOTH

- Set of 5 sizes.

code	-
551691	ø2-4-6-8-10



551615

ICING TIPS - ROUND

- Set of 7 sizes.

code	-
551615	ø4-6-8-10-12-14-16

551592



551202



18/8

stainless steel



Watch the video

ICING TIPS

- A set of 5 different icing tips for:

- filling.
- macarons.
- decorating.
- basket weave.
- writing.

- Extra precise thanks to sharp edges.

code	-
551592	-

ICING TIPS

- A set of 5 icing tips:

- 2 closed Star tips.
- 1 drop Flower tip.
- 1 french Star tip.
- 1 v-shaped tip.

Extra precise thanks to sharp edges.

code	-
551202	-


DOUGH SCRAPERS

- Scraper made of polypropylene.
- Dishwasher safe.



DOUGH SCRAPERS, TRAPEZOIDAL

code	verpakt per	mm
554432	3	216x128



DOUGH SCRAPERS, RECTANGULAR

code	packed per	mm
554364	6	120x96



DOUGH SCRAPER FLEXIBLE

- Flexible.

code	packed per	mm
554166	6	120x88



855751



DOUGH CUTTER

- Stainless steel with polypropylene handle.

code	mm
855751	150x110



553404



DOUGH SCRAPER

- Made of stainless steel.

code	mm
553404	150x110



**CUPCAKE MOULD**

code	-	mm
689806	with smooth rim	ø70x(H)68
689608	with rolled rim	ø70x(H)68

**CAKE MOULD**

- Rectangular.

code	mm
682104	180x80x(H)60
682302	260x100x(H)75
682401	300x110x(H)75

**FOOD RING AND PUSHER
SQUARE**

code	-	mm
512166	food ring	67x67x(H)45
512173	food ring	81x81x(H)45
512227	pusher	64x64x(H)55
512234	pusher	80x80x(H)55

FOOD RING

code	-	mm
512142	food ring	ø80x(H)45
512159	food ring	ø100x(H)45
512203	pusher	ø80x(H)55
512210	pusher	ø100x(H)55

FOOD RING ROUND

code	mm
512135	ø60x(H)45
512104	ø70x(H)45
512302	ø90x(H)45

PASTRY CUTTERS, ROUND – SET

- Round.
- 14-piece set, different sizes.

code		mm
673416	with plain edge, ø19-112	[H]35
674413	with serrated edge, ø18-108	[H]35




427736

NEW

CAKE RING, ADJUSTABLE

- Made of flexible stainless steel.
- Round shape.
- Adjustable diameter: from 150 to 270 mm.

code	mm
427736	ø320x[H]70



594032



CAKE COOLER

- Made of stainless steel with integrated feet.
- Multipurpose:
 - for cooling cakes – it prevents gathering excess humidity in the cake as a result of heat vaporization,
 - for decorating cakes, for example when pouring glaze or chocolate,
 - as a grilling grate and a grate for roasting pan – it makes it easier to flow away the fat from roasted meats,
 - as a protection for table worktop on which a hot dish is to be put,
 - as a stable base for silicone moulds.
- Wire thickness – rim: 3 mm.
- Wire thickness – grid: 1,7 mm.

code	mm
594032	ø320x[H]20




673416

674413



NEW



427712

BAKING MOULD, ADJUSTABLE

- Made of flexible stainless steel.
- Rectangular shape.
- Adjustable size from 285x195 mm up to 340x540 mm.

code	mm
427712	280x340x[H]50



DOUGH ROLLER

- 60 mm wide roller with 32 long, robust plastic spikes for punching dough.
- Ideal for deaerating shortcrust pastry and pizza dough.
- Prevents air bubbles and ensures better baking results.
- Made of polypropylene.

code	mm
515037	210x73





SILICONE MOULDS

- Made of 100% non-stick silicone.
- Perfect for: baking, freezing, creating monoportions.
- Resistant to temperature: from -30°C to 230°C.
- Microwave and dishwasher safe.



677261



SILICONE MOULD SQUARE

- Square moulds with dimensions 5,5x5,5 cm.

code	moulds	mm
677261	35	570x375x(H)25



677254



SILICONE MOULD HEART

- Heart-shaped moulds with dimensions 7,5x6 cm.

code	moulds	mm
677254	20	570x375x(H)35



677247



SILICONE MOULD OVAL

- Oval moulds with dimensions 5x3 cm.

code	moulds	mm
677247	50	570x375x(H)20



677230



SILICONE MOULD MINI-MUFFIN

- Round moulds with diameter ø3,5 cm, perfect for for example mini muffins.

code	moulds	mm
677230	48	570x375x(H)25



677223



SILICONE MOULD MUFFIN

- Round moulds with diameter ø7 cm, perfect for for example muffins.

code	moulds	mm
677223	24	570x375x(H)40





677216



SILICONE MOULD SEMI-SPHERE

- Semi-circular moulds with diameter ø7 cm.

code	moulds	mm
677216	24	600x395x(H)35



WOODEN ROLLING PIN

- Made of solid beech wood.
- With smoothly running nickel-plated steel ball bearings.
- Ergonomic, contoured handles.
- A sturdy metal shaft inside reinforces the roller structure.
- Rolling pin with code 515020 due to its size and weight is suitable for rolling a large amount of dough at once.
- Not dishwasher safe.

code	mm
515020	ø75x640
515167	ø90x667



Made of solid beech wood




Smoothly running nickel-plated steel ball bearings

ALUMINIUM ROLLING PIN

- Made of aluminium.
- With smoothly running ball bearings.
- Ergonomic, contoured handles.
- A sturdy metal shaft inside reinforces the roller structure.
- Due to its size and weight it is suitable for rolling a large amount of dough at once.


code	mm
515174	ø90x545



ROLLING PIN, STAINLESS STEEL

- With slide bearings.

code	mm
515006	ø62x470



ROLLING PIN WITH NON-STICK COATING

- With slide bearings.
- Including chrome-plated storage stand.



Watch the video

code	mm
515013	ø62x470





BUTTER AND FAT BRUSH WITH NATURAL BRISTLES

- Pig bristle.
- Handle made of beech wood.



code	packed per	mm
515228	2	190x20
515327	2	210x40



BUTTER AND FAT BRUSH FLAT SILICONE

- Polypropylene handle.



code	mm
515358	220x32
515365	230x45



833032



BAIN-MARIE PAN

- Double walled, with reservoir for water.
- Fill the reservoir with water to melt chocolate au bain-marie.
- With stainless steel handle.

code	liters	mm
833032	1	330x165x(H)95




PALETTE KNIFE

- With flexible offset blade.

code	thickness (mm)	blade length (mm)	length (mm)
855775	0.7	110	220
855782	0.7	198	325
855683	0.7	249	376



677810



NON-STICK SILICONE BAKING MAT

code	thickness (mm)	mm
677827	0.7	600x400
677810	0.7	530x325
677834	0.7	300x400



SPATULA

- For confectionery substances.
- Smooth flexible blade.

code	thickness (mm)	blade length (mm)	length (mm)
855706	0.5	110	220
855690	0.5	205	335
855744	0.5	258	389



550113



WALL RACK FOR PASTRY BAGS

- With 4 slots for hanging icing bags.
- There are also 31 supports for storing icing tips. Comes with 7 hooks to hang tools like spatula's and a small rack for little accessories.

code	mm
550113	500x360x(H)560



195789

SINGLE PASTRY GUITAR

- The tool for precise longitudinal and transversal cutting and fast portioning soft confectionery goods, such as ganache, custards, marshmallows, pralines and confection of banquet cakes.
- Eye-catching black design: base frame and strings frame made of black anodised aluminium.
- Working area and plate made of stainless steel - durability and easy cleaning guaranteed.
- Strings made of hygienic surgical steel.
- Profiled working area and sharp strings guarantee extraordinary precise operation; cutting with surgical precision.
- Specially designed hinges made of brass - long product life unlike other products on the market which have hinges made of plastic.
- Non-slip feet ensuring stability during operation.
- Included in set:
 - 1 base measuring 600x400x(H)100 mm,
 - 3 cutting frames:
 - 9 strings with 45 mm spacing
 - 13 strings with 30 mm spacing
 - 17 strings with 22.5 mm spacing
 - steel plate,
 - wrench for changing strings.

code	mm
195789	636x441x(H)109



3 cutting frames with Zip Pitch to Cut in 22.5 mm (17 strings), 30 mm (13 strings) and 45 mm (9 strings) increments

Benefits:

- Improving production in pastry shops, bakeries, and caterings.
- High precision: cutting pastry, cakes, mousses to many even pieces without deforming and tearing - with the help of stainless steel strings placed in various dimensional combinations.
- Efficient and effortless applying pastry and taking the cut product off thanks to the stainless steel plate included in the set.
- It's possible to precisely determine the weight of every cut end product with adequate structuring the grammage of pastry.
- Simple operating principle enables perfect pastry cutting even for those who are less experienced.
- Easy assembly, disassembly and maintaining hygiene.



SPONGE CAKE SAW

- Eye-catching black design: body made of hygienic anodised aluminium.
- Stainless steel blade, the only one on the market with food contact certificate, easily removable and dishwasher safe – guaranteeing high work hygiene.
- Feet made of PTFE, ensuring comfortable work on every countertop.
- Saw blade properly tightened and fixed on a milled element – it does not bend and rotate during operation.
- Holes for the blade are the same on both sides – the cap can be attached on both left and right side.
- Fitted with a measure located on the body – for regulating thickness of sponge cake layers: from 1 cm to 6 cm.
- The range of effortless sponge cake cutting, compliant with the confectionery standard: 60x40 cm.
- Possible to precisely cut a round sponge cake of diameter: from 85 cm to 40 cm.
- Blade length: 57 cm, with regulated height according to the measure.

code	mm
400098	620x120x(H)130



Benefits:

- Speeding up the sponge cake cutting process up to 50%.
- Reducing production losses during sponge cake cutting by 20%.
- The measure enables precise cutting without the necessity for using additional tools – always the same visual effect is achieved, every sponge cake layer is identical.
- Comfortable operation: the saw blade is properly tightened and fixed on a milled element – it does not bend and rotate during operation.







637791



for powdered sugar
mesh size
0,5x0,5 mm

for flour and meal
mesh size
1x1 mm

for bread-crumbs
mesh size
3x3 mm

BAKERS' SIEVE

- Made of stainless steel.
- Dishwasher safe.
- Fitted with an eyelet for convenient storage.



code	-	mm
637791	for powdered sugar	ø250x(H)75
637821	for powdered sugar	ø410x(H)80
637814	for bread-crumbs	ø250x(H)75
637845	for bread-crumbs	ø410x(H)80
637807	for flour and meal	ø250x(H)75
639313	for flour and meal	ø308x(H)74
639320	for flour and meal	ø358x(H)76
637838	for flour and meal	ø410x(H)80



637852



FLOUR SIFTER

- Body made of stainless steel, mesh made of stainless steel.
- 2 layers of very fine mesh.
- With a squeeze handle (spring-loaded mechanism).
- Capacity: ~ 550 g.
- Dishwasher safe.

code	mm
637852	187x125x(H)127



512517

PIE CUTTER

- For slicing a round pie or cake in equal parts.

code	-	mm
512517	12 portions	ø320



515044

5 WHEEL DOUGH CUTTER

- Cutting width can easily be adjusted from 13 to 125 mm.
- With 5 smooth ø55 mm stainless steel cutting wheels.

code	mm
515044	222x56x(H)55



515150

7 WHEEL DOUGH CUTTER

- Cutting width can easily adjusted. With 7 smooth ø55 mm stainless steel cutting wheels.

code	mm
515150	222x80x(H)55



design by
Robert Bronwasser

TEMPERATURE STABILISER

From the first second of operation, the burner reaches the optimum flame temperature of 1300 °C REPEATABILITY WITH BLUE HEAT

GILL-TYPE AIR INTAKE

Combustion chamber air inlets with increased capacity. HIGH FLAME POWER, CARBON BLACK-FREE COMBUSTION

PRECISE FLAME CONTROL

Ideal for browning: sugars, proteins, cheeses, fruit, vegetables and meat
SMOOTH FLAME LENGTH CONTROL FROM 15 TO 150 MM

LONGEST FIRE NOZZLE 100 mm

- safe flambéing
 - precise placement of the fire zone and heat treatment zone
 - maximum separation of the hand from the high temperature
- COMFORT and FREEDOM

QUICK INSTALLATION

The indicator on the SAFETY COVER allows you to quickly install the container. One click and the container is SAFELY replaced.


WHEN TIME IS OF THE ESSENCE
– YOU CAN BE SURE THAT
THE CONTAINER HAS BEEN
INSTALLED CORRECTLY

HENDI JET CHEFS' TORCH – SET WITH CARTRIDGE

- Designed with chefs in mind by Robert Bronwasser.
- This torch is a pleasure to use thanks to the stylish matt black design with green accents and the ergonomic grip.
- The torch is easily and securely attached to the gas cartridge (it's possible to replace it after gas runs out) and covers the whole top of the cartridge.
- The piezo ignition makes it easy to ignite, the large gas dial allows for easy adjusting the flame size and intensity.

- This chefs torch can operate at every angle, even upside down, thanks to the improved design of the burner that prevents flaring.
- Precise flame control, up to a flame length of 150 mm.
- Included in the set: torch and gas cartridge.
- Cartridges can be purchased separately, code: 199039.

code		mm
198247	torch	185x65x(H)100
198254	set with cartridge	175x68x(H)260



VERTICAL WORK - Gen 2.0

- intense - DIRECTIONAL spray / 360 degrees.
 - the flame does not retract towards the burner and the hand
- VERSATILE AND SAFE

DESIGNED TO BE EASY TO SPOT

Contrasting colours allow you to immediately locate the device among your kitchen utensils

GAS COVER

Made from a cover plate and a single-pass valve, it provides permanent protection against the interference of flames from the browned materials with the gas valve during work

SAFETY

RELIABLE

The flame initiator uses the electrical discharge that appears on the crystal surface as a result of a mechanical interaction

JUST PUSH IT AND IT WORKS

NO NEED TO REPLACE THE ABRASIVE STONES OR BUY ANOTHER BURNER

DESIGNED TO MEET CULINARY CHALLENGES

The lightweight and durable structure of the burner is due to the high quality materials.

Heavy duty body with gas cover

DON'T BUY TOYS - CHOOSE A TOOL THAT WILL LAST YOU FOR YEARS



199039

LPG GAS CARTRIDGE

- Suitable for use in combination with HENDI Chefs torch 198247.
- Not suitable for refilling gas lighters etc.
- Packed per 4 canisters.
- Order unit: box with 7 sets of 4 cans.

code	packed per
199039	4





198209



198223

4x



199046

CHEF'S TORCH

- Gas, refillable - automatic ignition.
- Torch is supplied empty.
- Complete with base.

code	mm
198209	145x70x(H)190

CHEFS' TORCH

- Gas, refillable - automatic ignition.
- Torch is supplied empty.
- Complete with base.

code	mm
198223	115x50x(H)155

GAS CANISTER

- With various filling nozzles.

code	packed per	liters
199046	4	0.2



783153

783160

783177



porcelain



temp



oven



micro



wash

RAMEKIN

- Ribbed, made of porcelain.

code	order unit	mm
783153	12	ø70x(H)35
783160	6	ø90x(H)48
783627	6	ø100x(H)25
783177	6	ø120x(H)55

Foldable doughnut
rack

S.S.
stainless steel



205914



Thanks to the "cold zone"
frying residues are collected
below the heater, increasing
the quality of the oil.

Drain tap

DEEP FRYER

- Welded oil tank with equipped with drain tap at the bottom.
- Removable control element with heater, with an additional safety feature that switches off the entire unit when removed.
- Overheating protection with reset function.
- Cold-zone system prevents burning.
- Oil tank: 400x400x(H)160 mm.
- Temperature control: 50°-190°C.
- Max capacity: 12 L.
- Rubber, non-slip feet.
- Ideal for frying donuts as well as a variety of sweet and savoury snacks.

code	liters	V	W	mm
205914	12	230	3500	630x860x(H)438






212172



212196



WAFFLE MAKER ROUND

- Make up to 20 waffles per hour.
- The round waffle iron is made of cast aluminium and coated with a durable Teflon® non-stick coating.
- The waffles measure Ø 190 mm and up to 23 mm thick.
- The temperature resistance 50°C and 210°C.
- The timer can be set up to 15 minutes.

code	V	W	mm
212172	230	1000	250x491x(H)285



ROTATING BUBBLE WAFFLE MAKER

- Body and lifting lever made of stainless steel.
- Rotating head ensures an even distribution of batter.
- Plates made of cast aluminium with a non-stick Teflon coating.
- LED lights to indicate when the set temperature is reached.
- Removable stainless steel drip tray, dishwasher safe.
- Equipped with an overheating protection and a stay-cool handle.
- Hexagon shaped waffles measuring 170 mm across and 25 mm thick.
- Temperature range: from 50°C to 210°C.
- Fitted with a 15-minute timer.
- Efficiency: up to approx. 20 waffles per hour.

code	V	W	mm
212196	230	1500	255x560x(H)318



212189



WAFFLE MAKER CORN DOG

- It's possible to bake 6 lollypop waffles or corn dogs at the same time.
- Grooves are cut out of the waffle iron so you can insert the stick and still close the waffle iron.
- Waffle irons made of cast aluminum and coated with a durable Teflon® non-stick coating.
- Open the waffle iron easily with the large, stay-cool, handle.
- The housing is made of 18/0 stainless steel, guaranteeing a long service life and easy cleaning.
- Fitted with a drip tray for dough and fat, helps you keep your work space clean.
- Ventilation slots in the housing protect the controls against overheating.
- The temperature is continuously adjustable from 50°C to 220°C.
- Timer can be set up to 15 minutes.
- Net weight: 10 kg.

code	V	W	mm
212189	230	1550	390x378x(H)229



212165



WAFFLE MAKER LOLLYPOP

- It's possible to bake 4 lollypop waffles at the same time, each 255 mm long (without the stick) and shaped like an elongated cone.
- Grooves are cut out of the waffle iron so you can insert the stick and still close the waffle iron.
- Waffle irons made of cast aluminum and coated with a durable Teflon® non-stick coating.
- Open the waffle iron easily with the large, stay-cool, handle.
- The housing is made of 18/0 stainless steel, guaranteeing a long service life and easy cleaning.
- Ventilation slots in the housing protect the controls against overheating.
- The temperature is continuously adjustable from 50°C to 220°C.
- Timer can be set up to 15 minutes.
- Net weight: 10.5 kg.

code	V	W	mm
212165	230	1750	314x417x(H)229





CREPES AND WAFFLE MAKERS

- Waffle irons made of enameled cast iron, can be cleaned with a brush.
- Thermostatic temperature control.
- Including waffle fork.
- Insulated handle.



212103


212127

212134

WAFFLE MAKER 'LIÈGE'

- Liège waffles, two 4x6 rectangular patterns.

code	V	W	mm
212103	230	1500	330x437x(H)251



WAFFLE MAKER 'BRUSSELS'

- Brussels waffles, two 3x5 rectangular patterns.

code	V	W	mm
212127	230	2200	330x520x(H)277



WAFFLE MAKER 'HEART'

- Flower waffles, five conjoined heart-shaped patterns.

code	V	W	mm
212134	230	2200	330x543x(H)277





UFO BURGER, GELATO PANINI PRESS

- Housing made of stainless steel.
- Round heated plates with non-stick coating.
- Handle with locking mechanism.
- Suitable for UFO burgers, gelato panini, sealed sandwiches, and dessert snacks.
- Simultaneous grilling and sealing function.
- Adjustable temperature from 5°C to 200°C.
- Built-in timer up to 5 minutes.
- Suitable for bun size: $\phi 120$ mm.
- Production capacity: up to 20 pcs/hour.
- Suitable for sweet and savoury fillings.

code	V	W	mm
265055	230	1300	531x250x(H)312



NEW

265055



212028

525197

CRÊPE MAKER

- Housing made of stainless steel.
- Crêpe plate made of cast iron with a ceramic coating.
- Crêpe plate diameter: 400 mm.
- Even heat distribution across the surface.
- The thermostat is continuously adjustable from 50 to 300°C.
- Overheating protection.
- Includes an EGO thermostat.
- Comes with a wooden spreader.

code	V	W	mm
212028	230	3000	458x520x(H)165

WOODEN SPREADER FOR CRÊPE MAKERS

- Characteristic shape - perfect for spreading the dough on the cooking surface.
- Recommended for use with the pancake maker with the code: 212028

code
525197





558102

STAINLESS STEEL SAUCE CONTAINER WITH DISPENSER

- Housing, spring in the dispenser and mechanical system made of stainless steel 18/8.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Lid fitted with 2 snap latch locks.
- Dispensed sauce portion: 30 ml
- Not dishwasher safe.

code	liters	mm
558102	4.5	ø198x(H)360



558119

SET: 2 X STAINLESS STEEL SAUCE CONTAINER WITH DISPENSER

- Housing, spring in the dispenser and mechanical system made of stainless steel 18/8.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Each lid fitted with 2 snap latch locks.
- Dispensed sauce portion: 30 ml
- Not dishwasher safe.
- Stand with adapter included in set.

code	liters	mm
558119	9	400x200x(H)440

NEW

18/8
stainless steelPP
polypropylene

558157

LID WITH DISPENSER FOR GN CONTAINERS

- Housing, spring in the dispenser and mechanical system made of stainless steel 18/8.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Dispensed sauce portion: 30 ml.
- Not dishwasher safe.
- 3 sizes available:
 - GN 1/6 (code: 558133)
 - GN 1/4 (code: 558140)
 - GN 1/3 (code: 558157)
- Suitable for GN containers with a height of 200 mm (not included).

code	thickness (mm)	GN	mm
558133	0.7	GN 1/6	276x165
558140	0.7	GN 1/4	321x165
558157	0.7	GN 1/3	352x180

NEW

18/8
stainless steelPP
polypropylene

NEW



DOUGHNUT FILLING DISPENSER

- Housing, spring, and mechanical system made of stainless steel 18/8.
- Pumping mechanism made of polypropylene.
- Capacity: 4.5 L.
- Double-needle filling nozzle.
- Dispensed portion: 30 ml.
- Removable lid and dispenser pump.
- Lid fitted with 3 snap latch locks.
- Not dishwasher safe.

code	liters	mm
558164	4.5	330x240x(H)390



558164



NEW

SAUCE WARMER

- Body made of stainless steel.
- Temperature adjustable with a 6-step dial, from 30°C to 65°C.
- Heating indicator light.
- Includes a 650 ml LDPE squeeze bottle, 1 per each heater.
- Overheating protection.
- Suitable for heating sauces and chocolate.

code		V	W	mm
201718	Single - 1x0,65L	230	200	202x280x(H)315
201725	Double - 2x0,65L	230	400	270x223x(H)282
201756	Triple - 3x0,65L	230	600	395x239x(H)211



NEW

BOTTLE FOR SAUCE WARMER

- Made of LDPE.
- Intended for the HENDI Sauce warmers (codes: 201718, 201725 and 201756).

code	mm
201732	ø68x(H)247
201763	ø68x(H)254



201732



282748



282762

POPCORN MACHINE

- Frame made of aluminium alloy.
- Robust housing made of tempered glass and powder-coated steel in two colours available: red or black.
- With a hinged service door made of tempered glass.
- Popcorn heating pan with stirring unit.
- Lid with handles made of non-heating material.
- Popcorn scooping flap.
- Scoop included for convenient serving.
- Crumb drawer under the chamber for easy disposal of un-popped kernels and crumbs.
- Illuminated interior.
- Heated bottom of the popcorn chamber.
- Cycle duration: ≈3,5 min. – 150g of corn kernels per cycle.

code	colour	V	W	mm
282762	Black	230	1155	560x420x(H)760
282748	Red	230	1155	560x420x(H)760



With convenient collection drawer for crumbs and unpopped popcorn kernels.



SC00P

code	liters	mm
562017	0.25	(L)250



562017



POPCORN MACHINE WITH CART

- Frame made of aluminium alloy.
- Housing made of tempered glass and powder coated steel.
- With a hinged service door made of tempered glass.
- Popcorn heating pan with stirring unit.
- Lid with handles made of non-heating material.
- Popcorn scooping flap.
- Crumb drawer under the chamber for disposal of un-popped kernels and crumbs.
- Illuminated interior.
- Heated bottom of the popcorn chamber.
- Cycle duration: $\approx 3,5$ min. - 150g of corn kernels per cycle.
- Mobile cart featuring 2 large wheels and 2 swivel castors with locking brakes.

code	colour	V	W	mm
282830	Red	230	1155	940x510x(H)1553



282830

NEW



HOT DOG WARMER

- Housing made of stainless steel.
- Steam heating system.
- Cabinet capacity: 42 L.
- Capacity: up to 50 buns and 200 sausages.
- Adjustable temperature range: from 30°C to 110°C.
- Removable shelf.
- Drainage valve.
- Water level indicator light.
- Suitable for sausages and buns.

code	V	W	mm
265048	230	2000	508x445x(H)693



265048





282755

282755

NEW

282915

282816

**COTTON CANDY MACHINES**

- Made of carbon steel.
- Removable stainless steel bowl.
- Bowl is dishwasher safe.
- The bowl is fastened by 4 secure clamps.
- Fitted with a drawer for sticks, sugar, dyes, etc.
- Separate switches for power on and the heating elements, with integrated lamps.
- Sugar dispenser included.
- Overload fuse protects the motor against burning in the event of a blockage.

COTTON CANDY MACHINE

- Cover not included.

code	V	W	mm
282816	230	1130	520x520x(H)503
282915	230	1145	520x520x(H)501

N

282755

COVER FOR COTTON CANDY MACHINE

- Protect the cotton candy machine from dust and dirt.
- Made of plexiglass.
- Suitable for HENDI cotton candy machine 282731, 282809, 282816, 282915.



code	mm
282755	ø520x(H)350



282823



282779



POPCORN MACHINE

- Housing made of carbon steel.
- Hinged service door made of tempered glass.
- Pot made of cast aluminium.
- Includes a scoop.
- Popcorn heating pan with stirring unit.
- Lid with handles made of non-heating material.
- Popcorn scooping flap.
- Crumb drawer under the chamber for disposal of un-popped kernels and crumbs.
- Illuminated interior.
- Heated bottom of the popcorn chamber.
- Cycle duration: ≈3,5 min. - 150g of corn kernels per cycle

code	colour	V	W	mm
282823	Black	230	1155	560x445x(H)775



NACHO WARMER

- Housing made of stainless steel and tempered glass.
- Inner chamber made of 18/8 stainless steel, with LED light.
- At the back - 2 hinged door, with a handle.
- Fitted with a crumb collecting tray.
- 1 power switch and 1 light switch.
- Max. heating temperature: 58°C.
- Max. load: 35 L.
- Waterproof rating: IPX3.

code	V	W	mm
282779	230	500	400x344x(H)525





COTTON CANDY MACHINES

- Made of carbon steel.
- Removable stainless steel bowl.
- Bowl is dishwasher safe.
- The bowl is fastened by 4 secure clamps.
- Fitted with a drawer for sticks, sugar, dyes, etc.



- Separate switches for power on and the heating elements, with integrated lamps.
- Sugar dispenser included.
- Overload fuse protects the motor against burning in the event of a blockage.



282755

282731



282809

COTTON CANDY MACHINE

- Cover not included.

code	V	W	mm
282731	230	1130	520x520x(H)503

COTTON CANDY MACHINE

- Motor housing finished with a pink coating.
- Equipped with a trolley.
- Cover not included.

code	V	W	mm
282809	230	1130	948x520x(H)914

COVER FOR COTTON CANDY MACHINE

- Protect the cotton candy machine from dust and dirt.
- Made of plexiglass.
- Suitable for HENDI cotton candy machine 282731, 282809, 282816, 282915.



code	mm
282755	ø520x(H)350



282755



CHOCOLATE FOUNTAIN

- Housing made of stainless steel.
- Auger made of ABS.
- Heating function with adjustable temperature up to 40°C.
- Minimum chocolate capacity: 1kg.
- Maximum chocolate capacity: 8 kg.
- Separate switches for motor and heating element.
- Removable auger and tower.



Chocolate fountain 3 tiers



Chocolate fountain 5 tiers



Chocolate fountain 6 tiers

code	274101	274156	274163
temperature control	40°C	110°C	150°C
min. capacity chocolate	1 kg	2,5 kg	2,5 kg
max capacity chocolate	1,5 kg	6 kg	8 kg
dimensions	ø215x(H)375 mm	ø332x(H)709 mm	ø372x(H)850 mm
power/voltage	46 W/230 V	265 W/230 V	300 W/230 V



04

Food processing

Looking to elevate culinary
experience






Big inlet for inserting big pieces of vegetables



Small inlet for inserting small pieces of vegetables



5 discs included, 2 for slicing 3 for grating



Watch the video



231807

VEGETABLE CUTTER PROFI LINE

- Durable housing made of aluminium, with smooth and precise finish.
- Cutting disc fitted with a metal bayonet mount which wears out much more slowly than plastic bearing sleeves.
- 2 inlets:
 - large inlet with a pusher on a movable arm,
 - smaller inlet with a detached pusher.
- High work hygiene - the cutter was designed to prevent accumulating dirt:
 - smooth, straight grip of the pusher,
 - on/off switch with a uniform surface,
 - smooth and precise finish of the housing at any point of the body.
- Included in the set:
 - 5 blade discs to achieve different cutting results: 2mm and 4mm slices, and 3mm, 4.5mm, and 7mm shavings.
 - ejector disc,
 - special cleaning brush.
- Safety features: the lid is fitted with a latch and a screw. The pusher arm of the large inlet and the cover screw are equipped

- with a microswitch (electromagnetic sensor); lifting the pusher arm or loosening the cover screw switches the appliance off.
- The motor is well protected against overheating thanks to a large and effective cooling fan, and 15 ventilation openings on the whole surface of the lower cover.
- Speed: 295 RPM.
- Output: 100-300 kg/h.
- Disc diameter: ø205 mm.
- Additional accessories in the HENDI offer to be purchased separately:
 - Slicing disc (code 280096),
 - Grating disc (code 280317),
 - Dicing disc (code 234730),
 - French fries cutting disc (code 234754),
 - Julienne disc (code 280423),
 - Rasping disc (code 280621),
 - Rack for 18 vegetable cutter discs (code 280690).

code	V	W	mm
231807	230	550	615x239x(H)580



Small inlet for inserting small pieces of vegetables



5 discs included, 2 for slicing 3 for grating



Big inlet for inserting big pieces of vegetables

231852

VEGETABLE CUTTER HEAVY DUTY

- Designed for cutting large amounts of vegetables.
- Large inlet for large vegetables, up to Ø 165 mm.
- Small inlet for long vegetables, i.e. carrots, cucumbers up to Ø 55 mm.
- Cutting chamber housing made of cast aluminium, bottom part of the housing made of stainless steel.
- Convenient pressing handle.
- 750W = 1hp air-cooled high-performance motor.
- Low-voltage control buttons: STOP, START (24 V).
- 2 security systems: cutter switches off upon lifting of the pressing handle and upon lifting of the upper cover of the chamber.

- Upon lowering of the pressing handle the cutter starts automatically.
- Easy and fast replacement of cutting disks.
- 5 cutting discs included: 2 mm slices (disc with 3 blades), 4 mm slices (disc with 3 blades), 3 mm grater, 4,5 mm grater, 7 mm grater, ejector disc.
- 4 rubber anti-slip feet.
- Speed: 300 RPM.
- Productivity: 100 – 350 kg/h
- Weight: 25 kg.

code	V	W	mm
231852	230	750	574x250x(H)472





280096

**SLICING DISC**

- For vegetable cutter 231807 & 231852.

code	thickness (mm)
280126	4
280096	1
280102	2
280201	6
280218	8
280225	10



280317

**GRATING DISC**

- For vegetable cutter 231807 & 231852.

code	thickness (mm)
280317	7
280294	2
280300	3
280416	4.5




234730

**DICING DISC**

- For vegetable cutter 231807 & 231852.
 - Must be used in combination with a slicing disc (234730 + 280218, 234747 + 280225).

code	thickness (mm)
234747	10
234730	8



234754

**FRENCH FRIES CUTTING DISC**

- For vegetable cutter 231807 & 231852.
 - Must be used in combination with a slicing disc (234754 + 280218, 234761 + 280225).

code	thickness (mm)
234761	10
234754	8



280423

**JULIENNE DISC**

- For vegetable cutter 231807 & 231852.

code	thickness (mm)
280423	3



280621

**RASPING DISC**

- For vegetable cutter 231807 & 231852.

code	thickness (mm)
280621	

NEW

918500

EJECTOR DISC FOR VEGETABLE CUTTER

- Replace your broken or lost ejector disc and extend the service life of your vegetable cutter.
 - Works with HENDI vegetables cutters 231807.

code	mm
918500	ø220



280690

RACK FOR 18 VEGETABLE CUTTER DISCS

- Capacity: 18 discs.
 - Discs not included in the price.

code	mm
280690	400x250x(H)90

PA
polyamideS.S.
stainless steel18/8
stainless steel

NEW

BOWL CUTTER, ELECTRIC PROFI LINE

- Housing and blade made of stainless steel.
- Bowl made of 18/8 stainless steel.
- Transparent lid with an opening to add ingredients during operation.
- Safety micro-switch ensures the unit operates only when the lid is properly closed.
- Pulse function delivers short bursts of maximum power for precise control and reduced heat build-up.
- Scraper included.
- Not suitable for frozen products.
- Available in 2 bowl sizes:
 - Code 210284: 4 kg (usable capacity)
 - Code 210291: 5 kg (usable capacity)

code	V	W	mm
210284	230	800	377x350x(H)520
210291	230	800	377x350x(H)586



237991

18/8
stainless steelABS
plastic

NEW

BOWL CUTTER KITCHEN LINE

- Housing made of stainless steel 18/8 with brushed finish.
- Bowl cover made of BPA-free material.
- Blade made of stainless steel.
- Motor integrated into removable top cover.
- Push-button control with 2 power levels.
- Speed: up to approx. 3000 rpm.
- Bowl capacity: 8 L.
- Max. working volume for meat: up to 5 L.
- Max. working volume for vegetables: up to 6 L.
- Overheat protection.
- Includes silicone anti-slip ring.
- Suitable for processing fresh and chilled, non-frozen products.

code	V	W	mm
237991	230	1200	363x272x(H)328



MEAT MINCERS



PERFORMANCE

temporarily to
220 kg/hFeeder tray made of
stainless steelHopper made of special
aluminium alloyPolypropylene
sausage tube

Reset button

210802

MEAT MINCER 12

- Body made of aluminium alloy.
- Feeder tray made of stainless steel.
- Hopper made of aluminium alloy.
- Knife and worm screw made of stainless steel.
- Mouth made of cast iron.
- Pressure pin made of polyethylene.
- Motor with an overheat protection mechanism and reset button against overload.
- Rotation speed: 170 rpm.
- Anti-slip feet.
- Easy disassembly for cleaning.
- Output: 100 kg/h.
- Operational for up to 45 minutes with 15 minutes rest.
- Includes:
- 1x sausage stuffing tube made of polypropylene.
- 2x Ø 70 mm mincing discs with Ø 6 and 8 mm holes included.

code	V	W	mm
210802	230	550	240x393x(H)560



PERFORATED PLATE

- Ø 70 mm.

code	mm
282267	ø2
282250	ø3
282243	ø4,5
282236	ø6
282229	ø8



282229

MEAT MINCER 22

- Body made of aluminium alloy.
- Feeder tray made of stainless steel.
- Hopper made of aluminium alloy.
- Sausage machine stuffer made of polypropylene.
- Knife and worm screw made of stainless steel.
- Mouth made of cast iron.
- Pressure pin made of polyethylene.
- Motor with an overheat protection mechanism and reset button against overload.
- Rotation speed: 170 rpm.
- Anti-slip feet.
- Easy disassembly for cleaning.
- Output: 200 kg/h.
- Operational for up to 45 minutes with 15 minutes rest.
- Included:
- Stuffing tube.
- 2x Ø82 mm mincing discs with Ø6 and Ø8 mm holes.


code	V	W	mm
210819	230	750	239x424x(H)571



PERFORATED PLATE

- Made of stainless steel.
- Dishwasher safe.
- Compatible with meat mincer 210819.

code	mm
282847	ø8
282885	ø6
282861	ø4,5
282854	ø3
282878	ø2



282847



MEAT MINCER KNIFE

code
282359



282359



MEAT MINCER KNIFE

code
282076



282076



WORM SHAFT

code
931257



931257



WORM SHAFT

code
933367



933367





Watch the video



Meat dish with dust cover



Housing made of aluminium

210864

MEAT MINCER 198

- Ideal for small amounts and sausage making, not for commercial use.
- Aluminium housing.
- Die cast metal hopper with meat dish/dust cover.
- Pusher made of plastic.
- Aluminium worm screw and stainless steel knife.
- 2 mincing discs, diameter 65,8 mm included: 4 mm and 7 mm diameter holes.
- 3 sausage stuffing tubes: Ø 12, 15 and 20 mm.
- Steak tartare attachment.
- On/off/reverse switch.
- Not for continuous use.
- Weight 5,2 kg.

code	V	W	mm
210864	230	400	195x274x(H)430



Three sausage stuffing tubes included



Worm screw made of aluminium, blade made of stainless steel



630716

**SAUSAGE CUTTER**

code	mm
630716	(L)200



265109

SAUSAGE CUTTER - ELECTRIC

- Electric sausage cutter with double blade knife and adjustable thickness.
- Extra long insertion tunnel for many types of sausages.
- Maximum diameter of 48 mm.

code	V	W	mm
265109	230	135	255x187x(H)330



222805

**SAUSAGE CUTTER - MANUAL**

- Stable footing by suction cups.
- High-quality serrated blades.
- Easy to clean.
- Cuts 11 slices.

code	mm
222805	275x170x(H)235



Watch the video



975305

Beef and pork
tenderiser
included



975312



ROLLERS FOR POULTRY

- For use with HENDI Electric meat tenderiser 975305.
- Stainless steel case.
- 2 polypropylene pressing rollers.
- Roller length 180 mm.

code	mm
975329	235x130x(H)120



975329



ROLLERS FOR SHOARMA

- For use with HENDI Electric meat tenderiser 975305.
- Stainless steel case and knives.
- 2 sets of knives cutting stripes 4 mm wide.
- Roller length 165 mm.

code	mm
975312	235x130x(H)120



ELECTRIC MEAT TENDERISER

- Max. meat portion size: 160 mm wide x 30 mm thick.
- Stainless steel housing.
- Supplied with a beef and pork tenderiser attachment.
- Speed of the softening knife units: 75 rpm
- Capacity: up to 800 pieces/h
- Motor cooled by a built-in fan.
- 4 rubber feet.

code	V	W	mm
975305	230	350	514x224x(H)430







611067

**CAST IRON TORTILLA PRESS**

- Made of cast iron.
- Finished with epoxy powder coating.
- For tortillas up to 260 mm in diameter.
- With rubber feet for extra stability.
- Not dishwasher safe.

code	mm
611050	255x200x(H)110
611067	350x265x(H)170

513033

**TORTILLA PRESS**

- Made of aluminium alloy.
- Finished with epoxy powder coating.
- For tortillas up to 200 mm in diameter.

code	mm
513033	250x200x(H)95

NEW

282281

MEAT MIXER WITH TILTING TANK

- Made of stainless steel 18/8.
- Crank handle made of aluminium.
- Tilting tank for easy unloading of the meat.
- Double safety locking to prevent accidental dislodging during operation.
- Manual drive with removable crank handle.
- With gear system for slower, more controlled mixing with less effort when working with heavier meat mixtures. 3 turns of the handle rotate the stirrers once. Suitable for approx. 13 kg (282281) or 25 kg (282908) of meat.
- Removable meat tank and stirrer for thorough cleaning.
- Cover with handle for the tank included.

code	liters	mm
282281	20	285x550x(H)385
282908	30	480x330x(H)420

**stöckel****FALAFEL SCOOP**

- Made of stainless steel.
- Fibreglass-reinforced nylon handle.
- Simple to disassemble for easy cleaning, all elements are dishwasher safe.

code	-	mm
755310	1/70	ø40x150
755303	1/45	ø50x150





18/0

stainless steel

18/8

wash

NEW

513224

SMASH BURGER PRESS PROFI LINE

- Burger press made of stainless steel 18/0.
- Screws made of stainless steel 18/8.
- Heavy-duty.
- Round pressing plate.
- Thickness: 5 mm.
- Suitable for griddle plates and flat-top grills.

code	mm
513224	ø160x(H)85

18/8

stainless steel



513132

SMASH BURGER PRESS KITCHEN LINE

- Made of 18/8 stainless steel.
- Used to press burgers evenly on the grill.
- Dishwasher safe.

code	mm
513132	ø160x(H)78

Al

aluminium

wash



513026

HAMBURGER PRESS

- Makes Ø 115 mm hamburgers.
- Made of aluminium alloy with non-stick coating.
- Handle made of polypropylene.

code	mm
513026	ø120x(H)80

NEW

513217

18/0

stainless steel

18/8

stainless steel

PP

polypropylene

wash

SMASH BURGER SET

- 4-piece set.
- Profi Line round smasher made of stainless steel, Ø160 mm and 5 mm thick.
- Turner made of stainless steel.
- Seasoning shaker made of 18/8 stainless steel with handle.
- Stainless steel melting dome.

code
513217





NEW



443101

BUTTER ROLLER

- Made of stainless steel.
- Roller and shaft system.
- Full rod construction.
- Suitable for butter and margarine.
- Suitable for commercial kitchen use.

code	mm
443101	176x162x(H)65



513170



HAMBURGER FILM PATTY DIVIDERS

- Made of transparent cellulose.
- Low temperature resistant and biodegradable.
- Freezer and fridge: Under -18°C.

code	packed per	mm
513170	2122	ø100
282120	1255	ø130




282113

HAMBURGER PRESS

- Lower housing and upper press ram made of anodised aluminium.
- Automatically rises the burger after forming.
- A practical lever to release formed meat from the tray.
- Including paper patty dividers.
- Includes button to lower press.
- Anti-slip feet.
- The press makes hamburgers up to ø100 mm (282793), ø130 mm (282113).

code	mm
282793	ø100 mm 240x230x(H)250
282113	ø130 mm 250x230x(H)270



513163



HAMBURGER PAPER PATTY DIVIDERS

- Made of paper.
- Temperature resistance:
- Conventional ovens: Up to 220 °C for 2 hours.
- Microwave ovens: Without time restriction.
- Freezer and fridge: Under -18 °C.
- Ø100/130 mm.

code	packed per	mm
513187	1000	ø100
513163	911	ø130



SAUSAGE FILLING MACHINES

18/8

stainless steel

CAPACITY UP TO

10 L



Watch the video

Durable gear system –
made of hardened steel.

Parts that come in
contact with food
are easily removed,
easing filling and
cleaning.

282151

282151


Made of stainless steel.

SAUSAGE FILLING MACHINE PROFI LINE

- Made of stainless steel.
- Equipped with a two-speed filling system:
 - quick gear for lifting the piston
 - slow gear (low load) for filling the skins with stuffing.
- Parts that have contact with food are removable for easy filling and cleaning.
- Supplied with a set of 4 stainless steel funnels, diameter: ø16, ø22, ø32 and ø38 mm, 180 mm long.
- Equipped with bearings and gear train made of hardened steel, resistant to pressure.

With a set of
4 stainless
steel funnels

code	liters	mm
282571	3	304x304x(H)525
282588	5	304x304x(H)640
282090	7	300x340x(H)830
282151	10	415x315x(H)690



**NEW**

282083

**SAUSAGE FILLING MACHINE, ELECTRIC**

- Housing made of stainless steel.
- Electric motor for moving the piston of the sausage filling machine.
- Adjustable piston speed (0-10 mm/s) depending on the consistency of the stuffing and the size and thickness of the skin.
- 4 funnels with the following diameters: 16, 22, 32 and 38 mm.
- Funnel length: 180 mm.
- Equipped with bearings and gear train made of hardened steel, resistant to pressure.
- Capacity 15L = approx. 13 kg of meat.
- Power switch via foot pedal.

code	liters	V	W	mm
282083	15	230	60	450x350x(H)750

**MANUAL SAUSAGE CLIPPER**

- Made of chrome-plated steel.
- Housing made of ABS plastic.
- Seals various types of packaging with a clip using a 390 mm lever.
- Weighted clip bar ensures correct clip positioning during use.
- Adjustable clamp with a knob and locking screw.
- Set includes 1000 U-shaped clips (11.5x11 mm), with additional clips available in packs of 2000 (265123).

code	mm
265116	150x350x(H)500



265116

**CLIPS FOR SAUSAGE CASINGS**

- Made of aluminium.
- U-shaped.
- Suitable for manual sausage clipper (265116).
- Set of 2000 pcs.

code	packed per	mm
265123	2000	11x(H)11

265123





SLICER PROFI LINE

- Housing made of coated aluminum.
- Hardened stainless steel blade, angled.
- Air-cooled motor with overheating protection.
- Powerful motor for slicing tough meats.
- Equipped with blade guard and built-in sharpener.
- Trolley with safety guard, clamping element and vertical locking device.
- Quick and easy disassembly for effortless cleaning.
- Meets all safety requirements for equipment for professional use, i.e.:



- setting the knob to "0" slicing thickness keeps the blade behind the guard.
- protection against unwanted start-up if the sharpener or the blade guard is removed.
- possibility to lock and remove the trolley only with the blade set in "0" slicing thickness position.
- Not suitable for slicing cheese.
- Cheese slicing possible with a separately available non-stick knife.



210031

SLICER 195 PROFI LINE

- Blade diameter: 195 mm.
- Steplessly adjustable slicing thickness up to 12 mm.
- Maximum slicing diameter: 120 mm.

code	V	W	mm
210031	230	200	416x400x(H)335



210048

SLICER 220 PROFI LINE

- Blade diameter: 220 mm.
- Steplessly adjustable cutting thickness up to 12 mm.
- Maximum slicing diameter: 150 mm.

code	V	W	mm
210048	230	280	506x435x(H)347



Acrylic safety shield



Carriage with locking mechanism



Built-in sharpener



Blade protection



Sealed safety on/off switch

Air cooled engine
protected by metal cover



Watch the video



SLICER 250 PROFI LINE

- Blade diameter: 250 mm.
- Steplessly adjustable cutting thickness up to 12 mm.
- Maximum slicing diameter: 180 mm.

code	V	W	mm
210000	230	320	514x484x(H)373

SLICER 300 PROFI LINE

- Blade diameter: 300 mm.
- Steplessly adjustable cutting thickness up to 14 mm.
- Maximum slicing diameter: 200 mm.

code	V	W	mm
210017	230	420	602x573x(H)456

NON-STICK COATED BLADE

- For slicing cheese.

code	-	mm
975800	210031	ø195
975732	210048 & 970294	ø220
975749	210000 & 210086	ø250
975756	210017	ø300



975732





SLICER PROFI LINE

- Housing made of coated aluminum.
- Hardened stainless steel blade, angled.
- Air-cooled motor with overheating protection.
- Powerful motor for slicing tough meats.
- Equipped with blade guard and built-in sharpener.
- Trolley with safety guard, clamping element and vertical locking device.
- Quick and easy disassembly for effortless cleaning.
- Meets all safety requirements for equipment for professional use, i.e.:



- setting the knob to "0" slicing thickness keeps the blade behind the guard.
- protection against unwanted start-up if the sharpener or the blade guard is removed.
- possibility to lock and remove the trolley only with the blade set in "0" slicing thickness position.
- Not suitable for slicing cheese.
- Cheese slicing possible with a separately available non-stick knife.



970294



210086

SLICER 220 RED EDITION PROFI LINE

- Blade diameter: 220 mm.
- Steplessly adjustable cutting thickness up to 12 mm.
- Maximum slicing diameter: 150 mm.
- Finished with a special red coating.

code	V	W	mm
970294	230	280	506x435x(H)347

SLICER 250 RED EDITION PROFI LINE

- Blade diameter: 250 mm.
- Steplessly adjustable cutting thickness up to 12 mm.
- Maximum slicing diameter: 180 mm.

code	V	W	mm
210086	230	320	514x484x(H)373



Slicing thickness is easy to adjust



Carriage with locking mechanism



Built-in sharpener



Heavy product holder



Acrylic safety shield

SLICERS KITCHEN LINE



SLICER 250

- Housing made of anodised aluminium.
- 0,2 hp air-cooled motor, protected by a plastic cover.
- Transparent safety screen during operation.
- Easily removable parts for fast cleaning.
- Safe blade protection and built-in blade sharpener.
- Tilted model with high-quality blade.
- Blade diameter: 250 mm.
- Estimated maximum diameter of the cut product: 180 mm.
- Steplessly adjustable cutting thickness up to 8 mm.
- Blade secured against rotation during housing removal.
- 4 anti-slip plastic feet.

code	V	W	mm
210215	230	150	494x402x(H)398



210215

SLICER 300

- Anodised aluminium housing. 0,3 hp air-cooled motor, protected by a plastic cover.
- Transparent safety screen during operation.
- Easily removable parts for fast cleaning.
- Safe blade protection and built-in blade sharpener.
- Tilted model with high-quality blade.
- Blade diameter: 300 mm.
- Estimated maximum diameter of the cut product: 210 mm.
- Steplessly adjustable cutting thickness up to 13 mm.
- Blade secured against rotation during housing removal.
- 4 anti-slip plastic feet.
- Weight: 24,5 kg.

code	V	W	mm
210246	230	250	615x494x(H)477



210246

SLICER 250

- Housing made of anodised aluminium.
- Blade, blade protection and product plate have a non-stick coating.
- 0,2 hp air-cooled motor, secured from below with a plastic cover.
- Transparent safety screen during operation.
- Removable tray and blade protection for easy cleaning.
- Safe blade protection and built-in blade sharpener.
- Tilted model.
- Blade diameter: 250 mm.
- Estimated maximum diameter of the cut product: 180 mm.
- Stepless adjustment of cutting thickness, from 0 to 8 mm.
- Blade secured against rotation during maintenance.
- 4 anti-slip plastic feet.

code	V	W	mm
210222	230	150	494x402x(H)398



210222

Acrylic safety shield

Built-in sharpener





ELECTRIC SLICERS HEAVY-DUTY



- Handcrafted, made in Italy.
- Housing made of aluminium, worktop made of embossed aluminium sheet.
- Blade made of stainless steel.
- Tray and product holder made of stainless steel.
- Slice thickness adjustable from 0 mm to 16 mm with dial.
- Built-in sharpener ensuring consistent cutting disk efficiency.
- Air-cooled motor with overheating protection.
- High motor power and universal blade provide the ability to slice sausages, cheeses, cold cuts, as well as boneless meats and fish.
- Meets all safety requirements for professional use devices, including:
 - Setting the knob to slice thickness "0" keeps the blade behind its guard.
 - Protection against starting when the sharpener is disassembled or the blade guard is removed.
 - Possibility to lock and disassemble the carriage only when the blade is set to thickness position "0".
 - Blade protection in the form of a permanently mounted ring.
- Stainless steel holder can be disassembled and is dishwasher safe for easy hygiene maintenance.



Built-in sharpener ensuring constant cutting disc efficiency

Universal blade for slicing meats and cheeses, without the need to purchase a Teflon blade

Easy sanitation - simple disassembly of all parts



Acrylic safety shield



Blade protection in the form of a permanently mounted ring



Slice thickness adjustment via knob, ranging from 0 mm to 16 mm

NEW



210918

SLICER 250

- Approximate maximum size of the sliced product: 220x190 mm.

code	V	W	mm
210918	230	220	620x425x(H)370



210925

SLICER 300

- Approximate maximum size of the sliced product: 220x210 mm.

code	V	W	mm
210925	230	250	650x485x(H)440

AUTOMATIC SLICER



210932

SLICER 350

- Approximate maximum size of the sliced product: 310x260 mm.

code	V	W	mm
210932	230	370	890x585x(H)480



210949

SLICER, AUTOMATIC 350

- Approximate maximum size of the sliced product: 310x260 mm.
- The blade carriage can move automatically during slicing.
- Possibility to program automatic slicing of products with constant or variable carriage speed.
- The appliance counts the number of slices.

code	V	W	mm
210949	230	370	990x670x(H)730



**NEW**Al
aluminumS.S.
stainless steel

indoor

210956



Watch the video



210963

SLICER, MANUAL RETRO 300

- Housing made of aluminum.
- Blade made of stainless steel.
- Manual, operated with a crank and can be used in place without electricity.
- Built-in sharpener.
- Thickness adjustment from 0 to 2.5mm (9 positions).
- Approximate maximum size of the sliced product: 230 x 180mm.
- Made in Italy.
- Compatible with Base for manual Retro slicer 300 (210963).

code	mm
210956	720x600x(H)740

BASE FOR MANUAL SLICER RETRO 300

- Made of aluminum and stainless steel.
- Designed for use with the HENDI RETRO 300 manual slicer (code: 210956).
- Platform dimension: 400x500 mm.

code	mm
210963	500x650x(H)800



HAM HOLDER

- Stand and base made from stainless steel with a satin finish.
- The ham is secured in place with one screw in the ring (ø80mm). The ring allows the ham to be rotated providing easy access to every piece of meat.
- Holding element with a tilting system.
- Distance between the mounting screws: approx. 480 mm.
- Dimensions of the base: 570x215x(H)35 mm.
- Intended for self-assembly (hex key included in the set).

code	mm
499948	595x215x(H)300



499948



BLACKBOLT^{PRO}

SUPERPOWER IN YOUR KITCHEN!



SELECTED FUNCTIONS



bread



sponge cake



whipping cream



whipping proteins

PLANETARY MIXER BLACKBOLT PRO

- Housing made of die-cast aluminium.
- Bowl made of stainless steel.
- Silicone-coated handle for a secure grip.
- Robust construction for stable operation.
- Quiet motor coupled with durability for long use.
- Cooling system allows continuous operation for up to 60 minutes.
- 11 speed settings.
- Timer function.
- Four preset programmes: Dough, Sponge Cake, Cream Whipping, Egg Whipping.
- Overheating protection.
- Capacity: 7 litres.
 - Flour: 0.2–1.5 kg.
 - Egg whites: 2–20.
 - Sweet cream: 150–1,500 ml.
 - Fresh cream: 0.1–2 l.

- Accessories included:
 - Stainless steel (18/8) whisk, paddle and dough hook
 - PA (polyamide/nylon) silicone edge paddle
- All accessories are dishwasher safe.
- Designed in accordance with the requirements of the MD (Machinery Directive).
- Microswitch ensures operation only when the bowl is correctly in place.
- Fixed transparent bowl cover with a secure ingredient insert designed to prevent finger pinching.
- Slow start: the planetary mixer gradually increases speed when switched on, ensuring a smooth transition to optimal mixing performance.

code	liters	V	W	mm
221150	7	230	800	470x263x(H)413

V-Shape Belt Module

Ready for extreme, long-lasting operation

SOFT START

11-degree speed smoothy regulated with a knob, adjusted to the chosen program

BOWL – 7 litres

Made of AISI 304 stainless steel. Fitted with a convenient handle with anti-slip coating

Housing

Robust, made of die cast aluminium

Gears

Very strong – made of stainless steel, responsible for uniform planetary rotation
Smooth transition to the demanded power level

Control panel

Designer, easy to read
Counting time required for cake baking
4 automatic programs:
– Slow mixing (speed 1–6)
– Standard mixing (speed 1–8)
– Gentle mixing (speed 1–9)
– Fast mixing (speed 1–11)

Lid with a dispenser

Convenient adding ingredients during operation without worrying about getting the worktop unclean

INCLUDED



HOOK FOR HEAVY DOUGHS
18/8 stainless steel



EGG WHISK
18/8 stainless steel



FLAT BEATER
with silicone rim



FLAT BEATER
18/8 stainless steel



BOWL 7 L
18/8 stainless steel



BLACKBOLT

SUPERPOWER IN YOUR KITCHEN!

**POWER
1500W**

V-Shape Belt Module

Ready for extreme, long-lasting operation



Gears

Very strong – made of stainless steel, responsible for uniform planetary rotation
Smooth transition to the demanded power level

Control panel

Designer, easy to read
Counting time required for cake baking
4 automatic programs:
– Slow mixing (speed 1–6)
– Standard mixing (speed 1–8)
– Gentle mixing (speed 1–9)
– Fast mixing (speed 1–11)

SOFT START

11-degree speed smoothly regulated with a knob, adjusted to the chosen program

Housing

Robust, made of die cast aluminium

BOWL – 7 litres

Made of AISI 304 stainless steel.
Fitted with a convenient handle with anti-slip coating

Lid with a dispenser

Convenient adding ingredients during operation without worrying about getting the worktop unclean

INCLUDED



HOOK FOR HEAVY DOUGHS
18/8 stainless steel



HOOK FOR HEAVY DOUGHS
18/8 stainless steel



FLAT BEATER
with silicone rim



FLAT BEATER
18/8 stainless steel



BOWL 7 L
18/8 stainless steel

PLANETARY MIXER BLACKBOLT

- Housing made of die-cast aluminium.
- Bowl made of stainless steel.
- Silicone-coated handle for a secure grip.
- Robust construction for stable operation.
- Quiet motor coupled with durability for long use.
- Cooling system allows continuous operation for up to 60 minutes.
- 11 speed settings.
- Timer function.
- Four preset programmes: Dough, Sponge Cake, Cream Whipping, Egg Whipping.
- Overheating protection.

NEW

- Capacity: 7 litres.
- Flour: 0.2–1.5 kg.
- Egg whites: 2–20.
- Sweet cream: 150–1,500 ml.
- Fresh cream: 0.1–2 l.
- Accessories included:
 - Stainless steel (18/8) whisk, paddle and dough hook
 - PA (polyamide/nylon) silicone edge paddle
- All accessories are dishwasher safe.

code	liters	V	W	mm
221570	7	230	1500	460x310x(H)379

ACCESSORIES FOR BLACKBOLT 221570



230121

PASTA ATTACHMENTS FOR BLACKBOLT MIXER – SET OF 3

- Housing, rolling pins, and cutting rollers made of stainless steel.
- Attachments included in the kit:
 1. Pasta roller: 140 mm wide and 8 mm thick, adjustable from about 0.2 mm to 2 mm.
 2. Spaghetti cutter: 1.6 mm thick.
 3. Tagliatelle cutter: width 6.3 mm.
- The attachments are compatible only with the HENDI Blackbolt planetary mixer (code: 221570).

code	mm
230121	220x51x(H)88



230114

MEAT MINCING ATTACHMENT FOR BLACKBOLT MIXER

- Complete meat mincing set.
- Hopper, auger, and tray made of aluminium.
- Blade and 3 grinding plates made of stainless steel.
- Pusher made of PP.
- Stuffing kit made of PP and POM.
- Grinding plates with holes with diameters: 3, 5, 7 mm.
- Feeding tube with a diameter of 43mm.
- Set includes: Mincer, food pusher, removable tray, stuffing kit, blade, and 3 grinding plates.
- The attachment is compatible only with the HENDI Blackbolt planetary mixer (code: 221570).

code	mm
230114	137x92x(H)266



ACCESSORIES FOR BLACKBOLT

NEW
18/8
stainless steel


967324

FLAT BEATER

- Made of 18/8 stainless steel.
- Dishwasher safe.
- Compatible with Planetary Mixer Blackbolt.

code	mm
967324	20x158x(H)214

NEW
18/8
stainless steel


967331

WHISK FOR WHIPPING

- Made of 18/8 stainless steel.
- Dishwasher safe.
- Compatible with Planetary Mixer Blackbolt.

code	mm
967331	152x152x(H)212

NEW
18/8
stainless steel


967317

HOOK FOR HEAVY DOUGH

- Made of 18/8 stainless steel.
- Dishwasher safe.
- Compatible with Planetary Mixer Blackbolt.

code	mm
967317	118x118x(H)212

NEW
PA
polyamide
SIL
silicone


967355

FLAT BEATER WITH SILICONE RIM

- Connector made of 18/8 stainless steel.
- Frame made of PA.
- Rim made of silicone.
- Dishwasher safe.
- Compatible with Planetary Mixer Blackbolt.

code	mm
967355	22x172x(H)218



967348

NEW
18/8
stainless steel

BOWL, 7 LITRES

- Made of 18/8 stainless steel.
- Dishwasher safe.
- Compatible with Planetary Mixer Blackbolt Pro.

code	mm
967348	ø225x(H)210

PLANETARY MIXERS KITCHEN LINE



- Aluminium housing.
- Injection-molded plastic bowl guard.
- Robust bowl made of AISI 210 stainless steel.
- Supplied with 3 accessories made of AISI430 stainless steel: a whisk, a mixer and a dough hook.
- Durable worm drive made of chrome-coated steel and bronze gears.
- A lever for lowering and raising the bowl.
- Easy-to-use digital control panel.
- Protection against activation of the mixer with the guard up or the bowl in the wrong position.
- Resettable overheating protection.
- Timer that can be set up to 60 minutes.

MAX CAPACITY

5 kg



222829



222836



222843



code	222829	222836	222843
liters	7 l	10 l	20 l
flour/dough load	0,8 kg/2 kg	2,5 kg/4 kg	5 kg/8 kg
dimensions	317x440x(H)490 mm	422x475x(H)710 mm	496x570x(H)880 mm
control	digital	manual	manual
speed	128/252/545 rpm	148/244/480 rpm	197/317/462 rpm
power/voltage	650 W/230 V	600 W/230 V	1100 W/230 V





POTATO PEELERS KITCHEN LINE



- Peels potatoes using an abrasive disc and peeling pads inside the drum.
- Drum, abrasive disc, and peeling pads made of high-quality stainless steel.
- Abrasive disc fitted with aluminium alloy agitators.
- BPA-free transparent lid.
- Powerful motor peels a full load in 2-3 minutes.
- Control panel with an 8-minute timer and indicator lights.
- Safety micro switch.
- Freshwater inlet and drain connection rinse potatoes continuously during peeling.
- Peel collection trap consisting of 2 containers, one perforated, helping prevent drain blockages.
- Legs are fitted with plastic feet for stability, while mounting plates on 2 legs allow secure floor installation.
- Water resistance rating: IP23.



229224



229217



229200

POTATO PEELER 18 KG

- Capacity: 28 l.
- Maximum load: 18 kg.
- Output: 240-360 kg/h.
- Net weight: 42.4 kg.

code	V	W	mm
229224	230	1100	622x540x(H)997

POTATO PEELER 10 KG

- Maximum load: 10 kg.
- Volume: 22 L.
- Output: 140-200 kg/h.
- Weight: 39.6 kg.

code	V	W	mm
229217	230	750	620x525x(H)833

POTATO PEELER 5 KG

- Maximum load: 5 kg.
- Volume: 12L
- Output: 70-100 kg/h.
- Weight: 37.5 kg.


code	V	W	mm
229200	230	550	620x525x(H)787

STICK BLENDERS PROFI LINE

- Professional version.
- Housing made of fiber reinforced nylon.
- Stainless steel shaft and blade.
- Easy to clean



Equipped with a digital display



code	224328	224335	224397	224359	224052
	Stick blender 250 - with fixed speed	Stick blender Profi Line 300 - with adjustable speed	Stick blender 400 - with adjustable speed	Stick blender Profi Line 500 - with adjustable speed	Stick blender Profi Line 500
control panel		Electronic control panel (9 speeds)	Electronic control panel (9 speeds)	Electronic control panel (9 speeds)	Electronic control panel (9 speeds)
suitable for dishes up to (l)	20	50	80	100	120
dimensions (mm)	ø75x(H)514	ø100x(H)675	ø100x(H)835	ø100x(H)866	ø100x(H)863
shaft length (mm)	250	300	400	500	500
speed (rpm)	fixed 15 000	variables 2 000 - 9 000	variables 2 000 - 9 000	variables 2 000 - 9 000	variables 2 000 - 9 000
maximum speed (rpm)		13 000	15 000	15 000	15 000
power/voltage (W/V)	250/230	300/230	400/230	400/230	500/230
weight (kg)	1,45	3,45	4,1	4,1	4,25



WHISK FOR STICK BLENDER PROFI LINE 300, 400 & 500

- Consists of two whisks.
- Easy and safe to attach.
- Suitable for: 224335, 224397, 224359, 224052, 224380, 282311

code	mm
224342	ø120x(H)330



934029

WALL MOUNTED STORAGE RACK

code	mm
934029	365x130x(H)70





224380



STICK BLENDER PROFI LINE 400 - ADJUSTABLE SPEED SET WITH STORAGE RACK

- Professional version.
- Housing made of fiber reinforced nylon.
- Stainless steel shaft and blade.
- Easy to clean.
- With whisk attachment and wall mounted storage rack.
- Electronic control panel.
- 9 Speed settings between 2000 and 9000 RPM.
- Capacity up to 80 liter.
- Shaft length: 400 mm.
- Weight: 4,75 kg.

code	V	W	mm
224380	230	400	ø100x(H)765



224373



STICK BLENDER 250 - WITH ADJUSTABLE SPEED

- Professional version
- Housing made of fiber reinforced nylon
- Stainless steel shaft and blade
- Whisk attachment included (290 mm)
- Easy accessory changing clutch
- Easy to clean
- Ergonomic handle
- Shaft length: 250 mm
- Suitable for dishes up to 20 liters
- Speed control knob
- Speed: 2500 - 15000 RPM
- Weight 1,9 kg

code	V	W	mm
224373	230	250	ø75x(H)540





design by
Robert Bronwasser

6 PRE-SET PROGRAMMES

Speed up. Increase your efficiency.
6 processing programmes
with appropriate rotations.
**YOU DON'T NEED TO BE
A PROFESSIONAL TO GET
REPEATABLE EFFECTS**

ERGONOMIC & LIGHTWEIGHT BODY

Profiled handle for a FIRM
and STRONG grip.
The right operating angle for
COMFORTABLE OPERATION + NATURAL
POSITION OF THE INDEX FINGER
ON THE SWITCH

QUIET

Silent drive operation for
OPEN KITCHENS
Popular with CHEFS



STICK BLENDER HENDI BLEND

- Designed with chefs in mind by Robert Bronwasser.
- ABS plastic housing and a stainless steel shaft.
- Stainless steel cross shaped blade with titanium coating.
- Powerful 250W motor, 6 speeds with LCD display.
- Maximum speed 13500 RPM.
- Suitable for processing 1 to 8 liters.

code	V	W	mm
222157	230	250	ø71x(H)450

FOR
CONTAINERS
WITH A CAPACITY
OF 1 TO 8
LITRES

TITANIUM-COATED BLADES

3 times more durable
and resistant to blunting
TITANIC DURABILITY

222157

HD DESIGN

Increased body breakage
resistance thanks to ABS
TERPOLYMER
+ SCRATCH RESISTANCE

IMPRESSIVE SPEED RANGE
from 6,600 to 13,500 rpm
REDUCTION IN PREP TIME

MORE POSSIBILITIES

Arm length 20 cm
allows you to work with
larger vessel capacities






STICK BLENDER WITH SPIRAL CORD

- Housing made of 18/8 stainless steel and ABS.
- Removable 225 mm long blending shaft made of 18/8 stainless steel.
- Double blade made of SUS 420J2 stainless steel.
- Flexible spiral cord retracts to prevent tangling.
- Speed easily controlled by a large dial, LCD display shows the speed in 7 steps.
- Speed: from approx. 8500 RPM to 16 500 RPM.
With a turbo function.
- Overheating protection.
- Suitable for up to 3 L.

code	V	W	mm
221181	230	1000	ø65x425





RECHARGEABLE
BATTERY



CORDLESS STICK BLENDER SMART PRESSURE

- Made of satin stainless steel and ABS.
- Detachable blending shaft with an S-shaped blade.
- Smart Pressure function: the harder the button is pushed, the more blade speed increases – stepless speed adjustment ensures better control over blending process.
- 5 gears: from 11 000 RPM [gear 1] to 16 000 RPM [gear 5].
- Cordless and rechargeable – with a built-in battery: 2000 mAh, 150 W, 7,4 V.
- Indicates 4 battery charge levels (100-75-50-25%).
- Operation time: up to 30 min when fully charged.
- Protection: after 3 sec without activity the blade is blocked.

code	V	W	mm
221419	230	150	ø65x(H)390



Battery level indicator

Smart Pressure function
- blade rotation intensity
is regulated with a button,
smooth speed control
provides better control over
the blending process

Wireless, rechargeable, with
built-in 2000 mAh battery

Safety feature: after 3 seconds
of inactivity, the blade is locked





STICK BLENDERS KITCHEN LINE

- Drive unit housing made of durable black polyamide reinforced with fibreglass.
- Removable blade made of 18/8 stainless steel.
- Included in the set: a small kit for disassembling the blade.
- Variable speed smoothly regulated with a knob: from 4000 to 16000 RPM.
- Ventilated motor.
- Safety button prevents accidental activation of the appliance.
- Lock button enables continuous operation without pushing the button.



BLENDER SHAFT FOR STICK BLENDER

- Stainless steel shaft and blade.
- Suitable for: 221884, 221891, 221327, 221334, 221341.
- Blade removal kit included.

code	mm
222225	(L)250
222232	(L)300
222249	(L)400
222256	(L)500

WHISK ATTACHMENT FOR STICK BLENDERS

- Compatible with Kitchen Line stick blenders codes 221884, 221891, 221198, 221327, 221334, 221341.
- Consists of two stainless steel whisks.
- Secure and easy to attach to the drive unit.

code	mm
222263	(L)250





code	221198	221327	221334	221341
	Stick blender 350 with variable speed and blending shaft 250 mm	Stick blender 350 with variable speed and blending shaft 300 mm	Stick blender 500 with variable speed and blending shaft 400 mm	Stick blender 500 with variable speed and blending shaft 500 mm
suitable for dishes up to (l)	20	30	80	120
dimensions (mm)	ø100x666	ø100x716	ø100x816	ø100x916
shaft length (mm)	250	300	400	500
speed (rpm)	4 000 up to 16 000	4 000 up to 16 000	4 000 up to 16 000	4 000 up to 16 000
power/voltage (W/V)	350/230	350/230	500/230	500/230

STICK BLENDER KITCHEN LINE 160 WITH ADJUSTABLE SPEED

- For professional use in ice-cream shops, restaurants, hotel kitchens for preparing ice cream mixes, vegetable soups, purees, sauces, stuffing, mayonnaise, tomato paste, pesto, etc.
- Ventilated motor.
- Housing with ergonomic handle made of durable plastic material.
- Stainless steel shaft and blade: length 160 mm, Ø 25 mm.
- Speed: Approx. 4,000 - 20,000 RPM.
- Net weight, including shaft: approx. 1,61 kg.

code	V	W	mm
222140	230	270	140x76x(H)503

WHISK ATTACHMENT FOR STICK BLENDER 222140

- Consists of two stainless steel whisks.
- Safe and easy attachment to the driving unit.

code	mm
222164	(L)185

222140



160 mm

222164



185 mm



**SET: STICK BLENDER 350
WITH VARIABLE SPEED + WHISK +
WALL-MOUNTED RACK**

- Up to 80 L capacity.
- The set includes: blending shaft with 400 mm length, a whisking shaft with 250 mm length – made of 18/8 stainless steel, and a wall-mounted rack.
- Different shafts can be purchased separately: 222232, 222225, 222256, 222263.

code	V	W	mm
222393	230	350	110x324x(H)816

222393





05

Vacuum packing

Preserve freshness
- discover flavour





TRAY SEALERS

- Lid with spring mechanism for lighter, controlled opening.
- Automatic guillotine with a safety blade cuts the film in a dedicated strip just behind the sealed container (air-cut technology).
- Sealing surface with titanium coating prevents film sticking and supports fast sealing (approx. 1-3 seconds depending on film).
- Pressure absorber ensures tight sealing and prevents packages deformation.

- Anti-slip feet.
- Ball bearings on all moving parts (lid, clamping arm, pressing system) reduce friction for smooth operation.
- Sealing temperature adjustable from 50°C to 210°C.
- Colour-coded LED indicators for performance monitoring.
- Integrated overheat protection, overheat lock, and illuminated safety switch.
- Warm-up time approx. 8-10 minutes.



TRAY SEALER SUPREME

Be Safe Protection

- Overheating protection
- Retractable cutter
- Non-conductive hold-down arm
- Non-slip table stabilisers
- Swing guides with stops
- Overload fuse
- Illuminated switch
- Visible HOT marking

Powerful Heater

Powerful heaters reduce heating time. It only takes 8-10 minutes (depending on the set temperature). Uniform temperature across the entire sealing surface. Thermal insulation reduces heat loss.

Cutting off the Film

with an automatically retractable cutter with 133 sharp teeth. Great choice for thick films. Film is cut just behind the sealed container in a special strip based on AIR-CUT technology

Auto Lift

A system of stays for easier lifting of the heating plate. Increases efficiency.

Robust Design

The frame is made of acid-resistant steel with a thickness of over 2 mm. Solid and robust design.

Non-Stick Titanium Sealing Surface

Prevents all types of film from sticking to the surface. Quick sealing, takes 1-3 seconds (depending on film thickness).


Pressure Absorber

Easy adjustment of the force of pressure of the edge of the packaging to the heating plate. Prevents packaging from breaking. Eliminates micro-gaps and leaks.



976722

Includes a FREE 805572 die for single-compartment trays 227x178 mm!



- Housing made of stainless steel 18/8.
- Insulated handle made of durable, damage-resistant plastic.
- Handle with lever system.
- Film feeder with stretcher prevents film curling.
- Suitable for trays up to 235x190x(H)155 mm and cups up to (H)170 mm.

- Includes PE matrix for 227x178 mm containers, without divider.
- Suitable for film rolls up to 187 mm width (film sold separately, code: 970720).
- Detachable power cord (1.5 m, grounded).

code	V	W	mm
976722	230	700	247x637x(H)258

TRAY SEALER DUAL

NEW



Auto Lift

A system of stays for easier lifting of the heating plate. Increases efficiency.

Robust Design

The frame is made of acid-resistant steel with a thickness of over 2 mm. Solid and robust design.

Non-Stick Titanium Sealing Surface

Prevents all types of film from sticking to the surface. Quick sealing, takes 1-3 seconds (depending on film thickness).

Powerful Heater

Powerful heaters reduce heating time. It only takes 8-10 minutes (depending on the set temperature). Uniform temperature across the entire sealing surface. Thermal insulation reduces heat loss.

Film cutting

Just behind and between the sealed containers in special strips based on AIR-CUT technology.

Pressure Absorber

Easy adjustment of the force of pressure of the edge of the packaging to the heating plate. Prevents packaging from breaking. Eliminates micro-gaps and leaks.



297315

Holes in the housing facilitate removing the tray after sealing

Includes a FREE 805572 x2 die for single-compartment trays 227x178 mm!

Be Safe Protection

- Overheating protection
- Retractable cutter
- Non-conductive hold-down arm
- Non-slip table stabilisers
- Swing guides with stops
- Overload fuse
- Illuminated switch
- Visible HOT marking

- Housing made of stainless steel 18/8 with reinforced body frame.
- Handle made of aluminum.
- Handle with lever system.
- Dual heating zones allow two trays to be sealed at once.
- Side openings allow easy removal of sealed trays.
- Integrated blade cuts the film cleanly between sealed trays.

- Suitable for trays up to 235x190x(H)155 mm and cups up to (H)115 mm.
- Includes 2x PE matrix for 227x178 mm containers, without divider.
- Suitable for film rolls up to 420 mm width (film sold separately, code: 973233).

code	V	W	mm
297315	230	1400	653x487x(H)190





Be Safe Protection

- Overheating protection
- Retractable cutter
- Non-conductive hold-down arm
- Non-slip table stabilisers
- Swing guides with stops
- Overload fuse
- Illuminated switch
- Visible HOT marking

Auto Lift

A system of stays for easier lifting of the heating plate. Increases efficiency.

Robust Design

The frame is made of acid-resistant steel with a thickness of over 2 mm. Solid and robust design.

Non-Stick Titanium Sealing Surface

Prevents all types of film from sticking to the surface. Quick sealing, takes 1-3 seconds (depending on film thickness).

Powerful Heater

Powerful heaters reduce heating time. It only takes 8-10 minutes (depending on the set temperature). Uniform temperature across the entire sealing surface. Thermal insulation reduces heat loss.

Pressure Absorber

Easy adjustment of the force of pressure of the edge of the packaging to the heating plate. Prevents packaging from breaking. Eliminates micro-gaps and leaks.

Film cutting

Just behind and between the sealed containers in special strips based on AIR-CUT technology.



330005

Holes in the housing facilitate removing the tray after sealing

Includes a FREE 805572 die for single-compartment trays 227x178 mm!

Maintenance/Safe Zone

Frame base insulated from high temperature and electrical voltage. High quality materials and seamless design for quick cleaning of the bottom part of the body, without having to turn off the device.

Hot Point Temperature Controller

Temperature controller with a range of 50-210°C. For precise adjustment of bond strength for a wide range of packaging and sealing films.

Roller Truck Film Feeder with Tensioner

Versatile device for different roller widths - max. 187 mm. JUMBO rolls up to 170 mm in diameter. The tensioner ensures even positioning of the film, prevents unwinding and excessive feeding.





18/10
stainless steel

TRAY SEALER COMPACT

- Housing made of stainless steel 18/8.
- Handle made of aluminum.
- Single heating zone for sealing one tray at a time.
- Suitable for trays up to 235x190x(H)155 mm and cups up to (H)115 mm.

- Includes PE matrix for 227x178 mm containers, without divider.
- Suitable for film rolls up to 187 mm width (film sold separately, code: 970720).

code	V	W	mm
330005	230	700	582x285x(H)185



TRAY SEALER MATRIX

- Made of polished aluminium.
- Black silicone seal.

code		
805572		container 227x178 mm
805589		2x container 178x113 mm
805596		two-sectioned container 227x178 mm
805619		soup container ø165 mm
805626		three-section container 227x178 mm

code		
805633		2x soup container ø115 mm
805640		two-sectioned colt container 227x178 mm
805657		2 containers (1x 178x113 mm, 1x ø115 mm)
805664		container 187x137 mm

SEALER FILM PET/PE PEEL 12/40

- Designed for packaging PET 12 / PE 40 food trays.
- PEEL layer for easy peeling off the sealed film.
- Film dimensions: width: 18.5 cm (970720), 42 cm (973233); length: 250 m.
- Roll diameter: ø15 cm.
- Not suitable for ovens.
- Not suitable for microwaves.

code	mm
970720	185
973233	420

N




970720



STRIP VACUUM PACKAGING MACHINE

- For packaging of food and non-food products, excluding liquids.
- Made entirely of durable ABS plastic.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- 2 bag sealing times.
- Vibration pump.
- Pump capacity: 5,5 L/min.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

code	seal strip (mm)	V	W	mm
975350	310	230	100	390x160x(H)92




975350

STRIP VACUUM PACKAGING MACHINE WITH ROLL FEEDER

- For packaging of food and non-food products, excluding liquids.
- Made entirely of durable ABS plastic.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- 2 bag sealing times and 2 levels of air suction power.
- Bag holder in the housing.
- Vibration pump.
- Pump capacity: 6.5 l/min.
- Not dedicated for continuous operation.
- Suitable for bags up to 310mm wide.
- To be used with embossed bags.

code	seal strip (mm)	V	W	mm
201626	310	230	100	385x205x(H)95



201626



975374

VACUUM PACKAGING MACHINE KITCHEN LINE

- For packaging of food and non-food products, excluding liquids.
- Can be used with bag rolls attachment 970638.
- Stainless steel housing.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- Countdown timer adjustment function: 0-6 s
- With marinate function.
- With pulse vacuum generation mode.
- Quick start buttons for vacuum and sealing on the handle.
- Automatic switch off after 10 minutes of idleness.
- Vibration pump.
- Pump capacity: 16 l/min.
- Net weight: 5 kg.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

code	seal strip (mm)	V	W	mm
975374	420	230	550	570x263x(H)150



970638

BAG ROLLS ATTACHMENT

- Base made of ABS.
- Equipped with a removable knife for cutting bags to the required length.
- Internal dimensions: 412x101x(H)101 mm.
- Suitable for bag rolls up to Ø100x400 mm.
- Transparent cover for easy control of the roll.
- Compatible with the HENDI vacuum packaging machine 975374 or suitable for standalone use with other vacuum packaging machines.

code	mm
970638	487x122x(H)107

STRIP VACUUM PACKAGING MACHINE PROFI LINE

- For packaging of food and non-food products, excluding liquids.
- Housing made of 18/8 stainless steel.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- Pressure gauge with a timer allows you to accurately determine when the required vacuum level is reached in the embossed bag.
- 9 vacuum levels, depending on bag size (no adjustment of vacuum time).
- Bag sealing time countdown.
- Vibration pump.
- Pump capacity: 20 l/min
- Net weight: 8 kg
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

code	seal strip (mm)	V	W	mm
970362	350	230	250	383x293x(H)175



970362



**NEW****VACUUM COOKING BAGS**

number of layers	2
inner layer	50 µm made of polyethylene
outer layer	15 µm made of polyamide (nylon)
total thickness	65 µm
temperature range	-20° up to +100°C
suitable for	vacuum chamber packaging machine



COOKING



STORAGE



code	packed per	mm
550885	100	200x300
550892	100	250x350
550922	100	300x400
550854	100	150x250
550847	100	150x200

NEW**VACUUM BAGS, BIODEGRADABLE**

number of layers	2
inner layer	52 µm made of polylactide (bioplastic)
outer layer	23 µm made of cellophane
total thickness	75 µm
temperature range	-20° up to +90°C
suitable for	vacuum chamber and strip packaging machine



STORAGE



code	packed per	mm
550953	100	200x300
550991	100	300x400
550946	100	150x250
550939	100	150x200
550984	100	250x350

NEW**VACUUM SEAL BAGS, EMBOSSED**

number of layers	2
inner layer	50 µm made of polyethylene
outer layer	15 µm made of polyamide (nylon)
total thickness	65 µm
temperature range	-20° up to +100°C
suitable for	vacuum chamber and strip packaging machine



COOKING



STORAGE



code	packed per	mm
550731	100	150x250
550748	100	150x400
550755	100	200x300
550786	100	250x350
550793	100	300x400
550823	Set of 2 rolls.	6000x200
550830	Set of 2 rolls.	6000x280



COOKING



STORAGE

**EMBOSSED VACUUM BAGS**

number of layers	2
inner layer	60 µm made of polyethylene
outer layer	15 µm made of polyamide (nylon)
total thickness	75 µm
temperature range	-20° up to +100°C
suitable for	vacuum chamber and strip packaging machine

code	packed per	mm
971048	100	150x400
971017	100	150x250
971024	100	200x300
971055	100	250x350
971031	100	300x400

SOUS-VIDE COOKING BAGS FOR VACUUM PACKING MACHINES

number of layers	2
inner layer	60 µm made of polyethylene
outer layer	15 µm made of polyamide (nylon)
total thickness	75 µm
temperature range	-20 ° up to +110 °C
suitable for	vacuum chamber and strip packaging machine



COOKING



STORAGE



code	packed per	mm
970676	100	200x150
970652	100	250x150
970683	100	300x200
970669	100	350x250
970690	100	400x300
971062	Set of 2 rolls.	6000x200
971079	Set of 2 rolls.	6000x280

EMBOSSED VACUUM SEAL BAGS

number of layers	2
inner layer	60 µm made of polyethylene
outer layer	15 µm made of polyamide (nylon)
total thickness	75 µm
temperature range	-20 ° up to +40 °C
suitable for	vacuum chamber and strip packaging machine



STORAGE



code	packed per	mm
297414	100	150x250
297421	100	150x400
297438	100	200x300
297445	100	250x350
297452	100	300x400
297469	Set of 2 rolls.	6000x200
297476	Set of 2 rolls.	6000x300

VACUUM PACKING BAGS, FOR CHAMBER VACUUM PACKING MACHINES

number of layers	2
inner layer	made of polyethylene
outer layer	made of polyamide (nylon)
total thickness	65 µm
temperature range	-20 ° up to +40 °C
suitable for	vacuum chamber packaging machine



STORAGE



code	packed per	mm
970607	100	200x140
970386	100	230x160
970614	100	300x200
970393	100	350x250
970621	100	400x300





VACUUM CHAMBER PACKAGING MACHINE

- Casing is made of stainless steel.
- Chamber is made of Aluminum alloy 5052.
- Transparent lid made of ABS.
- Convex lid makes it possible to pack large portions.
- Bag sealing time: 0-6 s.
- 6 vacuum levels to choose from.
- Sealing only function.
- Marinating function: 11 cycles of extracting and releasing air (9 minutes each), allowing marinade to penetrate faster under negative pressure and speed up the process.
- The packing cycle starts automatically when the upper lid is closed.
- Professional and highly efficient rotary pump.
- Intended for continuous operation.

VACUUM CHAMBER PACKAGING MACHINE

- Casing and chamber made of 18/8 stainless steel.
- For packing food and technical products, including those with a high water content.
- Transparent lid made of durable high-quality ABS plastic.
- Convex lid and concave bottom.
- V-shaped gasket with a low leak rate.
- Clear indicators (digital display and dial gauge).
- Adjustable pump operation time makes it possible to obtain an appropriate vacuum level in 0-99 s.
- Adjustable sealing time within the range of 0-3.5 s.
- Adjustable pump cooling level within the range of 0-9.9 s.
- The packing cycle starts automatically when the upper lid is closed.
- Includes oil pump.
- Can be used with smooth and embossed bags.

code	975398	975251	975268	975275
dimensions	360x490x(H)365 mm	330x480x(H)360 mm	380x503x(H)444 mm	450x555x(H)480 mm
chamber dimensions	350x300x(H)110 mm	280x385x(H)130 mm	320x370x(H)185 mm	370x450x(H)220 mm
seal strip	295 mm	260 mm	300 mm	350 mm
pump performance	77 l/min	167 l/min	133 l/min	333 l/min
power/voltage	630 W/230 V	370 W/230 V	370 W/230 V	750 W/230 V
weight	22,3 kg	36 kg	38 kg	62 kg



Watch the video



201442

VACUUM PACKAGING MACHINES

- Casing made of stainless steel.
- Chamber made of aluminium alloy 5052.
- Dark transparent PMMA lid.
- Convex lid and concave bottom accommodate larger portions.
- Low-leak gasket ensures reliable sealing.
- Clear digital display and dial gauge for precise vacuum control.
- Adjustable vacuum time: 5-90 s.
- Adjustable sealing time: 0.5-6 s.
- 260 mm seal strip.
- Marinating function with programmable cycles (9-99 min).
- Can program up to 11 cycles of vacuum and air injection into the bag.
- Automatic cycle starts when lid is closed.
- Oil pump for quick vacuum performance.
- Compatible with smooth and embossed bags.

code	201435	201442
dimensions	367x425x(H)364 mm	510x625x(H)455 mm
chamber dim.	300x350x(H)80 mm	425x457x(H)100 mm
seal strip	300 mm	410 mm
pump performance	8 m ³ /h - 133,3 l/min	20 m ³ /h - 333,3 l/min
power/voltage	950 W/230 V	1100 W/230 V
weight	25,2 kg	59 kg



NEW

VACUUM SEAL BAGS, EMBOSSED

- 2-ply vacuum seal bags.
- Inner layer made of 50 µm food contact approved polyethylene.
- Outer layer made of 15 µm polyamide (nylon).
- Total thickness: 65 µm.
- Embossed pattern.
- Temperature resistant from -20°C to 100°C.
- Suitable for chamber and external vacuum packing machines.

code	packed per	mm
550731	100	150x250
550748	100	150x400
550755	100	200x300
550786	100	250x350
550793	100	300x400

VACUUM BAGS, BIODEGRADABLE

- Made from biodegradable materials.
- Thickness: 75 microns.
- For storage purposes only.
- 100 bags per pack.

code	packed per	mm
550953	100	200x300
550991	100	300x400
550946	100	150x250
550939	100	150x200
550984	100	250x350



936801

TAPE FOR TOP SEALBAR, NON-STICK

- 65mm wide, 1 meter long.
- For HENDI Vacuum machines.

code
936801

06

Thermal processing

Heat that inspires





GAS COOKER 4-BURNER WITH CONVECTION OVEN GN 1/1






- Made from stainless steel.
- Fitted with 4 burners:
 - 2 burners of 6.0 kW
 - 2 burners of 3.5 kW
- Burners are fitted with thermocouple.
- Suitable for pans from ø 120 up to 300 mm.
- Pan supports and burners made from cast iron.
- Height adjustable legs fitted with non-slip feet.
- Suitable for natural gas, conversion set for LPG included.

- Note: No pilot light or ignition, needs to be lit with matches or lighter.

Oven specifications

- 3000 W electric convection oven.
- Temperature can be set up to 270 °C.
- Oven is fitted with 120 minute timer.
- Chamber made from stainless steel, measures 640x370x(h)350 mm.
- Fits GN 1/1 trays and grids, comes with 1 grid.
- 4 tray supports, spaced 75 mm apart.



code	227381	227589	225882
dimensions	800x700x(H)310 mm	800x700x(H)900 mm	800x722x(H)900 mm
oven dimensions	-	-	640x370x(H)350 mm
burner power	2x 3,5 kW + 2x 6 kW	2x 3,5 kW + 2x 6 kW	2x 3,5 kW + 2x 6 kW
type of oven	-	-	convection, electric
oven power	-	-	3000 W
gas power	19 kW [HS]	19 kW [HS]	19 kW [HS]
voltage	-	-	230 V
weight	35 kg	72 kg	82 kg

GAS COOKER KITCHEN LINE 6-BURNER WITH CONVECTION OVEN GN 1/1



- Made from stainless steel.
- Fitted with 6 burners:
 - 3 burners of 6.0 kW
 - 3 burners of 3.5 kW
- Burners are fitted with thermocouple.
- Suitable for pans from ø 120 up to 300 mm.
- Pan supports and burners made from cast iron.
- Height adjustable legs fitted with non-slip feet.
- Suitable for natural gas, conversion set for LPG included.

- Note: No pilot light or ignition, needs to be lit with matches or lighter.

Oven specifications


- 3000 W Electric convection oven.
- Temperature can be set up to 270 °C.
- Oven is fitted with 120 minute timer.
- Chamber made from stainless steel, measures 640x370x(h)350 mm.
- Fits GN 1/1 trays and grids, comes with 1 grids.
- 4 tray supports, spaced 75 mm apart.



code	226094	225899
dimensions	1200x700x(H)900 mm	1200x722x(H)900 mm
oven dimensions	-	640x370x(H)350 mm
burner power	3x3,5 kW + 3x6 kW	3x3,5 kW + 3x6 kW
type of oven	-	convection, electric
oven power	-	3000 W
gas power	28.5 kW [HS]	28.5 kW [HS]
voltage	-	230 V
weight	95 kg	105 kg



225707



GAS COOKER - 5 BURNERS WITH ELECTRIC OVEN

- Made from stainless steel.
- Fitted with 5 burners:
 - 3 burners of 3.0 kW.
 - 1 small burner of 1.8 kW.
 - 1 wok burner of 3.5 kW.
- Burners are fitted with thermocouple and piezo ignition.
- 3-part cast iron pan support.
- Suitable for natural gas.
- Extra LPG nozzle kit as default equipment


Oven specifications:

- Chamber made from stainless steel.
- 2700 W electric convection oven with 2500 W grill.
- Temperature resistance: up to 250°C.
- Oven is fitted with 120 minute timer.
- Fits GN 1/1 trays and grids, comes with 2 grids.
- With 4 tray supports.

code	V	W	kW(HS)	mm
225707	230	2900	14.3	900x653x(H)900



225806



GAS COOKER - 5 BURNERS, OPEN FRAME

- Made from stainless steel.
- Open frame offers lots of storage space.
- Fitted with 5 burners:
 - 3 burners of 3.0 kW.
 - 1 small burner of 1.8 kW.
 - 1 wok burner of 3.5 kW.
- Burners are fitted with thermocouple and piezo ignition.
- 3-part cast iron pan support.
- Suitable for natural gas.
- Extra LPG nozzle kit as default equipment.

code	kW(HS)	mm
225806	14.3	900x640x(H)910

839997



PAN SUPPORT ADAPTER

- For placing small pans on large pan supports.

code	mm
839997	255x255x(H)25


NEW



240069



237687



NEW

S.S.
stainless steel


indoor



240076



237397



INDUCTION STOVES

- Housing made of stainless steel, reinforced with a frame.
- Matt tempered glass induction surface.
- Adjustable feet: ≈30mm.
- Suitable for pots and pans with a base diameter of up to 260 mm.
- Features a grease filter that is easy to remove and clean.
- Units are not supplied with a plug.
- Caution: the units have to be connected to the power supply by an electrician.

INDUCTION STOVE, 4 HOBBS

- 4 independent control knobs each one with 11 power levels.
- Maximum permitted load on the cooktop: 100 kg.
- 2x3.5 kW hobs.
- 2x5 kW hobs.

code	V	W	mm
237687	400	17000	800x720x(H)854
240069	400	17000	800x700x(H)311

N

INDUCTION STOVE, 6 HOBBS

- 6 independent control knobs each one with 11 power levels.
- Maximum permitted load on the cooktop: 150 kg.
- 3x3.5 kW hobs.
- 3x5 kW hobs.

code	V	W	mm
237397	400	25500	1200x700x(H)890
240076	400	25500	1200x700x(H)311

N






147108



147801



147276

HOKKER PROFI LINE

- For propane and butane gas.
- Very robust stainless steel frame to carry heavy loads.
- Fitted with thermocouple and electronic ignition.
- Fitted with cast iron pan carrier.
- Gas hose and pressure regulator included.
- Can be expanded with hokker base (147306), wok ring (147207) and wok (626504).

code	kW[HS]	mm
147108	6.7	425x425x(H)400

HOKKER KITCHEN LINE

- Model Kitchen Line - for propane and butane gas.
- Including converter set also suitable for natural gas.
- Fully stainless steel frame.
- Fitted with thermocouple and electronic ignition.
- Fitted with enamelled pan support.
- Gas hose and pressure regulator included.

code	kW[HS]	mm
147801	6	463x480x(H)426

HOKKER KITCHEN LINE XL

- XL model - for propane and butane gas.
- Converter set included to make it also suitable for natural gas.
- Fitted with an extra large enamelled pan support.
- Frame completely out of stainless steel.
- Fitted with thermocouple and electronic ignition.
- Gas hose and pressure regulator included.

code	kW[HS]	mm
147276	10.8	580x650x(H)400

626504



147207

147108

147306



WOK

- With handles, sheet steel 1.5 mm thick.
- Especially suitable for stainless steel wok holder 149546 with Green Fire barbecues, and in combination with stainless steel ring 147207 and Hokker 147108.

code	mm
626504	ø710x(H)220

RING FOR HOKKER

- To adapt Hokker 147108 to use with wok 626504.

code	mm
147207	ø360x(H)80

HOKKER STAND

- Made of 18/0 stainless steel.
- Designed exclusively for the HENDI Hokker Big Flame (code: 147108).
- Integrated lower shelf.


code	mm
147306	425x425x(H)400

NEW

18/0
stainless steel



18/8
stainless steel



237670



S.S.
stainless steel



220207

INDUCTION HOKKER HIGH POWER

- Designed for use with woks or extra large induction pots.
- Made of durable stainless steel, reinforced with frame.
- Induction cooktop with 340x340 mm dimensions, made of 5 mm thick tempered glass.
- Convenient control knob, 11 power levels to choose from.
- Safe and comfortable working thanks to heat generation only on contact between the hob and the pot or pan.
- Suitable for induction pots and pans with base diameter of ø160 - 300 mm.
- Maximum allowable load for cooktop: 40 kg.
- Adjustable feet (≈30mm) for perfect leveling of the cooker.
- Unit is not supplied with a plug.
- Caution: the unit has to be connected to the power supply by an electrician.

code	V	W	mm
237670	400	5000	422x400x(H)366

GAS GRILL HOB, SMOOTH, ON A CABINET ENCLOSED ON 3 SIDES

- Hob made of S355J2 smooth steel.
- Base made of 18/0 stainless steel.
- 2 heating zones, controlled separately, each with 3 tubular multiramp burners made of stainless steel.
- Gas power of 1 heating zone: 5 kW.
- Temperature controlled by a thermocouple with safety valve that cuts off gas supply to the burners in case the flame goes out.
- Electric igniter - connection to 230 V supply required.
- The hob is slightly inclined frontwards.
- Includes an opening and a slidable drawer.
- 380 mm high.
- Device fitted as standard with NG50 (G30) gas nozzles.
- Included: Nozzles for cylinder LPG.
- Gas connection in the rear left part, at approx. 550 mm.
- Steel feet adjustable: 100 to 165 mm.

code	kW(HS)	mm
220207	10	800x700x(H)900

PRESSURE REGULATOR 50 MBAR

- For HENDI gas barbecues & Hokers.

code
152157



GAS HOSE ASSEMBLY HOKKERS

- For HENDI Hokers 147108 147801 147276.

code
147139



147139

GAS LIGHTER - SET OF 2 PCS.

- Refillable.
- Supplied empty.

code	packed per	mm
198124	2	(L)230



198124



RISE AND FALL HEAT LAMPS

- Flexible, adjustable cord length from 70 to 150 cm.
- The amount of heat transferred varies with the cord length.
- On/off switch located on top of the lamp.
- Includes a white shatterproof light bulb.
- Available in a range of colours.



273661

273685

273678

273708

273692

273715



273609

273623

273616

273647

273630

273654

NEW**RISE AND FALL HEAT LAMP, BELL-SHAPED**

- Bell-shaped lampshade for wider heat transfer.
- Ideal for multiple dishes or buffet settings.

code	colour	V	W	mm
273692	Green	230	250	ø295x(H)207
273685	Copper	230	250	ø295x(H)207
273708	Beige	230	250	ø295x(H)207
273678	Black	230	250	ø295x(H)207
273715	White	230	250	ø295x(H)207
273661	Silver	230	250	ø295x(H)207

NEW**RISE AND FALL HEAT LAMP, DOME-SHAPED**

- Dome-shaped lampshade for wider heat transfer.
- Ideal for multiple dishes or buffet settings.

code	colour	V	W	mm
273609	Silver	230	250	ø250x(H)207
273630	Green	230	250	ø250x(H)207
273616	Black	230	250	ø250x(H)207
273647	Beige	230	250	ø250x(H)207
273623	Copper	230	250	ø250x(H)207
273654	White	230	250	ø250x(H)207



RISE AND FALL HEAT LAMP, CONICAL

- Conical shape for precise heat transfer.
- Ideal for single plates or pass-through stations.

code	colour	V	W	mm
273845	Black	230	250	ø275x(H)250
273869	Silver	230	250	ø275x(H)250
273920	Green	230	250	ø275x(H)250
273937	White	230	250	ø275x(H)250
273777	Beige	230	250	ø275x(H)250
273876	Copper	230	250	ø275x(H)250

RISE AND FALL HEAT LAMP, CYLINDRICAL

- Cylindrical lampshade shape for precise heat transfer.
- Ideal for single plates or pass-through stations.

code	colour	V	W	mm
273883	Silver	230	250	ø175x(H)250
273852	Black	230	250	ø175x(H)250
273791	Green	230	250	ø175x(H)250
273821	White	230	250	ø175x(H)250
273784	Beige	230	250	ø175x(H)250
273890	Copper	230	250	ø175x(H)250



FLEXIBLE HEAT LAMP

- Made of iron.
- With anti-rust coating.
- Lampshade fitted on a flexible arm.
- Infrared shatterproof lightbulb included - suitable for keeping food warm.
- Fits E27 bulbs.

code	colour	V	W	mm
273838	Black	230	250	268x200x(H)660
273739	Beige	230	250	268x203x(H)660
273746	Green	230	250	268x203x(H)660
273753	Copper	230	250	268x203x(H)660



FOOD WARMER, INFRARED

- Designed to keep food warm between preparation and serving.
- Double heat lamp design.
- Adjustable height: 590-790 mm.
- Shatterproof infrared lightbulbs included.
- Stable freestanding construction.

code	colour	V	W	mm
273906	Silver	230	500	453x360x(H)790
273913	Black	230	500	453x360x(H)790
273722	Copper	230	500	453x360x(H)790

N



919217

919200

INFRARED HEAT BULB

- Infrared replacement bulb for heat lamps.
- Designed for keeping food warm during service.
- Shatterproof, with normal fitting (E27).
- Suitable for use with all HENDI heat lamps.

code	colour	V	W	mm
919200	White	230	250	ø125x(H)170
919217	Red	230	250	ø125x(H)170



WARMING BRIDGE

- Housing made of stainless steel.
- Equipped with halogen infrared heating lamps.
- Separate control for each heating lamp.
- Designed for continuous operation during busy service periods.
- Compact countertop design.
- Detachable construction.
- Suitable for plated meals, fried foods, snacks, sandwiches, and other ready-to-serve foods.
- Suitable for restaurants, fast food outlets, catering operations, hotel buffets, and open kitchen concepts.

code	V	W	mm
273579	230	1000	800x400x(H)400
273586	230	1000	1000x400x(H)400
273593	230	1000	1200x400x(H)400

NEW



273579



273586



273593

INFRARED LAMP, HALOGEN

- Provides fast infrared heat.
- Replacement halogen light tube for warming bridges [codes 273579, 273586 and 273593].

code	V	W	mm
273562	230	500	ø10x(H)118

273562



221761

221792



20

functions

- cooking
- sautéing
- caramelisation
- grinding
- crushing
- grating
- emulsification
- slicing
- stirring
- sous vide
- kneading
- mixing
- folding
- whipping
- shredding
- blending
- steam cooking
- melting
- chopping
- weighing

MULTI-PURPOSE FOOD PROCESSOR HENDICHEF

- Motor housing made of ABS, vibration-absorbing.
- Bowl made of stainless steel.
- Bowl capacity: 4.5 L (3 L usable capacity).
- High-power heating element made of high-quality acid-resistant stainless steel.
- Adjustable temperature control from 37°C to 130°C.
- Built-in timer: 0-90 min.
- 12 stirrer speed settings.
- Bowl is dishwasher safe.
- The lids feature a start sensor allows control over the process without opening it.
- 4-blade knives made of hardened stainless steel in a 3D arrangement.
- SLIDE LOCK technology prevents uncontrolled movement on the countertop.
- Integrated scale (quartz) from 5 g to 5 kg with tare function.
- 142 preloaded recipes.

code	colour	V	W	mm
221761	White	230	1400	210x380x(H)320
221792	Black	230	1400	210x380x(H)320
517123	HENDICHEF Bowl and accessories set			

NEW


Accessories	221761	221792
4.5-liter multi-cooker	YES	YES
4-blade knives	YES	YES
Covers HOT & COLD COVER	YES	YES
Food stirrer for boiled dishes	YES	YES
Whisk	YES	YES
Steaming basket	YES	YES
Silicone spatula	YES	YES
Measuring cup	YES	YES
3-piece steaming set	YES	NO
2-function chopping disc	YES	NO
Transparent slicing lid	YES	NO

3-piece steaming set; includes:

- 4.5 litre non-stick polymer steaming tray, mounted on the pot - for fast steam cooking
- Steam topping unit to double the working area
- Cover to reduce excess steam so that the food keeps its full aroma and crunchiness



Transparent cover with a start sensor allows control over the process without opening it



2 types of covers: HOT COVER for hot food processing and COLD COVER for cold food processing



Food stirrer for boiled dishes



4-blade knives made of hardened stainless steel of AISI 420 class in a 3D arrangement



2-function chopping disk - with 13 teeth; slicing option



4.5-litre multifunctional pot (working capacity 3 l) with a high-power heating element made of high-quality acid-resistant stainless steel (AISI 304 technology)



TUYA app



Silicone spatula resistant to abrasion and temperature



Measuring cup for precise dosing



Integrated scale (quartz) from 5 g to 5 kg with tare function

Motor housing - made of vibration-absorbing material; SLIDE LOCK technology prevents uncontrolled movement on the countertop (housing material - ABS)

Colour display of functions and parameters: TFT





INDUCTION COOKERS BLACK KITCHEN LINE

- Very clean design suitable for live cooking.
- Very flat housing with black coated stainless steel frame.
- Surface of ceramic glass with integrated digital display.



239391



239421

INDUCTION COOKER 2000W

- Touch-sensitive controls, power adjustable in 9 steps.
- Temperature range: 60-240°C.
- Suitable for pans with bottom diameter between 120 and 220 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.

code	V	W	mm
239391	230	2000	297x411x(H)57

INDUCTION COOKER 3500W

- Touch-sensitive controls, power or temperature adjustable in 10 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 20 kg.

code	V	W	mm
239421	230	3500	339x444x(H)80



Sturdy stainless steel frame

High quality ventilation

Touch-sensitive controls



 min Ø120 mm 3500 W
max Ø220 mm 230 V

239414



fits GN (max GN 1/2) 800 W
230 V

239384

DOUBLE INDUCTION COOKER

- Touch-sensitive controls, power adjustable in 8 steps.
- With boost mode which temporarily shifts some power from right hob to the left hob, providing up to 2000W.
- The left side hob can output 1800W, or 2000W while the boost function is active.
- The right side hob can output 1700W.
- Temperature range: 60-240°C.
- Suitable for pans with bottom diameter between 120 and 220 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 2x15 kg.

code	V	W	mm
239414	230	3500	608x405x(H)54

INDUCTION HOT PLATE

- Unique induction hot plate with a round induction coil which keeps pans warm.
- Power adjustable in 11 steps by means of a knob.
- Temperature range: 40-100°C.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.



code	V	W	mm
239384	230	800	460x315x(H)61





min ø140 mm 3500 W
max ø280 mm 230 V

239711

INDUCTION COOKER 3500 D

- Housing made of stainless steel.
- Continuous low-power heating ensures even cooking and helps to eliminate the risk of burning.
- Digital power, temperature, and timer setting via touch-sensitive controls.
- With easily cleanable grease filter.
- Double fan system ensures efficient cooling, allowing safe use over extended periods.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- Height adjustable feet.
- Maximum load of the induction cooker: 20 kg.

code	V	W	mm
239711	230	3500	342x431x(H)116



min ø160 mm 3500 W
max ø300 mm 230 V

239698

INDUCTION COOKER 3500 D XL

- Housing made of stainless steel.
- Continuous low-power heating ensures even cooking and helps to eliminate the risk of burning.
- Digital power, temperature, and timer setting via touch-sensitive controls.
- With easily cleanable grease filter.
- Double fan system ensures efficient cooling, allowing safe use over extended periods.
- Suitable for pans with bottom diameter between 160 and 300 mm.
- Height adjustable feet.
- Maximum load of the induction cooker: 20 kg.

code	V	W	mm
239698	230	3500	390x490x(H)120



3500 W
230 V

239766

INDUCTION WOK MODEL 3500

- Stainless steel housing.
- With easily cleanable grease filter.
- Digital power setting.
- Settings immediately respond to high-low.
- Only suitable for use with wok pan 239773.
- Maximum load of the induction cooker: 20 kg.



239681

code	-	V	W	mm
239681	induction wok+wok pan	230	3500	340x450x(H)295
239766	induction unit	230	3500	340x450x(H)130



INDUCTION COOKER MODEL 5000 D

- Digital power, temperature and timer setting via touch-sensitive controls.
- Stainless steel housing.
- With easily cleanable grease filter and double ventilation.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- Height adjustable feet.
- Works on 380 V, supplied without plug, an electrician is required for the installation.
- Maximum load of the induction cooker: 30 kg.

code	V	W	mm
239322	400	5000	398x525x(H)175



INDUCTION COOKER MODEL 7000

- Stainless steel housing with two hobs.
- Front hob has a maximum power of 5000 W, when the front hob operates at 5000 W the rear hob can only generate 2000 W.
- Rear hob has a maximum power of 3500 W only while the front hob doesn't exceed 3500 W.
- Electronic protection against overheating.
- With adjustable metal feet and removable air filter.
- Works on 380 V, supplied without plug, an electrician is required for the installation.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- Maximum load of the induction cooker: 20+20 kg.

code	V	W	mm
239346	400	7000	405x700x(H)145



WOK

- 3-ply material.
- With stainless steel handle with softgrip.
- With stainless steel lid.
- Specifically for use with 239766.

code	mm
239773	ø360x(H)180



INDUCTION COOKER MODEL 3500 M

- Steplessly adjustable power dial.
- Stainless steel housing.
- Maximum load of the induction cooker: 20 kg.
- Suitable for pans with bottom diameter between 120 and 260 mm.

code	V	W	mm
239780	230	3500	329x435x(H)106


 min ø160 mm
 max ø280 mm
 3500 W
 230 V



239957

INDUCTION COOKER 3500 D XL

- Housing made of iron.
- Stove top and control panel made of high-quality tempered glass.
- With LED display.
- Suitable for induction pots and pans with a bottom diameter of ø120-280 mm.
- Effective induction area: 280mm.
- Touch sensitive controls of the power, temperature and time.
- Temperature range: 60-240°C.
- 15-step power adjustment.
- Timer up to 180 minutes.
- Non-slip feet.
- Maximum allowable load: 30 kg.

code	V	W	mm
239957	230	3500	355x400x(H)100


 min ø120 mm
 max ø260 mm
 3500 W
 230 V



239889

SET: INDUCTION COOKER 3500W + SAUCEPAN + FRYING PAN

- Cooking surface made of matte black glass.
- Housing made of powder-coated steel.
- Power regulated with a knob.
- 31 power levels: from 500W to 3500W.
- Max. load: 20 kg.
- Cooker suitable for cookware with bottom with diameter: ø120-260 mm.
- Overheating protection.
- Included in the set:
 - frying pan with diameter ø28 cm, handle length 22 cm (838600),
- saucepan with diameter ø16 cm, 1,5 L capacity, handle length 17 cm (838105),
- both made of stainless steel, with a sandwich bottom which consists of 3 layers: stainless steel, aluminium, stainless steel.
- The pans are dishwasher safe, suitable for every heat source type and use in ovens in temperature up to 200°C.
- Waterproof rating: IPX3.



code	V	W	mm
239889	230	3500	320x395x(H)95

min ø120 mm
max ø260 mm
1800 W
230 V



239209

INDUCTION COOKER MODEL 1800

- ABS housing.
- Digital power, temperature and timer setting.
- Settings immediately respond to high-low.
- Maximum load of the induction cooker: 15 kg.
- Suitable for pans with bottom diameter between 120 and 260 mm.

code	V	W	mm
239209	230	1800	319x355x(H)67

ABS
plastic

min ø120 mm
max ø260 mm
2000 W
230 V



239230

INDUCTION COOKER MODEL 2000

- Very slim housing (32 mm) with stainless steel frame.
- Ceramic glass surface.
- Touch-sensitive control.
- Maximum load of the induction cooker: 15 kg.
- Suitable for pans with bottom diameter between 120 and 260 mm.

code	V	W	mm
239230	230	2000	295x400x(H)42

S.S.
stainless steel



240083

INDUCTION COOKER 3500 H XXL

- Housing made of stainless steel.
- Matte glass induction surface.
- Hybrid control system with touch panel and rotary knob.
- Touch panel for selecting temperature or power mode.
- Rotary knob for quick and precise adjustment of selected settings.
- Temperature range: 60°C to 240°C.
- Adjustable power range: 300-3500 W.
- 1 cooking zone.
- Effective induction area suitable for cookware up to Ø380 mm.
- Continuous low heating function.
- Integrated overheat protection.

code	V	W	mm
240083	230	3500	500x635x(H)125

NEW

S.S.
stainless steel

indoor





UNIQ

Buffet reinvented



design by
Robert Bronwasser





239551

BUILT-IN INDUCTION HEATER, 1000 W

- Heating surface made of black crystal glass.
- Housing made of plastic.
- 10-step power adjustment.
- Induction heater for countertop installation.
- Equipped with electronic overheating protection.
- Touch control panel with LED display.
- Maximum allowable load for the stove: 15 kg.
- Suitable for pots and pans with base diameter of 120-280 mm.

code	V	W	mm
239551	230	1000	350x397x(H)85



239186

MOUNTING FRAME FOR INDUCTION HEATER, 800W

- Suitable for induction heater 239193

code	mm
239186	ø270x(H)17



239193

INDUCTION HEATER 800W

- Heating surface made of black crystal glass.
- Housing made of plastic.
- 10-step power adjustment.
- Control panel suitable for countersunk installation.
- Equipped with electronic overheating protection.
- Touch control panel with LED display.
- Maximum allowable load: 15 kg.
- Suitable for pots and pans with base diameter of 120-200 mm.
- Suitable for use with chafing dishes equipped with a compatible adapter.
- Compatible with optional mounting ring (code: 239186) for countersunk installation.

code	V	W	mm
239193	230	800	ø245x(H)80



239384



INDUCTION HOT PLATE KITCHEN LINE

- Unique induction hot plate with a round induction coil which keeps pans warm.
- Power adjustable in 11 steps by means of a knob.
- Temperature range: 40-100°C.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.

code	V	W	mm
239384	230	800	460x315x(H)61



209509



HOT TRAY

- GN 1/1 - aluminium.
- On insulated base.
- Automatically heats itself to 95°C.
- Can be used in combination with Thermobox Kitchen Line GN 1/1 and bigger (707906, 707968, 707951, 707944)

code	V	W	mm
209509	230	190	530x325x(H)45





250167



250174

PLATE WARMER SINGLE

- Housing, shelves and heating elements made of stainless steel.
- For approx. 72 pcs. of ø24 cm dinner plates (40 pcs. of ø33 cm pizza plates).*
- With 3 removable, non-adjustable shelves: 340x340x(H)10 mm.
- Distance between shelves: 120 mm.
- Adjustable temperature from 30°C to 85°C.
- Door with magnetic seal.
- On/off switch with indication lights.
- Fitted with 4 wheels of which 2 have brakes.

* The numbers provided are general indications and may vary based on the size, height, and weight of the plates used.

code	V	W	mm
250167	230	400	393x571x(H)766

PLATE WARMER DOUBLE

- Housing, shelves and heating elements made of stainless steel.
- For approx. 108 pcs. of ø24 cm dinner plates (64 pcs. of pizza plates - ø33 cm).*
- With 3 removable, non-adjustable shelves: 680x340x(H)10 mm.
- Distance between shelves: 120 mm.
- Temperature adjustable from 30°C to 85°C.
- Equipped with a fan to ensure even temperatures throughout the chamber.
- Door with magnetic seal.
- On/off switch with indication lights.
- Fitted with 4 wheels of which 2 have brakes.

* The numbers provided are general indications and may vary based on the size, height, and weight of the plates used.

code	V	W	mm
250174	230	800	735x589x(H)766



Two quartz heaters.

Under-shelf lighting.



233962

QUARTZ HEATED COUNTERTOP DISPLAY

- Stainless steel housing, tempered glass sides, curved acrylic glass doors and mirror back panel.
- Two levels.
- Access via two curved glass doors at the front.
- The shelves fit up to 4 GN 1/2 containers (GN containers not included).
- Fitted with 2 quartz heating elements and an electric heating plate at the bottom.
- With mechanical temperature control.
- Light at the top of the chamber.
- Temperature range: 30°-90°C.

code	V	W	mm
233962	230	560	650x485x(H)630



233726



233733



HEATED COUNTERTOP DISPLAY

- Fitted with single glazing and curved front glass.
- Three levels.
- Two sliding doors at the back.
- Made of stainless steel.
- LED light at the top of the chamber.
- With 3 chrome-plated adjustable shelves.
- Temperature control knob and analogue thermometer.
- Temperature range: 30°-90°C.

code	-	V	W	mm
233726	120 Liter	230	1100	685x575x(H)680
233733	160 Liter	230	1500	885x570x(H)680



COUNTERTOP HEATING DISPLAY CABINETS

- Stainless steel housing.
- Tempered glass windows.
- Hinged glass doors located at the back of the unit - convenient access to the interior and easy cleaning.
- Removable crumb trays at the bottom of the chamber.
- Temperature adjustment capability up to 90°C.



273982



273999

HEATED COUNTERTOP DISPLAY

code	V	W	mm
273982	230	800	554x376x(H)311

HEATED COUNTERTOP DISPLAY TWO LEVELS

code	V	W	mm
273999	230	800	554x376x(H)376

Water container for humidification



Control panel

**HEATED COUNTERTOP CABINET**

- Fitted with door at the back and curved front glass.
- Lightbox with room for promotional graphics.
- Stainless steel housing.
- Internal lighting in the ceiling.
- With 3 chrome plated shelves, adjustable in height 400x335 mm.
- Water container for air humidification in the heating cabinet.
- Temperature controller and display.
- Temperature range: 30°C up to 90°C.

code	-	V	W	mm
233740	97 Liter	230	800	460x467x(H)785



233740



HEATED COUNTERTOP DISPLAY

- Body made of powder coated carbon steel.
- Doors made of tempered glass.
- 3 shelves with heating lamps on each level.
- Heated with halogen lights.
- Top layer - 2x75W lamps.
- Middle layer - 2x75W lamps.
- Bottom layer - 2x100W lamps.
- After switching on, the cabinet reaches approximately 50°C to 70°C after 20–30 minutes, depending on operating conditions.
- With anti-slip rubber feet.

code	V	W	mm
273760	230	500	472x447x(H)775



273760



OPEN MULTI-SHELF DISPLAY 75 L

- Housing made of stainless steels fitted with hardened safety glass.
- Chamber capacity: 75L.
- With LED lighting at the top with on/off switch.
- Fitted with 3 adjustable glass shelves
- 8 shelf settings available spaced 45 mm apart.
- Black-painted steel bottom of the case with glass covering: 390x325 mm.
- Bottom glass shelf: 365x250 mm.
- Middle glass shelf: 365x230 mm.
- Top glass shelf: 360x195 mm.
- Black-painted steel top of the display case: 393x325 mm.
- 5 mm thick side glass.
- Absence of front glass for self-service.
- Magnetic, right-hinged rear glass door, opens to one side only.
- Practical bottom recess of 260x320x(H)85 mm to store goods.
- 4 rubber, non-adjustable feet: 15 mm high.

code	V	W	mm
233092	230	2	415x390x(H)716



233092



**CONFECTIONERY DISPLAY TRAY**

code	mm
808467	300x200x(H)20
808504	400x300x(H)20
808511	600x400x(H)20

**CONFECTIONERY DISPLAY TRAY**

code	colour	mm
808559	Gold	300x200x(H)20
808566	Gold	400x300x(H)20
808573	Gold	600x400x(H)20
808528	Black	300x200x(H)20
808535	Black	400x300x(H)20
808542	Black	600x400x(H)20

407400

**DISPLAY TRAY**

code	mm
407400	345x245



407202

**DISPLAY TRAY**

- With feet.

code	mm
407202	240x170



THERMOSYSTEM

- Body and water tank made of stainless steel.
- Independent thermostat for each heating element, controlled with a knob.
- 6-level temperature control: from approx. 30°C to 85°C.
- Light indicating active heating.
- With non-slip feet.



201107



201206

THERMOSYSTEM 1

- 4 L stainless steel pot with lid included, measuring Ø215x177 mm.

code	liters	V	W	mm
201107	4	230	200	256x312x(H)298

THERMOSYSTEM 2

- 2 x 4 L stainless steel pot with lid included, measuring Ø215x177 mm.

code	liters	V	W	mm
201206	8	230	400	506x312x(H)298

THERMOSYSTEM 4

- 4 x 4 L stainless steel pot with lid included, measuring Ø215x177 mm.

code	liters	V	W	mm
201466	16	230	800	506x509x(H)298



201466



BAIN-MARIE RANGER

- Heating system with a heat mat.
- This ensures 25% of energy saved in comparison to traditional solutions, as well as even temperature distribution.
- Housing and water container made of stainless steel.
- Also suitable for combinations of smaller GN containers, such as 2x GN 1/2, 3x GN 1/3 or 6x GN 1/6 provided that an adaptor bar is used (not included in the set, it can be purchased separately - codes: 808153, 808108).
- Temperature range: from 30°C to 85°C.
- Temperature regulated with a knob - 6 levels of heating.
- Fitted with a thermostat and indication light.
- Water container with min. water level indicator.
- Overheating protection.
- Waterproof rating: IPX3.

UP TO
20%
OF ENERGY
SAVINGS



Heating system with a heat mat. This ensures 20% of energy saved in comparison to traditional solutions, as well as even temperature distribution

**BAIN-MARIE RANGER**

- GN containers are not included in the set.

code	V	W	mm
238905	230	1000	574x334x(H)241

BAIN-MARIE WITH DRAIN TAP RANGER

- GN containers are not included in the set.

code	For	V	W	mm
238912	GN (H)150mm	230	1000	576x334x(H)241
238790	GN (H)200mm	230	1000	326x601x(H)279 N

**ADAPTOR BAR FOR GN CONTAINERS**

- For fitting small GN-containers in bain-maries, chafing dishes etc.



code	GN	mm
808108	GN 1/2	325x22x(H)10
808153	GN 1/1	530x22x(H)10



238967

BAIN-MARIE SET RANGER

- Included in the set:
- 3x containers GN 1/3 with 100 mm height.
- 3x lids.

code	V	W	mm
238967	230	1000	590x332x(H)242



238868

BAIN-MARIE SET WITH DRAIN TAP RANGER

- Included in the set:
- 3 x GN 1/3 containers with 100 mm height.
- 3x GN 1/3 lid.

code	V	W	mm
238868	230	1000	605x332x(H)242


SET: BAIN-MARIE RANGER + 2X 4L CONTAINER WITH LID

- The set includes: attachment for 2 round containers and 2 containers of 4L capacity with lids.
- Attachment and containers made of stainless steel.

code	V	W	mm
201473	230	1000	604x332x(H)315



201473



NEW

EGG BOILER WITH BASKETS

- Housing and tank made of stainless steel.
- 6 egg baskets made of 18/8 stainless steel.
- Non-slip basket handles in 6 different colours.
- Includes 4 egg cups made of 18/8 stainless steel.
- Equipped with a thickened heating element.
- Temperature range: from 30°C to 110°C.

code	V	W	mm
240809	230	2600	380x210x(H)280



240809





229064

FOOD DEHYDRATOR KITCHEN LINE

- Double wall polypropylene casing increases thermal efficiency.
- The automatic fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 7 305x330 mm stainless steel grates, each with a max load of 500 g.
- Grates are evenly interspaced at 35 mm, easy to remove and clean.
- Transparent door allows the operator to observe

the dehydration process.

- It comes with a transparent pad to prevent smaller fruit from falling during dehydration process – it can be also placed at the bottom of the dehydration chamber to collect residue.
- Digital display.
- Temperature control: 35°-70°C.
- Timer adjustable up to 24 hours, in 30-minute intervals.

code	V	W	mm
229064	230	500	347x505x(H)320



Easy controls.



Easy to open.



With fine mesh for drying small items.

PLASTIC SPICE MAT FOR FOOD DEHYDRATORS


- For use with HENDI food dehydrators 229002 229019 229033 229064.

code	mm
941461	270x300x(H)10

SPICE MAT FOR FOOD DEHYDRATOR

- For HENDI Profi Line food dehydrator 229026

code	mm
946268	380x380x(H)20



941461

946268

FOOD DEHYDRATOR PROFI LINE

- Stainless steel housing.
- Digital control panel.
- Timer adjustable up to 24 hours, in 30-minute intervals.
- Temperature control: 35°-75°C, adjustable in 5°C increments.
- The quiet fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 6 305x330 mm stainless steel grates.
- Grates are evenly interspaced, easy to remove and clean.
- Transparent door allows the operator to observe the dehydration process.

code	-	V	W	mm
229033	6 trays	230	650	342x485x(H)309

6 trays
650 W
230 V



229033

FOOD DEHYDRATOR PROFI LINE

- Stainless steel housing.
- Digital control panel.
- Timer adjustable up to 24 hours, in 30-minute intervals.
- Temperature control: 35°-75°C, adjustable in 5°C increments.
- The quiet fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 10 395x380 mm stainless steel grates.
- Grates are evenly interspaced, easy to remove and clean.
- Transparent door allows the operator to observe the dehydration process.

code	-	V	W	mm
229026	10 trays	230	1000	430x550x(H)416

10 trays
1000 W
230 V



Watch the video



229026



SMOKE OVEN ELECTRIC

- The smoke oven is ideal for smoking a variety of foods such as fish, beef, ham and vegetables.
- Made of stainless steel, with a magnetically closing double-insulated door.
- Temperature adjustable with a thermostat, thermometer integrated in door.
- Equipped with a hot air vent on the rear.
- Supplied with 3 grids (400x279 mm) and 3 meat hooks.

code	V	W	mm
238486	230	1600	540x380x(H)725

238486





Foldable doughnut
rack



205914

DEEP FRYER

- Welded oil tank with equipped with drain tap at the bottom.
- Removable control element with heater, with an additional safety feature that switches off the entire unit when removed.
- Overheating protection with reset function.
- Cold-zone system prevents burning.
- Oil tank: 400x400x(H)160 mm.
- Temperature control: 50°-190°C.
- Max capacity: 12 L.
- Rubber, non-slip feet.
- Ideal for frying donuts as well as a variety of sweet and savoury snacks.

code	liters	V	W	mm
205914	12	230	3500	630x860x(H)438

Thanks to the "cold zone"
frying residues are collected
below the heater, increasing
the quality of the oil.



Drain tap



- Profi Line deep fryers are made of 18/0 stainless steel.
- Removable control element with an additional safety feature that switches off the fryer heater when it is removed.
- The grease container has a V-shaped bottom with an optimal "cold zone" for increased grease yield.
- Easy to read control panel with temperature control knob and indicator light.
- Overheating protection thanks to a resettable thermal fuse.
- Deep frying basket with extra-long, cool-touch handle for intensive use.
- All deep fryers are equipped with 1 deep frying basket and 1 lid for each chamber.



XL
10
liters



209424

- Supplied without plug.
- Electrician required for installation.

code	liters	V	W	mm
209424	10	400	6600	300x585x(H)377

code	suitable for	handle (mm)	mm
930618	215012 215029	225	208x140(xH)125
930632	205815 205853	225	238x185(xH)100
930656	205822 205839	225	238x190(xH)140
933664	207208 207307 209202 209301	210	242x200(xH)140
944387	215012 215029	220	230x190(xH)145



DEEP FRYER XL WITH DRAIN TAP
HENDI GOLIATH



XL
10
liters

great
power
10
kW

1 kg of fries
even in
3
minutes



THERMAL PROCESSING



DEEP FRYERS DIGITAL PROFI LINE

- Made of stainless steel.
- Element with switch-off function when removed.
- V-shaped oil tank creates a cold zone for longer-lasting oil.
- Clear digital control panel with temperature and timer function.
- Protected against overheating by means of a re-settable thermal cut-out.
- All deep fryers come with frying basket(s) and lid(s).

**18/0**

stainless steel



8 liters
3500 W
230 V



207369

DEEP FRYER WITH DRAIN TAP DIGITAL - 8 L

- Clear digital control panel with temperature and timer function.

code	liters	V	W	mm
207369	8	230	3500	305x515x(H)345



2x 8 liters
2x 3500 W
230 V



207376

DEEP FRYER WITH DRAIN TAP DIGITAL - 2 X 8 L

- Clear digital control panel with temperature and timer function.


code	liters	V	W	mm
207376	16	230	7000	605x515x(H)350



Watch the video

DEEP FRYERS PROFI LINE

- Profi Line deep fryers are made of 18/0 stainless steel.
- Removable control element with an additional safety feature that switches off the fryer heater when it is removed.
- The grease container has a V-shaped bottom with an optimal "cold zone" for increased grease yield.
- Easy to read control panel with temperature control knob and indicator light.
- Overheating protection thanks to a resettable thermal fuse.
- Deep frying basket with extra-long, cool-touch handle for intensive use.
- All deep fryers are equipped with 1 deep frying basket and 1 lid for each chamber.



18/0
stainless steel



207208

DEEP FRYER PROFI LINE, 8 L

code	liters	V	W	mm
207208	8	230	3500	305x460x(H)369



207307

DEEP FRYER PROFI LINE, 2 x 8 L

code	liters	V	W	mm
207307	16	230	7000	605x460x(H)369



209202

DEEP FRYER PROFI LINE WITH DRAIN TAP, 8 L

code	liters	V	W	mm
209202	8	230	3500	305x515x(H)354



209301

DEEP FRYER PROFI LINE WITH DRAIN TAP, 2 x 8 L

code	liters	V	W	mm
209301	16	230	7000	610x515x(H)369

18/0

stainless steel



205815




205839

DEEP FRYERS KITCHEN LINE

- Housing and oil tank made of stainless steel.
- Removable element with switch-off function when removed.
- Removable oil container, making it easier to clean.
- Heating indication lamp to show if the heating element is operating.
- The temperature can be set up to 190°C.
- A security thermostat ensures the deep fryer does not overheat.
- Overheat protection with reset for extra protection.
- A frying basket with heat insulated and extra long handle.
- Cold zone to protect oil quality.
- Supplied with frying basket and lid.

code	liters	V	W	mm
205808	4	230	3000	218x380x(H)310
205846	4+4	230	3000+3000	470x380x(H)315
205815	6	230	3300	269x430x(H)300
205853	6+6	230	3300+3300	550x430x(H)305
205822	8	230	3500	265x430x(H)350
205839	8+8	230	3500+3500	542x430x(H)351



Cold zone to
protect oil quality



Removable oil container,
making it easier to clean



Frying basket with heat
insulated and extra long handle



DEEP FRYERS BUDGET LINE

- Housing, lid, and tank made of stainless steel.
- Chrome-plated frying basket with insulated handle.
- Removable heating element.
- Removable oil tank.
- Manual rotary temperature control.
- Adjustable thermostat.
- Temperature range: approx. 60°C to 190°C.
- Overheat protection and safety cut-off.
- Indicator lights.

NEW



205631



205648

DEEP FRYER BUDGET LINE

- Oil capacity (min./max.): 2.7-3.8 L.
- Tank capacity: 4 L.
- Tank depth: 150 mm.

code	V	W	mm
205631	230	2800	184x404x(H)258

DEEP FRYER BUDGET LINE

- Oil capacity (min./max.): 5.3-8 L.
- Tank capacity: 8 L.
- Tank depth: 200 mm.

code	V	W	mm
205648	230	3500	267x407x(H)308

Cold zone to
protect oil quality



Removable oil container,
making it easier to clean



Frying basket with heat
insulated and extra long handle





8 liters
3500 W
230 V



215012

2x 8 liters
2x 3500 W
230 V




215029

S.S.
stainless steel

INDUCTION DEEPFRYER

- Precise temperature control - thanks to induction, the set oil temperature is maintained.
- Timer.
- Efficient heat exchange.
- Stainless steel housing for easy cleaning.
- Overheating protection.
- Control panel with display shows the set oil temperature.
- Supplied with a frying basket, a lid and an oil filter.



INDUCTION DEEP FRYER WITH DRAIN TAP, 8 L

code	liters	V	W	mm
215012	8	230	3500	288x619x(H)408

INDUCTION DEEP FRYER WITH DRAIN TAP - 2 X 8 L

code	liters	V	W	mm
215029	16	230	7000	577x609x(H)410

Drain tap makes emptying easy



With filter for the induction motor



Convenient edge for hanging basket





NEW

FRYING OIL TESTER

- Probe made of 18/8 stainless steel.
- Allows to check quality of cooking oil and its temperature.
- Oil TPM value.
- Switchable between celsius and fahrenheit units.
- Alert warning system with red, green, and blue LED's.
- IP65 water resistance protection.
- TPM Range: 0.5 to 40%TPM.
- TPM Accuracy: $\pm 3\%$ (30 to 190°C).
- Temperature Measuring Range: 30 to 200°C (86 to 392°F)
- Temperature measuring accuracy: $\pm 1.5^\circ\text{C}$
- Operating temperature: 0 to 50°C (32 to 122°F).
- Storage temperature: -20 to 70°C (-4 to 158°F).
- Battery and carrying case included.

code	mm
270929	365x48x(H)26

270929



FRENCH FRIES WARMER

- Housing, GN container and drip tray made of stainless steel.
- Includes an infrared heating lamp.
- Removable GN 1/2 container with handles, 150 mm deep.
- Perforated drip tray with folded edges.
- Photothermal base heating.
- Approx. capacity: 1.5-2 kg of French fries per container.
- Even heat distribution from the top and bottom.
- Anti-slip feet.
- IPX3 protection rating.

code	V	W	mm
209066	230	400	357x267x(H)376



209066



18/0

stainless steel

GRIDDLES PROFI LINE

- Stainless steel housing.
- The hard chromed surface (9mm plate) facilitates cleaning.
- With removable dripping tray and high backslashes.
- Stepless thermostat adjustable up to 300°C.
- Overheating protection.
- Suitable for continous use.
- Power switch with integrated indication lamp.
- Non-slip feet.



203125

GRIDDLE, FLAT

- Griddle area 330x270 mm, entirely smooth.

code	V	W	mm
203125	230	2000	300x452x(H)227



203156

GRIDDLE HALF RIBBED

- Grill surface: 518x330 mm, left 259 mm smooth and right 259 mm ribbed.

code	V	W	mm
203156	230	2400	527x404x(H)233



203170

GRIDDLE, RIBBED

- Griddle area 518x330 mm, entirely ribbed.

code	V	W	mm
203170	230	2400	527x404x(H)233



203149

GRIDDLE, FLAT

- Griddle area 518x330 mm, entirely smooth.

code	V	W	mm
203149	230	2400	527x404x(H)233



203163

GRIDDLE 1/3 RIBBED

- 2 independent working areas, 2 heating indication lamps.
- Griddle area 688x410 mm, left 462 mm smooth and right 226 mm ribbed.

code	V	W	mm
203163	230	3500	697x474x(H)241



855201

855218

**GRIDDLE SCRAPER**

code	mm
855201	100x320

SPARE BLADE FOR 855201

code
855218

GRIDDLES KITCHEN LINE

- Housing made of stainless steel.
- The solid 8 mm thick hardened steel plate offers excellent heat retention.
- Fitted with backsplashes and a removable drip tray.
- Temperature stepless adjustable up to 300°C.
- Overheating protection by means of a resettable thermal cutout.
- Power switch with integrated indication lamp.
- Fitted with non-slip feet.



154922

GRIDDLE, FLAT

- Griddle measures 316x380 mm and is entirely smooth.

code	V	W	mm
154922	230	2000	326x445x(H)225



154939

GRIDDLE, FLAT

- Griddle measures 518x330 mm and is entirely smooth.

code	V	W	mm
154939	230	2400	527x404x(H)233



154946

GRIDDLE HALF RIBBED

- Griddle measures 518x330 mm and is half ribbed and half smooth.

code	V	W	mm
154946	230	2400	527x404x(H)233



154953

GRIDDLE RIBBED

- Griddle measures 518x330 mm and is entirely ribbed.

code	V	W	mm
154953	230	2400	527x404x(H)233



154960

GRIDDLE 1/3 RIBBED

- Griddle measures 688x410 mm and is 1/3 ribbed and 2/3 smooth.

code	V	W	mm
154960	230	3500	697x474x(H)241

EGG RING WITH HANDLE

- Made of stainless steel.
- Long handle to prevent burns.
- Available in various sizes.

code	mm
512074	ø88x(H)125
512081	ø103x(H)125
512098	ø128x(H)125



512081



GRIDDLES BUDGET LINE

- Housing made of stainless steel.
- Fitted with backsplashes.
- Comes with a removable fat collection drawer.
- Temperature stepless adjustable up to 300°C.
- Overheating protection by means of a resettable thermal cutout.
- Fitted with non-slip feet.



154977

GRIDDLE, FLAT

- Griddle measures 548x350 mm and is entirely smooth.
- The solid 8 mm thick hardened steel plate offers excellent heat retention.

code	V	W	mm
154977	230	3000	550x430x(H)240



154984



154991

GRIDDLE, RIBBED

- Griddle measures 548x350 mm and is entirely ribbed.
- The solid 8 mm thick hardened steel plate offers excellent heat retention.

code	V	W	mm
154984	230	3000	550x430x(H)240

GRIDDLE, HALF FLAT, HALF RIBBED

- Griddle measures 717x383 mm and is half ribbed.
- The solid 10 mm thick hardened steel plate offers excellent heat retention.
- Features 2 separately adjustable heating zones.
- Supplied without plug.

code	V	W	mm
154991	400	4400	720x460x(H)241

513132

**SMASH BURGER PRESS**

- Made of 18/8 stainless steel.
- Used to press burgers evenly on the grill.
- Dishwasher safe.

code	mm
513132	ø160x(H)78





CONTACT GRILL FOR HOT DOGS AND WRAPS

- Housing made of durable stainless steel.
- Designed for quick and even toasting and grilling of 4 French hot dog buns, paninis, and wraps at once.
- Heating surface: 270 x 250 mm – allows for the simultaneous preparation of 4 buns.
- High-power heating elements (220–240V/1800W) – fast heat-up time.
- Adjustable temperature control from 50 °C to 300 °C (dial scale in 50 °C increments) ensures optimal conditions for heating and grilling buns.
- Specially shaped, enamelled cast iron heating plates – ensure even browning and a visually appealing result.
- Unique plate design allows for toasting buns of various sizes without needing to turn them during the process.
- Grilling effect enhances both the appearance and taste of the toasted buns.
- Easy to clean thanks to its enamelled surface, ensuring hygiene with minimal maintenance.
- Hinged lid opens up to 90°.
- Equipped with a cool-touch handle.
- Space to toast 4 buns at a time.
- LED indicator lights show when the unit is powered on and heating.
- 4 non-slip feet ensure stability and prevent the unit from shifting during use.

code	V	W	mm
263594	230	1800	385x285x(H)254



263594



SMASH BURGER SET

- 4-piece set.
- Profi Line round smasher made of stainless steel, Ø160 mm and 5 mm thick.
- Turner made of stainless steel.
- Seasoning shaker made of 18/8 stainless steel with handle.
- Stainless steel melting dome.

code
513217

NEW



513217





CONTACT GRILLS

- Housing made of stainless steel, guarantees durability.
- Plates made of enamel-coated cast iron, easy to clean and maintain.
- High-power heating elements quickly heat up the grill.
- Temperature can be continuously adjusted up to 300°C using the thermostat.
- Ventilation openings protect the grill against overheating.
- Bottom grill fitted with rear and side edges and a removable drip tray for easier cleaning.
- Rubber feet reduce accidental movement during use.
- Indicator lights for power and heating.
- IPX3 protection.
- Manual safety reset and overheat protection.
- Fast heat-up and recovery.
- Thermostat control with rotary knob.
- Supplied with a cleaning brush and allen key.
- The top grill can be lifted using the heat-resistant handle and locked in any position thanks to the spring-loaded mechanism.
- Perfect for grilling and heating bread, meat, sausages, and vegetables.

Convenient
hand grip

Fat and drip tray




263501



CONTACT GRILL – SINGLE VERSION

- Grill surface: 220x232 mm.
- Ribbed.

code	V	W	mm
263501	230	1800	310x375x(H)216



263600



CONTACT GRILL – SINGLE VERSION

- Grill surface: 220x232 mm.
- 1/2 ribbed and 1/2 smooth.

code	V	W	mm
263600	230	1800	310x375x(H)216



263662



CONTACT GRILL PANINI

- Grill surface: 340x235 mm.
- 1/2 ribbed and 1/2 smooth.

code	V	W	mm
263662	230	2200	430x375x(H)216



The special bend prevents the handle from heating up

Heating surface made of cast iron with ceramic coating

Thermostat with smooth temperature control



Watch the video



2200 W
230 V



263655



2200 W
230 V



263549



NEW

2200 W
230 V



263617



CONTACT GRILL PANINI

- Grill surface: 340x235 mm.
- Ribbed.

code	-	colour	V	W	mm
263655		Silver	230	2200	430x375x(H)216
263549	timer	Silver	230	2200	430x375x(H)216
263617		Black	230	2200	430x375x(H)216

N

3000 W
230 V

263624



XL

→ 548 mm ←

CONTACT GRILL PANINI XL

- Plenty of grilling space to fit original Italian panini's and give them the characteristic brown stripes.
- Both the top and bottom grill are grooved.
- Net weight: 25 kg

code	V	W	mm
263624	230	2700	548x464x(H)216

3600 W
230 V

263709

**CONTACT GRILL - DOUBLE GRILL**

- Thermostats independently adjustable.
- Grill surface bottom plate 475x235 mm.
- Entirely ribbed.

code	V	W	mm
263709	230	3600	570x375x(H)216

3600 W
230 V

263808

**CONTACT GRILL - DOUBLE VERSION**

- Thermostats independently adjustable.
- Grill surface bottom plate 475x235 mm.
- 1/2 ribbed and 1/2 smooth.

code	V	W	mm
263808	230	3600	570x375x(H)216

**CONTACT GRILL - DOUBLE VERSION**

- Thermostats independently adjustable.
- Grill surface bottom plate 475x235 mm.
- 1/2 smooth, 1/2 ribbed.

code	V	W	mm
263907	230	3600	570x375x(H)216



CONTACT GRILL, DOUBLE GRILL WITH TIMER

- Thermostats independently adjustable.
- Lower grill surface: 480x235 mm
- Upper plates: 2 x 214x214 mm
- Entirely flat.
- Dual timer, adjustable from 0-10 minutes for each side.

code	V	W	mm
263914	230	3600	570x375x(H)216

3600 W
230 V

NEW



263914



XL

→ 508 mm ←

NEW

CONTACT GRILL, KEBAB XL

- Ribbed top and bottom cooking plates.
- Independent heat distribution for top and bottom plates.
- Tube-type heating elements.
- Grilling surface dimensions:
 - 263525: upper 352x268 mm, lower 378x340 mm.
 - 263532: upper 455x260 mm, lower 478x345 mm.
- Heavier top plate applies increased pressure for more efficient and even grilling.

code	V	W	mm
263532	230	3000	508x458x(H)234
263525	230	2500	408x455x(H)223

Heavy upper plate ensures even pressure



263532





265055

NEW**UFO BURGER, GELATO PANINI PRESS**

- Housing made of stainless steel.
- Round heated plates with non-stick coating.
- Handle with locking mechanism.
- Suitable for UFO burgers, gelato panini, sealed sandwiches, and dessert snacks.
- Simultaneous grilling and sealing function.
- Adjustable temperature from 5°C to 200°C.
- Built-in timer up to 5 minutes.
- Suitable for bun size: ø120 mm.
- Production capacity: up to 20 pcs/hour.
- Suitable for sweet and savoury fillings.

code	V	W	mm
265055	230	1300	531x250x(H)312



265048

NEW**HOT DOG WARMER**

- Housing made of stainless steel.
- Steam heating system.
- Cabinet capacity: 42 L.
- Capacity: up to 50 buns and 200 sausages.
- Adjustable temperature range: from 30°C to 110°C.
- Removable shelf.
- Drainage valve.
- Water level indicator light.
- Suitable for sausages and buns.

code	V	W	mm
265048	230	2000	508x445x(H)693



SOUS-VIDE SYSTEM

- Culinary system in which vacuum-sealed food is cooked at a precisely controlled temperature.
- Ideal for à la carte restaurants.
- Exceptionally suitable for preparation outside peak times.
- Consistently high quality results.
- High precision thermostat adjustable (0,1°C) from 35° to 90°C.
- Housing made entirely of stainless steel.
- Can be sealed air- and watertight due to the lid with silicone rim.

S.S.
stainless steel

GN 1/1
600 W
230 V



225448

GN 2/3
400 W
230 V



225264

SOUS VIDE SYSTEM GN 1/1

- Equipped with handles and drain tap.
- Stainless steel spacer with 6 compartments included.

code	liters	V	W	mm
225448	20	230	600	350x680x(H)275

SOUS-VIDE SYSTEM GN 2/3

- With handles.
- Supplied with a spacer with 4 stainless steel compartments.

code	liters	V	W	mm
225264	13	230	400	343x395x(H)255





221129



221136

SOUS VIDE COOKER 30

- Body made of PPO.
- Heating element made of stainless steel.
- Suitable for 30 L container with min. 200 mm height.
- Timer: 5 min-99 h 59 min (1 min intervals).
- Temperature setting: 5-90°C (0,1°C increments).
- Possibility to switch the temperature unit between °C and °F.
- Protection against overheating and dry heating.
- Min. and max. water level markings.



code	liters	V	W	mm
221129	30	230	1200	70x120x(H)330

SOUS VIDE COOKER 50

- Body made of 18/8 stainless steel.
- Heating element made of nickel alloy for extra durability.
- Suitable for 50 L container with min. 200 mm height.
- Timer: 5 min-99 h 59 min (1 min intervals).
- Temperature setting: 5-95°C (0,1°C intervals).
- Possibility to switch temperature unit between °C and °F.
- Overheating protection and protection against dry heating.
- Min. and max. water level markings.



code	liters	V	W	mm
221136	50	230	1500	71x145x(H)340



551998

**SOUS-VIDE COOKING BALLS – 500 PCS**

- Made of polypropylene.
- Reducing evaporation and splashing of water during cooking, therefore reducing heat loss.
- Helping to keep sous vide bags under water.
- Can be used in temperatures up to 110°C.
- Ball diameter: ø20 mm.
- Packed per 500 pcs in a convenient bag for easy transport.

code	mm
551998	ø20



221143

SOUS VIDE COOKER 80



- Body made of 18/8 stainless steel.
- Heating element made of nickel alloy for extra durability, easily disassembled for quicker drying.
- Suitable for 80 L containers with min. 200 mm height.
- Timer: 5 min-99 h 59 min (1 min intervals).
- Temperature setting: 5-95°C (0,1°C intervals).
- Possibility to switch temperature unit between °C and °F.
- Overheating protection and protection against dry heating.
- Min. and max. water level markings.

code	liters	V	W	mm
221143	80	230	2300	155x175x(H)319



VACUUM SEAL BAGS, EMBOSSED

- 2-ply vacuum seal bags.
- Inner layer made of 50 µm food contact approved polyethylene.
- Outer layer made of 15 µm polyamide (nylon).
- Total thickness: 65 µm.
- Embossed pattern.
- Temperature resistant from -20°C to 100°C.
- Suitable for chamber and external vacuum packing machines.

code	packed per	mm
550731	100	150x250
550748	100	150x400
550755	100	200x300
550786	100	250x350
550793	100	300x400

NEW

550755





225479



COOK AND HOLD OVEN

- Designed for low-temperature cooking, gentle reheating, and holding.
- Cooking controlled by core temperature probe for precise internal results.
- Adjustable core temperature probe; cooking ends when target temperature is reached.
- Automatic switch to holding mode after cooking.
- Energy-efficient operation thanks to high-quality thermal insulation.
- Even heat distribution.
- Chamber temperature can be adjusted in 1°C increments, from 30°C up to 120°C.
- Core temperature can be set from 25°C up to the chamber temperature.
- Hold temperature can be set from 25°C up to the core temperature.
- Timer adjustable up to 60 hours for long cooking processes.
- Manual ventilation control for juicy or crispy results.
- Digital setting and readout of time, set values, and current chamber/core temperatures.
- Universal side runners for GN 1/1 containers and 600x400 mm trays.
- Fits 3 GN 1/1 containers or 600x400 mm trays.
- Recessed side handles.
- Extra external handles for safe positioning.
- Reversible door with left or right hinge configuration.

code	V	W	mm
225479	230	1200	495x690x(H)413



NEW



240472

RICE COOKER, 12 L

- Extra-thick stainless steel housing for durability and easy cleaning.
- Internal aluminium pot with non-stick coating.
- Removable inner pot.
- Stainless steel hinged lid with seal and steam vent valve.
- Snap fastener for secure closing.
- Condensation collector.

- 2 operating modes: cooking and warming.
- Automatically switches to warming mode after cooking.
- Suitable for up to 60 servings of cooked rice.
- Mini pressure valve for improved rice texture.
- Includes measuring cup, rice spoon, and silicone non-stick pad.

code	liters	V	W	mm
240472	12	230	2650	537x472x(H)415

MAT FOR RICE COOKERS, NON-STICK

- Made of reusable silicone.
- Designed for placement inside the inner pot.
- Helps prevent rice from sticking to the bottom and burning.
- Protects the bottom surface of the inner pot.
- Easy to clean.
- Suitable as an accessory for rice cookers.

code	-	mm
240540	240441	ø250
240557	240403	ø300
240564	240458 & 240472	ø350

NEW

SIL
silicone



240540


**NEW
MODEL**


240410

RICE COOKER WITH STEAMER FUNCTION

- The housing is made of stainless steel.
- Removable inner pot made from aluminium with a non-stick coating, easy to clean.
- The hinged polypropylene lid is fitted with a convenient handle, airtight gasket, and vent valve.
- The lid is closed tightly thanks to the integrated latch.
- With integrated condensation collector prevents the workplace from getting wet.
- 2 operating modes - cooking and keeping warm; after cooking, the appliance goes into keep warm mode.
- Can also be used to steam vegetables with the included steam basket.
- Capacity: 10 scoops of dry rice (15-20 servings of cooked rice).
- Included: steamer basket, rice measuring cup and spoon.

code	liters	V	W	mm
240410	1.8	230	700	282x269x(H)260

**NEW
MODEL**


240403

RICE COOKER & WARMER 5.4 L

- Housing made of stainless steel.
- Internal aluminum container with non-stick coating, removable, easy to clean.
- Stainless steel hinged lid with a seal and vent valve.
- Snap fastener for an easy and tight closing of the cooker.
- A special container for collecting condensation that is dripping from the lid protects the work area from getting wet.
- 2 operating modes - cooking and temperature maintenance mode; when the cooking is finished, the device switches to temperature maintenance mode.
- Capacity: Suitable for 30 cups of dry rice (45-60 servings of cooked rice).
- Measuring cup, rice spoon and silicone non-stick pad included.

code	liters	V	W	mm
240403	5.4	230	1950	418x355x(H)475



Al PP
aluminium polypropylene



NEW
MODEL



240441

RICE COOKER 4.2 L

- Housing is made of rolled steel painted white, easy to clean.
- Inner pot made from aluminium with a non-stick coating, easy to clean.
- The twist lock, stainless steel lid is fitted with a stay cool handle.
- The handles have a special design allowing them to act as a lid holder, store a hot lid safely and always keep the lid at hand.
- Handles and legs are made of non-heating, durable polypropylene.
- Two operating modes - cooking and keeping warm; after cooking, the appliance goes into keep warm mode.
- Capacity: 23 scoops of dry rice (≈46 servings of cooked rice).
- Included: rice measuring cup and spoon.
- Net weight: 4.8 kg.

code	liters	V	W	mm
240441	4.2	230	1600	376x440x(H)290

NEW
MODEL



240458

RICE COOKER 10 L

- Housing is made of rolled steel painted white, easy to clean.
- Inner pot made from aluminium with a non-stick coating, easy to clean.
- The twist lock, stainless steel lid is fitted with a stay cool handle.
- The handles have a special design allowing them to act as a lid holder, store a hot lid safely and always keep the lid at hand.
- Handles and legs are made of non-heating, durable polypropylene.
- Two operating modes - cooking and keeping warm; after cooking, the appliance goes into keep warm mode.
- Capacity: 50 scoops of dry rice (≈100 servings of cooked rice).
- Included: rice measuring cup and spoon.
- Net weight: 10.35 kg.

code	liters	V	W	mm
240458	10	230	2650	555x498x(H)345



2000 W
230 V



264119

SALAMANDER WALL MOUNTABLE

- Conforms to the IPX4 norm - full protection against dampness.
- Can be installed against the wall without requiring additional brackets, saves space in the kitchen.
- Perfect for grilling or heating up dishes or casseroles.
- Continuous temperature regulation: 50°-300°C.
- With top heating element.
- Fitted with thermostat, 30 min. timer and an indicator lamp.
- 4 possible grid heights.
- Supplied with: grid handles fitted with heat shield, crumb tray.
- Internal dimensions: 460x265x(H)165 mm.
- Cable length: 1.3 m.
- Made of stainless steel.

code	V	W	mm
264119	230	2000	610x450x(H)275



2850 W
230 V



264126

SALAMANDER GN 1/1

- Made of stainless steel.
- Possibility to place a GN 1/1 tray in the chamber (not included in the set).
- Heating element on top of the chamber.
- Possibility to place the grid on 4 different height levels.
- Wall-mountable without additional brackets for saving space in the kitchen.
- Fitted with a thermostat, a timer up to 30 min, and an indicator light.
- Smooth, stepless regulation - ensures precise setting of heating parameters.
- Temperature range: 50-300°C.
- Ingress protection rating: IPX4 - protection against water splashes.
- Suitable for GN 1/1 containers up to 100 mm deep.
- Accessories included in the set:
 - grid with 2 isolated grips,
 - crumb tray.

code	V	W	mm
264126	230	2850	770x485x(H)305



3600 W
230 V



264300


SALAMANDER

- Ideal for casseroles, grilling and heating up dishes.
- Temperature control: 50°-300°C.
- With top heating element.
- Fitted with thermostat, 30 min. timer and indicator lamp.
- 4 possible grid heights.
- Supplied with: grid with handles and crumb tray.
- Internal dimensions: 646x408x(H)337 mm.
- Made of stainless steel.

code	V	W	mm
264300	230	3600	800x633x(H)453



3645 W
230 V



HEATS UP
in **10s**

SALAMANDER WITH QUARTZ INFRARED HEATING ELEMENTS GN 1/1

- It is possible to place GN1/1 trays in the chamber.
- Ideal for grilling or heating up dishes or sandwiches.
- With top & bottom Quartz infrared heating element.
- Fitted with 15 min. timer and indicator lamp.
- 3 possible grid heights, grid handles fitted with heat shield.



- With crumb tray.
- Conforms to the IPX3 norm.

code	V	W	mm
264409	230	3645	689x397x(H)318



QUARTZ SALAMANDER MAXI GN 1/1

- Salamander grill with 9 quartz heaters for faster heating, grilling and gratinating food.
- Steel guard of heaters protecting against damage.
- Stainless steel housing.
- Two chrome-plated grates with dimensions of 530x340 mm and two removable handles.
- Two levels for vertical position of each grate with distance of 70 and 45 mm.
- Stainless steel crumbs tray Quartz heaters - 3 heaters on three independent levels.
- Heater timer - turns on for up to 15 min or continuous operation 1.3 m power cable without plug.

code	V	W	mm
264331	400	4500	682x528x(H)455

4500 W
400 V

HEATS UP
in **10s**

264331



With 9 quartz heaters for faster heating



LIFT SALAMANDER 450

- Housing made of 18/0 stainless steel.
- Type 450.
- Stainless steel frame.
- Bottom and back plate made of galvanised sheet metal.
- Crumb tray made of stainless steel.
- Handle made of bakelite.
- Feet made of rubber.
- Indicator lights for temperature.
- Lifting regulation uses a sprocket and chain structure.
- Temperature range: up to 300°C.
- Height of lifting regulation: 70-200mm.
- Removable dripping/crumb tray with 440x320 mm grid.

code	V	W	mm
264607	230	2800	470x520x(H)530

LIFT SALAMANDER 600

- Housing made of 18/0 stainless steel.
- Type 600.
- Stainless steel frame.
- Bottom and back plate made of galvanised sheet metal.
- Drip tray made of stainless steel.
- Handle made of bakelite.
- Feet made of rubber.
- Indicator lights for temperature.
- 2 independent heating zones.
- Lifting regulation uses a sprocket and chain structure.
- Temperature range: up to 300°C.
- Height of lifting regulation: 70-200mm.
- Removable dripping/crumb tray with 590x350 mm grid.

code	V	W	mm
264706	230	3600	620x520x(H)530



3000 W
230 V



262214



MULTI TOASTER 6 TONGS

- 2 Layers with 6 toaster tongs - stainless steel.
- Infrared quartz tubes for prompt heating, temperature can reach maximum within 30 seconds.
- Tubes cool down in seconds.
- Switch for selecting different heating groups.
- 15 Minutes mechanical timer with bell.
- 6 Toaster tongs included.

code	V	W	mm
262214	230	3000	450x390x(H)400



262801

TOASTER TONG

code	mm
262801	100x340x(H)64



TOASTER 4-SLICE

- Housing made of stainless steel, satined and glossy.
- Knobs made of ABS, buttons and pedals made of PP (polypropylene).
- Extra wide 4 toasting slots, 2 heating zones (2 slots in each), 2 removable crumb trays.
- High-lift lever to remove the toasts effortlessly.
- Capacity for 4 slices of bread at a time.
- 7 toasting levels adjusted with knobs - each heating zone can be set up differently.
- 3 pre-set programmes: toast, defrost, reheat.
- 3 function buttons for each heating zone: defrost, reheat, eject/cancel.

code	V	W	mm
261187	240	1500	295x335x(H)180

1500 W
230 V



261187



SANDWICH TOASTER

- Stainless steel housing.
- Tongs fitted with insulated handles made of PF resin.
- Left and right slot separately operable.
- Timer with alarm adjustable to a maximum of 8 minutes.
- Removable crumb tray.

code	V	W	mm
261163	230	1200	215x300x(H)270



CONVEYOR TOASTERS

- Housing made of stainless steel.
- Designed for continuous toasting of sliced bread.
- Supplied with front and rear trays.
- Upper and lower heating elements ensure even toasting on both sides.
- Conveyor speed with 3 preset settings for controlling browning level.



1340 W
230 V



2240 W
230 V



CONVEYOR TOASTER

- Fits one row of bread slices on the conveyor.

code	V	W	mm
261200	230	1340	288x368x(H)410

CONVEYOR TOASTER

- Wide conveyor fits two slices of bread side by side.

code	colour	V	W	mm
261309	Silver	230	2240	418x365x(H)390
261354	Black	230	2240	418x368x(H)415



PIZZA OVEN

- Suitable for heating up frozen products.
- Tray grid suitable for pizzas up to ø 30 cm.
- Timer adjustable up to 15 minutes.
- With 2 heating elements (top and bottom) and crumbs tray.

code	V	W	mm
220306	230	1450	484x590x(H)190



220306



PARTY PAN

- Aluminium with non-stick coating.
- Removable thermostat.
- Suitable for frying, roasting and keeping hot.
- Including lid with clear glass and two insulated handles.

code	V	W	mm
239506	230	1400	ø400x(H)190
239605	230	1600	ø620x(H)170
239599	Thermostat cable for party pan		



239605

239506



SAUSAGE WARMER



265000

SAUSAGE WARMER

- Housing, basket, and lid made of stainless steel.
- Container made of tempered glass.
- Sausage basket measures $\varnothing 200$ mm and holds sausages up to 24 cm in length.
- Temperature range: from 30°C to 100°C.
- Heating indicator light.
- Overheating protection.

code	V	W	mm
265000	230	450	280x282x(H)387


S.S.
 stainless steel

SAUSAGE WARMER

- Housing made of 18/0 stainless steel.
- Water tank and lid made of stainless steel.
- Sausage rack made of 18/8 stainless steel.
- Thermostat temperature control up to 85°C.
- With handles for easy transport.
- Lid with insulated, cool-touch handle.
- Indication light.
- Anti-slip feet.
- Container volume: 9.3 L.
- Minimum water level: 2.7 L. Maximum water level: 6.6 L.

code	V	W	mm
240502	230	1000	287x386x(H)258

18/0
 stainless steel

 $\leq 180^{\circ}\text{C}$
 temp


265031

SAUSAGE AND HOT-DOG BUNS WARMER

- Housing, basket with divider, and lid made of stainless steel.
- Heating rods for buns in aluminium, with dimensions: $\varnothing 25 \times (L) 198$ mm.
- Protective cylinder made of glass.
- Sausage basket measuring $\varnothing 175$ mm, for sausages up to 24 cm long.
- Water container capacity: 1 L
- Heating indicator light.
- Overheating protection.
- Adjustable temperature up to 100°C.

code	V	W	mm
265031	230	550	500x310x(H)395

 10 liters
 1000 W
 230 V


240502

SAUSAGE ROLLING GRILLS

- Stainless steel housing and rollers.
- Quick heating and heat recovery.
- Removable, easy-to-clean drip tray.
- Temperature control up to 230 °C.

18/0
stainless steel

18/8
stainless steel

indoor

NEW



268803



268667

SAUSAGE ROLLING GRILL, 1 ZONE

- Roller length: 45 cm.
- Optional cover available separately:
 - for item 268803, code: 268834.
 - for item 268810, code: 268841.

code	-	V	W	mm
268803	7 rollers	230	620	566x375x(H)192
268810	9 rollers	230	790	566x450x(H)192

N
N

SAUSAGE ROLLING GRILL, 2 ZONES

- 2 heating zones with separate temperature control.
- Roller length: 45 cm.
- Optional cover available separately for item 268667, code: 268858.

code	-	V	W	mm
268667	14 rollers	230	1230	566x640x(H)192
268827	11 rollers	230	980	566x527x(H)192

N

XL → |650 mm| ←



268674

SAUSAGE ROLLING GRILL XL - 2 ZONES

- 2 heating zones that can be controlled separately.
- Roller length: 65 cm.

code	-	V	W	mm
268674	14 rollers	230	2000	732x590x(H)168

NEW



268841

COVER FOR ROLLER SAUSAGE MACHINE

- Made of tempered glass.
- Helps reduce heat loss during operation.

code	mm
268841	450x348x(H)48
268858	450x423x(H)48
268834	450x273x(H)48



20 liters
1050 W
230 V



281710

MICROWAVE WITH GRILL HENDI 1050 W, 20 L

281710

- Stainless steel housing and front panel.
- Easy to read control panel.
- Electromechanical control with two knobs adjusting time and power – 9 levels.
- Top magnetron antenna with rotating shaft ensures uniform distribution of energy.
- Built-in air filter to protect against external factors and dust.
- Airtight door with a glass pane for observing processes in the illuminated microwave interior.
- Push-button opening for easy operation.
- Chamber interior:
 - dimensions 275x260x(H)173 mm, capacity 20 L.
 - painted white.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edges.
- Multifunctional use:
 - defrosting.
 - 4 levels of microwave power: Low, Medium, Medium High, High.
 - function of combining standard and grill mode: Combi (3 levels).
 - grill (power 1000 W).
 - the end of the cooking cycle is signalled by an acoustic alarm.
 - 4 power levels.
- Microwave power: 700 W.
- Includes 255 mm glass turntable plate and grill stand.
- Suitable for round (up to ø255 mm) plates.
- Maximum single operating time: 35 minutes.
- Equipped with a cable with a grounding plug.
- Weight: 11.1 kg.

code	liters	V	W	mm
281710	20	230	1050	435x360x(H)251



25 liters
900 W
230 V

NEW



MICROWAVE AIR FRY OVEN HENDI 1500 W, 25 L

281291

- Stainless steel 18/0 interior for easy cleaning.
- Functions:
 - Microwave.
 - Speedy cooking.
 - Air fry.
 - Combination cooking.
 - Convection cooking.
 - Multi-stage cooking.
 - Popcorn.
 - Defrost.
 - Keep warm.
 - ECO mode.
 - Cooling.
 - Inquiring.
- Overheat protection.
- End-of-cooking signal.
- Touch control panel with rotary knob.
- 14 dedicated air fry presets.
- 9 auto menus: reheat, potato, meat, vegetable, pasta, fish, soup, pizza, chicken.
- Convection temperature range: 140 – 230°C.
- Timer setting: 0 – 95 minutes.
- Microwave output: 900W.
- Air fry power: 1.5kW.
- Microwave power levels: 10 (10% increments).
- Chamber dimensions: 355x332x(H)200 mm.
- Turntable diameter: 315 mm.
- Suitable for plates up to Ø315 mm.
- Accessories included:
 - 1x round rack.
 - 1x air fry tray.
 - 1x air fry basket.
 - 1x glass turntable.
 - 1x turntable ring assembly.



code	liters	V	W	mm
281291	25	230	1500	523x451x(H)300





25 liters
1550 W
230 V



281352

MICROWAVE 1000W HENDI 1550 W, 25 L

281352

- Housing and interior of the chamber with ceramic bottom made of stainless steel.
- Easy to read control panel.
- Electromechanical control with one knob adjusting time from 15 s to 6 min.
- Lower rotating magnetron antenna for uniform energy distribution, no rotating disk.
- Built-in air filter to protect against external factors and dust.
- Door with large glass pane for observing processes in the illuminated microwave interior.
- Tight latch closure; easy opening – no locking mechanism.
- Chamber interior:
 - dimensions 327x346x(H)200, capacity 25 L.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edges.
 - ceramic bottom.
- Multifunctional use:
 - 6 suggested time programs for preparation of selected dishes/beverages.
 - the end of the cooking cycle is signalled by an acoustic alarm.
- Microwave power: 1000 W.
- Suitable for round (up to ø320 mm) and rectangular plates.
- Maximum single operating time: 6 minutes.
- Equipped with a cable with a grounding plug.

code	liters	V	W	mm
281352	25	230	1550	511x432x(H)311



23 liters
1550 W
230 V



MICROWAVE PROGRAMMABLE 1000W HENDI 1550 W, 23 L

281444

- Housing and interior of the chamber with ceramic bottom made of stainless steel.
- Easy to read control panel.
- Electronic control.
- Lower rotating magnetron antenna for uniform energy distribution, no rotating disk.
- Built-in air filter to protect against external factors and dust.
- You can select the desired program on the touch panel.
- Door with large glass pane for observing processes in the illuminated microwave interior.
- Tight latch closure; easy opening – no locking mechanism.
- Chamber interior:
 - dimensions 327x346x(H)200, capacity 23 l.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edges.
 - ceramic bottom.
- Multifunctional use:
 - defrosting.
 - 10 default programs.
 - possibility to save up to 100 programs (up to 3 stages in one program).
 - automatic time conversion for double portions.
 - the end of the cooking cycle is signalled by an acoustic alarm.
 - 4 power levels.
 - Microwave power: 1000 W.
 - Suitable for round (up to ø320 mm) and rectangular plates.
 - Maximum single operating time: 60 minutes.
 - Equipped with a cable with a grounding plug.
 - Weight: 15.5 kg.

code	liters	V	W	mm
281444	23	230	1550	509x572x(H)306





25 liters
1550 W
230 V


NEW



MICROWAVE, MULTI-FUNCTION 4-IN-1

281383

- InverterFour technology for efficient and even cooking results.
- Electric control with touch screen.
- Turntable-free system with multi-directional 3D microwave distribution.
- Non-stick interior for easy cleaning.
- 52 automatic programs.
- Interior lighting.
- Drop-down door.
- Main functions:
 - Microwave.
 - Air fry.
 - Convection.
 - Steam.
- Additional functions:
 - Grill function supported by steam.
 - Reheating.
 - Defrosting.
 - Fermentation.
 - Limescale cleaning.
 - Disinfection.
- 5 microwave power levels.
- Microwave power: 1000 W.
- Grill power: 1800 W.
- Capacity: 24.7 L.
- Accessories included:
 - 1 x air fry basket
 - 1 x grill rack
 - 1 x baking tray



code	liters	V	W	mm
281383	24,7	230	2350	462x492x(H)338

34 l
3000 W
230 V



MICROWAVE PROGRAMMABLE 1800W HENDI 3000 W, 34 L

281369

- Housing and interior of the chamber made of stainless steel.
- Chamber fitted with a ceramic floor.
- Lower and upper rotating microwave antennas for uniform energy distribution, no rotating parts in the chamber.
- Built-in air filter protects against dust and dirt.
- Easy to read control panel, select the desired program on the touch panel.
- Door with large window for observing processes in the illuminated microwave chamber.
- Tight latch closure; easy opening - no locking mechanism.
- Chamber interior:
 - dimensions 360x409x(H)225 mm, capacity 34 l.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edges.
 - ceramic bottom.
- Multifunctional use:
 - defrosting.
 - 10 default programs.
 - possibility to save up to 100 programs (up to 3 stages per program).
 - automatic time conversion for double portions.
 - the end of the cooking cycle is signalled by an acoustic alarm.
- Microwave power: 1800 W.
- Suitable for round (up to ø355 mm) and rectangular plates.
- Maximum single operating time: 60 minutes.
- Fitted with a grounded plug.
- Weight: 32.3 kg.

code	liters	V	W	mm
281369	34	230	3000	572x520x(H)363





18 L
3000 W
230 V

HENDI
Tools for Chefs




MICROWAVE PROGRAMMABLE, WITH USB PORT 1800W

281376

- Housing and interior of the chamber made of stainless steel.
- Chamber fitted with a ceramic floor.
- Easy to read touch control panel with push buttons and digital display that shows time and power.
- Lower and upper rotating microwave antennas for uniform energy distribution, no rotating parts in the chamber.
- Built-in air and grease filter to protect against external factors.
- A special system that reminds you to clean the filter.
- Door with large window for observing processes in the illuminated microwave chamber.
- Tight latch closure; easy opening - no locking mechanism.
- Chamber interior:
 - dimensions 330x310x(H)175, capacity 18 L.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edges.
 - ceramic floor.
- Multifunctional use:
 - defrosting.
 - 10 default programs.
 - 10 power levels.
 - upload programs via the USB port,
 - possibility to save up to 100 programs, including up to 20 custom, multistage programs.
 - automatic time conversion for double or triple portions.
 - the end of the program is signalled by an alarm.
 - Possibility to change the sound or turn it off completely.
- Microwave power: 1800 W.
- Suitable for round (up to ø300 mm) and rectangular plates.
- Maximum single operating time: 60 minutes.
- Fitted with a grounded plug.
- Comes with a USB card, software included.
- Weight: 31.8 kg.

code	liters	V	W	mm
281376	18	230	3000	560x419x(H)336



Code	281710	281291	281352	281444	281383	281369	281376
------	--------	--------	--------	--------	--------	--------	--------

COOKING AND PROGRAMMING

Control	electromechanical	electromechanical	electromechanical	electronic	electronic	electronic	electronic
Number of programs / stages	9/1	23/2	1/1	100/3	52/1	100/3	100/3
Number of power levels	9	10	1	4	5	4	10
Maximum time	35 min	95 min	6 min	60 min	90 min	60 min	60 min

STANDARD EQUIPMENT

Microwave source	top magnetron antenna	top antenna	lower rotating magnetron antenna	lower rotating magnetron antenna	top antenna	lower and upper rotating magnetron antenna	lower and upper rotating magnetron antenna
Number of magnetrons	1	1	1	1	1	2	2
Air filter	YES	YES	YES	YES	YES	YES	YES
USB port	-	-	-	-	-	YES	YES

DIMENSIONS

External dimensions	435x360 x(H)251 mm	523x451 x(H)300 mm	582x472 x(H)374 mm	509x572 x(H)306 mm	462x492 x(H)338 mm	572x520 x(H)363 mm	560x419 x(H)336 mm
Chamber dimensions	304x306 x(H)206 mm	305x325 x(H)195 mm	327x346 x(H)200 mm	327x346 x(H)200 mm	300x380 x(H)178 mm	360x409 x(H)225 mm	330x310 x(H)175 mm
Chamber capacity	20 l	25 l	25 l	23 l	25 l	34 l	18 l
Maximum plates diameter	280 mm	315 mm	320 mm	320 mm	265 mm	355 mm	300 mm

TECHNICAL PARAMETERS

Power	1050 W	1500W	1550 W	1550 W	2350 W	3000 W	3000 W
Voltage	230 V	230 V	230 V	230 V	230 V	230 V	230 V
Weight	11,1 kg	17,5 kg	15,1 kg	15,5 kg	19,9 kg	32,3 kg	31,8 kg

COOKING TIMES vs APPLIANCE POWER

Power	700	1000	1100	1400	1800
 Cooking time	0:35	0:25	0:22	0:18	0:12
	1:05	0:52	0:48	0:37	0:27
	1:35	1:14	1:06	0:57	0:39
	2:05	1:39	1:29	1:10	0:52
	5:00	4:03	3:34	2:50	2:10
	10:00	8:15	7:23	5:40	4:00

07

Ovens, oven trays

Innovations and performances







AI

Croissants

35 s



Pizza /
bruschetta

45 s



Burger
with fries

90 s



Chicken nuggets

105 s



HIGH-SPEED OVEN COMBITURBO



281512

- Housing made of aluminized steel with matte finish.
- Internal chamber made of 18/8 stainless steel.
- Combination of microwave, convection, and impingement cooking technologies.
- Cooking modes can be used independently or combined.
- Preset and programmable recipe memory with capacity for 248 recipes.
- Up to 10 programmable cooking stages.
- 7-inch touchscreen control panel.
- Available in 22 languages.
- USB port.
- Measures in °C and °F.
- Temperature range: from 25°C to 280°C.
- Microwave power adjustable from 0-100% in 10% increments.
- Convection power adjustable from 10-100% in 10% increments.
- Cooking time adjustable up to 20 minutes.
- Oven capacity: 18 L.
- Microwave power: 1.5 kW.
- Convection power: 3.0 kW.
- Internal chamber dimensions: 317x315x(H)188 mm.
- Accessories included:
 - 1x Oven shovel
 - 1x Non-stick basket.
 - 1x Non-stick mesh basket
 - 1x Round non-stick mesh pad
 - 1x 9" Pizza pan
 - 1x Baking tray rack

code	V	W	mm
281512	230	3500	380x663x(H)619

NEW

18/0
stainless steel

18/8
stainless steel

Al
aluminium

indoor

temp
2280°C

→ | 38 cm | ←

3 DIFFERENT TECHNOLOGIES = IMPRESSIVE RESULTS



Microwaves

Instant heating, reduced cooking time



Convection

Enhances browning effect



Thermal Impingement

Boosts toasting and browning results



808351

HIGH-SPEED OVEN TRAY, NON-STICK, REINFORCED

- Housing made of PTFE.
- Rim with a reinforcement made of stainless steel.
- Non-stick - no oil is needed.
- Convection microwave safe.
- Microwave oven safe.
- Reinforced materials.
- Temperature resistance: 260°C.
- Dishwasher safe.

code	mm
808337	290x190x(H)30
808351	290x190x(H)30
808344	290x290x(H)20



219744

HIGH-SPEED OVEN TRAY, NON-STICK

- Made of PTFE.
- Designed for snacks like fries and nuggets.
- Temperature resistance: 260°C.
- Dishwasher safe.

code	mm
219744	280x280x(H)15

18/0

stainless steel



229880

4x
GN 1/1

Two highly efficient fans, distributing hot air evenly

**CONVECTION OVEN H100**

- Housing made of stainless steel.
- Removable cool touch door with double glazing.
- Partially enamelled chamber with interior lighting.
- Heating by means of 2 heating elements and 2 fans.
- Temperature adjustable from 50°C to 300°C.
- Timer: 0-120 min.
- Fits 4x GN 1/1 trays.
- Guides interspaced at: 75 mm.
- Supplied with GN 1/1 pan 65 mm and GN 1/1 grid.

code	V	W	mm
229880	230	3500	699x608x(H)550
237151	stand, welded		690x480x(H)700
817735	stand, bolted		690x480x(H)700

N

Fits four aluminium trays



Double, heat resistant glass



Fitted with interior lighting





4x
GN 1/1



229873

CONVECTION OVEN WITH HUMIDIFICATION H100S

- Housing made of stainless steel.
- Removable cool touch door with double glazing.
- Partially enamelled chamber with interior lighting.
- Heating by means of 2 heating elements and 2 fans.
- Temperature adjustable from 50°C to 300°C.
- Direct humidification, manually operated with a button.
- Water inlet, which can be connected to water supply, at the back.
- Timer: 0-120 min.
- Fits 4x GN 1/1 trays.
- Guides interspaced at: 75 mm.
- Supplied with GN 1/1 pan 65 mm and GN 1/1 grid.

code	V	W	mm
229873	230	3500	699x608x(H)550
237151	stand, welded		690x480x(H)700
817735	stand, bolted		690x480x(H)700

N



237151

Removable door eases cleaning



Glass stays cool enough to touch





227060

4x
438x315



Two highly efficient fans, distributing hot air evenly



CONVECTION OVEN H90

- Housing made of stainless steel.
- Cool touch door with double glazing, which can be removed for easy cleaning.
- Partially enamelled chamber with interior lighting.
- Heating by means of 2 heating elements and 2 fans.
- Temperature adjustable from 50°C to 300°C.
- Timer: 0-120 min.
- Fits 4 437x314 mm trays.
- Guides interspaced at: 70 mm.
- Supplied with 4 trays.

code	V	W	mm
227060	230	2670	595x624x(H)572
223468	stand, welded		595x425x(H)700
817728	stand, bolted		595x425x(H)700
801970	grid		433x338
943380	tray		437x314x(H)8

N

Fits four aluminium trays



Double, heat resistant glass



Fitted with interior lighting





4x
438x315



227077



CONVECTION OVEN WITH HUMIDIFICATION H90S

- Housing made of stainless steel.
- Cool touch door with double glazing, which can be removed for easy cleaning.
- Partially enamelled chamber with interior lighting.
- Heating by means of 2 heating elements and 2 fans.
- Temperature adjustable from 50°C to 300°C.
- Direct humidification, manually operated with a button.
- Water inlet, which can be connected to water supply, at the back
- Timer: 0-120 min.
- Fits 4 437x314 mm trays.
- Guides interspaced at: 70 mm. Supplied with 4 trays.

code	V	W	mm
227077	230	2670	595x595x(H)570
223468	stand, welded		595x425x(H)700
817728	stand, bolted		595x425x(H)700
801970	grid		433x338
943380	tray		437x314x(H)8

N



223468



Removable door eases cleaning



Glass stays cool enough to touch



With clamp to remove hot trays





4x
GN 2/3

Strong construction

Chamber made of 18/8 stainless steel

225929

CONVECTION STEAM OVEN WITH GRILL

- High-quality stainless-steel body.
- Chamber made of 18/8 stainless steel.
- Manual control panel with knobs for function, temperature, time and amount of steam.
- Has functions for defrost, pre-heat, convection, grill, steam or a combination of those functions.
- Temperature can be set up to 280°C.
- Timer can be set up to 120 minutes.
- Convection by means of 2 heating elements and one fan.
- With top grill elements.
- Supplied with 1 grid.
- Convection 3 kW, grill: 1.8 kW.
- Chamber heaters: bottom 1.6 kW, top 0.7 kW.
- Adjustable feet from 55 to 75 mm.

code	V	W	mm
225929	230	3000	625x585x(H)590



224823

STAND FOR CONVECTION STEAM OVEN WITH GRILL 4X GN 2/3

- Compatible with oven 225929.

code	mm
224823	580x390x(H)750

CONVECTION OVENS 429X345 MM

- Housing and chamber made of 18/8 stainless steel.
- Glass door is cool to the touch thanks to 2-layers of glass with gravity ventilation in between, hinges at the bottom.
- Fits 4 trays 429x345 mm, included in the set, made of aluminium.
- Temperature can be set from 100°C to 260°C.
- Fitted with overheating protection.
- Tray supports spaced at 74 mm.
- IPX3 waterproof rating.

Oven 219973

- Fitted with an USB port - for downloading HACCP data.
- Optional: wi-fi connection for software updates.
- Programmable: 99 programmes, with 4 steps each.
- Pre-heating function up to 180°C.



219997



4x
429x345



code	219980	219997	219973	225165
type	convection	with humidity	with humidity	multifunctional
control	electromechanical	electromechanical	touch control panel	electromechanical
	-	Indirect steam injection, controlled with a push pump, sprays water in the chamber. Fitted with a timer.	Direct steam injection, electronically controlled, sprays water directly on the fan. Touchscreen control panel with coloured icons.	Offers 8 modes: upper heater, lower heater, both heaters, convection, heaters with convection, grilling, grilling with convection, and defrosting.
thermostat	100°C up to 260°C	100°C up to 260°C	30°C up to 260°C	100°C up to 260°C
tray support spacing	74 mm	74 mm	74 mm	74 mm
external size	590x709x(H)589 mm	590x709x(H)589 mm	590x709x(H)589 mm	590x709x(H)589 mm
number of fans	1 non-reversible fan	1 non-reversible fan	1 fan with auto-reverse function, with 2 speeds	1 non-reversible fan
power/voltage	3,1 kW/230 V	3,1 kW/230 V	3,15 kW/230 V	2,6 kW/230 V
weight	33 kg	34 kg	38 kg	36,4 kg
STAND FOR OVEN				
code	224670	224670	224670	224670
type	6 pairs of guides for 435x345, dimensions 540x460x(H)700 mm			





CONVECTION BAKERY OVENS WITH HUMIDITY 600X400 MM

- Housing and chamber made of 18/8 stainless steel.
- Oven chamber is pressed with rounded corners for easy cleaning.
- Glass door is cool to the touch thanks to 2-layers of glass with gravity ventilation in between, hinges at the bottom.
- Inside glass pane can be removed for easy cleaning.
- Door seal from thick silicone, mounted in the housing for easy servicing.
- Chamber fitted with LED lighting for a clear view of the process.
- Oven chamber insulated to keep the heat inside, safe and energy efficient.
- Fits 4 trays 600x400 mm, not included in the set.
- Temperature can be set from 100°C up to 260°C.
- Timer can be set up to 120 minutes, continuous operation possible.
- Water protection rating: IPX3.



225523

4x
600x400



code	225516	225523
type	with humidity	with humidity
control	electromechanical	electromechanical
	Indirect steam injection, controlled with a push pump, sprays water in the chamber.	Direct steam - water spraying directly on the fan, 5 degrees, regulated with a knob
thermostat	100°C up to 260°C	30°C up to 260°C
tray support spacing	73 mm	73 mm
external size	784x752x(H)634 mm	784x752x(H)634 mm
number of fans	2 non-reversible fans	2 fans with auto-reverse function
power/voltage	6,4 kW/400 V	6,4 kW/400 V
weight	58 kg	58 kg
STAND FOR OVEN		
code	224434	224434
type	6 pairs of guides for 600x400, dimensions 760x520x(H)700 mm	





CONVECTION STEAM OVEN – EVOLUTION NEXT 5 X GN 2/3, ELECTRIC, WITH DIRECT STEAM, ELECTROMECHANICAL CONTROL



→ | 55 cm | ←



5x
GN 2/3

code	219911
tray support spacing	80 mm
external size	550x754x(H)662 mm
number of fans with auto-reverse	1
thermostat	100-270°C
power/voltage	3,2 kW/230 V
weight	40 kg

FLOOR STAND

code	237977
dimensions	6 pairs of guides for GN 2/3, 550x465x(H)700 mm

- Recommended for use in professional catering establishment, especially in open kitchens, cafeterias, bars, canteens.
- Elegant, Italian design.
- The small width (55 cm) allows the appliance to be placed also in small spaces, e.g. in a store or at a gas station.
- Chamber made entirely of high-quality, AISI 304 stainless steel.
- Removable slide guides for GN containers.
- Double, heat-resistant glass with gasket
- Steam is generated directly by spraying water on the fan.
- Easy cleaning.
- Door with right-hand hinges.
- Internal, energy-efficient LED lighting.
- Water connection: 3/4".
- Sewer outlet: ø30 mm.
- Internal drain.
- Semi-automatic washing as an option.
- The product is also available in a marine version with altered voltage and safety features.
- 1 fan with auto-reversing.
- Waterproof class: IPX4.
- Simple electromechanical control – temperature, baking time and steaming level can be set.
- Five-step steam level control: 0–100%.
- Temperature range: 100-270°C.
- Easy temperature control with a thermostat.
- Timer: 0 – 120 min.
- Individual function indicator lights.

**CONVECTION STEAM OVEN – EVOLUTION NEXT 5 X GN 2/3, ELECTRIC,
WITH DIRECT STEAM AND A TOUCHSCREEN CONTROL PANEL**



→ | 55 cm | ←



5x
GN 2/3

code	219942
tray support spacing	80 mm
external size	550x754x(H)662 mm
number of fans with auto-reverse	1
thermostat	30-270°C
power/voltage	3,2 kW/230 V
weight	40 kg

FLOOR STAND

code	237977
dimensions	6 pairs of guides for GN 2/3, 550x465x(H)700 mm

- Recommended for use in professional catering establishment, especially in open kitchens, cafeterias, bars, canteens.
- Elegant, Italian design.
- The small width (55 cm) allows the appliance to be placed also in small spaces, e.g. in a store or at a gas station.
- Chamber made entirely of high-quality, AISI 304 stainless steel.
- Removable slide guides for GN containers.
- Double, heat-resistant glass with gasket
- Steam is generated directly by spraying water on the fan.
- Easy cleaning.
- Door with right-hand hinges.
- Internal, energy-efficient LED lighting.
- Water connection: 3/4".
- Sewer outlet: ø30 mm.
- Internal drain.
- Semi-automatic washing as an option.
- The product is also available in a marine version with altered voltage and safety features.
- 1 fan with auto-reversing.
- Waterproof class: IPX4.
- User-friendly touchscreen control panel.
- 99 potential cooking programs.
- Easy temperature control with a digital probe.
- Pre-heating function with set manually.
- Delayed start function (up to 24h).
- Temperature range: 30-270°C.
- Steam level control within the following range: 10-100%.
- Core probe and probe holder (optional).
- Additionally: configuration of manual washing.



CONVECTION STEAM OVENS



TOUCH



CONTACT



CONTROL



CONVECTION STEAM OVENS CONTROL

NEW



5x
GN 1/1



7x
GN 1/1



11x
GN 1/1



20x
GN 1/1

code	229583	219928	219935	229590
tray support spacing	68 mm	68 mm	68 mm	66 mm
external size	730×784×(H)700 mm	730×784×(H)850 mm	730×785×(H)1130 mm	930×971×(H)1900 mm
number of fans with reverse	1	2	2	4
power/voltage	7,8 kW/400 V	10,4 kW/400 V	15,4 kW/400 V	31 kW/400 V
weight	78,4 kg	96 kg	113,8 kg	247,2 kg

FLOOR STAND

code	229521	229521	220795
dimensions	610×560×(H)770 mm	610×560×(H)770 mm	610×560×(H)620 mm
5 pairs of guides for GN 1/1 containers			

- Made of 18/8 stainless steel.
- Pressed chamber with rounded corners for easy cleaning.
- Insulated to retain heat – energy-efficient and safe.
- Fitted with LED lighting for a clear view of the cooking process.
- Drip tray with integrated drain in the door for effective condensation management.
- Adjustable feet ensure stable and level placement.

Door features:

- Double-glass door stays cool to the touch – gravity ventilation between layers.
- Lockable in 4 positions: 60°, 90°, 120°, and 180°.
- Hinged on the right side.
- Removable inner glass pane.
- Door seal made of thick silicone, mounted in the housing.

- Water protection rating: IPX4.
- Required connections: electricity, treated water, and drainage system.
- Operated electromechanically using 3 control knobs.
- Temperature resistance: 100°C to 270°C.
- Timer: up to 120 minutes, or continuous operation.
- 2 cooking modes:
 - Convection
 - Convection-steam (combi)
- Steam is generated by spraying water directly onto the fan.
- Electronically controlled in 5 steps for precise humidity regulation.

CONVECTION STEAM OVENS CONTACT

CLEANING SYSTEM
INCLUDED

NEW

5x
GN 1/17x
GN 1/111x
GN 1/120x
GN 1/1

code	229606	219959	219966	229613
tray support spacing	68 mm	68 mm	68 mm	66 mm
external size	730×784×(H)700 mm	730×784×(H)850 mm	730×785×(H)1130 mm	930×971×(H)1900 mm
number of fans with reverse	1	2	2	4
power/voltage	7,8 kW/400 V	10,4 kW/400 V	15,4 kW/400 V	31 kW/400 V
weight	78,4 kg	96 kg	113,8 kg	247,2 kg

FLOOR STAND

code	229521	229521	220795
dimensions	610×560×(H)770 mm	610×560×(H)770 mm	610×560×(H)620 mm

5 pairs of guides for GN 1/1 containers

- Made of 18/8 stainless steel.
- Pressed chamber with rounded corners for easy cleaning.
- Equipped with LED lighting and thermal insulation – energy-efficient and safe.
- Condensation drip tray with drain integrated into the door.
- Adjustable feet ensure stable and level placement.

Door features:

- Double-glass door, cool to the touch – features gravity ventilation between layers.
- Door can be locked in 4 positions: 60°, 90°, 120°, and 180°.
- Hinged on the right side.
- Removable inner glass pane.
- Silicone gasket mounted in the housing.
- AirFlow+ – redesigned deflector ensures optimal air circulation, regardless of food placement.
- Humid+ – water system delivers water directly behind the fan, providing high humidity while minimizing water consumption.
- Water protection rating: IPX4.
- Required connections: electricity, treated water, and sewage system.
- Water inlet: 3/4", drain outlet: ø30 mm (including chamber drain).
- Large 7-inch touchscreen control panel.

- Temperature range: 30°C to 270°C.
- Timer: up to 11 hours and 59 minutes, or continuous operation.
- Cooking modes: convection, steam, and combi (convection + steam).
- Fan speed: 3 speeds, normal mode, semi-static mode.
- Steam generated by direct spray on the fan, electronically controlled in 10 steps (0–100%).
- Store up to 100 recipes, each with up to 10 steps.
- Multi-level cooking – prepare different dishes under the same conditions with independent timing.

Additional features:

- Preheating – heats up to 30°C above the set temperature.
- Holding – automatically maintains serving temperature after the program ends.
- Holding cabinet – keeps food warm and moist until served.
- Cooldown – rapid chamber cooling to quickly begin new processes at lower temperatures.
- Proofer – ideal temperature and humidity conditions for proofing dough.
- Delayed start – schedule startup up to 24 hours in advance.
- Delta-T probe – precision cooking by monitoring internal food temperature.
- USB port – easy upload/download of recipes and HACCP data.

CONVECTION STEAM OVENS, TOUCH



5x
GN 1/1



7x
GN 1/1



11x
GN 1/1



20x
GN 1/1

code	229620	229637	229842	229859
tray support spacing	68 mm	68 mm	68 mm	66 mm
external size	730×784×(H)700 mm	730×784×(H)850 mm	730×785×(H)1130 mm	930×970×(H)1900 mm
number of fans with reverse	1	2	2	4
power/voltage	7,8 kW/400 V	11,4 kW/400 V	15,4 kW/400 V	31 kW/400 V
weight	78,4 kg	96 kg	113,8 kg	247,2 kg

FLOOR STAND

code	229521	229521	220795
dimensions	610×560×(H)770 mm	610×560×(H)770 mm	610×560×(H)620 mm
5 pairs of guides for GN 1/1 containers			

- Made of 18/8 stainless steel.
- Rounded edges for easy cleaning.
- Safety door with opening locks at 60°, 90°, 120°, and 180°.
- Double-glazed door with LED lighting and gravity cooling.
- Right-hinged door.
- Durable silicone gasket - easy to replace without service support.
- IPX5 rating [electric].
- Adjustable feet for stable and level installation.
- Temperature resistance: 30°C-270°C.
- 7-inch full-colour TFT touch panel.
- Menu available in 42 languages, including English and Polish.
- USB port and Wi-Fi for recipe transfer and software updates (including HACCP data).

Additional features:

- Preheating, holding, cooldown.
- Proofing and holding cabinet chamber.
- Delayed start (up to 24 hours).

- 500 built-in recipes, 5 fan speeds, 10 steam levels.
- DELTA T cooking mode.
- Multilevel Cooking - Prepare different dishes simultaneously under the same conditions; the oven notifies when to remove each tray.
- Multi-point Probe - Measures internal food temperature at three points for precision cooking.
- Automatic Washing System - 4 cleaning programs (ECO, NORMAL, INTENSE, RINSING) with up to 30% water savings.

Patented technologies:

- Flow+ - Redesigned fan deflector ensures perfect air circulation and even cooking across all tray levels.
- Humid+ - Efficient humidification system draws water directly from the fan for optimal moisture and reduced water consumption.
- Dry+ - Computer-controlled valve manages chamber humidity for ideal cooking conditions by removing excess moisture.



GLOVES AND MITTS

- HENDI protective gloves are certified personal protective equipment and comply with the requirements of REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC. The regulation defines hazard categories I through III, and for each category, methods, and certification requirements are specified. HENDI protective gloves are a category II protective equipment.
- They are CE marked as certified personal protective equipment.
- All our gloves meet the requirements of the general standard EN 420 Protective gloves – General requirements and test methods.
- They provide thermal protection according to EN 407 Protective gloves and other hand protection against thermal risks (heat and/or fire).



11 XX XX

Protection against thermal hazards.

Gloves that protect against thermal hazards are marked with a pictogram and numbers describing the degree of protection provided, e.g:

The first digit indicates the burning behaviour, the second resistance to contact heat, the third resistance to convection heat, and the fourth resistance to radiation heat, the fifth resistance to small splashes of molten metal, the sixth resistance to large splash of molten metal.

OVEN MITTS, COTTON - 2 PCS

- Heat resistant up to 250°C for 15 seconds.

code	packed per	mm
556603	2	(L)350



OVEN MITTS, FIBERGLASS - 2 PCS

- Heat resistant up to 250°C for 15 seconds.

code	packed per	mm
556627	2	(L)360



OVEN MITTS

- Extra long to protect the forearm.
- Heat resistant up to 250°C for 15 seconds.

code	packed per	mm
556610	2	(L)380



GLOVES WITH SILICONE COATING

- Made of polyester.
- Silicone coated.
- Hanging loop included.
- Heat resistant up to 350°C for 15 seconds.
- Waterproof.
- Anti-slip surface.
- Food oil safe.

code	packed per	mm
556573	2	(L)330





HEAT RESISTANT BARBECUE GLOVES - 2 PCS

- Heat resistant up to 250°C for 15 seconds.
- Comfortable fit.

code	packed per	mm
556634	2	(L)300



556634

HEAT RESISTANT LEATHER BARBECUE GLOVES - 2 PCS

- Heat resistant up to 250°C for 15 seconds.
- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm
556689	2	(L)460



556689

HEAT RESISTANT LEATHER BARBECUE MITTS, 2 PCS

- Heat resistant up to 100°C, ≤ 15 seconds.
- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm
556658	2	(L)460



556658

HEAT RESISTANT GLOVES, LEATHER

- Made of cow leather.
- Inside material made of jersey on palm and woven cotton on cuff.
- Double-layered inner side for added heat protection.
- Extended length for added forearm protection.
- Temperature resistance: 100°C for up to 15 seconds.

code	packed per	mm
556597	2	(L)410



556597

NEW

HEAT RESISTANT GLOVES, LEATHER

- Made of cow leather.
- Inside material made of jersey on palm and woven cotton on cuff.
- Extended length for added forearm protection.
- Temperature resistance: 100°C for up to 15 seconds.
- 2pcs.

code	packed per	mm
556580	2	(L)410



556580

NEW



NEW



219799



219812

CONDENSE HOODS

- Single-phase engine with one rotation direction.
- Maximum air flow: from 400 m³/h to 600 m³/h.
- Housing made of highest quality stainless steel 18/8.
- Connection to fresh water 3/4" with water pressure 100-200 kPa (1.0-2.0 bar).
- No connection to permanent duct or ventilation chimney required.
- Included:
 - water connection hose with 3/4" thread, 1.5 m long.
 - 1 labyrinth filter.
 - electric cable 1.6 m long.
 - sewer drain Ø 30 mm.

code	suitable for	V	W	mm	weight (kg)
219799	219911, 219942	230	600	793x550x(H)305	18,6
219805	219973	230	200	906x590x(H)255	37
219812	225523	230	200	907x784x(H)255	24
219850	229583	230	600	730x860x(H)308	26
219843	229606, 229620	230	600	730x860x(H)308	26
219836	219928, 219935	230	600	730x860x(H)308	26
219829	219959, 219966, 229637, 229842	230	600	730x860x(H)308	26
219874	229590	230	600	930x1045x(H)308	31,4
219867	229613, 229859	230	600	930x1045x(H)308	31,4



225967

NEW

S.S.
stainless steel**PROOFER 8X 600X400 FOR HENDI NANO COMBI OVENS**

- Suitable for proofing raw dough, also serves as oven base.
- Modular shape of the appliance permits including it in a row of a number of appliances, including ovens.
- Saves space and helps display the freshly baked bread.
- Stainless steel housing, glass swing doors.
- Humidification via water container.
- Manual control Suitable for ovens 225516, 225523, 225059, EKF464N, EKF464NUD, EKF464NTUD.
- Distance between rails 70 mm.
- Electromechanical thermostat +30°C to +60°C.

code	V	mm
225967	230	795x655x(H)835

HOSE WITH RINSE HEAD FOR APPLIANCES

- Ideal for any chef to keep their appliances spotless.
- Suitable for cleaning any number of waterproof appliance parts and surfaces.
- A 2 meter long hose brings many objects into range.
- Ergonomic handle with valve lever is comfortable to hold.
- Supplied with a dedicated holder that can be placed on oven housing (as indicated by technician) or on the wall using 3 screws.
- Jet is divided into a number of smaller ones using a strainer which increases the cleaning area covered.
- Water temperatures from 5°C to 85°C are ideal.
- Maximum water flow rate up to 11 L/m at pressure of 3 bar.
- Recommended supply water pressure: 3 bar.
- Operating pressure of supply water: 0.5 to 7 bar.
- PA66 nylon housing, metal parts made of chrome-plated steel.
- Water supply connection: 1/2" inner diameter.

code	mm
810323	56x42x(H)56



810323

18/8
stainless steel

user assembly

NEW

DRIVE-IN TROLLEY

- Made of stainless steel.
- Suitable for 20 x GN 1/1 trays.
- Pull-out oven trolley design.
- Removable handle.
- Equipped with braked castors.
- Suitable for convection and combi oven workflows.

code	mm
817643	740x720x(H)1700



817643

PROFESSIONAL GRILL AND OVEN CLEANER

- Ready-to-use, strongly alkaline product for daily removal of oily and tarry deposits, burnt grease and organic discolourations.
- Cleans and degreases.
- Recommended for daily washing of grill, ovens, hoods.
- Helps keep the natural shine of surface.
- Fragrance free.
- pH 14.

code	liters
975039	1



975039

TRAYS CONVECTOMAT CLASSIC

20 mm outer rim around all four sides

- allows placing the tray in point of sale displays - promotion and sale of products "directly form the tray"

Fit&non stick layer

- the marble effect coating prevents sticking; baking with 90% fat reduction

Safe coating

- no toxins are released when baking foodstuffs in high temperatures

Made of odourless enamelled steel

- no odour emissions at high temperature ranges. Heat resistance up to 300°C




The robust structure prevents undesirable deformation.

The tray is positioned securely in the oven chamber's guides and is deformation-resistant

Bottom and outer walls with increased thickness of 1 mm guarantee temperature stability on the entire surface, without uneven heat distribution



The tray has right angles allowing for maximum use of the finished product and easier food cost estimation, which translates into profit enabling exact portion sizes and higher return on investment



890257

890240

890233

890226

TRAY CONVECTOMAT CLASSIC GN 1/1

code	mm
890257	530x325x(H)20
890240	530x325x(H)40
890233	530x325x(H)60
890226	530x325x(H)80

N



890158


890141

890134

NEW

BAKING TRAY CONVECTOMAT CLASSIC GN 2/1

code	mm
890141	650x530x(H)40
890134	650x530x(H)60
890158	530x650x(H)20



890356

890349

890332

TRAY CONVECTOMAT CLASSIC GN 2/3

code	mm
890356	354x325x(H)20
890349	354x325x(H)40
890332	354x325x(H)60

N



890387

890363

TRAY CONVECTOMAT CLASSIC 600X400

code	mm
890387	600x400x(H)20
890363	600x400x(H)60

N

GRILL PLATES AND GRATES CONVECTOMAT

- Made of aluminium alloy.
- Surface finished with PTFE coating.
- Suitable for oven use in max. temperature 200°C.
- Not dishwasher safe.



808825



808832

GRILL PLATE, RIBBED CONVECTOMAT GRILLPLATE

- Made of cast aluminium.
- Thickness: 9 mm.

code	mm
808825	530x325x(H)15

GRILL GRATE CONVECTOMAT GRILL

- 24 ribs, 9 mm thick.
- Space between the ribs: 13 mm.

code	mm
808832	530x325x(H)15



808849



808863

OVEN TRAY WITH NON-STICK COATING CONVECTOMAT ROAST

- Inner dimensions: 470x260 mm.
- Slightly flat, wide rim - prevents oil from spilling.

code	mm
808849	530x325x(H)17

BAKING TRAY WITH NON-STICK COATING CONVECTOMAT BAKE

- Narrow rim on all sides.
- Inner dimensions: 505x300 mm.

code	mm
808863	530x325x(H)10



808856



808757

TRAY WITH NON-STICK COATING CONVECTOMAT EGGPLATE

- Made of stainless steel.
- Surface finished with non-stick PTFE coating.
- Temperature resistance: up to 260°C.
- Size: GN 1/1.
- 8 moulds ideal for fried eggs, pancakes, omelettes.
- Moulds measure ø11 cm at the top, ø8 cm at the bottom and are 2 cm deep.
- Not dishwasher safe.

code	mm
808856	530x325x(H)26

TRAY WITH 6 MOULDS, CONVECTOMAT PANCAKE

- Made of durable stainless steel.
- Non-stick PTFE coating.
- Temperature resistance up to 230°C.
- Size: GN 1/1.
- Set of 6 moulds.
- Mould dimensions: top diameter: 12.5 cm; bottom diameter: 8.5 cm; depth: 2.9 cm
- Stackable.

code	mm
808757	530x325x(H)29

NEW



808818

FRENCH FRIES OVEN BASKET, WAVED CONVECTOMAT FRY

- Mesh made of 18/8 stainless steel.
- Frame and handles made of stainless steel.
- Waved bottom to prevent sticking.
- Mesh dimension: 7x7 mm.
- Baking surface: approx. 450x255 mm.
- Temperature resistant up to 200°C.
- Dishwasher safe.

code	mm
808818	530x325x(H)40



800164

TRAY CONVECTOMAT

- Made of enamel steel.
- Rounded edges.
- Sheet thickness 1 mm.
- Temperature resistance: up to 300°C.

code	mm
800164	530x325x(H)20



678305



809150

18/8
stainless steel

GASTRONORM TRAY PROFI LINE GN 2/1

code	GN	mm
809150	GN 2/1	650x530x(H)20



809259

809242



GASTRONORM TRAY PROFI LINE

code	GN	mm
809259	GN 1/1	530x325x(H)20
809242	GN 1/1	530x325x(H)40



939949

939956




FLAME TAMER

- Place the flame tamer over the burner element to prevent fat dripping directly on the burner element.
- Flame tamer made of stainless steel.
- Suitable for all Green Fire Profi Line barbecues.

code	mm
939956	650x530
939949	Grid 325x530

NEW





CAST IRON GRIDDLE

- Suitable for all Green Fire Profi Line barbecues.
- Both sides usable, one side smooth, one side ribbed.

code	GN	mm
932001	GN 1/1	325x530

CAST IRON GRID

- Suitable for all Green Fire Profi Line barbecues.

code	GN	mm
932018	GN 1/1	325x530



GRID FOR OVENS

		code	mm
	Made of stainless steel 18/8.	801949	GN 2/1 650x530
	Made of stainless steel 18/8.	801932	GN 2/3 354x325
	Made of stainless steel 18/8.	801901	GN 1/1 530x325
	Made of stainless steel 18/8.	801918	GN 1/1 530x325
	Made of stainless steel 18/8.	801925	600x400
	Made of stainless steel 18/8.	801963	600x400
	Made of stainless steel 18/8. Suitable for 227060 and 227077.	801970	433x338








TRAYS WITH 4 RIMS

			code	mm	
		Made of aluminium. Non-stick coating.	808368	600x400	600x400x(H)10 N
			808429	GN 1/1	530x325x(H)10
			808450	GN 2/3	354x325x(H)10 N
		Made of aluminium. Non-stick coating. Perforated.	808375	600x400	600x400x(H)10 N
			808405	GN 1/1	530x325x(H)10
			808412	GN 2/3	354x325x(H)10
		Made of aluminium.	808382	600x400	600x400x(H)10 N
			808436	GN 1/1	530x325x(H)10 N
			808443	GN 2/3	354x325x(H)10 N
		Made of aluminium. Perforated.	808399	600x400	600x400x(H)10 N
			808306	GN 1/1	530x325x(H)10
			808313	GN 2/3	354x325x(H)10

TRAYS WITH 3 RIMS

		Made of aluminium. Non-stick coating. Perforated.	808221	600x400	600x400
		Made of aluminium. Perforated.	808214	600x400	600x400x(H)20
		Made of aluminium.	808207	600x400	600x400x(H)20

BAKING TRAY

		Made of stainless steel 18/8.	809877	600x400	600x400
			809860	530x325	530x325
			809853	400x300	400x300



BAKING TRAY

code

mm



Made of aluminium.
Reinforced rim with wire.

808290

450x330x(H)26

N

808283

330x242x(H)26

N

BAGUETTE TRAY



Made of aluminium.
Non-stick coating.
Perforated.

808894

5 slots

600x400x(H)32

N

808900

4 slots

600x400x(H)32

N



Made of aluminium.

808870

5 slots

600x400

N

808887

4 slots

600x400

N

BAKING TRAY WITH REMOVABLE SIDE PANEL



Made of aluminium.

689851

580x100x(H)50

689868

580x200x(H)50

CONTAINER WITH NON-STICK COATING



Made of aluminium.
Non-stick coating.

805558

GN 1/1

530x325x(H)20

805541

GN 1/1

530x325x(H)40

805534

GN 1/1

530x325x(H)65

TRAY FOR OVENS H90 AND H90S



Made of aluminium.
Suitable for 227060
and 227077.

943380

437x314x(H)8

08

Pizza, pasta, kebab

Crafting the perfect pizza





PIZZA OVENS COMPACT

- Ideal for baking pizzas, bread, lasagnas, etc.
- The compact dimensions make it perfect for small kitchens or even food trucks.
- The use of high-quality materials guarantees a long service life.
- Housing made of high-quality stainless steel 18/0, easy to clean and maintain.
- Oven chamber measures 410x420x(H)120 mm for pizzas or other dishes.
- Chamber floor lined with chamotte stone; these accumulate the heat which results in crispy pizza bottoms.



- Each heating element is 1000W and can be set independently from 50°C to 350°C.
- The door is fitted with a window and the chamber has a light, this allows to follow the cooking process.
- The door can be opened without stopping the heating process.
- Can operate in continuous mode or with a timer.
- Timer can be set up to 120 minutes and when the times is finished the oven stops heating.
- Fitted with ± 1.7 m long power cable with earthed plug.



PIZZA OVEN COMPACT

- Chamber is heated by 2 efficient heating elements; one above and one below the chamber.

	code	V	W	mm
	220290	230	2000	580x560x(H)275

DOUBLE DECK PIZZA OVEN 3000W

- Chambers are heated by 3 efficient heating elements; one above, one below and one in between the two chambers.

	code	V	W	mm
	220283	230	3000	580x560x(H)435



220306

PIZZA OVEN

- Suitable for heating up frozen products.
- Tray grid suitable for pizzas up to $\varnothing$ 30 cm.
- Timer adjustable up to 15 minutes.
- With 2 heating elements (top and bottom) and crumbs tray.

	code	V	W	mm
	220306	230	1900	484x590x(H)190




PIZZA OVEN BASIC

- Steel housing with a stainless steel front, insulated with rock wool.
- Analog control panel with individual controls for each heating element, two elements per oven chamber.
- Each oven chamber is fitted with refractory bricks,

- a thermometer and a light.
- Models with 2 chambers have full separate control panels for each oven chamber.
- Temperature range: 50°C up to 500°C.



226698



 **4** (ø32 cm)

 **4+4** (ø32 cm)

 **4+4** (ø35 cm)

 **6+6** (ø35 cm)

name	BASIC 4	BASIC 44	BASIC XL 44	BASIC XXL 66
code	226681	226698	226957	226995
number of chambers	1	2	2	2
dimensions ext.	975x925x(H)415* mm	975x925x(H)745* mm	1000x955x(H)745 mm	1365x955x(H)745* mm
dimensions int.	660x660x(H)140 mm	2x 660x660x(H)140 mm	2x 720x720x(H)140 mm	2x1080x720x(H)140 mm
temperature range	from 50°C up to 450°C	from 50°C up to 450°C	from 50°C up to 450°C	from 50°C up to 450°C
power/voltage	4,7 kW/400 V	9,4 kW/400 V	12 kW/400 V	18 kW/400 V
weight	75 kg	122 kg	139 kg	176 kg
OVEN STAND	226797	227107	227169	227206
dimensions	975x814x(H)960 mm	975x814x(H)860 mm	1000x845x(H)860 mm	1360x844x(H)860 mm

18/0

stainless steel

18/8

stainless steel

temp

<350°C

stackable

NEW

ELECTRIC CONVEYOR OVENS

- Made of stainless steel.
- Suitable for bread, pizza, and vegetables, as well as a wide range of other gastronomic applications.
- Conveyor baking system.
- Ventilated baking system with forced hot air circulation.
- 7-inch touchscreen control panel.
- Stores up to 99 customisable baking programmes.
- Weekly schedule function allows automatic operation scheduling for each day of the week.
- Independent top and bottom heating temperature control.
- Electronic conveyor belt speed control with adjustable baking time from 1 min 30 sec to 20 min.
- High-performance heat insulation.
- Compact space-saving design.
- Chamber height: 100 mm.
- Maximum temperature: 350°C.



🍕 up to 43 pizza/h
(ø26 cm)



🍕 up to 86 pizza/h
(ø26 cm)

model	T40
code	218945
conveyor belt width	400 mm
throughput*	pizza Ø26 cm: up to 43 pcs./h pizza Ø32 cm: up to 26 pcs./h pizza Ø40 cm: up to 23 pcs./h
dimensions	1365x1005x(H)465 mm
upper heating element power	2x 1500 W
lower heating element power	2x 2200 W
power/voltage	7,8 kW/400 V

pizza Ø26 cm: up to 86 pcs./h
 pizza Ø32 cm: up to 43 pcs./h
 pizza Ø40 cm: up to 29 pcs./h
 pizza Ø45 cm: up to 26 pcs./h

dimensions	1900x1220x(H)515 mm
upper heating element power	2x 2800 W
lower heating element power	2x 4100 W
power/voltage	14,2 kW/400 V

OVEN STAND	218952	218976
	1 or 2 ovens	1 or 2 ovens
dimensions	600x970x(H)630 mm	850x1115x(H)530 mm

* calculated based on baking fresh (not frozen) pizza for 3 min 30 s at 320°C



218945



 **up to 137 pizza/h**
(ø26 cm)

T65

218983

650 mm

pizza Ø26 cm: up to 137 pcs./h

pizza Ø32 cm: up to 103 pcs./h

pizza Ø40 cm: up to 51 pcs./h

pizza Ø45 cm: up to 40 pcs./h

2190x1390x(H)575 mm

2x 3600 W

2x 5400 W

18,4 kW/400 V

218990

1 or 2 ovens

1100x1290x(H)530 mm



218983



218990





DOUGH ROLLERS, ELECTRIC

- Housing made of stainless steel.
- Small elements made of HDPE.

- Perfect for rolling cold pizza dough, pasta dough and dumpling/ravioli dough.
- Does not heat dough during operation.



Watch the video

Electric
foot pedal
included



code	226599	226612	226629
number of pairs of rollers	1	1	2
weight of the dough portion	0,08-0,21 kg	0,21-0,70 kg	0,08-0,21 kg
rolled dough disc diameter	ø140-300 mm	ø260-450 mm	ø140-300 mm
dimensions	480x335x(H)430 mm	650x345x(H)430 mm	475x375x(H)660 mm
power	250 W	250 W	250 W
voltage	230 V	230 V	230 V
weight	18 kg	27 kg	28 kg
electric foot pedal	YES	YES	



DOUGH ROLLERS, ELECTRIC TOUCH&ROLL

- Automatic start technology Touch&Roll: The dough roller activates when a portion of dough is inserted.
- With a built-in timer from 10-35 s, in 5-second intervals.
- Separate roller guards ensure easy and safe operation.
- Dough diameter can be set between 260 and 400 mm.
- Adjustable dough thickness from 0 to 5 mm.

PATENTED
**TOUCH
&ROLL**
MODEL



code	226605
number of pairs of rollers	2
weight of the dough portion	0,21-0,70 kg
rolled dough disc diameter	ø260-400 mm
dimensions	585x435x(H)715 mm
power	250 W
voltage	230 V
weight	37 kg



Electric
foot pedal
included

226636	226643
2	2
0,21-0,70 kg	0,22-0,90 kg
ø260-400 mm	ø260-450 mm
585x435x(H)790 mm	665x435x(H)715 mm
250 W	250 W
230 V	230 V
37 kg	41 kg
	YES



**PATENTED
TOUCH
& ROLL
MODEL**



220368
2
0,22-0,90 kg
ø260-400 mm
585x435x(H)715 mm
250 W
230 V
38 kg





SPIRAL MIXERS

- Sturdy and robust housing made of white lacquered iron.
- The bowl, protection grid and spiral are made of 18/8 stainless steel.
- Safety guard with a grid makes it easy to add ingredients during operation.
- With microswitch, operation stops when safety guard is lifted.
- Chain drive ensures efficient operation.
- Quiet work guaranteed thanks to oil bath gearmotor.
- The spiral design ensures perfect homogeneity and aeration of the dough.
- The mixer doesn't heat up the dough during operation.
- With built-in 30-minute timer.
- 4 wheels, 2 with brakes, for easy mobility and stability.
- Ideal for pizzerias, bakeries, patisseries, dumplings bars, doughnut shops to mix heavy dough.



226209

4 wheels of which
2 have brakes



226346

With
integrated
timer

Removable bowl

SPIRAL MIXER WITH FIXED HEAD AND BOWL

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	kg	V	W	hp
226315	290x590x(H)580	10	8	35	ø260x(H)200	41	370	230	92
226209	378x690x(H)730	22	16	56	ø360x(H)210	69	750	400	84
226308	435x750x(H)810	32	24	88	ø400x(H)260	78	1100	400	90

SPIRAL MIXER WITH RISING HEAD AND REMOVABLE BOWL

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	kg	V	W	hp
226339	380x600x(H)645	10	8	35	ø260x(H)200	55	370	230	98
226346	390x670x(H)735	22	16	56	ø360x(H)210	81	750	400	84
226353	435x750x(H)810	38	24	88	ø400x(H)260	93	1100	400	90

SPIRAL MIXERS

- Sturdy and robust housing made of white lacquered iron.
- The bowl, protection grid and spiral are made of 18/8 stainless steel.
- Safety guard with a grid makes it easy to add ingredients during operation.
- With microswitch, operation stops when safety guard is lifted.
- Chain drive ensures efficient operation.
- Quiet work guaranteed thanks to oil bath gearmotor.
- The spiral design ensures perfect homogeneity and aeration of the dough.
- The mixer doesn't heat up the dough during operation.
- With built-in 30-minute timer.
- 4 wheels, 2 with brakes, for easy mobility and stability.
- Ideal for pizzerias, bakeries, patisseries, dumplings bars, doughnut shops to mix heavy dough.



4 wheels of which
2 have brakes

222874

SPIRAL MIXER WITH FIXED HEAD AND BOWL, 2 SPEEDS

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	kg	V	W	rpm
222867	385x670x(H)725	22	16	56	ø360x(H)210	81	750/1100*	400	86/169*
222874	435x740x(H)820	32	24	88	ø400x(H)260	93	1100/1700*	400	90/179*
222898	480x795x(H)855	48	40	128	ø450x(H)300	110	1500/2200*	400	92/182*

* depending on the selected speed



PIZZA DOUGH BOX

- Made of food-grade polypropylene, harmless to human health.
- Stackable - with or without lids.
- It maintains freshness of dough and continuity of proofing process.
- Dishwasher safe.



WHAT SHOULD AN IDEAL PIZZA DOUGH PROOFING BOX BE?

Airtight closure

The well-fitted lid helps maintain optimal storage conditions for dough during proofing. It reduces moisture loss, prevents the dough from drying out, and supports proper fermentation.

Environmentally friendly

Using reusable containers helps reduce the need for plastic film traditionally used to cover dough. Made from durable plastic, the containers are designed for long-term use and can serve reliably for many years.

Smooth surfaces and rounded edges

Rounded corners and smooth inner walls help minimise dough adhesion and make the container easier to clean and maintain.

Stackable design

Large numbers of dough balls are often stored simultaneously during proofing and maturation. The stackable design helps optimise storage space and supports efficient organisation in kitchens.

PIZZA, PASTA, KEBAB




NEW

Durable construction with a reinforced base and edges.



Raised base and rim allow for stable stacking.



881071

881040

type	600x400 Profi Line	600x400 Profi Line	600x400 Profi Line
code	881033	881040	881064
dimensions	600x400x(H)70 mm	600x400x(H)100 mm	600x400x(H)130 mm
stackable	YES	YES	YES
resistance	-40°C up to 80°C	-40°C up to 80°C	-40°C up to 80°C

LID FOR PIZZA DOUGH BOXES

code	881071	881071	881071
------	--------	--------	--------



881088



NEW

TROLLEY FOR PIZZA DOUGH BOXES

- Suitable for 600x400 mm dough containers.
- Frame made of ABS.
- Swivel polypropylene castors.
- Compliant with European directives.

code	mm
881088	600x400

AMER★BOX

NEW



881095



DOUGH SCRAPER

- Made of food-safe material.
- Wide flat paddle.
- Does not damage container surfaces during dough removal.
- Suitable for dough preparation and handling.
- Suitable for bread dough, pizza dough, pastries, and other baked goods.
- Dishwasher safe.

code	mm
881095	210x105



FRESH PASTA DRYING BOX

- Made of HDPE, BPA-free.
- Temperature resistant: from -40°C to 90°C.

code	mm
880999	600x400x(H)70



880999



880968



880906



880982



880975

600x400 Kitchen Line 880906 600x400x(H)70 mm YES -40°C up to 80°C	600x400 Kitchen Line 880913 600x400x(H)100 mm YES -40°C up to 80°C	600x400 Kitchen Line 880920 600x400x(H)130 mm YES -40°C up to 80°C	GN 1/1 880975 530x325x(H)90 mm YES - without lid -40°C up to 90°C
880968	880968	880968	880982



PIZZA BOARD WITH HANDLE

- Made of compressed wood fibers.
- Temperature resistant up to 175°C for 2 minutes, up to 70°C for 2 hours.
- The high pressure used during production makes the boards stronger than regular wood.
- Maintenance free (no need for oil or bleach).
- Handle with a hole to hang the board.
- Darkens during use which gives it a natural look.
- Dishwasher safe.



505533


**LID SPACER FOR PIZZAS - 500 PCS**

- Height of the lid spacer: 35 mm.

code	packed per
709900	500



709900

**PAN GRIPPER**

- Suitable for all types of pizza pans.

code	mm
617700	(L)190



617700

**PAN GRIPPER**

- Suitable for all types of pizza pans.

code	mm
617731	(L)200



617731

**PIZZA CUTTER**

- Stainless steel knife blade, polypropylene handle.
- With HACCP color coding system, coloured clips are not removable after placing.

code	ø	length (mm)
617014	100	(L)230



617014

**PIZZA SLICER**

- Stainless steel knife blade, polypropylene handle.

code	ø	length (mm)
617007	100	(L)230



617007



PIZZA PEEL WITH SHORT HANDLE, SQUARED, PERFORATED

- Ideal for use in small spaces.
- Made of anodised aluminum.
- Lightweight and durable.
- Perforation to drain excess flour.
- Short handle.
- Non-heating silicone handle.

code	mm
618073	300x660
618066	350x710



PIZZA PEEL WITH SHORT HANDLE, SQUARED, PERFORATED

- Made from hard anodised aluminium, making it more wear-resistant, abrasion-resistant and corrosion resistant.
- Fitted with a short handle, ideal for compact spaces.
- The silicone handle remains cool during use and protects against heat.

code	mm
618097	300x660
618080	350x710



PIZZA PEEL SQUARED WITH SHORT HANDLE

- Ideal for small spaces
- Short wooden handle
- Aluminium head
- High temperature resistance

code	mm
618035	305x660
618042	355x710
618059	405x760

* Dimensions may vary slightly, as the product is hand-made.



PIZZA SAUCE SPOON

- Made of 18/8 stainless steel.
- Bent handle and a flat bottom ease sauce portioning and spreading.
- Handle with a hanging hole for convenient storage.
- Dishwasher safe.
- Available in 2 sizes.

code	mm
855539	380x65
855492	280x65



PIZZA SCOOP, WOODEN

- Can be used when removing pizza from the oven and for serving.
- Made of durable wood, resistant to high temperatures.

code	mm
617724	535x305x(H)10



**PIZZA PEEL**

- Lightweight and durable, made of anodised aluminium.
- Handle with slide grip for easy removal of pizzas from the oven.

code	-	mm
617151		230x1200
617168	perforated	230x1200

**PIZZA PEEL, ROUND**

- Handle with slide grip for easy removal of pizzas from the oven.

code	-	mm
617182		230x1200
617199	perforated	230x1200

**PIZZA PEEL, SQUARED**

- Light and robust, made of anodised aluminium.

code	-	mm
617113		305x1320
617137	perforated	305x1320
617120		405x1320
617144	perforated	405x1320



PIZZA PEEL, SQUARED

code	mm
617175	305x1320



PIZZA PEEL, SQUARED

- For use in pizzerias and regular restaurants
- Long wooden handle
- Aluminium head
- Heat resistant

code	mm
617816	305x1320
618028	355x1320
617861	405x1320

PIZZA OVEN CLEANING BRUSH

- Brush made of brass wire.
- Steel scraper.
- Removable wooden handle with a screw.

code	mm
525630	930x260



PIZZA OVEN CLEANING BRUSH

- Copper brush with aluminium handle.

code	mm
525593	(L)1320



ASH SHOVEL

- Shovel made of 18/0 stainless steel.
- Handle made of anodised aluminium.
- Ergonomic grip made of silicone.
- With a hanging hole for easy storage.
- Dishwasher safe.

code	mm
618196	1320x215





design by
Robert Bronwasser

Handle with
hanging hole

Ergonomic handle,
comfortable dough press

Thick, rigid blade

Strong, double-sided
mounting – ensuring
secure knife guidance

Weight 325 g

ø97 mm

Modern design
by Robert Bronwasser

Sturdy construction
with an extremely
effective blade

Rivets ensuring more
hygienic operation

618127



PIZZA CUTTER HEAVY-DUTY PIZZER

- HENDI PIZZER is a professional heavy-duty tool designed by the renowned Dutch designer Robert Bronwasser – it's functional, ergonomic, and stylish.
- The PIZZER features a high-quality, large and thick blade which enables smooth cutting of any type of pizza. Whether it's classic thin crust or thick pan-style, HENDI PIZZER ensures quick and effortless cutting.
- The product weighs a hefty 325 grams, indicating its strength and high quality.
- The handle is made of polypropylene, while the blade and other components are made of reliable 18/8 stainless steel – together they form a solid construction with an extremely effective blade, capable of handling intensive use.
- The blade is secured with strong, flat rivets – unlike traditional screws, rivets provide higher hygiene standard as they do not accumulate residue from the sliced products.
- The cutter is slightly curved and perfectly balanced, resulting in a more ergonomic operation.
- The handle has a hanging hole for convenient storage by hanging the tool on the wall.
- Dishwasher safe – ensuring easy cleaning.

code	mm
618127	ø97x240



NEW



618226

PIZZA ROCKER CUTTER

- Handles made of PP.
- Blade made of stainless steel.
- Pizza cutter with a sharp, double-bevelled, half-moon-shaped blade.
- Cuts quickly through thin-crust pizzas and flatbreads.
- Robust design allows firm, controlled cutting.
- 50 cm long blade, suitable for both large and small pizzas.

code	mm
618226	533x111



855621

**PIZZA SAUCE LADLE HEAVY-DUTY**

- Sauce ladle made of 18/10 stainless steel with a handle made of PP (polypropylene).
- Designed by the renowned Dutch designer Robert Bronwasser - functional, ergonomic, and sturdy.
- Flat bottom for easy portioning and spreading of sauce.
- Capacity: 90 ml.
- Dishwasher safe.

code	liters	mm
855621	0.09	330x72x(H)27



855638

**PIZZA SPATULA HEAVY-DUTY**

- For easy lifting and removing pizza dough from the box, dividing it, and scraping off.
- Working part made of 18/8 stainless steel.
- Handle made of PP (polypropylene).
- Designed by the renowned Dutch designer Robert Bronwasser - functional, ergonomic, and sturdy.
- Dishwasher safe.

code	mm
855638	263x132x(H)17



855645

**PIZZA BENCH SCRAPER HEAVY-DUTY**

- Blade made of stainless steel with a handle made of silicone.
- Blade is flexible.
- Designed by the renowned Dutch designer Robert Bronwasser - functional, ergonomic, and sturdy.
- Dishwasher safe.

code	mm
855645	130x95x(H)13



855577

**PIZZA SPATULA HEAVY-DUTY**

- Made of stainless steel.
- Handle made of Polypropylene.
- Dishwasher safe.
- Designed by Robert Bronwasser.

code	mm
855577	380x90

**PIZZA SHEAR HEAVY-DUTY**

- Made of stainless steel.
- Handle made of Polypropylene.
- Designed to cut Neapolitan pizza and cuts without moving ingredients.
- Dishwasher safe.

code	mm
618219	245x88



618219



PASTA AND PIZZA PLATES

- Made of durable glazed porcelain.
- Microwave safe.
- Dishwasher safe.
- Not oven safe.



777855



778937



778944

PIZZA PLATE BAROCCO

code	mm
777855	ø330
768792	ø310

PIZZA PLATE RECIPE COLLECTION BLACK

code	mm
778937	ø330
768761	ø310

PIZZA PLATE RECIPE COLLECTION BRICK RED

code	mm
778944	ø330
768778	ø310



769935

PASTA PLATE BAROCCO

code	mm
769935	ø275





774847

774854

774861

PIZZA PLATE SPECIALE

code	colour	mm
774830	White	ø280
774847	White	ø330
774854	Dark grey	ø330
774861	Yellow	ø330



769928

PASTA PLATE SPECIALE

code	mm
769928	ø265



774885

PIZZA PLATE GRANITE

code	mm
774885	ø330
768815	ø310



778906

PIZZA PLATE DROPS COLLECTION

code	mm
778913	ø330
778906	ø310



769911

PIZZA PLATE CRETE

code	mm
769911	ø330
768785	ø310



774892

PIZZA PLATE TRADITIONAL

code	mm
774892	ø330
768808	ø310



**NEW**

427835

PIZZA PAN

- Made of blue steel.
- Rectangular shape.
- Rolled rim.
- Rim height: 25 mm.
- Smooth surface.
- Stackable.
- Resistant to high temperatures and intensive use.
- Requires regular cleaning, drying, and greasing.
- Waterproof.
- Not dishwasher safe.
- Not microwave safe.

code	mm
427835	600x400x(H)25



617083

PIZZA PAN

- Made of blue steel sheet.
- Uncoated finish.
- Heat-resistant up to 360°C.
- Resistant to pressure and intensive use.
- Requires regular cleaning, drying, and greasing.
- Not dishwasher safe.
- Not microwave safe.

code	ø bottom (mm)	mm	
427842	165	ø180x(H)25	N
617083	220	ø240x(H)25	
617090	240	ø260x(H)25	
617106	260	ø280x(H)25	
617205	280	ø300x(H)25	
617304	300	ø320x(H)25	
617403	340	ø360x(H)25	
617410	380	ø400x(H)25	
617434	480	ø500x(H)30	



616918

PERFORATED PIZZA PAN

- Made of carbon steel covered with iron oxide which ensures excellent corrosion protection.
- Very even baking thanks to special perforation.
- Holes diameter: Ø 3mm.
- ATTENTION: Not dishwasher safe nor microwave safe.

code	ø bottom (mm)	mm
616918	261	ø291x(H)24
616901	240	ø270x(H)25
616925	281	ø311x(H)23
616932	324	ø352x(H)23
616949	381	ø411x(H)23



PIZZA PAN RECTANGULAR

- Made in blue steel.
- Uniform heat distribution when baking.

code	mm
808276	600x400x(H)25

808276



PIZZA SCREEN

- Ideal for uniform pizza baking.
- Made of aluminium.

code	mm
617502	ø230
617519	ø250
617526	ø280
617533	ø300
617540	ø330
617557	ø360
617458	ø380
617564	ø400
617465	ø430
617571	ø450
617472	ø480
617588	ø508
617595	ø600



617533



505588

ø500 have
a reinforced bottom

PIZZA BOARD

- Made of raw beech wood.
- With grooves to assist cutting into 6 equal parts.

code	mm
505540	ø300
505557	ø350
505564	ø400
505571	ø450
505588	ø500



810361



PIZZA SCREEN/PAN RACK

- Holds up to 14 pizza screens or pans.

code	mm
810361	300x305x(H)680





Top transparent
pocket for bills.

Anti-slip
plastic handle.

Removable frame.

Extra insulation.



709818

PIZZA DELIVERY BAG 35 CM

- Tight shutter easy to adjust.
- Made of tough and easy to clean material.
- Top transparent pocket for bills.

code		mm
709825	4 boxes	370x370x(H)200
709818	4 boxes	470x470x(H)210



709870

PIZZA DELIVERY BAG 45 CM KITCHEN LINE

- Made from durable and easy to clean polyester.
- Outside made from 600D polyester and the inside is made from 210D polyester.
- Pizza compartment is padded with 5 mm thick foam.
- Closed with velcro, easy to adjust.
- The large handle makes carrying comfortable.
- Fitted with top transparent pocket for bills.

code		mm
709870		470x470x(H)210

WATERPROOF COATING

The bag is made of a high-quality material that protects its contents against water and wind.

EASY DELIVERY EVEN WHEN IT RAINS OR SNOWS



UNIQUELY CAPACIOUS INTERIOR

The bag has a capacity of 72 litres, which means that you can deliver up to: 10 pizza boxes* or 8 salads* + 6 main courses* + 6 soups*

HIGH CAPACITY = HIGH PERFORMANCE = LOWER COST OF DELIVERY = HIGHER PROFIT
* standard delivery packaging was used for the measurement.

ADJUSTABLE THERMAL SHELF

A shelf that divides the compartment into two parts.

Select a place for salads, coleslaws. Put hot dishes in a separate compartment.

COOL AT THE BOTTOM, HOT AT THE TOP

SEPARATORS

The thermal bag has 5 semicircular separators in the lower shell.

They provide thermal insulation of the container compartment from the ground and prevent the outer fabric from becoming worn out.

DON'T WORRY ABOUT PUTTING IT DOWN
THE DISHES ARE SAFE

THREE-LAYER WALL WITH COMPARTMENT INSERT

Low temperature permeability thanks to the multi-layer system of walls where the PVC compartment insert plays an important role. It stiffens the entire structure and provides effective thermal insulation.

THE THERMO INSTANT TECHNOLOGY KEEPS THE FOOD WARM FOR MORE THAN 1.5 HOURS

MULTIFUNCTIONAL CARRIER

Equipped with:

- Chest & belt tensioners
 - Hooks for payment terminals/on the straps
 - Comfort system - soft, ventilated cladding with light foam on the back and the harness
 - Waterproof bill pocket
- FUNCTIONALITY COMFORT
"HANDS-FREE"

STRUCTURAL AND SUPPORT BELTS IN AUTOMOTIVE TECHNOLOGY

Polypropylene weave strips in the belt. Durable, strong, with a great design that will last for years.
NO FRAYING OR UNRAVELLING

PIZZA & FOOD DELIVERY BACKPACK INSULATED

- Lightweight backpack with large, adjustable, padded shoulder straps and padded back section for comfort.
- Fitted with adjustable waist band for extra stability.
- Waterproof thanks to the use of durable 600D polyester.
- Large compartment with adjustable, velcro mounted shelf.
- Compartment has two layers of insulation, PE foam and aluminium foil.

- One side of the backpack can be opened with a zipper for easy access.
- With large padded carrying handles on the top and a transparent card holder on the back.
- Reflector strip fitted on the outside for extra safety.

code	mm
709801	410x410x(H)480



GAS KEBAB GRILLS

- Housing made of stainless steel.
- Skewer made of 18/8 stainless steel.
- Top-mounted motor with reversible rotation.
- The distance between the rotating skewer and the heating elements is adjustable.
- Fitted with a thermocouple.
- For natural gas; can be converted to propane with the converter set (included).
- Removable drip tray for rendered fat.
- Two tilting stainless steel reflection screens on the right and left.

- Safety valve for the doner grill.
- IPX protection class: IP20.
- Fitted with thermocouple.
- 4 burners with a total power of 13 kW.
- Grill length: 900 mm.
- Meat capacity of up to 60kg.

code	kW[HS]	mm
226001	13	735x745x(H)1110





ELECTRIC KEBAB GRILL

- Housing made of stainless steel.
- Skewer made of 18/8 stainless steel.
- Top-mounted motor with reversible rotation.
- The distance between the rotating skewer and the heating elements can be adjusted.
- 4 individual heating zones sealed in Robax glass (approx. 1.8 kW each).
- Each zone with a switch and 5 heat levels: 0-1-2-3-MAX.
- Skewer dimensions: 12 x 12 mm x (H) 890 mm, usable length: 650 mm.
- Plate diameter: 180 mm.
- Meat weight capacity of up to 60 kg.
- Maximum meat block dimensions: ø300 x (H) 650 mm.
- Removable drip tray for rendered fat.
- Two tilting stainless steel reflection screens on the right and left.
- IPX protection class: IP40.

code	V	W	mm
226018	400	7200	550x700x(H)1120



KEBAB SHOVEL

- Shovel made of 18/0 stainless steel.
- Handle made of phenol-formaldehyde resin.
- Easy to assemble.
- Shovel dimensions without the handle: 230x175x80 mm.

code	mm
523964	275x230



CONTACT GRILL, KEBAB XL

- Ribbed top and bottom cooking plates.
- Independent heat distribution for top and bottom plates.
- Tube-type heating elements.
- Grilling surface dimensions:
 - 263525: upper 352x268 mm, lower 378x340 mm.
 - 263532: upper 455x260 mm, lower 478x345 mm.
- Heavier top plate applies increased pressure for more efficient and even grilling.

code	V	W	mm
263532	230	3000	508x458x(H)234
263525	230	2500	408x455x(H)223



**NEW**

Durable construction designed for intensive use in gastronomy.



Kebab spatula included.

Bottom-mounted motor protects it from overheating.

219768

Capacity up to 40 kg of meat.

Precise roasting control thanks to 4 independent burners.

Flexible fuel supply (LPG and natural gas).

Drain opening and removable tray enable faster cleaning.

KEBAB GRILL, GAS

- Made of stainless steel.
- Suitable for doner, gyros, and shawarma-style meat.
- 4 independently controlled gas burners.
- Suitable for LPG and natural gas (NG).
- Electric motor-driven rotisserie.
- Rotisserie speed: 3.5 RPM.
- Manual burner control.
- Drip opening with removable drip tray.
- Supplied with 50 mbar regulator and gas hose.
- Kebab shovel included.
- Maximum meat capacity: 40 kg.

code	V	kW [HS]	mm
219768	230	13.2	537x639x(H)1013





267240

KEBAB KNIFE, ELECTRIC

- Blade cover made of stainless steel.
- Handle and motor housing made of anti-slip material.
- Designed for slicing döner kebab, shawarma, gyros, and similar meats.
- Slicing area: 100 mm.
- Supplied with 2 stainless steel blades: 1 smooth and 1 serrated.
- Blade rotation speed: 2600 RPM.
- Slicing capacity: up to 30 kg/h.
- Adjustable slicing thickness from 0 to 8 mm.
- Integrated ON/OFF switch.
- Overload protection with reset button.
- Blade sharpening stone included.

code	V	mm
267240	230	262x134x(H)189



267257

CORDLESS KEBAB KNIFE ELECTRIC

- For slicing döner kebab, shawarma, gyro, etc.
- 2 stainless steel Ø 100 mm blades, 1 smooth and 1 serrated.
- Blade spins at 2600 RPM and can slice up to 60 kg/h.
- Easily adjustable slicing thickness from 0 mm up to 8 mm.
- Blade cover made of stainless steel ensures safety during cutting.
- Handle and motor housing made of anti-slip material.
- ON/OFF switch integrated with the housing.
- Charger with red and green light indicating battery level.
- Two 2,000 mAh battery packs included.
- Blade sharpening stone included.
- Weight 1,6 kg.

code	V	W	mm
267257	230	80	155x127x(H)202



267264

KEBAB KNIFE ELECTRIC

- Ideal for slicing any type of roasted meat like; kebab, shoarma, gyros, etc.
- Large Ø 80 mm smooth slicing disk with stainless steel guard.
- The blade cover ensures safety while slicing.
- Additional Ø 80 mm serrated slicing disk included.
- Disk spins at 8.000 RPM.
- Aluminium handle with 2.7 m power cord.
- Ingress protection: IPX4.
- Adapter with indicator lamp.
- Blade sharpening stone, knife stand and a screwdriver are included.

code	V	W	mm
267264	230	80	232x120x(H)140

**NEW**

267219

REPLACEMENT KNIFE FOR KEBAB KNIFES

- Replace your broken or lost knife to extend the service life of your electric kebab knife.
- For use with HENDI Kebab knife electric 267240, 267257.

code	mm
267219	Ø100



PASTA MAKER

- Perfect for making fresh pasta (max. width: 140 mm).
- Dough thickness adjustable in 7 steps from 0,2 to 2,5 mm.
- Three aluminium alloy rollers/cutters: dough roller, tagliatelle cutter and fettuccine cutter.
- Includes a hand crank and a clamp for table mounting.

code	mm
224830	210x193x(H)135



PASTA MAKER ELECTRIC

- Perfect for making fresh pasta (max. width: 170 mm).
- Cover equipped with safety switch.
- Dough thickness adjustable in 7 steps from 0,2 to 2,5 mm.
- Three rollers/cutters: dough roller, tagliatelle cutter (6,25 mm) and fettuccine cutter (2 mm). The rollers and cutters are made of 430 stainless steel.

code	V	W	mm
224847	230	70	256x213x(H)232



Watch the video





DUMPLINGS MAKER

- For easy preparation of 5 dumplings at a time.
- Body made of stainless steel with brushed finish.
- Handle made of aluminium.
- With hinges made of stainless steel connecting 2 parts of the form.
- Mould surface finished with a non-stick coating – for effortless removal of the finished dumplings.
- Handle along the entire length of the form – for even pressure during forming.

- With 4 rubber anti-slip feet.
- Max. thickness and diameter of a dumpling: 21 mm, ø80 mm.
- Width of a dumpling "rim": 8 mm.
- Dimensions of the open dumpling maker: 470x245x80 mm.
- Not dishwasher safe.
- CAUTION: to prevent damage of the coating, do not use the dumpling maker without dough inside. Do not wash the coating with strong cleaning agents and coarse sponges.

code	mm
230107	470x140x(H)95



Stainless
steel roller

CHEESE GRATER, ELECTRIC

- Housing made of die-cast polished aluminium.
- Roller made of stainless steel.
- Motor is protected against overloading.
- Safety microswitch automatically cuts power when the feed tray is opened.
- Suitable for grating parmesan cheese and other hard cheeses.
- Not suitable for soft cheeses.
- Cylinder diameter Ø 110x60 mm.
- Capacity: 30 kg p/h.
- Included: Grated cheese container 1.3 L.

code	-	V	W	mm
226827	30 kg/h	230	380	292x226x(H)302




226827



PASTA COOKER

- For cooking pasta, dumplings, and also vegetables.
- Upper part of the housing made of 18/8 stainless steel.
- Other parts of the housing (without the worktop) made of 18/0 stainless steel.
- Container made of 18/10 stainless steel, with 10 L capacity.
- Heating element is at the bottom of the container.
- Direct connection to water.
- Valve dial for fresh water at the front control panel.
- Temperature adjustment with a dial in the range: from 30°C to 120°C.
- Indicator light informing about reaching the set temperature.
- Removable spout for used water.
- Holder for baskets intended for draining the contents.
- Mechanical locking for preventing accidental drain tap opening.
- Overheating protection with a reset on the front control panel.
- Non-slip feet.
- Included: 2 baskets 100x292x(H)158 mm and a lid.
- The appliance is delivered without a plug.

238899

Includes a 2 baskets
and a lid

18/0 stainless steel	18/10 stainless steel
-------------------------	--------------------------

PASTA AND DUMPLINGS COOKER

code	V	W	mm
238899	230	3500	330x600x(H)380



PASTA COOKER

- Water tank and pasta baskets made of 18/8 stainless steel.
- Including 5 baskets:
 - 1 large basket (170 x 263 x 306 mm).
 - 2 medium baskets (170 x 130 x 259 mm).
 - 2 small baskets (115 x 126 x 253 mm).
- Adjustable temperature range: from 45°C to 110°C.
- Water tank capacity: 25L.
- The heater is located at the bottom of the covered chamber.
- Control light indicates when the set temperature has been reached.
- Includes a tap to easily empty it of water.
- Anti-slip feet.
- Includes a mechanical lock to prevent the drain valve from being opened accidentally.
- Overheating protection.

code	liters	V	W	mm
240496	25	230	3500	601x326x(H)279



240496

18/8
stainless steel

NEW



967881

BASKET FOR PASTA COOKER

- Basket made of stainless steel 18/8.
- Intended for use with the HENDI Pasta cooker, code 240496.
- Available in different sizes.

code	-	mm
967874	Small	115x126x(H)253
967881	Medium	170x130x(H)259
967898	Large	170x263x(H)306



09


Cooling

Feel the ice experience





Thick insulation
(90 mm).



High energy
efficiency class (A, B).

Embossed
guides.

Rounded door
edges.

FREEZER PROFI LINE PLUS

- Interior and exterior made of stainless steel.
- Embossed shelf guides.
- Integrated handle.
- Curved door edges.
- Suitable for GN 2/1 containers.
- Max. load per shelf: 40 kg.
- Adjustable shelf positions.
- Temperature range: -2°C to +8°C.

- Ventilated cooling.
- Automatic defrost.
- Top-mounted compressor.
- 90 mm polyurethane insulation.
- Digital display with electronic thermostat.
- LED interior lighting.
- Fitted with 4 wheels, including 2 castors.

arktic
PROFESSIONAL REFRIGERATION

S.S.
stainless steel

NEW



PE
polyethylene



238233, 238240



238257, 238264



SHELF FOR COOLING AND FREEZING CABINETS GN 2/1

- Steel shelf, covered with white polyethylene, wired.
- Size - GN 2/1.

code	mm
801888	530x650

Chamber and outer housing made of stainless steel

	A A+	A A+	B A+	B A+
type	refrigerator	refrigerator	freezer	freezer
code	238233	238257	238240	238264
capacity gross/net	552/430 l	1235/860 l	552/430 l	1235/860 l
dimensions	714x830x(H)1940 mm	1374x830x(H)1940 mm	714x830x(H)1940 mm	1374x830x(H)1940 mm
chamber dim.	534x635x(H)1510 mm	1194x635x(H)1510 mm	534x635x(H)1510 mm	1194x635x(H)1510 mm
temperature range	-2/8 °C	-2/8 °C	-22/-17 °C	-22/-17 °C
refrigerant	R600a	R600a	R290	R290
climate class	5	5	5	5
insulation thickness	90 mm	90 mm	90 mm	90 mm
type of defrost	auto	auto	auto	auto
shelf	4x 530x650 mm	8x 530x650 mm	4x 530x650 mm	8x 530x650 mm
average daily power consumption	0,90 kWh/24 h	1,38 kWh/24 h	3,44 kWh/24 h	5,47 kWh/24 h
power/voltage	220 W/230 V	230 W/230 V	370 W/230 V	370 W/230 V
weight	110 kg	185 kg	110 kg	185 kg

REFRIGERATORS & FREEZERS PROFI LINE | 800 SERIES

arktic
REFRIGERATION TECHNOLOGY

S.S.
stainless steel

- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanised steel.
- Self-closing lockable door(s) with comfortable curved door handle(s).
- Forced air cooling with auto-defrost, compressor placed above the chamber.
- 60 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 2/1.
- Digital display and electronic thermostat.
- Fitted with 4 wheels of which 2 are castor wheels.
- Climate class: 5.
- With adjustable shelving.



PE
polyethylene

SHELF FOR COOLING AND FREEZING CABINETS GN 2/1

- Steel shelf, covered with white polyethylene, wired.
- Size - GN 2/1.

code	mm
801888	530x650



232118, 232132

232125, 232149

Chamber and outer housing made of stainless steel

	B A G	B A G	C A G	C A G
type	refrigerator	refrigerator	freezer	freezer
code	232118	232125	232132	232149
capacity gross/net	670/455 l	1240/940 l	670/455 l	1240/940 l
dimensions	730x800x(H)2065 mm	1314x800x(H)2065 mm	730x800x(H)2065 mm	1314x800x(H)2065 mm
chamber dim.	610x635x(H)1540 mm	1194x635x(H)1540 mm	610x635x(H)1540 mm	1194x635x(H)1540 mm
temp. range	-2/8 °C	-2/8 °C	-22/-17 °C	-22/-17 °C
refrigerant	R600a	R600a	R290	R290
climate class	5	5	5	5
insulation thickness	60 mm	60 mm	60 mm	60 mm
type of defrost	auto	auto	auto	auto
shelf	3x 530x650 mm* 1x 603x628 mm*	6x 530x650 mm* 3x 515x124.5 mm* 2x 590x628 mm*	4x 530x650 mm*	6x 530x650 mm* 3x 515x124.5 mm* 2x 590x628 mm*
average daily power consumption	1,26 kWh/24 h	2,01 kWh/24 h	4,99 kWh/24 h	8,19 kWh/24 h
power/voltage	220 W/230 V	350 W/230 V	600 W/230 V	980 W/230 V
weight	107 kg	171 kg	115 kg	177 kg
SHELF	936191	936191	936191	936191

* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load)

COOLING



REFRIGERATORS & FREEZERS PROFI LINE | 700 SERIES



- Inner and outer housing are made of stainless steel.
- Outer rear cover made of galvanised steel.
- Self-closing lockable door(s) with comfortable curved door handle(s).
- Forced air cooling with auto-defrost, compressor placed

- above the chamber.
- 50 mm thick polyurethane foam insulation.
- With adjustable shelving.
- Digital display and electronic thermostat.
- Fitted with 4 wheels of which 2 are castor wheels.



SHELF FOR COOLING AND FREEZING CABINETS GN 2/1

- Steel shelf, covered with white polyethylene, wired.
- Size - GN 2/1.

code	mm
801888	530x650



233108, 233115



233122, 233139

Chamber and outer housing made of stainless steel

type	refrigerator	refrigerator	freezer	freezer
code	233108	233122	233115	233139
capacity gross/net	410/280 l	900/620 l	410/280 l	900/620 l
dimensions	600x730x(H)1950 mm	1200x745x(H)1945 mm	600x730x(H)1950 mm	1200x745x(H)1945 mm
chamber dim.	500x540x(H)1380 mm	1100x540x(H)1380 mm	500x540x(H)1380 mm	1100x540x(H)1380 mm
temp. range	-2/8 °C	-2/8 °C	-22/-17 °C	-22/-17 °C
refrigerant	R600a	R600a	R290	R290
climate class	5	5	4	4
insulation thickness	50 mm	50 mm	50 mm	50 mm
type of defrost	auto	auto	auto	auto
shelf	3x 485x525 mm*	6x 485x525 mm*	3x 485x525 mm*	6x 485x525 mm*
average daily power consumption	1,43 kWh/24 h	2,18 kWh/24 h	5,78 kWh/24 h	9,17 kWh/24 h
power/voltage	290 W/230 V	450 W/230 V	600 W/230 V	750 W/230 V
weight	82 kg	132 kg	82 kg	132 kg

* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load)



REFRIGERATORS AND FREEZERS PROFI LINE 420+420 L AND 890+420 L



- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanized steel.
- Forced cooling.
- Insulation 50 mm thick (material: C5H10).
- Digital display and electronic thermostat.

- EMBRACO compressor.
- Automatic evaporation of condensation.
- Self-closing lockable door, opens on the left side.
- Comfortable curved door handle.
- Fitted with 4 wheels of which 2 are castor wheels.

NEW



233146



233153

Chamber and outer housing made of stainless steel

	refrigerator-freezer	refrigerator-freezer
type	refrigerator-freezer	refrigerator-freezer
code	233146	233153
gross capacity	450 + 450 l	450 + 900 l
net capacity	420 + 420 l	420 + 890 l
dimensions	1200x740x(H)1950 mm	1800x740x(H)1950 mm
chamber dim.	refrigerator - 550x540x(H)1380 mm freezer - 550x540x(H)1380 mm	refrigerator - 1100x540x(H)1380 mm freezer - 525x540x(H)1380 mm
temp. range	-2/8°C, -17/-22°C	-2/8°C, -17/-22°C
refrigerant	R290 / R600a	R290 / R600a
climate class	4	4
insulation thickness	50 mm	50 mm
type of defrost	auto	auto
shelf	6x - refrigerator - 550x540x(H)1380 mm* freezer - 550x540x(H)1380 mm*	9x - refrigerator - 1100x540x(H)1380 mm* freezer - 525x540x(H)1380 mm*
average daily power consumption	8,21 kWh/24 h	9,32 kWh/24 h
power/voltage	870 W/230 V	1150 W/230 V
weight	135 kg	207 kg

* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load)



REFRIGERATORS AND FREEZERS KITCHEN LINE

arktic
KITCHEN LINE

S.S.
stainless steel

- Inner and outer housing are made of high-quality stainless steel.
- Outer rear cover made of galvanised steel.
- Fan-assisted static cooling, compressor in the bottom.
- With particle filter.
- Polyurethane foam insulation, 60 mm thick.
- Self-closing lockable door, opens on the left side.
- Comfortable curved door handle.
- Fitted with 4 wheels of which 2 are castor wheels.
- Digital display and electronic thermostat.



232729, 232514

232736



PE
polyethylene

SHELF FOR COOLING AND FREEZING CABINETS GN 2/1

- Steel shelf, covered with white polyethylene, wired.
- Size - GN 2/1.

code	mm
801888	530x650

Chamber and outer housing made of stainless steel

	D A G	D A G	D A G
type	refrigerator	refrigerator	freezer
code	232729	232736	232514
capacity gross/net	580/381 l	1300/762 l	580/381 l
dimensions	685x800x(H)1987 mm	1382x805x(H)2112 mm	685x800x(H)1987 mm
chamber dim.	565x640x(H)1525 mm	1262x640x(H)1525 mm	565x640x(H)1525 mm
temp. range	-5/5 °C	-5/5 °C	-22/-17 °C
refrigerant	R600a	R290	R290
climate class	4	4	4
insulation thickness	60 mm	60 mm	60 mm
type of defrost	auto	auto	auto
shelf	4x 546x622 mm*	8x 618x622 mm*	4x 646x622 mm*
average daily power consumption	2,5 kWh/24 h	3,77 kWh/24 h	6,79 kWh/24 h
power/voltage	320 W/230 V	400 W/230 V	550 W/230 V
weight	110 kg	180 kg	110 kg

* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load)




REFRIGERATORS AND FREEZERS BUDGET LINE

- Outer housing made of stainless steel.
- Fan assisted cooling.
- Rear external wall and bottom made of galvanised sheet metal.
- Interior made of ABS plastic.
- Thick cyclopentane foam insulation (C5H10) (up to 65 mm), depending on the model, for greater temperature stability

inside the cabinet.

- Highly accurate digital thermostat makes it possible to precisely determine storage temperature.
- Adjustable shelves with a load capacity of 30 kg each, provided that the weight in the cooling display cabinet is distributed evenly.



stainless steel



236017



236031



236055




type	refrigerator	refrigerator	refrigerator
code	236017	236031	236055
exterior finish	stainless steel	stainless steel	stainless steel
capacity gross/net	200/100 l	400/260 l	600/455 l
dimensions	600x637x(H)835 mm	600x639x(H)1875 mm	775x744x(H)1900 mm
chamber dim.	500x410x(H)660 mm	468x468x(H)1635 mm	675x573x(H)1644 mm
temp. range	0/8 °C	0/8 °C	0/8 °C
refrigerant	R600a	R600a	R600a
climate class	4	4	4
insulation thickness	60 mm	65 mm	60 mm
type of defrost	auto	auto	auto
shelf	2x 506x415 mm*	4x 484x410 mm / 450x210 mm*	4x 660x525 mm / 615x190 mm*
average daily power consumption	0,677 kWh/24 h	1,07 kWh/24 h	1,59 kWh/24 h
power/voltage	110 W/230 V	170 W/230 V	140 W/230 V
weight	34 kg	62 kg	78 kg

* Maximum load capacity of the shelf approx. 30 kg (with evenly distributed load)



- Fixed shelves with freezing system components, with a load capacity of 25 kg each, provided that the weight in the freezing display cabinet is distributed evenly.
- Additional shelf at the bottom of the chamber to increase storage space (selected models only - see table).
- Electromechanical control with electronic display for indicating

- set and actual temperature.
- With 2 feet at the front allow for limited height adjustment and 2 castors at the back, ideal for moving the cabinet (only cabinets with the capacity of 400 and 600 l).
- Self-closing doors to reduce electricity consumption.
- Locking doors (with a key).




	A A G	C A G	C A G
type	refrigerator	refrigerator	refrigerator
code	236000	236024	236048
exterior finish	white coated steel	white coated steel	white coated steel
capacity gross/net	200/100 l	400/260 l	600/455 l
dimensions	600x637x(H)835 mm	600x639x(H)1875 mm	775x744x(H)1900 mm
chamber dim.	500x410x(H)660 mm	468x468x(H)1635 mm	675x573x(H)1644 mm
temp. range	0/8 °C	0/8 °C	0/8 °C
refrigerant	R600a	R600a	R600a
climate class	4	4	4
insulation thickness	60 mm	65 mm	60 mm
type of defrost	auto	auto	auto
shelf	2x 506x415 mm*	4x 484x410 mm / 450x210 mm*	4x 660x525 mm / 615x190 mm*
average daily power consumption	0,677 kWh/24 h	1,07 kWh/24 h	1,59 kWh/24 h
power/voltage	110 W/230 V	170 W/230 V	140 W/230 V
weight	34 kg	62 kg	78 kg

* Maximum load capacity of the shelf approx. 30 kg (with evenly distributed load)



REFRIGERATORS AND FREEZERS BUDGET LINE

- Outer housing made of stainless steel.
- Fan assisted cooling.
- Rear external wall and bottom made of galvanised sheet metal.
- Interior made of ABS plastic.
- Thick cyclopentane foam insulation (C5H10) (up to 65 mm), depending on the model, for greater temperature stability inside the cabinet.
- Highly accurate digital thermostat makes it possible to precisely determine storage temperature.
- Adjustable shelves with a load capacity of 30 kg each, provided that the weight in the cooling display cabinet is distributed evenly.
- Fixed shelves with freezing system components, with a load capacity of 25 kg each, provided that the weight in the freezing display cabinet is distributed evenly.



stainless steel



236079



236093



236109

type	freezer	freezer	freezer
code	236079	236093	236109
exterior finish	stainless steel	stainless steel	stainless steel
capacity gross/net	200/100 l	400/260 l	600/455 l
dimensions	600x637x(H)835 mm	600x639x(H)1875 mm	775x744x(H)1900 mm
chamber dim.	439x453x(H)660 mm	480x453x(H)1635 mm	643x558x(H)1638 mm
temp. range	-20/-15 °C	-23/-18 °C	-23/-18 °C
refrigerant	R600a	R600a	R290
climate class	3	3	3
insulation thickness	60 mm	65 mm	60 mm
type of defrost	auto	auto	auto
shelf	2x 458x445 mm*	6x 425x415 mm*	6x 588x496 mm*
average daily power consumption	1,18 kWh/24 h	2,7 kWh/24 h	3,11 kWh/24 h
power/voltage	130 W/230 V	280 W/230 V	350 W/230 V
weight	36 kg	73 kg	86 kg

* Maximum load capacity of the shelf approx. 25 kg (with evenly distributed load)



- Additional shelf at the bottom of the chamber to increase storage space (selected models only - see table).
- Electromechanical control with electronic display for indicating set and actual temperature.
- With 2 feet at the front allow for limited height adjustment and 2 castors at the back, ideal for moving the cabinet

- (only cabinets with the capacity of 400 and 600 l).
- Self-closing doors to reduce electricity consumption.
- Locking doors (with a key).



type	freezer	freezer	freezer
code	236062	236086	236116
exterior finish	white coated steel	white coated steel	white coated steel
capacity gross/net	200/100 l	400/260 l	600/455 l
dimensions	600x637x(H)835 mm	600x639x(H)1875 mm	775x744x(H)1900 mm
chamber dim.	439x453x(H)660 mm	480x453x(H)1635 mm	643x558x(H)1638 mm
temp. range	-20/-15 °C	-23/-18 °C	-23/-18 °C
refrigerant	R600a	R600a	R290
climate class	3	3	3
insulation thickness	60 mm	65 mm	60 mm
type of defrost	auto	auto	auto
shelf	2x 458x445 mm*	6x 425x415 mm*	6x 588x496 mm*
average daily power consumption	1,18 kWh/24 h	2,7 kWh/24 h	3,11 kWh/24 h
power/voltage	130 W/230 V	280 W/230 V	350 W/230 V
weight	36 kg	73 kg	86 kg

* Maximum load capacity of the shelf approx. 25 kg (with evenly distributed load)



DRY AGING CABINETS

arktic
PROFESSIONAL REFRIGERATION

S.S.
stainless steel

- Body, door frame, and door handle made of 18/8 stainless steel.
- Door made of 2 layers of Low-E tinted tempered glass which increases energy efficiency by blocking infrared light and UV from the outside while preventing the heat from transferring inside.
- Door lock is included.
- Distilled water container made of ABS – distilled water must be filled manually.
- Display notification and audible alarm when the water tank's humidity falls below 15%.
- Alarm indicating the door open for more than 3.5 minutes – protection against uncontrolled disruption of the conditions in the chamber.
- Built-in UVC sterilisation lamp to prevent bacterial growth

- and guarantee safe environment for the meat; when the door is opened during the seasoning process, bacteria do not have a chance to develop.
- Forced cooling using a ventilator which ensures the required level of air circulation.
- LED lights placed on both sides of the chamber and on the ceiling.
- Max. load per hook: 25 kg.
- Max. load of the hanging rod: 50 kg.
- Adjustable humidity range: 60-85%.
- Current humidity level is displayed on the panel.



221433



204962



204986

type	refrigerator	refrigerator	refrigerator
code	221433	204962	204986
exterior finish	AISI 304	AISI 304	dark grey powder-coated metal
cap. gross/net	-/233 l	-/352 l	-/352 l
dimensions	595x760x(H)1270 mm*	695x760x(H)1720 mm*	695x760x(H)1720 mm*
temp. range	1/25 °C	1/25 °C	1/25 °C
refrigerant	R600a	R600a	R600a
number of shelves	3*	3*	3*
power/voltage	170 W	170 W	170 W
weight	17 kg	81 kg	81 kg


* Maximum load capacity of the shelf approx. 25 kg (with evenly distributed load)

COOLING



DRY AGING CABINET, UNDERCOUNTER

- Body, door frame, and door handle made of 18/8 stainless steel.
- Door made of 2 layers of Low-E tinted tempered glass.
- Door lock is included.
- Distilled water container made of ABS – distilled water must be filled manually.
- Display notification and audible alarm when the water tank's humidity falls below 15%.
- Alarm indicating the door open for more than 3.5 minutes.
- Built-in UVC sterilisation lamp.
- Forced cooling using a ventilator.
- LED lights placed on both sides of the chamber and on the ceiling.
- Max. load per hook: 25 kg.
- Max. load of the hanging rod: 50 kg.
- Temperature range: 2 °C – 10 °C.
- Adjustable humidity range: 60-85%.
- Current humidity level displayed.
- Proper thermal, ventilation and humidity conditions for dry aging meat.
- Included:
 - 3x hooks.
 - Salt tray.



204979

type	refrigerator
code	204979
exterior finish	AlSi 304
cap. gross/net	148/138 l
dimensions	600x545x(H)900 mm
chamber dim.	510x355x(H)745 mm
temp. range	2/10 °C
refrigerant	R600a
number of shelves	1
power/voltage	350 W
weight	50 kg



REFRIGERATOR & FREEZER COUNTERS PROFI LINE | 700 SERIES, WITH A BACKSPLASH

arktic
PROFESSIONAL REFRIGERATION

S.S.
stainless steel

- Inner and outer housing are made of high-quality stainless steel.
- Outer rear cover is made of galvanised steel.
- Self-closing doors fitted with comfortable handles.
- Forced-air cooling with auto-defrost, with the compressor located next to the chamber.

- With adjustable shelving, fits containers up to GN 1/1.
- 50 mm thick polyurethane foam insulation.
- Features a digital display and an electronic thermostat.
- With 4 adjustable stainless-steel feet.
- Available with or without a 40 mm backsplash.



232040, 232064



232057, 232699

type	cooling, 2-door	cooling, 3-door	freezing, 4-door	freezing, 2-door	freezing, 3-door
code	232040	232057	238165	232064	232699
exterior finish	AISI 201	AISI 201	AISI 201	AISI 201	AISI 201
cap. gross/net	280/215 L	420/334 l	560/450 l	280/215 l	420/334 l
dimensions	1350x700x(H)839 mm	1795x700x(H)839 mm	2230x700x(H)839 mm	1360x700x(H)839 mm	1795x700x(H)839 mm
chamber dim.	822x570x(H)580 mm	1257x570x(H)580 mm	1692x570x(H)580 mm	822x570x(H)580 mm	1257x570x(H)580 mm
temp. range	-2/8 °C	-2/8 °C	-2/8 °C	-22/-18 °C	-22/-18 °C
refrigerant	R600a	R290	R290	R290	R290
climate class	5	5	5	5	5
insulation thickness	60 mm	60 mm	60 mm	60 mm	60 mm
type of defrost	auto	auto	auto	auto	auto
shelf	4x 555x330 mm* 2x 460x150 mm*	6x 555x330 mm* 4x 460x130 mm*	8x 330x555 mm*	4x 555x330 mm* 2x 460x150 mm*	6x 555x330 mm* 4x 460x130 mm*
average daily power consumption	1,34 kWh/24 h	1,73 kWh/24 h	1,91 kWh/24 h	3,97 kWh/24 h	5,09 kWh/24 h
power/voltage	250 W/230 V	400 W/230 V	400 W/230 V	600 W/230 V	600 W/230 V
weight	95 kg	120 kg	145 kg	95 kg	120 kg
SHELF	941058	941058		941058	

* Maximum load capacity of the shelf approx. 20 kg (with evenly distributed load)



238165

Fe
carbon steel

NEW



802120

REFRIGERATOR & FREEZER COUNTERS PROFI LINE | 700 SERIES, WITHOUT A BACKSLASH

arktic
PROFESSIONAL REFRIGERATION

S.S.
stainless steel

- Inner and outer housing are made of high-quality stainless steel.
- Outer rear cover is made of galvanised steel.
- Self-closing doors fitted with comfortable handles.
- Forced-air cooling with auto-defrost, with the compressor located next to the chamber.

- With adjustable shelving, fits containers up to GN 1/1.
- 50 mm thick polyurethane foam insulation.
- Features a digital display and an electronic thermostat.
- With 4 adjustable stainless-steel feet.
- Available with or without a 40 mm backslash.

NEW



238110, 238134



238127, 238141

type	 cooling, 2-door	 cooling, 3-door	 cooling, 4-door	 freezing, 2-door	 freezing, 3-door
code	238110	238127	238158	238134	238141
exterior finish	AISI 201	AISI 201	AISI 201	AISI 201	AISI 201
cap. gross/net	280/215 l	420/334 l	560/450 l	280/215 l	420/334 l
dimensions	1350x700x(H)839 mm	1795x700x(H)839 mm	2230x700x(H)839 mm	1360x700x(H)839 mm	1795x700x(H)839 mm
chamber dim.	822x570x(H)580 mm	1257x570x(H)580 mm	1692x570x(H)580 mm	822x570x(H)580 mm	1257x570x(H)580 mm
temp. range	-2/8 °C	-2/8 °C	-2/8 °C	-22/-18 °C	-22/-18 °C
refrigerant	R600a	R290	R290	R290	R290
climate class	5	5	5	5	5
insulation thickness	60 mm	60 mm	60 mm	60 mm	60 mm
type of defrost	auto	auto	auto	auto	auto
shelf	4x 555x330 mm* 2x 460x150 mm*	6x 555x330 mm* 4x 460x130 mm*	8x 330x555 mm*	4x 555x330 mm* 2x 460x150 mm*	6x 555x330 mm* 4x 460x130 mm*
average daily power consumption	1,34 kWh/24 h	1,73 kWh/24 h	1,91 kWh/24 h	3,97 kWh/24 h	5,09 kWh/24 h
power/voltage	250 W/230 V	400 W/230 V	400 W/230 V	600 W/230 V	600 W/230 V
weight	95 kg	120 kg	145 kg	95 kg	120 kg

* Maximum load capacity of the shelf approx. 20 kg (with evenly distributed load)

SHELF FOR GN 1/1 REFRIGERATED COUNTERS AND CABINETS

- Made of carbon steel.
- Polyethylene coating.
- Maximum load: 15 kg.
- Temperature resistant from -18°C to 40°C.
- Not dishwasher safe.

code
802120



238158

HENDI

423

REFRIGERATOR COUNTER PROFI LINE | 700 SERIES



- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanised steel.
- Self-closing doors fitted with comfortable handles.
- Forced air cooling with auto-defrost, compressor placed next

- to the chamber.
- 50 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable stainless-steel feet.



233764

237069

NEW

NEW

				
type	cooling, 4 drawers without a backsplash	cooling, 4 drawers with a backsplash	cooling, 6 drawers without a backsplash	cooling, 6 drawers with a backsplash
code	233764	238318	237069	238325
capacity gross/net	280/90 l	280/90 l	420/204 l	420/204 l
dimensions	1360x700 x(H)840 mm	1360x700 x(H)755 mm	1795x700 x(H)840 mm	1795x700 x(H)755 mm
chamber dimensions	822x570 x(H)580 mm	822x570 x(H)580 mm	1257x570 x(H)580 mm	1257x570 x(H)580 mm
temp. range	-2/8 °C	-2/8 °C	-2/8 °C	-2/8 °C
refrigerant	R600a	R600a	R290	R290
climate class	5	5	5	5
insulation thickness	60 mm	60 mm	60 mm	60 mm
type of defrost	auto	auto	auto	auto
drawers/shelf	4 drawers	4 drawers	6 drawers	6 drawers
average daily power consumption	1,79 kWh/24 h	1,79 kWh/24 h	1,98 kWh/24 h	1,98 kWh/24 h
power/voltage	250 W/230 V	250 W/230 V	400 W/230 V	400 W/230 V
weight	95 kg	95 kg	120 kg	120 kg

* Maximum load capacity of the shelf approx. 20 kg (with evenly distributed load)

238318

238325



KITCHEN LINE | 600 SERIES

arktic HYGIENE • FUNCTION • DESIGN

S.S.
stainless steel

- Inner and outer housing are made of high-quality stainless steel.
- Self-closing doors fitted with comfortable handles.
- Work surface fitted with a 40 mm high ridge at the back.
- Static refrigeration supported by internal fan, pollen filter.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 50 mm thick polyurethane foam insulation.
- With adjustable shelving.
- Digital display and electronic thermostat.
- With 4 adjustable stainless-steel feet.



233344, 233351

233382, 233399

				
type	cooling, 2-door	cooling, 3-door	freezing, 2-door	freezing, 3-door
code	233344	233382	233351	233399
capacity gross/net	220/166 l	390/291 l	220/166 l	390/291 l
dimensions	1200x600x(H)840 mm	1800x600x(H)840 mm	1200x600x(H)840 mm	1800x600x(H)840 mm
chamber dim.	800x480x(H)580 mm	1400x480x(H)580 mm	800x480x(H)580 mm	1400x480x(H)580 mm
temp. range	-2/8 °C	-2/8 °C	-22/-17 °C	-22/-17 °C
refrigerant	R600a	R600a	R290	R290
climate class	5	5	4	4
insulation thickness	50 mm	50 mm	50 mm	50 mm
type of defrost	auto	auto	auto	auto
shelf	2x 390x428 mm	430x428 mm / 490x428 mm	4x 390x428 mm	6 - 430x428 mm / 490x428 mm
average daily power consumption	2,06 kWh/24 h	2,36 kWh/24 h	4,5 kWh/24 h	5,48 kWh/24 h
power/voltage	270 W/230 V	270 W/230 V	550 W/230 V	550 W/230 V
weight	71 kg	100 kg	74 kg	100 kg
SHELF	949276	954775 956113	949276	954775 956113
		Left or right Middle		Left or right Middle

* Maximum load capacity of the shelf approx. 19 kg (with evenly distributed load)



- Inner and outer housing are made of high-quality stainless steel.
- Doors fitted with comfortable handles.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 35 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic feet.
- Auto-defrost with condensation evaporator.



232019



238332



232026



238349



238363



238356



type

 refrigerated
counter, 2 doors
without
a backsplash

 refrigerated
counter, 2 doors
with a backsplash

 refrigerated
counter, 3 doors
without
a backsplash

 refrigerated
counter, 3 doors
with a backsplash

 refrigerated
counter, 4 drawers
without
a backsplash

 refrigerated
counter, 4 drawers
with a backsplash

code	232019	238332	232026	238349	238363	238356
capacity gross/net	300/169 l	300/169 l	380/254 l	380/254 l	300/97 l	300/97 l
dimensions	900x700 x(H)890 mm	900x700 x(H)908 mm	1365x700 x(H)890 mm	1365x700 x(H)908 mm	900x700 x(H)868 mm	900x700 x(H)908 mm
temp. range	2/8 °C	2/8 °C	2/8 °C	2/8 °C	0/8 °C	0/8 °C
refrigerant	R600a	R600a	R600a	R600a	R600a	R600a
climate class	4	4	4	4	4	4
insulation thickness	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm
type of defrost	auto	auto	auto	auto	auto	auto
shelf	4 - 335x590 mm/ 340x590 mm*	4 - 335x590 mm/ 340x590 mm**	6 - 335x590 mm/ 340x590 mm**	6 - 335x590 mm/ 340x590 mm**		
average daily power consumption	1,16 kWh/24 h	1,16 kWh/24 h	1,6 kWh/24 h	1,6 kWh/24 h	1,45 kWh/24 h	1,45 kWh/24 h
power/voltage	220 W/230 V	220 W/230 V	220 W/230 V	220 W/230 V	220 W/230 V	220 W/230 V
weight	72 kg	72 kg	94 kg	94 kg	82 kg	82 kg

* Maximum load capacity of the shelf approx. 18 kg (with evenly distributed load)

** Maximum load capacity of the shelf approx. 15 kg (with evenly distributed load)



REFRIGERATOR COUNTER THREE GLASS DOOR

- Inner and outer casing made of high-grade stainless steel (galvanized steel rear wall, door frames made of aluminium)
- Forced cooling
- Insulation thickness: 60 mm (material: C5H10)
- Self-closing door
- 4 adjustable, fixed stainless steel feet
- Digital display, electronic thermostat
- EMBRACO refrigeration unit
- Automatic condensate evaporation
- Edge 40 mm

NEW

arktic
PROFESSIONAL REFRIGERATION

S.S.
stainless steel



233436



type	refrigerator counter three glass door
code	233436
capacity gross/net	420 l
dimensions	1795x700x(H)850 mm
chamber dim.	1257x570x(H)580 mm
temp. range	0/8 °C
refrigerant	R290
climate class	5
insulation thickness	60 mm
type of defrost	auto
shelf	adjustable
average daily power consumption	3,22 kWh/24 h
power/voltage	400 W/230 V
weight	125 kg



PIZZA COUNTERS

- Inner and outer housing made of high-quality stainless steel, with granite worktop.
- Doors fitted with comfortable handles.
- Forced air cooling with automatic defrost, compressor placed underneath the chamber.
- With adjustable shelving, suitable for containers up to GN 1/1.
- Digital display and electronic thermostat.
- All models delivered without GN containers.



232859



232873

SALAD COUNTERS

- Inner and outer housing are made of high-quality stainless steel.
- Doors fitted with comfortable handles.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 35 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic non-slip feet.
- All models delivered without GN containers.



232781



232798

NEW

type	Two door pizza counter	Three door pizza counter	Two door salad counter with glass display	Three door salad counter with glass display
code	232859	232873	232781	232798
capacity, gross/net	300/169 l	380/254 l	300/169 l	380/254 l
dimensions	900x700 x(H)1082 mm	1365x700 x(H)1120 mm	900x700 x(H)1300 mm	1365x700 x(H)1300 mm
temperature range	2/8 °C	2/8 °C	2/8 °C	2/8 °C
refrigerant	R600a	R600a	R600a	R600a
climate class	4	4	4	4
insulation thickness	35 mm	35 mm	35 mm	35 mm
type of defrost	auto	auto	auto	auto
shelf	4 - 335x590 mm/ 340x590 mm*	3 - 335x590 mm/ 340x590 mm*	2 - 335x590 mm/ 340x590 mm*	3 - 335x590 mm/ 340x590 mm*
average daily power consumption	2,12 kWh/24 h	2,55 kWh/24 h	2,12 kWh/24 h	2,55 kWh/24 h
power/voltage	310 W/230 V	310 W/230 V	310 W/230 V	310 W/230 V
weight	96 kg	180 kg	80 kg	110 kg
SHELF	931561	956403	956403	956403

* Maximum load capacity of the shelf approx. 15 kg (with evenly distributed load)

SALAD COUNTERS

- Inner and outer housing are made of high-quality stainless steel.
- Doors fitted with comfortable handles.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 35 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic non-slip feet.
- All models delivered without GN containers.



232880



232897



232804



232811

NEW

Two door salad counter with raised GN display	Three door salad counter with raised GN display	Two door salad counter	Three door salad counter
232880	232897	232804	232811
300/169 l	380/253 l	300/169 l	380/253 l
915x700 x(H)1030 mm	1380x700 x(H)1105 mm	915x700 x(H)875 mm	1380x700 x(H)868 mm
2/8 °C	2/8 °C	2/8 °C	2/8 °C
R600a	R600a	R600a	R600a
4	4	4	4
35 mm	35 mm	35 mm	35 mm
auto	auto	auto	auto
4 - 335x590 mm/ 340x590 mm*	6 - 335x590 mm/ 340x590 mm*	4 - 335x590 mm/ 340x590 mm*	6 - 335x590 mm/ 340x590 mm*
2,12 kWh/24 h	2,55 kWh/24 h	2,12 kWh/24 h	2,55 kWh/24 h
310 W/230 V	310 W/230 V	310 W/230 V	310 W/230 V
77 kg	108 kg	70 kg	90 kg
956403	956403	931561	956403



REFRIGERATED COUNTERTOP SERVER




- Inner and outer casing made of high-grade stainless steel.
- Static cooling – cooled bottom of the inner basin.
- EMBRACO refrigeration unit.
- Insulation thickness: 40 mm (material: C5H10).
- Digital display, electronic thermostat.
- Average daily electricity consumption: 1.55 kW.

- Temperature range: 0°C–8°C.
- Compressor: EMT45HLR with 1/5 hp.
- Automatic defrosting.
- Smooth operation in ambient temperature of up to 32°C and relative humidity up to 60%.
- 4 plastic feet.




5x GN 1/4

232903



7x GN 1/4

232910



4x GN 1/3

232965



8x GN 1/4

232927



6x GN 1/3

232972

type	refrigerator	refrigerator	refrigerator	refrigerator	refrigerator
code	232903	232910	232927	232965	232972
capacity gross/net	32/22,5 l	44/31,5 l	56/36 l	40/24 l	48/36 l
dimensions	1205x335 x(H)460 mm	1505x335 x(H)460 mm	1805x335 x(H)460 mm	1208x400 x(H)456 mm	1405x420 x(H)456 mm
chamber dim.	850x250 x(H)155 mm	1150x250 x(H)155 mm	1450x250 x(H)155 mm	850x310 x(H)155 mm	1060x310 x(H)155 mm
temp. range	2/8 °C	2/8 °C	2/8 °C	2/8 °C	2/8 °C
refrigerant	R600a	R600a	R600a	R600a	R600a
climate class	5	5	5	5	5
type of container GN	5x GN 1/4	7x GN 1/4	8x GN 1/4	4x GN 1/3	6x GN 1/3
average daily power consumption	1,55 kWh/24 h	1,55 kWh/24 h	1,55 kWh/24 h	1,55 kWh/24 h	1,55 kWh/24 h
power/voltage	180 W/230 V	180 W/230 V	180 W/230 V	180 W/230 V	180 W/230 V
weight	38 kg	43 kg	49 kg	41 kg	45 kg





4x GN 1/3

233948




7x GN 1/3

232989



6x GN 1/3

233955



9x GN 1/3

232996



7x GN 1/3

233979



8x GN 1/3

233986



9x GN 1/3

233993

refrigerator	refrigerator	refrigerator	refrigerator	refrigerator	refrigerator	refrigerator
232989	232996	233948	233955	233979	233986	233993
58/42 l	76/54 l	40/24 l	48/36 l	58/42 l	67/48 l	76/54 l
1605x420	2005x420	1205x420	1405x420	1605x420	1805x420	2005x420
x(H)460 mm	x(H)456 mm	x(H)630 mm	x(H)630 mm	x(H)630 mm	x(H)630 mm	x(H)630 mm
1250x310	1650x310	850x310	1060x310	1250x310	1450x310	1650x310
x(H)155 mm	x(H)155 mm	x(H)155 mm	x(H)155 mm	x(H)155 mm	x(H)155 mm	x(H)155 mm
2/8 °C	2/8 °C	2/8 °C	2/8 °C	2/8 °C	2/8 °C	2/8 °C
R600a	R600a	R600a	R600a	R600a	R600a	R600a
5	5	5	5	5	5	5
7x GN 1/3	9x GN 1/3	4x GN 1/3	6x GN 1/3	7x GN 1/3	8x GN 1/3	9x GN 1/3
1,55 kWh/24 h	1,55 kWh/24 h	1,55 kWh/24 h	1,55 kWh/24 h	1,55 kWh/24 h	1,55 kWh/24 h	1,55 kWh/24 h
180 W/230 V	180 W/230 V	180 W/230 V	180 W/230 V	180 W/230 V	180 W/230 V	180 W/230 V
49 kg	58 kg	41 kg	45 kg	49 kg	53 kg	58 kg

PIZZA COUNTERS

arktic
COLD STORAGE SOLUTIONS

S.S.
stainless steel

- Inner and outer housing made of high-quality stainless steel, with granite worktop.
- Doors fitted with comfortable handles.
- Forced air cooling with automatic defrost, compressor placed underneath the chamber.
- With adjustable shelving, suitable for containers up to GN 1/1.
- Digital display and electronic thermostat.
- All models delivered without GN containers.



type	A A C	B A C
	pizza cooling table with granite worktop, 2 doors	pizza cooling table with granite worktop, 3 doors
code	220245	220252
exterior finish	AISI 201 + granite worktop	AISI 201 + granite worktop
capacity gross/net	280/250 l	580/375 l
dimensions	1510x800x(H)875 mm	2010x800x(H)875 mm
chamber dimensions	980x670x(H)570 mm	1480x670x(H)570 mm
temp. range	-2/8 °C	-2/8 °C
refrigerant	R600a	R600a
climate class	5	5
insulation thickness	60 mm	60 mm
type of defrost	auto	auto
shelf	2x 400x600 mm*	2x 400x600 mm*
average daily power consumption	1,4 kWh/24 h	2,25 kWh/24 h
power/voltage	250 W/230 V	400 W/230 V
weight	209 kg	267 kg

* Maximum load capacity of the shelf approx. 20 kg (with evenly distributed load)

COOLING





arktic
PROFESSIONAL REFRIGERATION

S.S.
stainless steel



Chamber and outer housing
made of stainless steel



232842



232033

	A A G	A A G
type	2-door pizza cooling table with 7 drawers, with granite worktop	Three door pizza counter with cooling display
code	232842	232033
exterior finish	AISI 201 + granite worktop	AISI 201 + granite worktop
capacity gross/net	360/250 l	380/254 l
dimensions	2010x800x(H)840 mm	1400x700x(H)943 mm
chamber dimensions	1480x670x(H)570 mm	1295x595x(H)475 mm
temp. range	-2/8 °C	-2/8 °C
refrigerant	R600a	R600a
climate class	5	4
shelf	2x 400x600 mm*	3x 590x335 mm* 3x 590x340 mm*
insulation thickness	60 mm	60 mm
type of defrost	auto	auto
average daily power consumption	1,38 kWh/24 h	pizza counter 1,6 kWh/24 h cooling display 1,55 kWh/24 h
power/voltage	250 W/230 V	400 W/230 V
weight	120 kg	234 kg

* Maximum load capacity of the shelf approx. 20 kg (with evenly distributed load)



CHEST FREEZERS



- Housing made of aluminium.
- The door is made of pre-painted steel sheet covered with PVC film.
- With self-closing lockable lid.
- 70 mm thick foam insulation.
- LED lighting in the chamber.
- Mechanical temperature display and manual controller.
- Fitted with 2 wheels and 2 adjustable feet, or 6 wheels on larger models.
- Temperature range: -18 to -25°C.



235904



235911



233856



233863

type	freezer	freezer	freezer	freezer
code	235904	235911	233856	233863
exterior finish	pre-painted steel sheet covered with PVC film	pre-painted steel sheet covered with PVC film	pre-painted steel sheet covered with PVC film	pre-painted steel sheet covered with PVC film
capacity gross/net	102/93 l	152/140 l	212/190 l	302/282 l
dimensions	574x564x(H)845 mm	754x564x(H)845 mm	950x564x(H)945 mm	1116x644x(H)845 mm
temperature range	-25/-18 °C	-25/-18 °C	-25/-18 °C	-25/-18 °C
refrigerant	R600a	R600a	R600a	R600a
climate class	T	T	T	T
insulation thickness	70 mm	70 mm	70 mm	70 mm
power/voltage	105 W/230 V	110 W/230 V	120 W/230 V	130 W/230 V
weight	25 kg	29 kg	31 kg	36 kg



CHEST FREEZERS

- Housing made of aluminium.
- Door made of pre-painted steel sheet.
- White interior and exterior.
- Included white LED light positioned in the centre of the interior top cover.
- Self-closing lockable lid.
- 77 mm foam insulation.

arktic PERFORMANCE FREEZERS



NEW

- Mechanical temperature display.
- Manual temperature control.
- Static cooling.
- Automatic defrost.
- Includes baskets.
- Temperature range: -23°C to -18°C.



239964



239971

type	freezer	freezer
code	239964	239971
exterior finish	aluminium	aluminium
net capacity	412 l	485 l
dimensions	1580x770x(H)870 mm	1685x754x(H)852 mm
temp. range	-23/-18 °C	-23/-18 °C
refrigerant	R600a	R600a
climate class	ST	ST
insulation thickness	77 mm	77 mm
power/voltage	110 W/230 V	115 W/230 V
weight	55 kg	65 kg



BLAST CHILLERS 70 MM INSULATION THICKNESS




18/8
stainless steel

NEW

- Made of stainless steel 18/8.
- Honeycomb stainless steel top.
- 70 mm insulation thickness.
- Ventilated refrigeration.
- Capacitive touch control panel.
- Quick cycle start function.
- Cycles controlled by time and core probe temperature.
- Automatic door closing.

- Rounded internal edges.
- Rounded diamond-cut bottom.
- Evaporator with cataphoresis treatment.
- Distance between rack rails: 65 mm.
- Adjustable stainless steel feet.
- Easily accessible maintenance compartment.
- Suitable for GN 1/1 and 600x400 mm trays.



238561



238578

type	freezer	freezer
code	238561	238578
capacity	5x GN 1/1 or 5x 600x400	10x GN 1/1 or 10x 600x400
dimensions	800x730x(H)875 mm	730x800x(H)1357 mm
tray support spacing	65 mm	65 mm
output at chilling to +3°C (kg/cycle)	15 kg / 90 min	30 kg / 90 min
output at freezing to -18°C (kg/cycle)	9 kg / 240 min	18 kg / 240 min
refrigerant	R290	R290
climate class	5	5
insulation thickness	70 mm	70 mm
power/voltage	1380 W/230 V	2530 W/230 V
weight	95 kg	150 kg



BLAST CHILLERS

arktic 

S.S.
stainless steel

237731

- Housing and chamber are made of 18/8 stainless steel.
- The chamber measures 340x365x(H)270 mm and fits 3x GN2/3 containers, the guides are placed 68 mm apart.
- With digital display.
- Thermostat measures the chamber temperature but can also measure core temperatures with the included probe.
- Forced air cooling, with manual defrosting.
- Automatic hold function - at the end of the cycle the device maintains the reached temperature.
- Evaporator protected against corrosion.
- Cooling efficiency: 7 kg (+90°C/+3°C)/cycle.
- Freezing efficiency: 5 kg (+90°C/-18°C)/cycle.
- Insulation made of 60 mm thick foamed cyclopentane.
- With visual and audible door open alarm, chilling stops when the door is open.
- Adjustable stainless steel feet.
- Works in ambient temperatures up to 38°C.

232170, 232194, 232491, 232187

- Chamber suited for GN 1/1 containers and 600x400 mm trays.
- Probe supplied as standard, forced cooling, manual defrosting.
- Condensate tray under the device.
- Separate functions for the ice cream freezing cycle (-20 °C) and deep surface freezing (-40 °C).
- Inner LED lighting.
- Sound and visual open-door alarm.
- Door opening direction adjustable.
- Micro-switch that trips the device when door open.
- Digital thermostat.
- Stainless steel housing and chamber.
- Smooth operation at an ambient temperature of up to +40°C.
- Adjustable height of stainless steel feet.



237731




232170



232194



232187



232491

type	freezer	freezer	freezer	freezer	freezer
code	237731	232170	232194	232187	232491
capacity	3x GN 2/3	5x GN 1/1 or 5x 600x400	7x GN 1/1 or 7x 600x400	10x GN 1/1 or 10x 600x400	15x GN 1/1 or 15x 600x400
dimensions	660x640 x(H)437 mm	760x725 x(H)850 mm	790x900 x(H)1377 mm	790x943 x(H)1975 mm	790x900 x(H)1535 mm
tray support spacing	68 mm	65 mm	70 mm	75 mm	75 mm
output at chilling to +3°C (kg/cycle)	7 kg / 90 min	15 kg / 90 min	23 kg / 90 min	25 kg / 90 min	45 kg / 90 min
output at freezing to -18°C (kg/cycle)	5 kg / 240 min	10 kg / 240 min	18 kg / 240 min	20 kg / 240 min	35 kg / 240 min
refrigerant	R290	R290	R290	R290	R290
climate class	4	5	5	5	5
insulation thickness	60 mm	60 mm	60 mm	60 mm	60 mm
power/voltage	420 W/230 V	749 W/230 V	1180 W/230 V	2080 W/230 V	1180 W/230 V
weight	44 kg	76 kg	116 kg	173 kg	120 kg

SUSHI DISPLAY



- Construction made of stainless steel.
- Casing made of ABS.
- With tempered glass.
- Convenient access to the chamber interior thanks to sliding doors located at the rear.
- Static cooling with automatic defrost function.
- Inside the chamber, LED light and an evaporator are installed.
- Digital display and electronic thermostat.
- Temperature range: 0°C-12°C.

SUSHI DISPLAY 5X GN 1/3

- White coated stainless steel housing.
- Double, curved glass cover at the front.
- Accessible through two sliding doors at the back or via the lifted, curved glass cover.
- Static cooling with auto-defrost.
- Cools from 0°C to 6°C.
- Fits 5x GN 1/3 - max. [H]40 mm.
- Fitted with LED light and evaporator at the top.
- Digital temperature controller and display.
- GN containers are not included.



274071



274088



274040



233757



COOLING



				
type	sushi display	sushi display	sushi display	sushi display
code	274071	274088	274040	233757
exterior finish	ABS	ABS	ABS	tempered glass + ABS
gross capacity	42 l	62 l	132 l	132 l
dimensions	1177x426x[H]296 mm	1529x426x[H]296 mm	1800x420x[H]265 mm	1307x445x[H]327 mm
chamber dim.	4x GN 1/3	6x GN 1/3	5x GN 1/2	5x GN 1/3
temperature range	0/12 °C	0/12 °C	0/12 °C	0/6 °C
refrigerant	R600a	R600a	R600a	R600a
climate class	4	4	4	3
power/voltage	190 W/230 V	190 W/230 V	190 W/230 V	160 W/230 V



CAKE DISPLAYS

- Housing made of stainless steel fitted with curved glass front cover and glass side panels.
- Accessible through two sliding glass doors at the back.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.

arktic REFRIGERATION & FREEZING

S.S.
stainless steel

- 2 chrome plated shelves included.
- Bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Temperature range: 0 to 6°C.



233702



233719

	 cake displays	 cake displays
type	cake displays	cake displays
code	233702	233719
gross capacity	120 l	160 l
dimensions	707x570x(H)680 mm	885x570x(H)680 mm
temperature range	0/6 °C	0/6 °C
refrigerant	R600a	R600a
climate class	4	4
shelf	636x335 mm / 636x367 mm	813x335 mm / 813x367 mm
power/voltage	160 W/230 V	160 W/230 V





ICE CREAM DISPLAY FREEZER

- Housing made of stainless steel, with tempered glass.
- Static cooling with automatic defrost function.
- Digital display and temperature adjustment range: from -25°C to -18°C.
- Height-adjustable feet.
- Includes 4 containers with capacity of 5L each and height of 150mm.

COUNTERTOP SALAD DISPLAY

- Body made of high-quality stainless steel, fitted with curved glass cover with easy opening system.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 8x GN 1/6 GN containers or 4x GN 1/3 containers (max. height 100 mm), not included.
- With 4 adjustable stainless steel feet.
- Digital temperature controller and display.



233689



233672



type	ice cream display freezer
code	233689
gross capacity	87 l
dimensions	867x735x(H)373 mm
chamber dimensions	4x container
temperature range	-25/-18 °C
refrigerant	R290
climate class	4
power/voltage	210 W/230 V



type	ice cream display freezer
code	233672
gross capacity	120 l
dimensions	775x615x(H)235 mm
chamber dimensions	8x GN 1/6 or 4x GN 1/4
temperature range	-3/0 °C
refrigerant	R600a
climate class	4
power/voltage	105 W/230 V

ROUND CAKE DISPLAY

- Housing made of stainless steel fitted with tempered double glazing.
- Accessible through self-closing door.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 3 adjustable glass shelves.
- Bright LED lighting on 2 sides.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 0°C-6°C

ROUND CAKE DISPLAY

- Housing made of stainless steel fitted with tempered double glazing.
- Accessible through self-closing door.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 4 adjustable glass shelves.
- Bright LED lighting on 2 sides.
- Fitted with 5 castors of which 2 has a brake.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 0°C-6°C.
- Average daily electricity consumption: 7,23 kWh.

REFRIGERATED DISPLAY CABINETS

- Housing made of stainless steel fitted with triple glazing.
- Fitted with an energy efficient inverter compressor, adjusts the power to the needs instead of only turning on or off.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 3 adjustable chrome plated shelves.
- Bright LED lighting in the 4 posts.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display, with on/off switch.
- Temperature range: 0°C-6°C.



233825



233832



233283

			
type	round cake display	round cake display	refrigerated display cabinets
code	233825	233832	233283
gross capacity	100 l	360 l	550 l
dimensions	ø480x(H)1065 mm	ø680x(H)1755 mm	850x650x(H)1908 mm
temperature range	0/6 °C	0/6 °C	0/6 °C
refrigerant	R290	R600a	R290
climate class	6	4	4
shelf	3, glass	4, glass	3, glass
power/voltage	210 W	460 W	500 W



REFRIGERATED DISPLAY CABINETS



- Display cabinet frame made of ABS+PVC polymers, with double glass.
- Unit housing made of ABS.
- Forced cooling with automatic defrosting, compressor placed under the chamber.
- Air duct outside of the glass blows air over the glass to remove and prevent condensation.
- Durable PVC coated shelves, adjustable in height.
- With bright LED lighting in the ceiling.
- Digital temperature controller and display.



233610



233627




233634



233238



type	display cabinets	display cabinets	display cabinets	display cabinets
code	233610	233627	233634	233238
exterior finish	ABS + PCV + glass - white	ABS + PCV + glass - black	ABS + PCV + glass - white	ABS + PCV + glass - black
gross capacity	58 L	58 L	68 L	68 L
dimensions	452x406 x(H)830 mm	452x406 x(H)830 mm	444x397 x(H)875 mm	444x397 x(H)875 mm
temperature range	2/6 °C	2/6 °C	2/6 °C	2/6 °C
refrigerant	R600a	R600a	R600a	R600a
climate class	4	4	4	4
shelf	2, steel	2, steel	3, steel	3, steel
power/voltage	170 W/230 V	170 W/230 V	170 W/230 V	170 W/230 V





233641

233658

233665

233269

233696

233290



display cabinets



display cabinets



display cabinets



display cabinets



display cabinets



display cabinets

233641

ABS + PCV + glass - white

78 L

444x397

x(H)940 mm

2/6 °C

R600a

4

3, steel

170 W/230 V

233658

ABS + PCV + glass - black

78 L

444x397

x(H)940 mm

2/6 °C

R600a

4

3, steel

170 W/230 V

233665

ABS + PCV + glass - white

98 L

444x397

x(H)1100 mm

2/6 °C

R600a

4

4, steel

210 W/230 V

233269

ABS + PCV + glass - black

98 L

444x397

x(H)1100 mm

2/6 °C

R600a

4

4, steel

210 W/230 V

233696

ABS + PCV + glass - white

270 L

550x520

x(H)1870 mm

0/6 °C

R290

4

5, steel

290 W/230 V

233290

ABS + PCV + glass - black

270 L

550x520

x(H)1870 mm

0/6 °C

R290

4

5, steel

290 W/230 V



REFRIGERATED DISPLAY CABINETS WITH BACK ACCESS



- Housing made of stainless steel fitted with double glazing.
- Accessible through a door at the back.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- With bright LED lighting at the top and under each shelf.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display.



233306



233443



233320



type	display cabinets	display cabinets	display cabinets
code	233306	233443	233320
exterior finish	stainless steel, black	stainless steel, black	stainless steel, black
gross capacity	300 L	500 L	650 L
dimensions	650x833x(H)1460 mm	900x833x(H)1460 mm	1200x833x(H)1460 mm
temperature range	0/6 °C	0/6 °C	0/6 °C
refrigerant	R290	R290	R290
climate class	4	4	4
number of shelves	3, glass	3, glass	3, glass
power/voltage	480 W/230 V	490 W/230 V	490 W/230 V





233337



233375



233450



233467



display cabinets

233337

stainless steel

300 L

994x677x(H)1230 mm

0/6 °C

R290

4

2, glass

480 W/230 V



display cabinets

233450

stainless steel

410 L

1224x677x(H)1230 mm

0/6 °C

R290

4

2, glass

490 W/230 V



display cabinets

233375

stainless steel

510 L

1524x677x(H)1230 mm

0/6 °C

R290

4

2, glass

500 W/230 V



display cabinets

233467

stainless steel

610 L

1824x677x(H)1230 mm

0/6 °C

R290

4

2, glass

500 W/230 V



REFRIGERATED BAR COUNTERS

- Shelves included.
- Side-mounted compressor.
- Ventilated cooling system.
- Automatic defrost function.
- Electronic temperature control.

NEW

arktic
CROSS CRYSTALLINE



- Horizontal LED interior light.
- Finned evaporator provides more efficient heat transfer than a standard pipe evaporator.
- Temperature range: from 0°C to 10°C.
- Adjustable feet.



241387



241394



241400



241417

type	 back bar cooler with side compressor, solid doors	 back bar cooler with side compressor, solid doors	 back bar cooler with side compressor, solid doors	 back bar cooler with side compressor, solid doors
code	241387	241400	241394	241417
exterior finish	galvanized steel sheet, black	galvanized steel sheet, black	galvanized steel sheet, black	galvanized steel sheet, black
capacity gross/net	295/283 l	516/493 l	295/283 l	516/493 l
dimensions	1217x631x(H)865 mm	1826x631x(H)865 mm	1217x631x(H)865 mm	1826x631x(H)865 mm
temperature range	0/10 °C	0/10 °C	0/10 °C	0/10 °C
refrigerant	R600a	R600a	R600a	R600a
climate class	ST	ST	ST	ST
insulation thickness	45 mm	45 mm	45 mm	45 mm
type of defrost	auto	auto	auto	auto
shelf	4x 382x445 mm	6x 382x445 mm	4x 382x445 mm	6x 382x445 mm
power/voltage	185 W/230 V	185 W/230 V	185 W/230 V	185 W/230 V
weight	71 kg	92 kg	71 kg	92 kg





241325



241349




241356



241370



241332



241363



back bar cooler
with side compressor,
glass doors

241325

galvanized steel
sheet, black

295/283 l

1217x631x(H)865 mm

0/10 °C

R600a

ST

45 mm

auto

4x 382x445 mm

185 W/230 V

76 kg



back bar cooler
with side compressor,
glass doors

241356

galvanized steel
sheet, black

516/493 l

1826x631x(H)865 mm

0/10 °C

R600a

ST

45 mm

auto

6x 435x445 mm

185 W/230 V

103 kg



back bar cooler
with side compressor,
glass doors

241349

galvanized steel
sheet, black

295/283 l

1217x631x(H)865 mm

0/10 °C

R600a

ST

45 mm

auto

4x 382x445 mm

185 W/230 V

76 kg



back bar cooler
with side compressor,
glass doors

241370

galvanized steel
sheet, black

516/493 l

1826x631x(H)865 mm

0/10 °C

R600a

ST

45 mm

auto

6x 435x445 mm

185 W/230 V

103 kg



back bar cooler
with side compressor,
glass doors

241332

galvanized steel
sheet

295/283 l

1217x631x(H)865 mm

0/10 °C

R600a

ST

45 mm

auto

4x 382x445 mm

185 W/230 V

80 kg



back bar cooler
with side compressor,
glass doors

241363

galvanized steel
sheet

516/493 l

1826x631x(H)865 mm

0/10 °C

R600a

ST

45 mm

auto

6x 435x445 mm

185 W/230 V

108 kg

BACK BAR REFRIGERATORS



- Housing and chamber made of black powder-coated steel.
- Self-closing doors with double-pane glass and a plastic frame.
- Front pane made of tempered glass.
- Lock with a key.
- Ventilated cooling.
- Automatic defrosting.
- Unit located beneath the chamber.
- Temperature range: 0-10°C.
- Chamber equipped with LED light.
- Electronic control panel with a digital temperature display.
- 4 adjustable anti-slip feet.
- Energy efficiency is classified according to EN 16902:2016, the European standard for beverage coolers.



236925



236918



233900



226568



233917

type	1-door	double sliding door	1-door	1-door	double sliding door
code	236925	236918	233900	226568	233917
exterior finish	stainless steel	stainless steel	painted steel, black	painted steel, black	painted steel, black
capacity gross/net	97/75 l	188/150 l	103/86 l	127/105 l	198/158 l
dimensions	530x500 x(H)870 mm	900x520 x(H)840 mm	500x530 x(H)865 mm	600x530 x(H)865 mm	900x520 x(H)870 mm
temperature range	0/10 °C	0/10 °C	0/10 °C	0/10 °C	0/10 °C
refrigerant	R600a	R600a	R600a	R600a	R600a
climate class	4	4	4	4	4
shelf	2x 402x353 mm*	4x 399x346 mm**	2x 402x353 mm*	3x 502x353 mm*	4x 399x346 mm*
power/voltage	175 W/230 V	175 W/230 V	120 W/230 V	123 W/230 V	160 W/230 V
weight	36 kg	56,5 kg	34 kg	38,5 kg	54,5 kg

* Maximum load capacity of the shelf approx. 25 kg (with evenly distributed load)

** Maximum load capacity of the shelf approx. 35 kg (with evenly distributed load)

*** Maximum load capacity of the shelf approx. 20 kg (with evenly distributed load)





235829



235836



233924



233931



233788



233795



2-door

235829
painted steel,
black
198/158 l
900x530
x(H)865 mm
0/10 °C
R600a
4
4x 399x346 mm**
160 W/230 V
55,5 kg



triple sliding door

235836
painted steel,
black
308/254 l
1350x520
x(H)865 mm
0/10 °C
R600a
4
6 – 399x346 mm/
446x346 mm*
160 W/230 V
76 kg



1-door

233924
painted steel,
black
319/300 l
600x528
x(H)1820 mm
0/10 °C
R600a
4
4x 492x353 mm*
195 W/230 V
63 kg



2-door

233931
painted steel,
black
477/384 l
940x635
x(H)1983 mm
0/10 °C
R290
4
8x 392x353 mm**
365 W/230 V
89 kg



1-door

233788
painted steel,
black
335/254 l
605x578
x(H)1980 mm
0/10 °C
R600a
4
4x 492x353 mm***
250 W/230 V
75 kg



2-door

233795
painted steel,
black
643/512 l
1120x585
x(H)1900 mm
0/10 °C
R290
4
8x 392x353 mm**
510 W/230 V
107 kg



BACK BAR REFRIGERATORS

arktic
PERFORMANCE. SUSTAINABILITY.

S.S.
stainless steel

- Housing and chamber made of black powder-coated steel.
- Self-closing doors with double-pane glass and a plastic frame.
- Front pane made of tempered glass.
- Lock with a key.
- Ventilated cooling.
- Automatic defrosting.
- Unit located beneath the chamber.
- Temperature range: 0-10°C.
- Chamber equipped with LED light.
- Electronic control panel with a digital temperature display.
- 4 adjustable anti-slip feet.
- Energy efficiency is classified according to EN 16902:2016, the European standard for beverage coolers.



236871



236864



236888



236895



236901

					
type	1-door	1-door	double sliding door	2-door	triple sliding door
code	236871	236864	236888	236895	236901
exterior finish	painted steel, black	painted steel, black	painted steel, black	painted steel, black	painted steel, black
capacity gross/net	103/86 l	127/105 l	198/158 l	198/158 l	308/254 l
dimensions	500x530x(H)870 mm	600x530x(H)870 mm	900x520x(H)870 mm	900x530x(H)870 mm	1350x520x(H)870 mm
temperature range	0/10 °C	0/10 °C	0/10 °C	0/10 °C	0/10 °C
refrigerant	R600a	R600a	R600a	R600a	R600a
climate class	4	4	4	4	4
shelf	2x 402x353 mm*	3x 502x353 mm*	4x 399x346 mm*	4x 399x346 mm*	6 - 399x346 mm/ 446x346 mm*
power/voltage	120 W/230 V	120 W/230 V	160 W/230 V	160 W/230 V	160 W/230 V
weight	32,5 kg	39,2 kg	54,5 kg	51 kg	73,5 kg

* Maximum load capacity of the shelf approx. 25 kg (with evenly distributed load)

** Maximum load capacity of the shelf approx. 18 kg (with evenly distributed load)

*** Maximum load capacity of the shelf approx. 35 kg (with evenly distributed load)





236956



237014



236932



236949



233412

COUNTERTOP DISPLAY FREEZER 90L

- Inner housing made of High Impact Polystyrene (HIPS) and Polypropylene.
- Outer housing made of painted steel.
- Lockable door is fitted with triple glazing and heating element to prevent fogging up.
- Forced air cooling, compressor placed underneath the chamber.
- Fitted with 3 adjustable PVC coated shelves.
- With LED lighting at the top of the freezer.
- Digital temperature controller and display, with defrost button.
- Adjustable feet.



1-door

236956

painted steel,
black

335/243 l

600x530x(H)1820 mm

0/10 °C

R600a

4

4x 492x353 mm*

195 W/230 V

63 kg



1-door

237014

painted steel,
black

614/477 l

900x530x(H)1820 mm

0/10 °C

R290

4

8x 392x353 mm*

365 W/230 V

92 kg



2-door

236932

painted steel,
black

335/254 l

578x605x(H)1980 mm

0/10 °C

R600a

4

4x 492x353 mm**

250 W/230 V

70,5 kg



2-door

236949

painted steel,
black

643/512 l

1120x585x(H)1900 mm

0/10 °C

R290

4

8x 392x353 mm***

510 W/230 V

110,5 kg



freezer

233412

steel

-/90 l

620x593x(H)680 mm

-22/-14 °C

R290

4

3

230 W/230 V



REFRIGERATED DISPLAY CABINET, GLASS DOORS

NEW

arktic
REFRIGERATION SYSTEMS

S.S.
stainless steel

- Housing finished in black.
- Glass doors with double-layer Low-E glazing.
- Shelves included.
- Ventilated cooling system.
- Digital temperature control.

- Frost-free operation.
- LED interior lighting.
- Temperature range: from 0°C to 10°C.
- Equipped with castors.



241066



241073



241080



type	display cabinet	display cabinet	display cabinet
code	241066	241073	241080
exterior finish	painted steel, black	painted steel, black	painted steel, black
capacity gross/net	506/371 l	988/697 l	1523/1075 l
dimensions	745x745x(H)2100 mm	1290x755x(H)2023 mm	1920x755x(H)2100 mm
temperature range	0/10 °C	0/10 °C	0/10 °C
refrigerant	R290	R290	R290
climate class	T	T	T
shelf	5x 583x513 mm	10x	15x 565x495 mm
power/voltage	350 W/230 V	420 W/230 V	550 W/230 V
weight	95 kg	152 kg	211 kg



UPRIGHT FREEZER

- Housing made of painted steel.
- Exterior and interior finished in black.
- Triple-glazed door.
- Shelves included.
- Ventilated cooling system.

NEW

arktic THE PROFESSIONAL FREEZER

S.S.
stainless steel

- Digital temperature control.
- Automatic defrost function.
- Vertical LED interior light.
- Temperature range: -22°C to -18°C.
- Equipped with castors.



241097



241134



241141

type	freezer	freezer	freezer
code	241097	241134	241141
exterior finish	painted steel, black	painted steel, black	painted steel, black
capacity gross/net	415/288 l	910/655 l	1274/904 l
dimensions	680x740x(H)2023 mm	1370x740x(H)2023 mm	1925x770x(H)2100 mm
temperature range	-22/-18 °C	-22/-18 °C	-22/-18 °C
refrigerant	R290	R290	R290
climate class	T	T	T
shelf	5x 540x448 mm	10x 614x448 mm	15x 614x448 mm
power/voltage	610 W/230 V	880 W/230 V	2200 W/230 V
weight	113 kg	192 kg	281 kg



REFRIGERATED DISPLAY CABINETS

- Housing made of painted steel.
- Matte black finish.
- Double-glazed self-closing door with lock.
- Adjustable shelves included.
- Ventilated cooling system.
- Mechanical temperature control.

NEW

arktic
REFRIGERATION TECHNOLOGY

S.S.
stainless steel

- Automatic defrost function.
- LED light on top of the cabinet.
- Finned evaporator and wire condenser.
- Temperature range: 0°C to 10°C.
- 2 castors and 2 adjustable feet.




Modern design inspired
by retro style.



241424

Modern design inspired
by retro style.



241431



	refrigerator	refrigerator
code	241424	241431
exterior finish	painted steel, black	painted steel, black
capacity gross/net	223/158 l	317/246 l
dimensions	540x540x(H)1527 mm	540x600x(H)1787 mm
temperature range	0/10 °C	0/10 °C
refrigerant	R290	R290
climate class	ST	ST
shelf	3x 440x362 mm	4x 440x422 mm
power/voltage	290 W/230 V	300 W/230 V
weight	55 kg	64 kg



DISPLAY FREEZERS AND COOLERS SLIM

- Housing made of coated steel plate.
- Exterior and interior finished in black.
- Slim design.
- 5 adjustable shelves included.

NEW

arktic
REFRIGERATION TECHNOLOGY

S.S.
stainless steel

- Vertical LED interior light.
- Adjustable feet.
- Lock and key included.



SLIM
DESIGN
390 mm



241189

SLIM
DESIGN
420 mm



241196

SLIM
DESIGN
420 mm



241219

			
type	refrigerator	refrigerator	freezer
code	241189	241196	241219
exterior finish	coated steel sheet, black	coated steel sheet, black	coated steel sheet, black
capacity gross/net	160/133 l	214/157 l	165/117 l
dimensions	390x475x(H)1880 mm	420x535x(H)1880 mm	420x600x(H)1880 mm
temperature range	0/10 °C	0/10 °C	-22/-18 °C
refrigerant	R290	R600a	R290
climate class	4	ST	4
shelf	5x 290x355 mm	5x 320x360 mm	5x 290x325 mm
power/voltage	200 W/230 V	190 W/230 V	350 W/230 V
weight	45 kg	51 kg	72 kg



BACK BAR REFRIGERATORS WITH ILLUMINATED DOORS

- Housing made of painted steel.
- Exterior and interior finished in black.
- Illuminated door.
- Integrated LED lighting within the glass door.
- Adjustable shelves included.
- Temperature range: 0°C to 10°C.
- Mechanical temperature control.

NEW

arktic
REFRIGERATORS



- Fan-assisted cooling.
- Manual defrost.
- Vertical LED interior lighting.
- Double-glazed door with tempered outer glass.
- Equipped with strong castors.



LED lighting in the door frame.



241240



241264



241271



type	refrigerator	refrigerator	refrigerator
code	241240	241264	241271
exterior finish	painted steel, black	painted steel, black	painted steel, black
capacity gross/net	214/160 l	392/360 l	948/827 l
dimensions	538x487x(H)1553 mm	578x580x(H)1990 mm	1130x764x(H)2033 mm
temperature range	0/10 °C	0/10 °C	0/10 °C
refrigerant	R600a	R600a	R290
climate class	ST	ST	ST
shelf	3x 425x340 mm	5x 465x455 mm	10x 505x552 mm
power/voltage	290 W/230 V	290 W/230 V	560 W/230 V
weight	52 kg	65 kg	141 kg

COOLING



BACK BAR REFRIGERATORS

- Housing made of painted steel.
- Exterior and interior finished in black.
- Temperature range: 0°C to 10°C.
- Double-glazed door with lock and self-closing mechanism.
- Adjustable shelves included.
- Mechanical temperature control.


NEW

arktic COOLING TECHNOLOGIES

- Fan-assisted cooling.
- Manual defrost.
- Vertical LED interior lighting.
- Equipped with castors.
- Lockable door with key.



241226



241233



type	refrigerator	refrigerator
code	241226	241233
exterior finish	painted steel, black	painted steel, black
capacity gross/net	214/160 l	392/360 l
dimensions	538x525x(H)1585 mm	578x605x(H)1990 mm
temperature range	0/10 °C	0/10 °C
refrigerant	R600a	R600a
climate class	ST	ST
shelf	3x 425x340 mm	5x 465x455 mm
power/voltage	250 W/230 V	250 W/230 V
weight	52 kg	



BACK BAR REFRIGERATORS

- Housing made of painted steel.
- Exterior and interior finished in black.
- Temperature range: 0°C to 10°C.
- Double-glazed door with lock and self-closing mechanism.
- Interior made of ABS.
- Adjustable shelves included.
- Mechanical temperature control.

NEW

arktic
PROFESSIONAL REFRIGERATION

ABS
plastic

indoor

- Fan-assisted cooling.
- Manual defrost.
- Equipped with a cross-flow fan.
- Roll-bond evaporator.
- Rear condenser.
- LED interior lighting with separate switch.
- 4 universal wheels and 2 supporting feet.



241011

241028

241035

241042

	D	D	E	D
type	display cabinets	display cabinets	display cabinets	display cabinets
code	241011	241028	241035	241042
exterior finish	painted steel, black	painted steel, black	painted steel, black	painted steel, black
capacity gross/net	360/274 l	360/274 l	569/437 l	948/827 l
dimensions	600x590x(H)1828 mm	600x577x(H)2029 mm	870x605x(H)1996 mm	1130x720x(H)2023 mm
temperature range	0/10 °C	0/10 °C	0/10 °C	0/10 °C
refrigerant	R290	R290	R290	R290
climate class	ST	N	T	ST
shelf	5x 516x413 mm	5x 516x413 mm	8x 374x436 mm	10x 505x552 mm
power/voltage	195 W/230 V	250 W/230 V	510 W/230 V	480 W/230 V
weight	71 kg	72 kg	103 kg	141 kg



NEW
arktic
PERFORMANCE. QUALITY. INNOVATION.


PARTY COOLER

- Black exterior and white interior.
- Suitable for canned drinks.
- Tempered glass lid.
- Direct cooling system.
- Mechanical temperature control with display.
- Temperature range: from 0°C to 10°C.
- Manual defrost.
- 2 wire baskets included.
- Equipped with 4 castors, including 1 with brake.
- Made of coated steel plate.

PARTY FREEZER

- Black exterior and white interior.
- Suitable for storing and displaying frozen treats.
- Low-E (low-emissivity) glass lid for improved temperature insulation.
- Static cooling system.
- Mechanical temperature control.
- Temperature range: from -18°C to -10°C.
- Manual defrost.
- Equipped with 4 castors, including 1 with brake.
- Made of coated steel plate.



type	refrigerator	refrigerator	freezer	freezer
code	241288	241295	241301	241318
exterior finish	black exterior and white interior	black exterior and white interior	black exterior and white interior	black exterior and white interior
capacity gross/net	41/37 l	74/67 l	53/41 l	87/84 l
dimensions	ø445x(H)735	ø445x(H)1060	ø445x(H)835 mm	ø445(H)836 mm
temperature range	0/10 °C	0/10 °C	-18/-10 °C	-18/-10 °C
refrigerant	R600a	R600a	R600a	R600a
climate class	4	4	N	ST
power/voltage	100 W/230 V	100 W/230 V	140 W/230 V	140 W/230 V
weight	16 kg	19 kg	24 kg	29 kg







8x



3-18°C



2 zones



3 colours



COUNTERTOP WINE COOLER, 2-ZONE CELLAR

- Housing made of stainless steel.
- Dual zone wine cooler.
- With touch screen control.
- Independently adjustable zones (3°C-18°C) keeps reds and whites at their correct serving temperatures.
- LED lights inside the chamber (3 colours to choose from: white, amber, cold blue).
- Capacity up to 8 bottles.
- Can be used for both open and closed bottles.
- Ensures consistent wine temperature.

code	range	V	W	mm
237380	3	230	60	350x800x(H)293



WINE COOLERS, DUAL ZONE

- Suitable for storing both white and red wines.
- Housing made of steel with a black powder-coated finish.
- Frameless tempered glass door with a stainless steel handle.
- Door equipped with a lock and key.
- Static cooling system supported by a fan.
- Automatic defrost function.
- Digital display and electronic thermostat.
- Temperature displayed in Celsius, with an option to switch to Fahrenheit.
- Slide-out beechwood shelves resistant to humidity fluctuations.
- Blue LED lighting for an attractive wine presentation.
- 4 adjustable, anti-slip feet.



THE IDEAL TEMPERATURE OF SPECIFIC WINES (FROM REDS TO WHITES):


Temperature	Types of wine
18°C	Bordeaux, Cabernet Sauvignon, Shiraz
16°C	Rioja, Pinot Noir
15°C	Chianti, Zinfandel
14°C	Chinon, Porto, Madeira
10°C	Chardonnay, Sauternes
9°C	Sauvignon Blanc
6°C	Champagne Non Vintage, Prosecco, Cava, Asti



max 46x



max 91x



max 124x



max 131x

code	237106	237113	237120	237137
capacity	137 l max 46 bottles of wine	230 l max 91 bottles of wine	265 l max 124 bottles of wine	418 l max 131 bottles of wine
dimensions	595x570x(H)820 mm	595x569x(H)1215 mm	595x569x(H)1397 mm	595x697x(H)1756 mm
shelf	4+1	9+1	10 + 2	15
temperature range	5/18 °C	5/18 °C	5/18 °C	5/18 °C
refrigerant	R600a	R600a	R600a	R600a
climate class	N-ST	N-ST	N-ST	N-ST
voltage	230 V	230 V	230 V	230 V



WINE COOLER, 1-ZONE, 224 BOTTLES

- Equipped with a single cooling zone with adjustable temperature ranging from 5°C to 22°C.
- The cabinet is made of steel with a black powder-coated finish.
- Features black chrome wire shelves that allow flexible stacking of bottles.
- Perfect for long-term wine storage in optimal thermal conditions.
- Frameless tempered glass door with a robust stainless steel handle.
- Door includes a lock with a key for added security.
- Fan-assisted static cooling ensures even temperature distribution.
- Automatic defrost function for convenience and low maintenance.
- Digital display and electronic thermostat for precise temperature control.
- Total capacity: up to 224 bottles (542 litres).
- Energy efficiency class: G (scale A-G).
- 4 adjustable, non-slip feet for stable installation.



max 224x 

code	237144
capacity	542 l
	max 224 bottles of wine
dimensions	700x690x(H)1834 mm
shelf	14
temperature range	5/22 °C
refrigerant	R600a
climate class	N-ST
voltage	230 V



237144



HEATED BUFFET

arktic
PROFESSIONAL CATERING EQUIPMENT

S.S.
stainless steel

- Housing made of stainless steel with a plywood finish.
- Suitable for 4 GN 1/1 containers – max. 150 mm deep.
- Supplied with 4 GN 1/1 containers.
- Fitted with a light in the canopy.
- Canopy can be lowered to act as a cover, secured with latches.
- Folding tray guides on both sides.
- 2 shelves under the counter.
- Equipped with 4 castors.
- Temperature adjustable from 30°C to 90°C.



274064

274194

NEW

type	heated	heated
code	274064	274194
exterior finish	plywood + tempered glass, black	plywood + tempered glass, white
net capacity	1490 l	1490 l
dimensions	1490x765x(H)1370 mm	1490x765x(H)1370 mm
temperature range	30/90 °C	30/90 °C
climate class	4	4
GN container type	4x GN 1/1	4x GN 1/1
power/voltage	2000 W/230 V	2000 W/230 V
weight	109 kg	109 kg



SALAD BUFFET

arktik HYGIENE • DURABILITY • FUNCTIONALITY

S.S.
stainless steel

- Housing made of stainless steel with a plywood finish.
- Suitable for 4 GN 1/1 containers - max. 150 mm deep.
- Supplied with 4 GN 1/1 containers.
- Fitted with a light in the canopy.
- Canopy can be lowered to act as a cover, secured with latches.

- Collapsible tray guides on both sides.
- Large shelf under the counter.
- Equipped with 4 castors.
- Temperature adjustable from 2°C to 10°C.



2-10°C



274057

274187

NEW

type	refrigerator	refrigerator
code	274057	274187
exterior finish	plywood + tempered glass, black	plywood + tempered glass, white
net capacity	1490 l	1490 l
dimensions	1490x765x(H)1370 mm	1490x765x(H)1370 mm
temperature range	2/10 °C	2/10 °C
refrigerant	R600a	R600a
climate class	4	4
GN container type	4x GN 1/1	4x GN 1/1
power/voltage	170 W/230 V	170 W/230 V
weight	123 kg	123 kg





ICE CUBE MAKER

- Made of stainless steel and ABS.
- Produces bullet ice (hollow ice).
- Static cooling with a compressor.
- Low water level and full ice container indicators.
- Cycle duration time: ≈ 8-13 min.
- Ice container capacity: 0.7 kg.
- Production capacity: 12 kg / 24 h.
- Ice scoop included in the set.

code	V	W	mm
271292	230	100	358x242x(H)328



271292



ABS
plastic

arktic
PROFESSIONAL REFRIGERATION

18/0
stainless steel



271568



271551



3 ice cube
sizes
possible

3 ice cube
sizes
possible

ICE CUBE MAKER

- Body made of stainless steel.
- Lid made from black ABS.
- Tabletop model.
- Makes bullet shaped ice cubes.
- Capacity of 12 kg per 24 hours, buffer stock of 3,2 kg - 9 cubes per cycle.
- Choice of 3 ice cube sizes, cubes are formed around cooling rods.
- Stores 100 ice cubes.
- No fixed water connection.

code	V	W	mm
271568	230	130	400x320x(H)575

ICE CUBE MAKER

- Body made of stainless steel.
- Tabletop model.
- Makes bullet shaped ice cubes.
- Capacity of 15 kg per 24 hours, buffer stock of 4,5 kg - 12 cubes per cycle.
- Choice of 3 ice cube sizes, cubes are formed around cooling rods.
- Holds 150 ice cubes.
- No fixed water connection.


code	V	W	mm
271551	230	130	455x390x(H)699



Ice container




Cubes made with
the pour method



Compressor
cooling (271551)



Electronic control



Bullet shaped
ice cubes

271773

ICE CUBE MACHINE

- Housing made from stainless steel.
- Makes bullet shaped ice cubes.
- Fitted with blue LED light.
- Can store up to 7 kg of ice.
- Inlet & outlet hoses and ice scoop included.

code	-	V	W	mm
271773	~26 kg/day	230	241	600x400x(H)675
271780	~50 kg/day	230	293	600x400x(H)675



271797

ICE FLAKE MACHINE

- Housing made of stainless steel.
- Produces flakes of ice.
- Ice container capacity: up to 20 kg.
- Fitted with blue LED light.
- Inlet & outlet hoses and ice scoop included.

code	-	V	W	mm
271797	~85 kg/day	230	430	612x548x(H)820



Cubes need to be
separated from
each other



ICE CUBE MACHINE

- Stainless steel casing suitable for installation under the counter.
- Can produce up to 35 kg of ice per day and has buffer stock for 15 kg.
- Produces 45 square ice cubes per cycle of 13-16 minute.
- Cubes need to be separated from each other.
- Comes with supply hose and ice scoop.
- Air-cooled injection system, coolant R290.

code	V	W	mm
271575	230	280	400x448x(H)795

271575



ICE CUBE MACHINES

- Housing made of stainless steel.
- Ice container made of ABS.
- Produces clear ice cubes that last longer in drinks.
- Air cooled – fan assisted static cooling.
- Low water level and full ice container indicators.
- Auto-defrost and auto-cleaning functions.
- Includes 1x ice scoop.

arktic
PROFESSIONAL REFRIGERATION

S.S.
stainless steel

indoor



Crystal-clear ice cubes
that melt more slowly
than other types of ice.



NEW



NEW



code	271353	271391	271438
color	Silver	Black	Silver
capacity	22 kg/24 h	22 kg/24 h	60 kg/24 h
ice container capacity	6 kg	6 kg	30 kg
dimensions	520x380x(H)637 mm	520x380x(H)637 mm	715x605x(H)835 mm
refrigerant	R290	R290	R290
power/voltage	385 W/230 V	385 W/230 V	630 W/230 V



DISPLAY TRAYS ALUMINIUM



CONFECTIONERY DISPLAY TRAY

code	mm
808467	300x200x(H)20
808504	400x300x(H)20
808511	600x400x(H)20



CONFECTIONERY DISPLAY TRAY

code	mm
808559	300x200x(H)20
808566	400x300x(H)20
808573	600x400x(H)20



808542

CONFECTIONERY DISPLAY TRAY



code	mm
808528	300x200x(H)20
808535	400x300x(H)20
808542	600x400x(H)20

DISPLAY TRAYS MELAMINE



568200

MEAT TRAY

- Black melamine.



code	mm
568101	290x160x(H)35
568200	350x250x(H)40
568309	420x280x(H)60



568507

MEAT TRAY

- Black melamine.



code	mm
568408	290x160x(H)60
568507	300x190x(H)80



568804

MEAT TRAY

- Black melamine.



code	mm
568804	280x210x(H)60



569108

DISPLAY TRAY

- Black melamine.



code	mm
569009	270x210x(H)17
569016	300x150x(H)17
569108	300x190x(H)17
569207	350x240x(H)17



DISPLAY TRAYS STAINLESS STEEL



407202

DISPLAY TRAY

- With feet.



code	mm
407202	240x170



407400

DISPLAY TRAY



code	mm
407400	345x245



408308

DISPLAY TRAY



code	mm
408308	310x230



508206

MEAT TRAY



code	mm
508107	260x200x(H)48
508206	310x240x(H)48



808269



BREAD ROLL HOLDER, PERFORATED

- Made of aluminium.
- Can hold 7 bread rolls.
- Not dishwasher safe.

code	mm
808269	580x170x(H)40



429419

BREADROLL DISPENSER

- For 7 rolls.



code	mm
429419	475x105x(H)60



429457

TACO HOLDER



code	-	mm
429440	2 slots	135x115x(H)50
429457	4 slots	225x115x(H)50



10

Table presentation

Elegance that enhances
every setting





PROFI LINE

TABLE PRESENTATION



PROFI LINE

- Elegant yet sturdy.
- Hand polished, high gloss mirror finish.

18/0
stainless steel



code		mm	code		mm
764404	1 Table knife - 6 pcs	(L)225	764473	8 Espresso spoon - 12 pcs	(L)111
764411	2 Table fork - 6 pcs	(L)205	764480	9 Tea and Coffee spoon - 12 pcs	(L)138
764428	3 Tablespoon - 6 pcs	(L)205	764497	10 Ice spoon - 12 pcs	(L)135
764435	4 Dessert knife - 6 pcs	(L)205	764503	11 Sundae spoon - 6 pcs	(L)198
764442	5 Dessert fork - 6 pcs	(L)186	764510	12 Butter knife - 12 pcs	(L)158
764459	6 Dessert spoon - 6 pcs	(L)186	764527	13 Steak knife - 6 pcs	(L)215
764466	7 Cake fork - 12 pcs	(L)136			



**KITCHEN LINE**

- Hand polished mirror finish.

18/0
stainless steel

code				mm
764206	1	Table knife - 6 pcs		(L)215
764213	2	Table fork - 6 pcs		(L)197
764220	3	Table spoon - 6 pcs		(L)197
764237	4	Cake fork - 12 pcs		(L)150
764244	5	Tea and Coffee spoon - 12 pcs		(L)146
764251	6	Espresso spoon - 12 pcs		(L)131
764268	7	Sorbet spoon - 6 pcs		(L)198



BUDGET LINE

- Machine polished

18/0
stainless steel



code			mm
764039	1	Table spoon - 12 pcs	(L)181
764022	2	Table fork - 12 pcs	(L)183
764015	3	Table knife - 12 pcs	(L)212
764084	4	Tea and Coffee spoon [24 pcs	(L)136
764091	5	Espresso spoon - 24 pcs	(L)110
764077	6	Cake fork - 24 pcs	(L)145
764138	7	Sorbet spoon - 12 pcs	(L)198


**NEW****CUTLERY SET WITH TRAY**

- Cutlery made of 18/0 stainless steel.
- Tray made of polypropylene.
- Tray dimensions: 525x300x95mm.
- Compartment dimensions: 105x260mm.
- Includes 200 pieces:
 - 50 knives - length: 207mm
 - 50 forks - length: 180mm
 - 50 table spoons - length: 170mm
 - 50 tea spoons - length: 149mm
- All cutlery is dishwasher safe.

code	colour	packed per	mm
766194	Blue	1	525x300x(H)95

**STEAK CUTLERY**

- Stainless steel with ABS handle.

**STEAK FORK**

- Stainless steel with ABS handle.

code	colour	packed per	mm
781432	Black	6	(L)200
783078	Brown	6	(L)200

STEAK KNIFE

- Stainless steel with ABS handle.

code	colour	packed per	mm
781449	Black	6	(L)210
783085	Brown	6	(L)210

STEAK KNIFE XL

- Stainless steel with.

code	colour	packed per	mm
781456	Black	6	(L)250


PLACEMAT

- Made from PVC (vinyl), in a woven pattern.
- Non-slip thanks to the material structure.
- Flexible, they don't deform after rolling up.
- Available in 6 stylish designs (codes: 597880, 597897, 597910, 597927, 597934, 597941).




PLACEMAT

code	colour	packed per	mm
597927	Brown	6	450x300



597927




597934



597941



597880



597897

PLACEMAT, GEOMETRIC PATTERN

code	colour	packed per	mm
597934	Green	6	450x300
597941	Silver	6	450x300

PLACEMAT, FRAME

code	colour	packed per	mm
597880	Graphite	6	450x300
597897	Beige	6	450x300



FLORA

TABLE PRESENTATION



FLORA

- White hotel porcelain
- Strengthened edges, high quality glazing
- High impact and wear resistance



DINNER PLATE

code	order unit	mm
787007	12	ø160
787014	12	ø200
787021	12	ø255
787038	12	ø265
787045	6	ø300



SOUP PLATE

code	order unit	mm
787052	12	ø235



OVAL DISH

code	order unit	mm
787069	6	280x180
787076	6	330x225



MUESLI/SALAD BOWL

code	order unit	liters	mm
787083	12	0.25	ø145x(H)45
787090	6	1	ø230x(H)65



SOUP BOWL

code	order unit	liters	mm
787267	12	0.25	ø100

SAUCER

code	order unit	mm
787182	12	ø158



CAPPUCCINO CUP

code	order unit	liters	mm
787175	12	0.25	ø87



COFFEE CUP

code	order unit	liters	mm
787144	12	0.18	ø82



ESPRESSO CUP

code	order unit	liters	mm
787113	12	0.12	ø65

SAUCER

code	order unit	mm
787182	12	ø158

SAUCER FOR COFFEE CUP

code	order unit	mm
787151	12	ø138

SAUCER FOR ESPRESSO CUP

code	order unit	mm
787120	12	ø130

SATURN

TABLE PRESENTATION



SATURN

- White hotel porcelain.
- Strengthened edges, high quality glazing.
- High impact and wear resistance.



DINNER PLATE

code	order unit	mm
794319	12	ø200
794326	12	ø240
794333	12	ø260
794340	6	ø280
794357	6	ø300
794364	6	ø320

SOUP PLATE

code	order unit	mm
794395	12	ø220
794517	6	ø300

SALAD BOWL

code	order unit	mm
794470	6	ø250
794463	12	ø150
794524	12	ø190



SOUP BOWL

code	order unit	liters	mm
794449	12	0.38	ø120

MUG

code	order unit	liters
794531	12	0.22

SAUCER FOR SOUP BOWL

code	order unit	mm
794456	12	ø190



CAPPUCCINO CUP

code	order unit	liters	mm
794487	12	0.23	ø87

COFFEE CUP

code	order unit	liters	mm
794401	12	0.17	ø79

ESPRESSO CUP

code	order unit	liters	mm
794425	12	0.09	ø63

SAUCER FOR CAPPUCCINO CUP

code	order unit	mm
794418	12	ø150

SAUCER FOR COFFEE CUP

code	order unit	mm
794418	12	ø150

SAUCER FOR ESPRESSO CUP

code	order unit	mm
794432	12	ø125



DELTA

TABLE PRESENTATION



484

 HENDI



DELTA

- White hotel porcelain.
- Strengthened edges, high quality glazing.
- High impact and wear resistance.



DINNER PLATE

code	order unit	mm
794050	12	ø160
794067	12	ø200
794074	12	ø240
794081	12	ø270
794098	6	ø300



SOUP PLATE

code	order unit	mm
799420	12	ø230



PASTA PLATE

code	order unit	mm
799406	6	ø260
799413	6	ø300

OVAL DISH

code	order unit	mm
799437	6	290x200
799444	6	340x240



SOUP BOWL

code	order unit	liters	mm
799383	12	0.34	ø160



SALAD BOWL

code	order unit	mm
799451	12	ø120
799468	6	ø140
799475	6	ø230
799482	6	ø270

SAUCER FOR SOUP BOWL

code	order unit	mm
799390	12	ø170



CAPPUCCINO CUP

code	order unit	liters	mm
799147	12	0.23	ø90



COFFEE CUP

code	order unit	liters	mm
799130	12	0.17	ø80



ESPRESSO CUP

code	order unit	liters	mm
799161	12	0.09	ø63

SAUCER FOR CAPPUCCINO CUP

code	order unit	mm
799154	12	ø145

SAUCER FOR COFFEE CUP

code	order unit	mm
799154	12	ø145

SAUCER FOR ESPRESSO CUP

code	order unit	mm
799178	12	ø83



505472



505465



505489

OAK SERVING BOARD

- Single sided.
- Glued stile construction: the middle part (horizontal wood fibres) is reinforced with side frames (vertical wood fibres).

code	mm
505472	270x270x(H)20
505465	370x270x(H)20

OAK SERVING BOARD

- Double-sided.
- Constructed with carefully selected oak pieces that are glued together creating a stylish natural pattern.

code	mm
505489	420x280x(H)40



505441

OAK SERVING BOARD, END-GRAIN

- Double-sided.
- Made with the end-grain method: oak squares are glued together in a stylish checkerboard pattern.
- Vertical placement of wood fibres, perpendicularly to the working surface - increased durability, resistance to scratches, and preventing dulling knives (blade goes in between wood fibres).

code	mm
505458	325x265x(H)30
505441	530x325x(H)35

OVEN DISHES WHITE PORCELAIN

- Special porcelain type, toughest type available.
- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively light-weight.
- Extremely pure and brilliant white.



TAPAS DISH OVAL

- With handles.



code	liters	mm
784006	0.19	200x107x(H)30
784013	0.35	262x140x(H)33
784020	0.8	324x185x(H)38



786321



786352

RUSTICA OVEN DISH OVAL

code	liters	mm
786321	0.62	223x132x(H)42
786338	1	245x145x(H)55

RUSTICA OVEN DISH SQUARE

code	mm
786352	165x165x(H)65



786369



786307

RUSTICA OVEN DISH RECTANGULAR

code	liters	mm
786369	2.3	282x192x(H)65
786376	3	335x232x(H)62
786383	4.8	380x260x(H)70

RUSTICA OVEN DISH ROUND

code	mm
786307	ø100x(H)50

OVEN DISH ROUND

- Special porcelain type, toughest type available.
- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively light-weight.
- Cream white.

code	mm
785904	185x152x(H)40



785904





A1

**PLATE WITH HIGH RIM OSLO**

- Made of glazed white porcelain.
- High rim prevents spilling liquids (sauces, etc.).
- Microwave safe.
- Dishwasher safe.
- Not oven safe.

code	mm
768730	ø200x(H)25
768747	ø240x(H)26
768754	ø280x(H)28



434208

SOUP TUREEN

- With lid and serving spoon

code	liters	mm
434208	2.7	ø270x(H)175



432136

SAUCE BOAT

- On foot.

code	liters	mm
432143	0.085	120x72x(H)50
432006	0.14	135x76x(H)70
432105	0.23	160x98x(H)90
432129	0.28	200x100x(H)105
432136	0.46	240x120x(H)120



785553



785560



786437

PLATE BARK

- Rectangular.

code	mm
785546	218x105x(H)23
785553	352x146x(H)40

BOWL VANILLA

code	mm
785560	225x111x(H)62
785577	290x136x(H)80

GRAVY BOAT

code	mm
786437	173x54x(H)102



SOUP BOWL LIONHEAD

- Special, toughest porcelain type available on the market
- High-impact and wear resistance and still relatively light-weight
- Shining white

code	liters	mm
784778	0.125	ø90x(H)60
784761	0.25	ø112x(H)78
784754	0.5	ø138x(H)95



784761



786239

ICE CREAM BOWL CLOWN

code	mm
786239	226x145x(H)37



786499

PLATE, BEAR SHAPE

- Made of porcelain.
- Diameter: ø 190 mm without ears.
- Scratch-resistant.
- Dishwasher safe.

code	mm
786499	ø265



TAPAS MINI

- Special, toughest porcelain type available on the market.
- High-impact and wear resistance and still relatively light-weight.
- Shining white.



784426



784327



784365

TAPAS DISH PLATO

code	packed per	mm
784426	6	ø100x(H)25

TAPAS DISH CUADRADO

code	packed per	mm
784327	6	80x80x(H)35

TAPAS DISH REDONDO

code	packed per	mm
784365	6	ø75x(H)30



784433



784334



784419

TAPAS DISH LEON

code	packed per	mm
784433	6	ø55x(H)45

TAPAS DISH CONCHA

code	packed per	mm
784334	6	90x50x(H)20

TAPAS DISH CUADRADO

code	packed per	mm
784419	6	59x59x(H)37



784389



784372



784396

TAPAS DISH CACEROLE

code	packed per	mm
784389	6	ø60x(H)25

TAPAS DISH HUEVO

code	packed per	mm
784372	6	ø65x(H)15

TAPAS DISH TRIANGOLO

code	packed per	mm
784396	6	100x100x(H)25



785324

TAPAS DISH CUCHARA

code	packed per	mm
785324	6	130x43x(H)26

PRESENTATION MINIATURES



564509



MINI SAUCEPAN LITTLE CHEF

code	mm
564509	162x121x(H)30

564516



MINI GRIDDLE PAN LITTLE CHEF

code	mm
564516	320x162x(H)20

564523



MINI ROUND PAN LITTLE CHEF

code	mm
564523	150x115x(H)37
564530	189x147x(H)37

564554



MINI OVAL PAN LITTLE CHEF

code	mm
564547	155x80x(H)37
564554	263x140x(H)37



PRESENTATION MINIATURES

426425



426432



426449



426456



DEEP FRYING BASKET MINIATURES

code	mm
426449	90x90x(H)90
426425	100x80x(H)75
426432	125x100x(H)85
426456	255x135x(H)45

425619



425626



425633



425657



DEEP FRYING BASKET MINIATURES

- Finished with a matt black coating.

code	mm
425633	90x90x(H)90
425619	100x80x(H)75
425626	125x100x(H)85
425657	255x135x(H)45



425688

DEEP FRYING BASKET MINIATURES
STACKABLE

code	mm
425664	105x90x(H)60
425688	130x115x(H)80



DEEP FRYING BASKET MINIATURES STACKABLE BLACK

– Finished with a matt black coating.

code	mm
425671	105x90x(H)60
425695	130x115x(H)80



CHIPS BAG HOLDER

- Black wire frame, with room for a sauce bowl.
- Melamine ramekin 80 ml fits perfectly [561713], not included.

code	mm
630914	210x110x(H)172



CHIPS BAG HOLDER

- Black wire frame, fits 1 chip bag.

code	mm
630938	ø115x(H)172



CHIPS BAG HOLDER


code	mm
630907	ø110x(H)175





GREASEPROOF PAPER

- Made of 40 gsm paper.
- Grease-resistant coating helps prevent oil and grease from soaking through.
- Packed per 500 sheets.
- Suitable for wrapping selected ready-to-eat food.
- Food contact is permitted on the unprinted side only.
- The printed side is not intended for direct contact with food.
- Single-use product.



678138


code	mm
678138	200x250
678114	250x350



678121

code	mm
678121	200x250
678107	250x350
678091	305x305

N



678251

code	mm
678244	200x250
678251	250x350
678176	305x305



678268

code	mm
678268	200x250
678275	250x350
678282	305x305



NEW



808283

BAKING TRAY

- Reinforced rim with wire.
- Temperature resistance: up to 260°C.
- Available in 2 sizes.
- Stackable.
- Can also be used as a serving tray.

code	mm
808290	450x330x(H)26
808283	330x242x(H)26

ENAMELLED

- Made of steel with white enamel, with a blue rim.
- High quality enamel, resistant to abrasion.
- Stackable for convenient storage.

- Dishwasher safe.
- Oven safe.
- Not microwave safe.



621202

BOWL RECTANGULAR

- Dishes and desserts can be prepared in the bowl.

code	mm
621219	215x160x(H)50
621202	175x130x(H)41



621226

FLAT PLATE

code	mm
621226	ø200
621233	ø240



621257

DEEP PLATE

code	mm
621240	ø180
621257	ø200
621264	ø220
621271	ø240



621288

SALAD BOWL

code	mm
621288	ø160x(H)75



621295

MUG

code	liters	mm
621295	0.36	ø90x(H)80
621301	0.52	ø100x(H)90



621318

CUP

code	liters	mm
621318	0.12	ø70x(H)50



621325

TUMBLER

code	liters	mm
621325	0.3	ø90x(H)90
621332	0.4	ø90x(H)120





625804



625705

SOUP & GRAVY PAN - WITH LID

- Enamelled.
- Flanged stainless steel rim.
- Low lid.

code	colour	liters	mm
625804	Blue	0.3	ø115x(H)90
625705	Black	0.5	ø135x(H)105



622742

ENAMELLED PAN

- Made of carbon steel with an enamelled coating.
- Equipped with two handles.
- Suitable for use on gas, ceramic, and electric hobs.
- Dishwasher safe.

code	mm
622704	ø100x(H)20
622711	ø120x(H)25
622728	ø150x(H)27
622735	ø200x(H)36
622742	ø240x(H)40
622773	ø300x(H)50
622780	ø340x(H)50



622858

ENAMELLED PAELLA BOWLS

- Deep model.
- Made of enamelled steel.

code	mm
622810	ø145x(H)40
622827	ø170x(H)40
622834	ø185x(H)43
622841	ø205x(H)57
622858	ø245x(H)70



S.S.
stainless steel

426371

426364

BUCKET MINIATURES

code	mm
426364	ø87x(H)93
426371	ø125x(H)127

S.S.
stainless steel

426487

SNACK PAN

code	mm
426487	196x95x(H)70



425732

425718

425725

BUCKET

- Made of stainless steel.
- Includes handle.
- Dishwasher safe.

code	mm
425718	ø75x(H)66
425725	ø90x(H)85
425732	ø130x(H)110

S.S.
stainless steel

426470

426463

SNACK CAN

- Made of stainless steel.
- Fitted with convenient handles and a pouring spout.
- Dishwasher safe.

code	mm
426463	ø45x(H)50
426470	ø70x(H)100



607039

SMALL SAUCE PAN WITH SPOUT

- Made of 2.5 mm thick 3-ply material, copper/aluminium/stainless steel.
- Handle attached by rivets.

code	liters	mm
607015	0.05	ø50x(H)30
607022	0.16	ø75x(H)40
607039	0.26	ø85x(H)50



607046

SMALL FRYING PAN

- Made of 2.5 mm thick 3-ply material, copper/aluminium/stainless steel.
- Handle attached by rivets.

code	mm
607046	ø120x(H)30



GALVANISED BUCKETS

- Made of galvanised sheet steel, this creates a rustic look.
- Galvanised steel isn't intended for food contact, line the buckets with our greaseproof paper sheets when using it for SERVING FOOD.



425992

PARTY TUB

code	mm
425992	400x330x(H)220



425923

BUCKETS WITH HANDLE

code	mm
425909	ø70x(H)65
425916	ø100x(H)90
425923	ø120x(H)105
425985	ø160x(H)140



425978

TABLE CADDY

- With wooden grip handle.

code	mm
425978	245x180x(H)130

SOUP AND SAUCE BOWLS



430002



401200

401002

401101

SOUP BOWL

- Made of stainless steel.
- With handles.
- Dishwasher safe.



code	liters	mm
430002	0.35	ø120x(H)50

VEGETABLE DISH

- With handles.



code	mm
401200	ø160x(H)40
401002	ø120x(H)30
401101	ø140x(H)35

783177

**RAMEKIN**

- Ribbed, made of porcelain.

code	order unit	mm
783153	12	ø70x(H)35
783160	6	ø90x(H)48
783627	6	ø100x(H)25
783177	6	ø120x(H)55

565605



565612

**RAMEKIN**

code	packed per	colour	liters	mm
565605	12	Black	0.045	ø60x(H)35
565612	12	Ivory	0.045	ø60x(H)35



564561

BUTTER & SAUCE DISH

code	packed per	colour	mm
564561	3	Black	ø80x(H)30

**RAMEKIN**

code	packed per	liters	mm
400029	12	0.07	ø62x(H)40
400012	12	0.045	ø62x(H)24
400036	12	0.115	ø73x(H)47
400043	12	0.175	ø85x(H)52

561720

561713

561706



561492

RAMEKIN

- Ribbed.



code	-	packed per	mm
561492	35 ml	1	ø60x(H)25
565643	35 ml	4	ø60x(H)25
561706	50 ml	1	ø70x(H)35
565650	50 ml	4	ø70x(H)35
561713	80 ml	1	ø80x(H)40
561720	100 ml	1	ø85x(H)45

564592

**VELOCITY SLANTED BOWLS**

code	mm
564578	70x70x(H)60
564585	97x97x(H)80
564592	110x110x(H)100



400043





FRUIT BASKET ANGLED ROUND BLACK

- Finished with a matt black powder coating.

code	mm
427095	ø150x(H)80
427088	ø280x(H)130
427071	ø300x(H)205



427088



427095



427071



425879

WIRE BASKET DECO OVAL

- With decorative rim.

- Finished with a matt black coating.

code	mm
425879	255x160x(H)80



426241



426265



426227



426234



426258



BASKETS WITH WOVEN SIDES

- Made of polypropylene

code	-	mm
426258	round	200x200x(H)65
426234	oval	225x130x(H)55
426265	oval	320x230x(H)55
426227	square	190x190x(H)80
426241	rectangular	225x150x(H)65



426081



426098



CUTLERY BASKET

code	colour	mm
426098	Black	270x100x(H)45
426081	Light grey	270x100x(H)45

426197



426210



CUTLERY BASKET

code	colour	mm
426210	Black	ø100x(H)120
426197	Light grey	ø100x(H)120



426753

426685

426692



BAKERY BASKET GN SIZE

- Reinforced with a stainless steel frame.

code	GN	mm
426746	GN 1/6	176x162x(H)65
426722	GN 1/4	265x162x(H)65
426715	GN 1/3	325x176x(H)65
426692	GN 1/2	325x265x(H)65
426753	GN 2/3	325x354x(H)65
426685	GN 1/1	530x325x(H)65



BREAD DISPLAY BASKET

- Large-sized basket - perfect for displaying bread and other baked goods in bakeries, grocery shops, and buffets.
- Made of polyrattan, reinforced with a stainless steel frame.
- Dishwasher safe.

code	mm
427248	595x395x(H)105
427231	295x395x(H)105



BASKETS



561102

BREAD BASKET GN 1/1

- Reinforced with a stainless steel wire frame.

code	mm
561102	530x320x(H)90



561201

BREAD BASKET DISPLAY GN 1/2

- Set of 2 baskets with chrome-plated stand.
- Baskets reinforced with a stainless-steel wire frame.
- Basket dimensions: 360x280x(H)90 mm.
- Stand isn't dishwasher safe.

code	mm
561201	360x280x(H)290



561003

BREAD BASKET OVAL

- Reinforced with a stainless steel wire frame.

code	mm
561003	380x270x(H)90



BAGUETTE BASKET

code	mm
426517	305x320x(H)350



426517





BAKERY BASKET WITH BAG

- Finished with a matt black powder coating.
- Fitted with a grey, washable bag.

code	-	mm
427125	oval	250x160x(H)75
427149	square	190x190x(H)100
427132	rectangular	250x180x(H)85



SERVING BASKETS FAST FOOD STYLE

- Ideal for fast food restaurant, diners and street food vendors.
- Set of 6 polypropylene serving baskets.
- Light weight, stackable and easy to clean.
- Available in multiple colours.

code	packed per	colour	mm
426890	6	Black	272x175x(H)38
426319	6	Red	272x175x(H)38



BREAD BAGS



PAPER BREAD BAGS

- Made of food grade washable kraft paper.

code	colour	mm
429228	Beige	170x170x(H)150
429211	Black	170x170x(H)150

BREAD BAG, ROUND

- Made of durable cotton.
- Available in gray/beige and gray/dark blue color combinations.

code	colour	mm
429006	Beige	ø150x(H)150
429013	Dark grey	ø150x(H)150
429020	Beige	ø200x(H)200
429037	Dark grey	ø200x(H)200
429044	Beige	ø250x(H)160
429051	Dark grey	ø250x(H)160



BASKETS

- Polyrattan.

**BREAD BASKET - OVAL**

code	mm
426500	225x130x(H)55

BREAD BASKET, RECTANGULAR

code	mm
426807	225x150x(H)65

BREAD BASKET - ROUND

code	mm
426609	ø200x(H)65

BREAD BASKET - OVAL

code	mm
426708	225x110x(H)60

BREAD BASKET - OVAL

code	mm
426906	375x140x(H)70



425800



425602

PITTA BREAD BASKET - ROUND

- Not intended for food contact, line the basket with our greaseproof paper sheets when using it for serving food.

code	mm
425701	ø150x(H)38
425800	ø200x(H)50

PITTA BREAD BASKET - OVAL

- Not intended for food contact, line the basket with our greaseproof paper sheets when using it for serving food.

code	mm
425503	195x140
425602	255x190



426784

426760

426616

426777

426623


426791

**BAKERY BASKET OVAL**

code	colour	mm
426777	Black	190x120x(H)60
426760	Light grey	190x120x(H)60
426623	Black	250x190x(H)65
426616	Light grey	250x190x(H)65

BAKERY BASKET

code	colour	mm
426784	Light grey	190x130x(H)60
426791	Black	190x130x(H)60



426821

**BASKET RISER**

code	mm
426814	ø250x(H)180
426821	ø250x(H)265



426661



426678

**BAKERY BASKET ANGLED**

code	colour	mm
426678	Black	400x300x(H)120
426661	Light grey	400x300x(H)120







VACUUM JUG

- Tight sealing lid with push button for pouring.
- Double walled with glass inner bottle.

code	liters	mm
449615	1	ø110x(H)289

449615



VACUUM JUGS

- Double walled stainless steel.
- Seamless structure.
- Vacuum insulation.
- Metal chromed cover, lever, spout and handle.
- High insulation value.



445839



446706



446720

**VACUUM JUG**

code	liters	mm
445815	0.6	ø120x(H)168
445822	1	ø136x(H)188
445839	1.5	ø136x(H)258

VACUUM JUG

- Double walled stainless steel.
- With black push-button cap.
- Top and lid made of polypropylene.

code	liters	mm
446607	1.5	ø145x(H)230
446508	1	ø145x(H)205
446706	2	ø145x(H)260

VACUUM JUG

- Double walled stainless steel.
- With yellow push-button cap.
- Top and lid made of polypropylene.

code	liters	mm
446522	1	ø145x(H)205
446621	1.5	ø145x(H)230
446720	2	ø145x(H)260

449608

**VACUUM JUG WITH GLASS INNER BOTTLE**

code	liters	mm
449608	1	ø140x(H)268



448908



445877

AIR POT

- Housing and inner walls made of stainless steel.
- Lid made of polypropylene, opens to 125 degrees for easy filling and cleaning.
- Lid with a push pump for easy beverage dispensing.
- Handle for convenient carrying.
- Capacity: 2.2 L.

code	liters	mm
448908	2.2	ø150x(H)340

AIR POT

- Housing and inner walls made of stainless steel.
- Lid made of polypropylene, opens to 125 degrees for easy filling and cleaning.
- Lid fitted with lever pump for easy beverage dispensing.
- Lever pump made of zinc alloy - very durable.
- On a rotating base made of polypropylene.
- Handle for convenient carrying.
- Capacity: 3 L.

code	liters	mm
445877	3	ø171x(H)373



18/8

stainless steel



451526

MULTIPURPOSE JUGS

code	liters	mm
451502	0.35	ø76x(H)93
451519	0.6	ø90x(H)112
451526	0.9	ø102x(H)125
451533	1.5	ø112x(H)161

18/10

stainless steel



wash



451045

MILK JUG

- Made of extra thick stainless steel, helps keep the content hot.
- V-shaped spout gives extra control during pouring.

code	liters	mm
451045	0.7	ø84x(H)130

18/0

stainless steel

18/8

stainless steel



451014

MILK JUG

- Made of extra thick stainless steel, helps keep the content hot.
- V-shaped spout gives extra control during pouring.

code	liters	mm
451038	0.35	ø65x(H)99
451021	0.45	ø75x(H)111
451014	0.7	ø84x(H)130

18/10

stainless steel



wash



458198

MILK JUG

- Made from stainless steel with a black non-stick coating.

code	liters	mm
458198	0.6	ø90x(H)112

S.S.

stainless steel



451106

MILK JUG

- Simple design.

code	liters	mm
451007	0.35	ø85x(H)110
451106	0.75	ø100x(H)120

18/10

stainless steel



451052

MILK JUG WITH MEASURE

- Made of stainless steel.
- Shape with an easy-pour spout designed for clean and efficient work.
- Dishwasher safe.
- Available in multiple sizes (codes: 450109, 450208, 450307, 450406, 450505).

code	liters	mm
451052	0.6	130x77x(H)112

COFFEE/ TEA POT WITH LID

- With hinged lid.
- Straight model.

code	liters	mm
453001	0.2	ø74x(H)95
453100	0.3	ø74x(H)123
453209	0.6	ø77x(H)142
453308	0.9	ø120x(H)158
453407	1.4	ø126x(H)185



453209

S.S.

stainless steel

570807


S.S.
stainless steel
TEA STRAINER WITH HINGED HANDLE

- For herbs and tea.
- With hinged handle.

code	mm
570807	ø45x165

638101


18/10
stainless steel
TEA & HERB STRAINER

- For herbs and tea.
- With wire handle.

code	mm
638101	ø70x225

523629


S.S.
stainless steel
SUGAR CUBE TONGS

code	packed per	mm
523629	2	(L)160

452325


S.S.
stainless steel
SUGAR/WHIPPED CREAM DISH

code	packed per	mm
452714	6	ø65x(H)20
452325	4	ø100x(H)20

452103


S.S.
stainless steel
SUGAR BOWL

- With hinged lid.

code	liters	mm
452103	0.3	ø85x(H)80

452202


S.S.
stainless steel
SUGAR BOWL

- Without lid.

code	liters	mm
452202	0.3	ø85x(H)65



441107

S.S.
stainless steel
ICE-CREAM CUP

- On foot.

code	mm
441107	ø90x(H)50

450505


S.S.
stainless steel
CREAM JUG

- Made of stainless steel.
- Shape with an easy-pour spout designed for clean and efficient work.
- Dishwasher safe.

code	liters	mm
450109	0.02	ø32x(H)24
450208	0.03	ø35x(H)35
450307	0.07	ø45x(H)45
450406	0.12	ø55x(H)55
450505	0.25	ø70x(H)70



440773



440780



440797

**TABLETOP LITTER BIN WITH SWING COVER**

- Made of powder coated metal.
- Removable swing cover.
- Available in 3 colours.

code	mm
440773	ø120x(H)165
440780	ø120x(H)165
440797	ø120x(H)165



440711

**TABLETOP LITTER BIN**

- With plastic top and stainless steel swing cover.

code	mm
440711	ø95x(H)130



421574

can be used
as a cutlery
holder

**TABLETOP LITTER BIN OR CUTLERY HOLDER**

- Black container made of melamine

code	colour	mm
421574	Black	ø130x(H)160

595008

**RECEPTION BELL**

- Chrome-plated with metal base.



code	mm
595008	ø85x(H)57

444023

**TABLECLOTH CLIP**18/0
stainless steel

code	packed per	mm
444023	4	50x10x(H)40

428528

**NAPKIN HOLDER**

- Chrome-plated wire.



code	mm
428528	190x190x(H)65

428511

**NAPKIN HOLDER**

- Matt finish.



code	mm
428511	170x30x(H)70

**MENU CLIPBOARD**

- Made from durable MDF with metal clamping mechanism.
- Available in multiple sizes.

code	mm
664179	125x180
664162	185x245
664155	240x330



664179



664162



664155



663691

**TABLE SIGN RESERVED**

code	-	packed per	mm
663691	Gereserveerd / Réserve	4	50x35x(H)40
663707	Reserviert	4	50x35x(H)40
663936	Réservé	4	50x35x(H)40
663929	Gereserveerd	4	50x35x(H)40

**TABLE SIGN RESERVED**

- Black - white.
- Printed on 2 sides.

663462



code	-	mm
663486	réserve	130x30x(H)38
663462	reserved	130x30x(H)38
663745	gereserveerd	130x30x(H)38
663479	reserviert	130x30x(H)38



664308

**TABLE SIGN RESERVED**

- Made from durable wood.
- With slot to hold a menu.

code	-	mm
664308	"reserved"	152x44x(H)44



TABLESTAND NUMBERS

- Sets of multiple numbers 12 numbers per set.

code		mm
663844	Numbers 1-12	50x35x(H)40
663851	Numbers 13-24	50x35x(H)40
663868	Numbers 25-36	50x35x(H)40
663875	Numbers 37-48	50x35x(H)40
663882	Numbers 49-60	50x35x(H)40
663899	Numbers 61-72	50x35x(H)40



DOOR SIGNS

- With self-adhesive strip.

code		mm
663608	men	ø75
663615	women	ø75
663622	toilets	ø75
663639	no smoking	ø75
663646	wheelchair	ø75



DOOR SIGN

- Self-adhesive.

code		mm
663790	no smoking	ø75



TABLE SIGN 'NO SMOKING'

- 2 sides printed.

code	mm
663660	50x35x(H)40





441466

**EGG CUP - 6 PCS**

- Low model.

code	packed per	mm
441466	6	ø85x(H)15



441367

**EGG CUP - 6 PCS**

- On foot.

code	packed per	mm
441367	6	ø50x(H)45



441503

**EGG SPOON - 6 PCS**

- White.

- ABS


code	packed per
441503	6



513729

**RECEIPT HOLDER**

code	mm
513729	ø80x(H)150



665510

MENU CARD TABLE STAND

code	mm
665503	ø75x(H)100
665510	ø75x(H)200



595305

MENU CARD HOLDER - 2 PCS

- With clamp.

code	packed per	mm
595305	2	ø40x(H)104



665251

**MENU CARD TABLE STAND - 6 PCS**

- Supplied without menu card.

code	packed per	mm
665251	6	80x77x(H)18



595206

**RECEIPT HOLDER - 3 PCS**

- With clamp.

code	packed per	mm
595206	3	152x110



664186

CUTLERY BOX

- Made of durable wood.
- Cutlery is not included.

code	mm
664186	80x80x(H)95



664315

TABLE CADDY

- Made of durable wood.
- With 2 compartments and a large handle.
- Accessories shown in the photo are not included.

code	mm
664315	190x160x(H)200



664148

MENU AND CUTLERY BOX

- Wooden box with integrated blackboard on two sides.
- Box has 4 compartments.
- Accessories shown in the photo are not included.

code	mm
664148	210x150x(H)150



425787

CONDIMENT RACK ROUND

- Finished with a matt black powder coating.

code	mm
425787	ø165x(H)215



427170

CONDIMENT RACK BLACK

- Finished with a matt black powder coating.

code	mm
427170	135x65x(H)200



427064

TABLE CADDY

- Fitted with a wooden handle.
- Finished with a matt black powder coating.
- Accessories shown in the photo are not included.

code	mm
427064	140x105x(H)190
427057	170x130x(H)160
427040	230x100x(H)240



427057



427040

SALT GRINDERS & PEPPER MILLS



WOODEN SALT GRINDER

- Body made of rubber wood – lightweight, but durable.
- Ceramic grinding mechanism (burrs) – non-corrosive (suitable for salt), manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "S" letter – for marking salt.
- Available in several colours: dark wood, light wood, white lacquered wood (glossy finish).

code	colour	mm
469613	White	ø50x(H)113
469606	White	ø55x(H)215
469590	White	ø60x(H)315
469583	White	ø65x(H)415
469699	Wood light	ø50x(H)113
469712	Wood light	ø57x(H)165
469736	Wood light	ø57x(H)215
469750	Wood light	ø60x(H)315
469774	Wood dark	ø50x(H)113
469798	Wood dark	ø57x(H)165
469811	Wood dark	ø57x(H)215
469835	Wood dark	ø60x(H)315

WOODEN PEPPER MILL

- Body made of rubber wood – lightweight, but durable.
- Grinding mechanism (burrs) made of stainless steel, manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "P" letter – for marking pepper.
- Available in several colours: dark wood, light wood, black lacquered wood (glossy finish)

code	colour	mm
469576	Black	ø50x(H)113
469569	Black	ø55x(H)215
469552	Black	ø60x(H)315
469545	Black	ø65x(H)415
469682	Wood light	ø50x(H)113
469705	Wood light	ø57x(H)165
469729	Wood light	ø57x(H)215
469743	Wood light	ø60x(H)315
469767	Wood dark	ø50x(H)113
469781	Wood dark	ø57x(H)165
469804	Wood dark	ø57x(H)215
469828	Wood dark	ø60x(H)315



Ceramic salt grinding mechanism

Stainless steel pepper grinding mechanism



469682
469699

469705
469712

469729
469736

469743
469750

469767
469774

469781
469798

469804
469811

469828
469835



ACRYLIC PEPPER MILL

- Body made of transparent acrylic glass (PMMA) - a lighter substitute for glass, but more resistant to scratching and breakage.
- Grinding mechanism (burrs) made of stainless steel, manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "P" letter - for marking pepper.

code	mm
469620	ø50x(H)113
469644	ø50x(H)140
469668	ø60x(H)215

ACRYLIC SALT GRINDER

- Body made of transparent acrylic glass (PMMA) - a lighter substitute for glass, but more resistant to scratching and breakage.
- Ceramic grinding mechanism (burrs) - non-corrosive (suitable for salt), manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "S" letter - for marking salt.

code	mm
469637	ø50x(H)113
469651	ø50x(H)140
469675	ø60x(H)215





786413

**SALT & PEPPER SHAKER SET**

- Made of porcelain.
- 2-piece set including a salt shaker and a pepper shaker.

code	order unit	mm
786413	3	ø42x(H)80



786420

**SALT & PEPPER SHAKER SET WITH TOOTHPICK HOLDER**

- Made of porcelain.
- 4-piece set including a salt shaker, a pepper shaker, a toothpick holder and a tray, all made of porcelain.

code	order unit	mm
786420	48	125x54x(H)90



465363

**CONDIMENT SET**

- 5-piece - salt, pepper, oil, vinegar, toothpick holder.
- Matt finish.

code	mm
465363	130x110x(H)185

**SHAKER**

code	-	mm
631102	parmesan shaker	ø55x(H)75
631201	pepper and salt shaker	ø55x(H)75
631300	wire mesh powder shaker	ø55x(H)75



465387

**SALT AND PEPPER SHAKER SET**

- Glass shaker.
- Stainless steel lid with S and P shaped dispensing opening.

code	mm
465387	ø40x(H)70



461167

461266

**PEPPER SHAKER & SALT SHAKER**

- Body made of glass.
- Stainless steel lid with P-shaped dispensing opening.

code	-	packed per	mm
461167	Pepper shaker	6	ø40x(H)70
461266	Salt shaker	6	ø40x(H)70

465301



18/0

stainless steel

CONDIMENT SET

- 2-piece - salt, pepper.
- Matt finish.

code	mm
465301	85x55x(H)115

465325



18/0

stainless steel

CONDIMENT SET

- 3-piece - salt, pepper, toothpick holder.
- Matt finish.

code	mm
465325	90x90x(H)115

465332



18/0

stainless steel

CONDIMENT SET

- 3-piece - salt, pepper, mustard.
- With stainless steel mustard spoon.
- Matt finish.

code	mm
465332	100x95x(H)115

465318



18/0

stainless steel

CONDIMENT SET

- 3-piece - salt, pepper, napkin holder.
- Matt finish.

code	mm
465318	85x75x(H)115

465349



18/0

stainless steel

CONDIMENT SET

- 2-piece - oil, vinegar.
- Matt finish.

code	liters	mm
465349	0.15	120x75x(H)185

465356



18/0

stainless steel

CONDIMENT SET

- 4-piece - salt, pepper, oil, vinegar.
- Matt finish.

code	mm
465356	130x110x(H)185





462904

OLIVE OIL DISPENSER

- Made of polished stainless steel.
- Conical shape ensuring stability.
- Removable stopper with a spout.

code	liters	mm
462904	0.25	ø84x(H)158



460245

**OIL AND VINEGAR SET**

- Holder made of chrome-plated iron.
- Two oil/vinegar bottles with stainless steel pourers.

code	-	mm
460245	2x0,237L	115x60x(H)325

FREE-FLOW POURER - 3 PIECES

- For use in bars, pubs and restaurants
- Durable stainless steel construction
- Counterbalanced pouring flap, which causes the nozzle to open and close automatically when the bottle is tilted
- Facilitates precise dispensing
- Suitable for standard 0.5 - 1.5 liter bottles with holes up to ø20 mm in diameter

18/8
stainless steel

599327

18/0
stainless steel

452400

SUGAR DISPENSER

- Glass dispenser.
- Spout made of stainless steel 18/0.

code	mm
452400	ø80x(H)140

S.S.
stainless steel

452424

HONEY DISPENSER

- Glass dispenser.
- Stainless steel lever.

code	mm
452424	ø80x(H)115

18/0
stainless steel

465370

CHEESE/SUGAR DISH

- With glass dish.
- Including stainless steel spoon.

code	mm
465370	ø130x(H)90

SHELLFISH CUTLERY



403747



NUT AND SEAFOOD CRACKER MATT BLACK

- Ideal for cracking nuts, but also very suitable for sea food.
- Finished with a black powder coating.
- The large handle fits nicely in the hand and provides plenty of grip.
- The two halves are connected by a durable hinge, suitable for multiple sizes of nuts.
- Not dishwasher safe.

code	mm
403747	155x35



403754



LOBSTER AND CRAB CRACKER

- Ideal for opening hard lobster and crab shells.
- Wide, appropriately contoured handle for easy and comfortable use.
- Robust aluminium construction, powder coated - red.
- The arms of the tongs are connected with a durable hinge.
- Not dishwasher safe.

code	mm
403754	140x62



403716



LOBSTER FORKS - 6 PCS

code	packed per	mm
403716	6	(L)205



402221



SNAIL FORK - 6 PCS

code	packed per	mm
402221	6	(L)130



402528



SNAIL TONGS - 2 PCS

- Squeeze model.

code	packed per	mm
402528	2	(L)170



BLACKBOARDS

TABLE PRESENTATION



664018




664001



664025



664032



664049

WALL BLACKBOARD

- Black, with wooden frame.
- Mounting hooks included.

code	mm
664025	300x400
664032	400x600
664049	600x800

PAVEMENT BLACKBOARD

- Black, with wooden frame.

code	mm
664001	500x450x(H)850
664018	700x600x(H)1200



664100



664117



664070

PAVEMENT BLACKBOARD

- Black, with steel frame.

code	mm
664100	700x500x(H)1100

PAVEMENT BLACKBOARD

- Black, with steel frame.

code	mm
664117	500x550x(H)850

BLACKBOARD WITH EASEL

- Black, with wooden easel.

code	mm
664070	220x210x(H)360



TABLETOP BLACKBOARD - 2 PCS

- Black, with wooden stand.

code	packed per	mm
664056	2	150x50x(H)230
664063	2	210x50x(H)320



664124

664131

BLACKBOARD WITH STAND

- Large format blackboard in wooden frame.
- Convenient stand included.

code	mm
664124	300x400
664131	400x600



664209

664216

BLACKBOARD MARKERS 6 MM

- With oblique nib, writing width 2 to 6 mm.

code	-
664216	1 pink, 1 green, 1 blue and 2 white markers
664209	5 white markers



871546

NEW



871553

HORECA MARKERS

- Comes in a set of 2 pieces.
- Erasable.
- Intended for writing on food containers.
- Always test on a small area before use.

code	colour	packed per
871546	Black	2
871553	White	2

N



664223

BLACKBOARD MARKERS 15 MM

- With wide flat nib, writing width 15 mm.

code	-
664223	3 white markers



664278

BLACKBOARD MARKERS 3 MM

- 8 Markers with round nib, writing width 3 mm.

code	-
664278	1 white, 1 red, 1 blue, 1 green, 1 yellow, 1 purple, 1 orange and 1 pink marker



440001

**ASHTRAY WITH FIRE RIM**

code	mm
440001	ø140x(H)30
440100	ø160x(H)30

569757

**ASHTRAY**

- Made of black melamine.

code	mm
569757	ø146x(H)60

440803

**ASHTRAY**

code	mm
440803	ø80x(H)30
440858	ø100x(H)30

440872

**ASHTRAY**

code	mm
440872	ø80x(H)30
440865	ø100x(H)30

440407

**ASHTRAY WITH LID**

code	packed per	mm
440407	1	ø90x(H)28
440490	3	ø90x(H)28

440230

**BOWL ASHTRAY BLACK**

- Stainless steel, outside with a matt black coating.
- With removable rim.

code	mm
440230	ø105x(H)58

440209

**ASHTRAY WITH PUSH BUTTON**

code	mm
440209	ø90x(H)45

CIGARETTE RECEPTACLE

- With hinged lid.
- For safe emptying of ashtrays.

code	mm
440506	202x170x(H)91



440506





440216

WALL MOUNTED ASHTRAY

- Very robust design, easy to mount against walls and poles.
- Easy to empty thanks to the bottom that can be opened and closed with a key.

code	mm
440216	ø75x(H)460



440223

STANDING ASHTRAY POLE

- Very robust design, can be mounted on the floor or stand free.
- Easy to empty, upper part can be unlocked with a key and then emptied.
- Base is Ø 170 mm, pole is Ø 75 mm.

code	mm
440223	ø170x(H)920



440117

ASHTRAY WITH FUNNEL

- 2 separate elements:
 - body made of glass, high-temperature resistant,
 - funnel made of stainless steel.
- With 3 cigarette slots.
- Funnel directs ash into the ashtray and serves as a lid:
 - when used indoor - reduces smoke odours, when used outdoor - protects against wind raising ash.

code	mm
440117	ø98x(H)99



691380

691397



STANDING WASTE BIN WITH ASHTRAY

- Stainless steel body.
- Polished surface finish.
- Removable ashtray placed over the bin for easy cleaning and emptying of the bin.
- Bin opening Ø 135 mm.
- Anti-slip, rubber bottom to enhance bin stability and protect the floor against scratching.

code	liters	mm
691380	15	ø200x(H)700
691397	33	ø240x(H)660



11

Buffet presentation

Buffet reinvented







design by
Robert Bronwasser

UNIQ

Buffet reinvented

- Modern design by Robert Bronwasser
- Housing made of high-temperature resistant polypropylene
- Heating element made of 18/8 stainless steel
- Lid made of transparent, tempered glass
- Equipped with an insulated handle



reddot winner 2024



BUFFET PRESENTATION



- Cover designed for directing condensed steam back into the container
- Cover equipped with a ladle notch and aluminum hinge

- Electronic, easy to read control panel
- Holder for a dish description label
- Non-slip feet

Chiller UNIQ

- Approx. 40 minutes required to reach the target temperature

Soup kettle HENDI UNIQ

- Removable stainless steel container, easy to clean
- Two-piece construction lid reducing heat loss when opening

Chafing dish HENDI UNIQ

- Heating element made from 18/8 stainless steel and placed in the water container for efficient heat transfer.



SOUP KETTLE UNIQ

- Body made from high temperature resistant polypropylene.
- Removable 8 litre soup container made of stainless steel, easy to clean.
- Heating element made from 18/8 stainless steel and placed in the water container for efficient heat transfer.
- Tempered glass lid fitted with insulated handle, ladle notch and aluminium hinge.
- Integrated card holder on the lid for product name cards.
- Digital control panel with display to show working time, set temperature and actual temperature.
- The design of the two-part lid reduces the heat loss by opening, while maintaining optimal hygienic conditions.



design by
Robert Bronwasser

- The last temperature setting is saved in memory and will be selected every time the power is turned on.
- Temperature can be set from 35 up to 85 °C in 1 °C increments.
- Water container is embossed with a max. fill line, indicating ≈1.5 L.
- Not intended for cooking, only for keeping warm.
- Available in 6 colours that match other elements of the UNIQ collection: white, black, beige, green, red and brown woodgrain.



Digital control panel
with display



860540



860526



860533



860557



860571



860588

NEW

SOUP KETTLE UNIQ

code	colour	V	W	mm
860540	Green	230	500	ø365x(H)325
860526	Black	230	500	ø365x(H)325
860533	White	230	500	ø365x(H)325
860557	Beige	230	500	ø365x(H)325
860571	Red	230	500	ø365x(H)325
860588	Wood	230	500	ø365x(H)325
963388	Inner pot			ø295x(H)200

N



963388





design by
Robert Bronwasser

BUFFET PRESENTATION



CHAFING DISH UNIQ

- Body made from high-temperature-resistant polypropylene.
- Removable container made of stainless steel, easy to clean.
- Heating element made from 18/8 stainless steel and placed in the water container for efficient heat transfer.
- Tempered glass lid fitted with insulated handle and aluminium hinge.
- Integrated card holder on the lid for product name cards.
- Digital control panel with a display showing operating time, set temperature, and actual temperature.
- Two-part lid design reduces heat loss during serving while maintaining optimal hygienic conditions.
- The last temperature setting is saved in memory and will be selected every time the power is turned on.
- Temperature can be set from 35 up to 85°C in 1°C increments.
- Water container features an embossed max. fill line.
- Designed exclusively for keeping food warm, not for cooking.
- Available in 6 colours that match other elements of the UNIQ collection: white, black, beige, green, red, and brown woodgrain.



470435



470411



470428



470442



470459



470466

NEW



470565

NEW



470541

NEW



470558

NEW



470572

NEW



470589

NEW



Digital control panel
with display

CHAFING DISH UNIQ

code	colour	size	V	W	mm	
470435	Green	GN 1/1	230	700	607x402x(H)245	
470411	Black	GN 1/1	230	700	607x402x(H)245	
470428	White	GN 1/1	230	700	607x402x(H)245	
470442	Beige	GN 1/1	230	700	607x402x(H)245	
470459	Red	GN 1/1	230	700	607x402x(H)245	
470466	Wood	GN 1/1	230	700	607x402x(H)245	N
470565	Green	GN 2/3	230	500	433x403x(H)248	N
470541	Black	GN 2/3	230	500	433x403x(H)248	N
470558	White	GN 2/3	230	500	433x403x(H)248	N
470572	Beige	GN 2/3	230	500	433x403x(H)248	N
470589	Red	GN 2/3	230	500	433x403x(H)248	N



NEW

CHAFING DISH UNIQ, ANALOGUE CONTROL

- Body made from high temperature resistant polypropylene.
- Removable container (H)65 mm made of stainless steel, easy to clean.
- Heating element made from 18/8 stainless steel and placed in the water container for efficient heat transfer.
- Tempered glass lid fitted with insulated handle and aluminium hinge.
- Integrated card holder on the lid for product name cards.
- The design of the two-part lid reduces the heat loss by opening, while maintaining optimal hygienic conditions.
- Stepless temperature adjustment from 35 to 85°C.
- Water container is embossed with a max. fill line.
- Not intended for cooking, only for keeping warm.



470473



470596



code	colour	V	W	mm
470473	Black	230	700	627x398x(H)248
470596	Black	230	500	403x454x(H)248

NEW



design by
Robert Bronwasser

SOUP KETTLE UNIQ, ANALOGUE CONTROL

- Body made from high temperature resistant polypropylene.
- Removable 8 litre soup container made of stainless steel, easy to clean.
- Heating element made from 18/8 stainless steel and placed in the water container for efficient heat transfer.
- Tempered glass lid fitted with insulated handle, ladle notch and aluminium hinge.
- Integrated card holder on the lid for product name cards.
- The design of the two-part lid reduces the heat loss by opening, while maintaining optimal hygienic conditions.
- Stepless temperature adjustment from 35°C to 85°C.
- Overheat protection with manual reset.
- Water container is embossed with a max. fill line, indicating ≈1.5 L.
- Not intended for cooking, only for keeping warm.
- Additional soup pot available for purchase separately (code 963388).



860595



code	colour	V	W	mm
860595	Black	230	500	367x385x(H)325



UNIQ

Buffet reinvented



design by
Robert Bronwasser



BUFFET PRESENTATION





CHILLER UNIQ

- Body made of durable, food-grade polypropylene.
- Removable 18/8 stainless steel GN 1/1 container, 40 mm deep.
- Tempered glass lid with insulated handle and aluminium hinge.
- Integrated card holder on the lid for product labels.
- Two-part lid design.
- Thermoelectric cooling system.
- 3 cooling settings:
 - Setting 1: 12-15°C
 - Setting 2: 8-12°C
 - Setting 3: 4-8°C (approx. 40 minutes required to reach the target temperature).
- Note: Actual cooling time depends on the ambient temperature and the selected setting. Lower temperature settings take longer to reach the target temperature.
- Not suitable for freezing.
- Black rubber feet.
- Accessories included: GN 1/1 container (40 mm deep), transparent card holder, and detachable power cord.
- Suitable for chilled food presentation and serving.
- Suitable for sushi, salads, desserts, raw fish, and chilled dishes.


code	colour	V	W	mm
272077	Black	230	120	607x398x(H)248
272084	Blue	230	120	607x398x(H)248



Controlled cooling helps maintain serving temperature for chilled dishes.



Thermoelectric cooling system with 3 cooling settings.



272077

272084



UNIQ

Buffet reinvented




design by
Robert Bronwasser

BUFFET PRESENTATION



COOLING DISPLAY UNIQ

- Housing made of durable polypropylene.
- Transparent flip-top lid made of ABS allows selection of food without lifting the cover.
- Flip-top lid opens up to 90 degrees.
- Convenient handle for opening the lid.
- Includes a GN 1/1 stainless steel tray and a gel-filled cooling element.
- Cutout in the housing allows for easy grip when removing the tray.
- Suitable for dishes that require chilled temperatures.
- Quick and easy assembly and disassembly for simple hygiene maintenance.
- Available in 4 colours that match other elements of the UNIQ collection: black, green, beige, and white.



code 871928
colour Green
mm 593x389x(H)147




871904
Black
593x389x(H)147



COOLING ELEMENT

- Housing made of HDPE.
- Gel ice made of water and sodium polyacrylate.
- Keeps the temperature between 0 and 4°C for approximately 4 to 5 hours.
- Put the cooling element in freezer for 12 hours before use for optimal results.
- Fits all HENDI Cooling display UNIQ products.
- Fits in cooled display with cover GN 1/1.



code	mm
424193	430x280x(H)30



871911

White

593x389x(H)147



871935

Beige

593x389x(H)147

UNIQ

Buffet reinvented



design by
Robert Bronwasser

BUFFET PRESENTATION




ROLL TOP COOLING DISPLAY DUO UNIQ

- Housing made of ABS.
- Transparent PET roll-top lid allows selection of food without lifting the cover.
- Roll-top lid opens up to 90 degrees.
- Convenient handle for opening the lid.
- Includes stainless steel trays (400x300 mm) and gel-filled cooling elements.
- Cutout in the housing allows for easy grip when removing the tray.
- Suitable for dishes that require lowered temperature.
- Quick assembly and disassembly ensure easy hygiene maintenance.
- Available in 2 models: single or double.
- Single Duo includes 1 tray, 2 gel-filled cooling elements and 1 roll-top display.
- Double Duo includes 2 trays, 4 gel-filled cooling elements and 2 roll-top displays.
- Available in 3 colours that match other elements of the UNIQ collection: black, green, beige.




ROLL TOP COOLING DISPLAY DUO UNIQ



code	871966	871805	871942
colour	Green	Black	Beige
mm	460x355x(H)220	460x355x(H)220	460x355x(H)220

DOUBLE ROLL-TOP COOLING DISPLAY DUO UNIQ



code	871973	871812	871959
colour	Green	Black	Beige
mm	480x355x(H)480	480x355x(H)480	480x355x(H)480



NEW



871980

COOLING DISPLAY TRAY

- Made of stainless steel.
- Suitable for all HENDI Roll-top cooling display Duo UNIQ products.

code	mm
871980	400x300



NEW



424056

COOLING ELEMENT

- Made of HDPE.
- Contains water and sodium polyacrylate.
- Can keep contents between 0 to 4°C for up to 3 hours.
- Before use: freeze at -6°C for at least 12 hours or until frozen solid.
- Suitable for all HENDI Roll top cooling display Duo UNIQ products.
- 2pcs.

code	mm
424056	165x90x(H)20

UNIQ

Buffet reinvented



design by
Robert Bronwasser



BUFFET PRESENTATION





JUICER UNIQ

- Beverage container made of ABS designed to minimise residue at the bottom.
- Lid made of polypropylene.
- Base housing made of carbon steel.
- Removable stainless steel cooling rod for ice helps keep beverages cold.
- Magnetic drip tray made of polypropylene, with a perforated stainless steel insert.
- Non-drip tap.
- Maximum cup height: 120 mm.
- Label holder for drink identification.
- Transparent body allows for easy monitoring of liquid level.
- Available in 2 capacities: 4 and 8 litres.
- Quick assembly and disassembly ensure ease of hygiene maintenance.
- Available in 3 colours that match other elements of the UNIQ collection: black, white, and yellow.



425015



425039



425053

code	425008	425015	425022	425039	425046	425053
colour	Black	Black	Yellow	Yellow	White	White
liters	4	8	4	8	4	8
mm	315x211x(H)431	318x216x(H)532	315x211x(H)431	318x216x(H)532	315x211x(H)431	318x216x(H)532



UNIQ

Buffet reinvented



design by
Robert Bronwasser



BUFFET PRESENTATION



PERCOLATOR UNIQ – DESIGN BY BRONWASSER



code	colour	liters	V	W	mm	time to boil the wholebowser [min]
211434	Silver	7	230	1070	307x330x(H)450	52
211441	Silver	14	230	1770	354x418x(H)500	57
211472	Black	7	230	1070	307x330x(H)450	52
211489	Black	14	230	1770	357x380x(H)502	57
211557	Cream	7	230	1070	307x330x(H)450	52
211571	Cream	14	230	1770	357x380x(H)502	57
211564	Taupe	7	230	1070	307x330x(H)450	52
211588	Taupe	14	230	1770	357x380x(H)502	57

HOT DRINKS BOILER UNIQ – DESIGN BY BRONWASSER



code	colour	liters	V	W	mm	time to boil the wholebowser [min]
211410	Silver	9	230	950	307x330x(H)450	58
211427	Silver	16	230	1650	352x357x(H)380	63
211458	Black	9	230	950	307x330x(H)450	58
211465	Black	16	230	1650	357x380x(H)502	63
211519	Cream	9	230	950	307x330x(H)450	58
211533	Cream	16	230	1650	357x380x(H)502	63
211526	Taupe	9	230	950	307x330x(H)450	58
211540	Taupe	16	230	1650	357x380x(H)502	63




ELECTRIC SOUP KETTLES



860502

926574



860083

Lid with insulated handle and ladle recess

Soup name card holder in lid

Digital touch panel with display that alternates between set and actual soup temperature

Thermostat adjustable from 65° to 95°C by 1° increments



Overheating protection – with alarm for low water level

SOUP KETTLE, 8 L

- Housing made of polypropylene.
- Inner pot made of 18/8 stainless steel.
- Water pan made of aluminium for efficient heat transfer.
- Removable lid made of BPA-free material, with an insulated handle and ladle recess.
- Thermal insulation helps reduce energy use and keeps the outer housing cool.
- Ring for safe and easy removal of the inner pot.
- Integrated card holder in the lid for soup labelling.

code	liters	V	W	mm
860502	8	230	450	ø370x(H)316

SOUP PAN FOR ELECTRIC SOUP KETTLE

- Made of stainless steel.
- For use with the HENDI soup kettle 860502.

code	mm
926574	ø280x(H)200

18/8
stainless steel

SOUP KETTLE, 8 L

- Soup container and lid made of stainless steel.
- Water container made of stainless steel.
- Housing made of metal with black powder coating.
- Lid with a cool-touch handle and a ladle notch.
- Temperature range: 30-85°C.
- Overheating protection at 105°C.
- Temperature adjustment with a dial – 5 levels.
- Capacity: 8 L.

code	liters	V	W	mm
860083	8	230	400	ø330x(H)363





860564



HEATING WITHOUT
A WATER BATH!



SOUP KETTLE WATERLESS, 10L

- Body made of carbon steel with powder-coated finish.
- Removable lid and inner pot made of 18/8 stainless steel.
- Inner pot suitable for all hob types.
- Heat-resistant handles for safe repositioning from hob to kettle.
- Waterless heating system allows direct heating without a water tank.

- Digital control panel with display.
- Temperature range: 40°C to 90°C.
- With rubber feet.

code	liters	V	W	mm
860564	10	230	450	ø330x(H)398



The insert is suitable for induction,
gas, and electric cookers



Heating without
the use of water



Large 10-litre insert





204900



CHAFING DISH ELECTRIC POLLINA

- Made of stainless steel.
- Temperature adjustable up to 85°C.
- With lid stand.
- Including GN 1/1 food pan - depth: 65 mm.
- Suitable for pans up to 100 mm deep.

code	liters	V	W	mm
204900	9	230	900	587x440x(H)273



204825



CHAFING DISH ELECTRIC TELLANO

- Water container made of polypropylene.
- Stainless steel lid with a non-heating handle.
- Adjustable temperature with a dial in the range: from approx. 30°C to 85°C.
- Heating indicator light.
- Including a GN 1/1 food pan 65 mm deep.

code	liters	V	W	mm
204825	9	230	900	575x349x(H)278





CHAFING DISH ELECTRIC TESINO

- Water pan made of heat-resistant polypropylene.
- Continuous settings up to 85°C.
- Very silent while heating.
- On/off switch, pilot light.
- Including 6.8 L food pan.

code	liters	V	W	mm
204832	6.8	230	500	ø405x(H)240



204832



201749



FOOD WARMER

- Made of stainless steel.
- Includes 3 stainless steel GN1/3, 65 mm high with lids.
- Temperature range: 40-75°C.
- It can also be used as a buffet warmer or hot plate without the GN containers.

code	V	W	mm
201749	230	400	657x381x(H)161





475904



18/0
stainless steel

CHAFING DISH GASTRONORM 1/1

- Model Economic.
- High-gloss polished lid and lid stand.
- Including chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Suitable for food pans up to 65 mm deep.

code	packed per	liters	mm
472613	2	9	600x358x(H)295
475904	1	9	600x358x(H)295



475201

18/0
stainless steel

CHAFING DISH GASTRONORM 1/2

- Model Economic.
- High-gloss polished lid and lid stand.
- Including chafing dish fuel holder and stainless steel food pan 65 mm deep.
- Suitable for food pans up to 65 mm deep.

code	liters	mm
475201	4.5	385x295x(H)310



470619

S.S.
stainless steel

18/0
stainless steel

CHAFING DISH - ROUND

- Glass lid.
- Including chafing dish fuel holder and stainless steel food pan.

code	liters	mm
470619	3.5	ø390x(H)270



472507

S.S.
stainless steel

SOUP CHAFING DISH

- Model Economic.
- Including chafing dish fuel holder and stainless steel soup pan with lid.

code	liters	mm
472507	8	ø370x(H)325



18/0

stainless steel

CHAFING DISH GASTRONORM 1/1

- Model Fiora.
- Stackable frame with high-gloss polished lid and lid stand.
- Including two chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Suitable for Gastronorm pans of up to 100 mm deep.

code	liters	mm
471005	9	585x385x(H)315



471005



470190

S.S.

stainless steel

FOOD PAN GN 1/1, WITH 2 COMPARTMENTS

- This GN food pan has 2 compartments of 3.45 L each.

code	liters	mm
470190	7.5	530x325x(H)65



471050



470909

470909

470930

S.S.

stainless steel

BAIN-MARIE PAN

- Fits perfectly in HENDI Conversion for 2 bain maries pans 470930.
- Also suitable for: Thermosystem bain-maries (201107, 201206).
- Made of stainless steel.
- Lid fitted with a comfortable handle.

code	-	mm
470930	conversion	530x325x(H)30
470909	Bain-marie pan	ø215x(H)177

S.S.

stainless steel

18/0

stainless steel

CHAFING DISH SET

- Consists of: Chafing Dish "Fiora" as in 471005.
- 2 additional GN 1/2 pans 65 mm deep
- and 3 additional GN 1/3 pans 65 mm deep.

code	mm
471050	585x385x(H)315



238837



CHAFING DISH SET

- Frame made of stainless steel.
- Not intended for cooking, only for keeping warm.
- Suitable for GN 1/1 container - 65 mm deep (included).
- Included:
 - 4x chafing dishes with integrated lid holder.
 - 8x holders for chafing dish fuel.
- Containers are dishwasher safe.

code	liters	mm
238837	8.5	610x355x(H)297



Compact packaging



DISH WARMER WITH 2 CANDLE HOLDERS

- With stainless steel frame and grips.
- Including 2 candle light holders.
- Hotplate size/thickness: 330x180x4mm.

code	mm
463000	330x180x(H)65



463000

DISH WARMER WITH 3 CANDLE HOLDERS

- With stainless steel frame and grips.
- Including 3 candle light holders.
- Hotplate size/thickness: 450x180x4mm.

code	mm
463109	450x180x(H)65



463109

CHAFING DISH HEATER

- For use as an alternative to conventional fuel holder.
- Only suitable for chafing dishes with a flat bottom.
- Extremely suitable for chafing dishes without preparation for electrical elements.
- Specifically suitable for HENDI chafing dishes with item number 470008, 475201, 470206 and 471005.

code	V	W	mm
809600	230	500	ø130x(H)125



809600

CHAFING DISH HEATER

- The heater features a single and stable power level output (it does not have a temperature regulating function).
- Not intended for cooking, only for keeping warm.
- Also suitable for the HENDI Rolltop-Chafing dish GN 1/1 [code: 470206/470305] and any other GN 1/1 chafing dishes if a water pan is fitted with bolts.

code	V	W	mm
809709	230	380	300x200x(H)40



809709



CHAFING DISHES PROFI LINE

- Ideal for buffets and catering.
- By using high-quality material and a beautiful finish, these chafing dishes give every presented dish a certain allure.
- The chafing dishes and accessories are entirely made from durable stainless steel.



BUFFET PRESENTATION





470251

CHAFING DISH GN 1/1 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/1 65 mm deep food pan and 2 chafing dish fuel can holders.

code	liters	mm
470251	9	570x430x(H)290



470275

CHAFING DISH GN 2/3 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 2/3 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm
470275	6	395x430x(H)290



470268

CHAFING DISH GN 1/2 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/2 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm
470268	4	365x370x(H)280



470282

CHAFING DISH ROUND SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable round water pan, round 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm
470282	6	465x420x(H)320



CHAFING DISHES PROFI LINE

- Ideal for buffets and catering.
- By using high-quality material and a beautiful finish, these chafing dishes give every presented dish a certain allure.
- The chafing dishes and accessories are entirely made from durable stainless steel.

S.S.
stainless steel



470213

CHAFING DISH GN 1/1 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/1 65 mm deep food pan and 2 chafing dish fuel can holders.

code	liters	mm
470213	9	570x405x(H)320



470206

ROLLTOP-CHAFING DISH GASTRONORM 1/1

- Model Rental-Top.
- Solid base with high-gloss polished roll top lid made of 18/0 stainless steel.
- Includes two chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Bottom fitted with fastening bolts for electric heating element 809709.
- Suitable for Gastronorm pans up to 100 mm deep.

code	liters	mm
470206	9	590x340x(H)400



470244

SOUP CHAFING DISH MIRROR FINISH

- The round soup container is placed in a large water pan which provides plenty of heat to easily keep the soup hot.
- Soup container fitted with two handles.
- The lid has a recess for the spoon.
- Supplied with removable water pan, round soup container and chafing dish fuel can holder.

code	liters	mm
470244	10	ø420x(H)380





ROLLTOP CHAFING DISH, GN 1/1

- Made of highly polished stainless steel.
- Patented quiet-close mechanism.
- Roll-top cover retractable up to 180°.
- Bottom fitted with fastening bolts for electric heating element: code 809709 (available separately).
- Steel frame with 2.3 mm thickness; cover with 1.2 mm thickness.
- Set includes:
 - 2 fuel can holders.
 - GN 1/1 65 mm food pan.
- Food pan is dishwasher safe.

code	liters	mm
470305	9	660x490x(H)460



470305



ROLLTOP-CHAFING DISH - ROUND

- Elegant buffet chafing dish.
- Patented extra quiet opening mechanism.
- Roll-top cover retractable 180°.
- Set includes one fuel can holder and food pan (Ø 390x(H)60 mm).
- Highly polished stainless steel.
- Steel frame 2.3 mm, cover 1.2 mm thick.

code	liters	mm
470312	5.6	510x540x(H)480



470312



NEW

EGG BOILER WITH BASKETS

- Housing and tank made of stainless steel.
- 6 egg baskets made of 18/8 stainless steel.
- Non-slip basket handles in 6 different colours.
- Includes 4 egg cups made of 18/8 stainless steel.
- Equipped with a thickened heating element.
- Temperature range: from 30°C to 110°C.

code	V	W	mm
240809	230	2600	380x210x(H)280



240809





CHAFING DISH FUEL

- Chafing dish fuel is made from natural ethanol alcohol, mixed with water and a thickening agent to make it a solid or gel.
- HENDI chafing dish fuel is artificially made to taste so bitter that it is impossible to swallow.
- To safely and efficiently warm chafing dishes, we urgently advise to place the chafing dish fuel can in the indicated fuel holders.
- The heating capacity is equal throughout the range while the heating rate depends on the size of the flame, determined by the distance the lid of the chafing dish fuel can holder is kept open.
- All HENDI chafing dish fuel burn soot and odourless.
- Cartouches and cans burning without the chafing dish fuel can holder become very hot during use, creating a significant risk of burns if they are not placed inside the chafing dish fuel can holder. Danger of burns!
- These chafing dish fuel can holders are included with the HENDI chafing dishes and available separately.
- Always read the product instructions before use.
- Make sure there are no open flames or hot objects nearby when working with chafing dish fuel.
- The flammable vapour easily escapes from the container.
- Make sure that no water (condensation) drips into the burning fuel. It can cause dangerous sputtering and splashing of fuel.
- Only light the fuel after placing the chafing dish fuel can holder with can in the final location.
- The flames are almost entirely blue, making them very hard to see in the light. Caution is advised.
- Only ever extinguish the fuel by closing the lid of the chafing dish fuel can holder.
- Refilling: Always make sure the can and its holder have completely cooled down.
- Remove the can from the chafing dish fuel can holder to refill the can.
- Storage: Always store it in closed containers in a dark and well-ventilated location, below 20°C.
- To store larger amounts of fuel, please consult your local regulations.
- If the above instructions are followed, the risk of accidents will be minimal.
- In case of a starting/small fire: use a fire blanket (or a large, wet blanket) to cover the fire and deprive it of oxygen.
- In case of fire on clothes/body: use a fire blanket or a powder/CO₂ fire extinguisher.
- Never try to extinguish the fire with a small towel as this would only spread the fuel and the flames! After extinguishing the fire keep the body cool for 15 minutes or until medical assistance arrives.
- Leave clothes in place.
- Always seek medical assistance immediately.

Benefits:

- + Doesn't contain toxic methanol
- + Safe to use indoors
- + No toxic fumes or bad odours



**DOES NOT
CONTAIN
THE TOXIC
METHANOL**

**HAS
A VERY HIGH
ETHANOL
CONCENTRATION**

CHAFING DISH FUEL CAN

- 200 grams pack for chafing dish.
- Burning time: ≈ 3 hours.

code	packed per
194362	12
194300	24
194355	72



LIQUID FUEL WITH WICK

- Burns without soot or odours.
- This fuel is made of pure diethylene glycol (DEG), which is also used as antifreeze in radiators.
- By using a wick the DEG can be vaporized and burned despite its relatively high flame point of 143°C.
- Hendi sells this fuel in closed, non-refillable metal cans of 145 or 200 grams.
- The burning time of a can is inversely proportional to the intensity of its flame, which may be adjusted by changing the exposed height of the wick.
- Use: place the can directly below a chafing dish or other heating appliance suitable for use with liquid fuel open flames.
- Burning time: ± 4 hours for 145 gram cans, ± 6 hours for 198 and 200 grams cans.
- Heat output: about 50% of ethanol-based burning gel.
- Advantages in comparison to burning gel:
 - Safer to use. No hazardous refilling. Flame is more visible and predictable.

- Cans stay cool enough to touch safely. May be used without fuel holder.
- Safer in case of accidents. Any spillage will be minimal and difficult to ignite.
- Properly re-sealable and re-usable.
- Easy to extinguish by blowing or replacing the cap.
- Cost per burning hour comparable to ethanol-based burning gel.
- Less intense flame. Reduces chance that Chafing Dish water pans will boil dry.

CAUTION:

- Diethylene Glycol is a hazardous irritant.
- Always wash hands after skin contact with the liquid, preferably wear latex gloves to adjust the wick height.
- A Material Safety Data Sheet (MSDS) is available on the Hendi website, we recommend printing a copy and keeping it nearby.

Special wick provides proper burning temperature and time.
Use the same can several times



The can does not overheat, no fuel holder needed.

**Burns
4 hours**



**Burns
6 hours**



code	-	packed per	weight (kg)	order unit
193761	burns ± 4 hours	6	0.145	4
193952	burns ± 4 hours	24	0.145	1
193716	burns ± 6 hours	6	0.2	4
193938	burns ± 6 hours	24	0.2	1





190401

CHAFING DISH FUEL BUCKET

- Bucket 4 kilos.

code	order unit
190401	3



195505

CHAFING DISH FUEL JERRY CAN

- Jerry can 5 liter.

code	order unit
195505	4



195109

CHAFING DISH FUEL BOTTLE

- Bottle 1 liter.

code	order unit
195109	12



198124



470527

CHAFING DISH FUEL CAN HOLDER - 2 PCS.

code	mm
470527	ø90x(H)60



195604

FUEL PUMP

- Suitable for e.g. can of chafing dish fuel 195505

code	mm
195604	(L)280

GAS LIGHTER - SET OF 2 PCS.

- Refillable.
- Supplied empty.

code	packed per	mm
198124	2	(L)230



190036

FUEL FOR FONDUE-BURNERS - 3 PCS

- For gourmet, fondue, rechauds and stone grills.
- 80 grams portion packs.
- Burning time: ≈ 2 hours.
- For use with 111420.

code	packed per
190036	3



111420

FONDUE-BURNER - 2 PCS

- Suitable for fuel for fondue-burners.

code	packed per	mm
111420	2	ø92x(H)40



Paste or fuel?



PASTE

Gel based on the highest quality ethanol 96%
HENDI paste contains 70% of ethanol

Burning occurs within a can

During burning,
flame intensity is reduced.

Heating efficiency reduced
during burning

The can heats up

Possibility to refill the can

Can be reused

Burning time 200 g – 3 h

FUEL

Liquid – diethylene glycol

Burning occurs on top of the can by a wick.
The height of the wick can be adjusted
to regulate the size of the flame.

Consistent, steady burning with an intense flame
until the fuel is fully consumed

Efficient burning until
the very end, in 100%

The can doesn't heat up
No need to use a fuel can holder

Possibility to close the can with a cap –
use the rest of the fuel later

The can cannot be reused after
the fuel is burnt out

Burning time 200 g – 6 h

Do not emit toxins
Do not leave soot on cookware

For enclosed spaces
For outdoor events



LADLES AND SERVING SPOONS BUFFET SUPREME



code		liters	mm
529089	Soup ladle	0.05	270x69
529096	Soup ladle	0.09	308x85
529058	Serving spoon		305x60

code		mm
529065	Serving spoon	321x71
529072	Slotted spoon	321x71

CHAFING DISH LADLES AND SERVING SPOONS

- With polypropylene handle



code		liters	mm
529003	Soup ladle	0.09	335x90
529010	Soup ladle	0.11	300x80
529300	Serving spoon		350x75
529201	Skimmer		345x75

code		mm
529041	Skimmer, round	370x105
529102	Carving fork	345x32
529409	Slotted spatula	355x80



722107

SPOON HOLDER

code	mm
722107	115x270x(H)45



LADLES AND SERVING SPOONS, HEAT RESISTANT



SALAD SPOON

code	mm
563908	(L)305

SALAD FORK

code	mm
564004	305x65

SAUCE LADLE

code	colour	liters	mm
563502	White	0.07	235x75
563557	Black	0.07	235x75
563700	White	0.14	300x93
563755	Black	0.14	300x93



SALAD SPOON

code	colour	mm
564158	Black	235x55
564202	Transparent	235x55
564103	White	235x55

SAUCE LADLE

code	colour	liters	mm
563649	Black	0.03	180x70
563632	Ivory	0.03	180x70

SALAD SPOON

code	colour	mm
564400	White	335x70
564455	Black	335x70







425138



425107



567906



425763

JUICE JUG

- Straight model of scratch resistant plastic with lid.

code	liters	mm
425138	2	ø120x(H)250

PITCHER WITH ICE TUBE

- Pear shaped model of scratch resistant clear SAN plastic with lid.
- With ice cube tube for cooling.

code	liters	mm
425107	2.2	ø150x(H)260
425121	3	ø170x(H)285

PITCHER

- Very break resistant.

code	liters	mm
567906	1.8	ø125x(H)210

CARAFE

- Cover with pourer.

code	liters	mm
425763	1	ø96x(H)260

NEW

JUG

- Made of transparent polystyrene.
- Lid included.
- Integrated spout.
- Ergonomic handle.
- Simple design suitable for various occasions.



code	liters	mm
592816	1.68	ø120x(H)240



424490

GLASS MUG

- Made from durable glass.
- Suitable for hot and cold drinks
- Dishwasher safe.

code	liters	mm
424490	0.24	ø73x(H)88



424469



424476



424483

GLASS JUG

- Made of glass.
- Handle for easy pouring.
- Spout for controlled serving.
- Dishwasher safe.

code	liters	mm
424469	0.5	ø77x(H)141
424476	1	ø100x(H)198
424483	1.3	ø103x(H)210



DISPENSERS AND JUGS



425299



425411



JUICE DISPENSER

- Transparent juice container made of ABS.
- Base made of stainless steel.
- Integrated ice cylinder for beverage cooling.
- Removable dripping tray.
- Non-drip tap.
- Suitable for serving chilled juices, water, and other cold beverages.

code	liters	mm
425299	8	265x350x(H)580
425411	16	560x350x(H)580



BUFFET PRESENTATION



425428



425435



JUICE DISPENSER

- Transparent juice container made of ABS.
- Base made of stainless steel.
- Integrated ice cylinder for beverage cooling.
- Removable dripping tray.
- Non-drip tap.
- Suitable for serving chilled juices, water, and other cold beverages.

code	liters	mm
425428	3	215x315x(H)490
425435	6	415x315x(H)490



JUICE DISPENSER

- Stand made of stainless steel.
- Container made of clear MABS.
- Designed for serving chilled beverages.
- With cooling tube to be filled with ice cubes.
- With non-drip tap.

code	liters	mm
425190	5	280x220x(H)510



MILK DISPENSER - 10,5 L

- Stainless steel housing.
- With ice cylinder cooling.
- Removable container with non-drip tap.
- Stable bottom plate with dripping tray.

code	liters	mm
425343	10.5	260x360x(H)536



CEREAL DISPENSER

- Stand made of stainless steel.
- Dispenser made of clear MABS.
- Airtight lid to retain ingredient freshness.
- Controlled portioning helps prevent overfilling and ensures even serving.
- Dispensing height: 140 mm.

code	liters	mm
557402	4	184x240x(H)600



425190



425343



557402



NEW



871874

ROLL-TOP COOLING DISPLAY, SINGLE

- Base made of ABS.
- Transparent roll-top lid made of SAN.
- Tray made of stainless steel with a profiled rim each measuring 395x285mm.
- Roll-top lid with handle, opens up to 90 degrees on both sides.
- Including 2 cooling elements.
- NOTE: Before freezing, fill in the cooling element with water up to 90% of its volume.

code	mm
871874	440x320x(H)205



NEW



871881

ROLL-TOP COOLING DISPLAY, DOUBLE

- Bases made of ABS.
- Transparent roll-top lids made of SAN.
- Trays made of stainless steel with a profiled rim each measuring 395x285mm.
- Roll-top lid opens up to 90 degrees on both sides.
- Including 2 stainless steel trays and 4 water-filled cooling elements.

code	mm
871881	440x320x(H)440



424155

COOLING DISPLAY TRAY



- 5-piece set:
 - Base made of polystyrene.
 - Tray made of stainless steel, with a profiled rim.
 - Transparent cover made of polystyrene.
 - 2 cooling elements.
- NOTE: Before freezing, fill in the cooling element with water up to 90% of its volume.
- The tray is also sold separately [code: 871829].

code	mm
424155	430x290x(H)150

ROLL TOP DISPLAY

- Made of polypropylene with a stainless steel insert.
- Transparent rolltop cover made of polystyrene.
- Convenient access to served food from both sides of the display case.
- Suitable for keeping content cold or warm.
- Cooling/heating element placed under the stainless steel tray to maintain the temperature in the compartment.
- Easy to clean.
- Designed and produced 100% in Italy.
- The set includes 2 gel inserts for cooling or heating.
- Dishwasher safe.

code	mm
871775	465x315x(H)195



871775



871638



871638



NEW



871713



871652

ROLL-TOP DISPLAY

- Base made of PP.
- Transparent roll-top cover made of PS.
- Two-sided roll-top opening.
- Suitable for bread, croissants, biscuits, snacks, and appetisers.
- Suitable for catering, restaurants, events, and food transport.

code	colour	mm
871621	White	380x260x(H)170
871638	Black	380x260x(H)170
871713	White	475x325x(H)415
871652	Black	475x325x(H)415
871614	Black	380x260x(H)355
871768	White	380x260x(H)355
871706	White	465x315x(H)195
871645	Black	465x315x(H)195





SAN
plastic



NEW

871690

DOMES WITH PLATE

- Dome made of SAN.
- Plate made of sturdy PS.
- Transparent dome.
- Suitable for cakes, pastries, chocolates, and finger food.
- Suitable for buffets, catering, and events.

code	mm
871690	ø340x(H)160



427569

NEW



CAKE DOME WITH SERVER

- Dome made of PS with a wooden knob.
- Base made of PS.
- Separate cake server included.
- Suitable for cakes and pastries.
- Lightweight.
- Suitable for buffets, catering, and everyday use.

code	mm
871683	ø340x(H)160

ROLL-TOP DISPLAY TRAY

- Tray made of black PS.
- Transparent PS roll-top cover.
- Helps protect food from drying out during storage and display.
- Material does not affect the taste or smell of food.
- Temperature resistant from -40°C to +99°C.
- Dishwasher safe.
- Recyclable.

code	mm
427569	325x265

18/8
stainless steel



NEW



708330



708347

COOLING PLATE

- Cooling plate made of stainless steel 18/8.
- Keeps food temperature below +8 °C for at least 4 hours after pre-cooling, depending on the ambient temperature.
- Suitable for direct contact with food or for use with GN containers.
- Filled with cooling bags, providing long-lasting temperature retention.
- Designed for intensive use, easy to clean.
- Available in a range of sizes.
- For best results, the cooling plates should be placed in the freezer for at least 8 hours to ensure optimal cooling.

code	mm
708330	355x325x(H)45
708323	325x265x(H)45
708316	530x325x(H)45
708347	325x176x(H)45



424001



ROUND DISPLAY WITH ROLL-TOP COVER

- Tray made of stainless steel, with a profiled rim.
- Cover made of SAN, with a chrome button, opened one-sidedly up to 90° (included in set).
- Tray is dishwasher safe.
- The cover is also sold separately [code: 427514].

code	mm
424001	ø380x(H)240
427514	Round roll-top cover



980101



ROUND TRAY WITH COVER

- Tray made of stainless steel, with handles.
- Cover made of SAN, with an extruded grip.
- Both elements of the set are dishwasher safe.

code	mm
980101	ø300x(H)110



203552

ROUND TRAY WITH ROLLTOP LID

- Tray made of black PS.
- Transparent PS roll-top cover.
- Helps protect food from drying out during storage and display.
- Material does not affect the taste or smell of food.
- Temperature resistant from -40°C to +99°C.
- Inner dimensions: ø350x(H)180 mm.
- Dishwasher safe.
- Recyclable.

code	mm
203552	390x410x(H)215



203569

ROUND TRAY WITH LID

- Tray made of black PS.
- Lid made of transparent PS.
- Equipped with a black handle.
- Helps protect food from drying out during storage and display.
- Material does not affect the taste or smell of stored food.
- Temperature resistant from -40°C to +99°C.
- Recyclable.

code	mm
203569	ø300x(H)165
203576	ø350x(H)165





design by
Robert Bronwasser



reddot winner 2024

UNIQ

Buffet reinvented



BUFFET PRESENTATION





203583

RECTANGULAR TRAY WITH LID

- Tray made of black PS.
- Lid made of transparent PS.
- Equipped with a black handle.
- Helps protect food from drying out during storage and display.
- Material does not affect the taste or smell of stored food.
- Temperature resistant from -40°C to +99°C.
- Dishwasher safe.
- Recyclable.

code	mm
203583	335x275x(H)165
203590	535x335x(H)165



NEW



427767

COVER

- Cover made of SAN.
- Handle made of chrome-plated zinc die-cast.
- Suitable for GN containers and buffet baskets.

code	mm
427750	540x335x(H)205
427767	335x275x(H)170



NEW



427507



ROLL-TOP COVER

- Made of PMMA.
- Suitable for GN 1/1 trays and baskets.
- Designed for buffet and display applications.

code	mm
427507	540x330x(H)180



871676



871669

ROLL-TOP COVER

- Transparent cover made of PS.
- Handles made of ABS.
- Suitable for covering plates and serving dishes.
- Two-sided opening with handles on both sides.
- Modern design.

code	mm
871676	420x395x(H)230
871669	470x270x(H)160



523834

523827



ROTATING CAKE STAND

- Made of stainless steel.
- Effortless base rotation in both directions facilitating decorating and cutting cakes.
- On a stable foot with non-slip base.
- The cover is also sold separately (code: 523834).

code	mm	
523827	ø300x(H)90	
523834	Cake stand cover	ø300x(H)110



639214



MESH FOOD COVER

- Made of stainless steel.

code	mm	
639214	ø255x(H)135	
639221	ø305x(H)170	



523865

NEW



CAKE STAND

- Made of stainless steel with a satin finish.
- Suitable for cakes up to 31 cm in diameter.
- Stackable.

code	mm	
523865	ø310x(H)30	

SERVING STANDS



425473

SERVING STAND FOR PLATES

code	-	mm
425473	plates max. Ø 275 mm	290x290x(H)440



480519

SEAFOOD PLATTER

- Stand with two platters, Ø 300/400 mm.

code	-	mm
480519		ø400x(H)200
480502	Stand only	ø250x(H)190



429914

TIERED STAND

- With 3 trays, Ø 166/220/268 mm.

code	mm
429914	ø268x(H)320



MELAMINE

- Hygienic and shock resistant.
- Light weight.



PLATTER, RECTANGULAR

- Made of melamine moulding compound.

code	mm
561508	360x205x(H)38
561515	495x270x(H)56



561607

GN 1/1 TRAY

- Made of melamine moulding compound.

code	mm
561607	530x325x(H)20



566008

566015

GN BANQUET TRAY

- Made of melamine moulding compound.



code	GN	mm
566046	GN 1/4	265x162x(H)20
566022	GN 1/3	325x177x(H)20
566015	GN 1/2	325x265x(H)20
566053	GN 2/4	530x163x(H)20
566930	GN 2/3	354x325x(H)20
566008	GN 1/1	530x325x(H)20



561560

SQUARE BOWL

- Made of melamine.
- Heat resistance: from -20°C to 70°C.
- Dishwasher safe.
- Not microwave safe.



code	colour	mm
561560	White	130x130x(H)65
561577	White	190x190x(H)100
561584	White	270x270x(H)105





566527

CAKE STAND SQUARE

- Made of melamine.
- On a stable wide foot.
- Dishwasher safe.

code	mm
566589	310x310x(H)80
566527	310x310x(H)160

NEW

M
melamine



561775

CAKE PLATE ROUND

- Made of melamine.
- On a stable wide foot.
- Dishwasher safe.

code	mm
566572	ø310x(H)80
561775	ø310x(H)160

CAKE STAND

- Housing made of stainless steel.
- Wide base.
- Assembly screw included.
- Dishwasher safe.



code	ø	length (mm)
523858	322	ø322x(H)175




523858

NON-SLIP DISPLAY STANDS

- Steel frame with PVC coating.
- Supports a variety of display trays and bowls.

code	mm
561973	265x230x(H)200
561966	260x230x(H)100



561966

561973



CAKE SERVER

- With polypropylene handle.

code	mm
523902	260x55



523902



CAKE SCOOP/CUTTER

- Black polypropylene handle.
- Thanks to its sharpened edges it can be used as a knife.

code	mm
523957	296x75



523957





GN CONTAINERS MADE OF PORCELAIN

- Made of white, glossy porcelain.
- Made of the most durable porcelain available on the market.
- Resistance to extreme temperature changes.
- High resistance to physical impacts.



783009

GASTRONORM PAN GN 1/1

code	mm
783009	530x325x(H)65



783016

GASTRONORM PAN GN 1/2

code	mm
783016	325x265x(H)65



783023

GASTRONORM PAN GN 1/3

code	mm
783023	325x176x(H)65



785010

DRESSING POT

code	liters
785010	1

BUFFET PRESENTATION



552407



CUTLERY BASKET HOLDER

- For 4 baskets.
- Baskets not included.

code	mm
552407	255x295x(H)215



CUTLERY TRAY

- 4 sections GN 1/1.

code	colour	mm
552315	Black	530x325x(H)100
552308	Light grey	530x325x(H)100



552315



552308



CUTLERY TRAY

- 6 sections.
- Suitable for coffee spoons, teaspoons and cake forks GN 1/1.

code	colour	mm
552353	Light grey	530x325x(H)105
552360	Black	530x325x(H)105



552360



552353



NEW

LID FOR CUTLERY TRAYS

- Made of transparent polypropylene.
- Suitable for GN 1/1 cutlery trays.
- Designed for stacking cutlery trays.

code	mm
427743	530x325x(H)40



427743



POLYPROPYLENE CUTLERY BASKET

code	mm
871201	ø97x(H)137



CUTLERY BASKET

code	mm
552490	ø97x(H)137



871201



552490

CUTLERY HOLDER

- Made of stainless steel with a satin finish.
- Perforated design for better air circulation.
- Dishwasher safe.

code	mm
552483	ø110x(H)130



552483





436103



SERVING TRAY GN 1/1

- Polished, with matt rim.
- Made of stainless steel.
- Suitable for cooling tray 871928; 871904; 871911; 871935.

code	mm
436103	530x325x(H)13



807705



BANQUET TRAY GN 1/1 WITH SMOOTH RIM

- Made of stainless steel with polished finish.
- Matte finish of the rim.
- Dishwasher safe.
- Suitable for the HENDI Cooling tray (code: 871928; 871904; 871911; 871935).

code	mm
807705	530x325x(H)10



410110



SERVING TRAY GN 1/1, WITH SLANTED RIM

- With a wide slanted rim.
- Made of stainless steel.

code	mm
410110	530x325x(H)20



809181



RECTANGULAR SERVING TRAY

- Made of stainless steel.
- Includes handles.

code	mm
809181	530x325x(H)70



405000



SERVING TRAY, OVAL

- Satin finish.
- Made of stainless steel.

code	mm
405000	200x140
405208	265x195
405307	285x220



480106



BEER TRAY

- Made of stainless steel.

code	mm
480106	ø315x(H)45

480205

**SERVING TRAY, ROUND**

- Decorative pattern.
- Made of stainless steel.

code	mm
480205	ø300x(H)17
480410	ø360x(H)24
480403	ø400x(H)19



807804

18/0
stainless steel**BANQUET TRAY GN 1/1,
WITH DECORATIVE RIM**

- Made of stainless steel with a polished finish.
- Embellished rim with embossed decorative patterns.
- Dishwasher safe.
- Suitable for the HENDI Cooling tray (code: 871928; 871904; 871911; 871935).

code	mm
807804	530x325

871829

**COOLING DISPLAY TRAY**

- Made of stainless steel.
- With a profiled rim that holds the cover in place.
- Fits HENDI's cooling tray with cover (code: 424155).

code	mm
871829	395x283

404300

**SERVING DISH**

- Oval.
- Made of stainless steel.



code	mm
404003	190x140
404102	245x170
404201	300x220
404300	350x240
404409	400x260
404508	450x290
404607	500x350

400203

18/0
stainless steel**SERVING DISH**

code	mm
400203	205x155



FIBREGLASS

- Fibreglass reinforced polyester.
- Ideal for heavy use scenarios.

- Non-slip rubber surface, effective both wet and dry.
- Shockproof, break resistant.



508657

POLYESTER TRAY, NON-SLIP, RECTANGULAR

- Black.

code	-	mm
508657		200x280
508626		325x530
508619	Euronorm	370x530



508817

POLYESTER TRAY, NON-SLIP, ROUND

- Black.

code	mm
508824	ø280x(H)22
508817	ø350x(H)22
508800	ø400x(H)22
508794	ø460x(H)22
508787	ø500x(H)22



508718

POLYESTER TRAY, NON-SLIP, OVAL

- Black.

code	mm
508718	160x230
508725	200x265
508732	210x290



508831

POLYESTER TRAY, OVAL, XL

- Black.

code	mm
508831	735x600



COLLAPSIBLE TRAY STAND

- High quality materials, sturdy construction.
- Fitted with black belts, easy to set up.
- With non-slip rubber rings to keep the tray in place.

code	mm
810507	520x410x(H)800



810507

735

800





876619

POLYESTER TRAY FOR SELF-SERVICE RESTAURANTS

- Made of polyester laminate (fibreglass, resin).
- Granite colour and pattern.
- Stackable, with space between trays left to keep air circulation.
- Temperature resistance: -10-120°C.
- Dishwasher safe.



code	colour	mm
876602	Granite	325x265
876619	Granite	530x325

530


325



265

325

Space between trays for better air circulation



NEW

SERVING TRAY, TRAPEZOIDAL

- Made of fibreglass.
- Reinforced edges.
- Granite colour and pattern.
- Stackable, with space between trays to allow air circulation.
- Temperature resistance: -10 to 120 °C.
- Dishwasher safe.

code	colour	mm
876657	Granite	455x355



876657

455

355

175

212

455

182



FAST FOOD TRAYS



POLYPROPYLENE FAST FOOD TRAY GN 1/1

code	colour	mm
878545	Red	530x325x(H)20
878583	Brown	530x325x(H)20
878538	Light grey	530x325x(H)20
878576	Green	530x325x(H)20
878569	Blue	530x325x(H)20
878590	Black	530x325x(H)20

POLYPROPYLENE FAST FOOD TRAY, LARGE

code	colour	mm
878811	Red	350x450x(H)20
878842	Brown	350x450x(H)20
878804	Light grey	350x450x(H)20
878835	Green	350x450x(H)20
878828	Blue	350x450x(H)20
878859	Black	350x450x(H)20

POLYPROPYLENE FAST FOOD TRAY, MEDIUM

code	colour	mm
878910	Red	305x415x(H)20
878941	Brown	305x415x(H)20
878903	Light grey	305x415x(H)20
878934	Green	305x415x(H)20
878927	Blue	305x415x(H)20
878958	Black	305x415x(H)20

POLYPROPYLENE FAST FOOD TRAY, SMALL

code	colour	mm
878712	Red	265x345x(H)20
878743	Brown	265x345x(H)20
878705	Light grey	265x345x(H)20
878736	Green	265x345x(H)20
878729	Blue	265x345x(H)20
878750	Black	265x345x(H)20



878552



POLYPROPYLENE FAST FOOD TRAY, OVAL

– Oval, with low rim.

code	colour	mm
878552	Black	265x195x(H)15



POLYPROPYLENE EURONORM



878101



878125



878606

SERVING TRAY, RECTANGULAR, NON-SLIP, BLACK

code	mm
878118	255x355
878101	530x325

SERVING TRAY, ROUND, NON-SLIP

code	mm
878125	ø280x(H)20
878132	ø360x(H)20
878149	ø410x(H)20

SERVING TRAY, ROUND, NON-SLIP, HIGH RIM, BLACK

code	mm
878606	ø320x(H)37
878408	ø360x(H)39

SERVING TRAYS, NON-SLIP

- Laminated trays with rubber non-slip coating.
- Resistant to chemicals, stains, and scratches.



507216



507933

SERVING TRAY, RECTANGULAR, NON-SLIP, LAMINATED

code	mm
507216	325x530
507469	330x430
507117	370x530
507018	430x610
507025	460x360

SERVING TRAY, OVAL, NON-SLIP, LAMINATED

code	mm
507964	230x160
507568	200x265
507933	290x210

SERVING TRAY, ROUND, NON-SLIP, HIGH RIM, LAMINATED

code	mm
507711	ø320x(H)35
507766	ø360x(H)30
507773	ø420x(H)30



507711





508930



508947



508954

SERVING TRAY WITH MELAMINE LAMINATE, NON SLIP, WITH WOOD DESIGN

- Finished with melamine laminate
- Excellent resistance to chemicals, stains, and scratches.
- Available in 3 different, elegant designs.

code	colour	mm
508909	Wood light	240x340
508916	Wood	240x340
508923	Wood dark	240x340
508862	Wood light	330x430
508879	Wood	330x430
508930	Wood light	370x530
508947	Wood	370x530
508954	Wood dark	370x530



428245



MULTIRACK

- Frame made of polished 18/8 stainless steel.
- 3 levels, for pre-packed products and condiments.
- 3 removable 1 L containers, made of SAN.
- Containers are dishwasher safe.

code	mm
428245	190x240x(H)410





201633

RESTAURANT CALLING SYSTEM

- Digital displays on pagers for marking order/table number (programmable numbers from 001 to 998).
- Controller with a touch keypad.
- Built-in antenna in the controller ensures no signal interference from other devices.
- 3 notification modes: vibration, sound, LED light.
- Combine notification modes – all switched off with one click.
- Space-saving charging: pagers are stacked on the charger.
- Indoor: approx. 200 m.
- Open area: approx. 350 m.
- Pager dimensions: 70x68x20 mm.
- Max. pagers programmable into 1 controller: 998.
- Included in set: controller, 10 pagers, charging station, charger and USB-C to USB-C cable.
- Pagers are also sold separately – 10 pcs. (code: 201640).

code	mm
201633	210x130x(H)40

3 notification modes



sound



LED light



vibration



RESTAURANT PAGERS – SET OF 10 PCS.

- Digital displays on pagers for marking order/table number (programmable numbers from 001 to 998).
- 3 notification modes: vibration, sound, LED light.
- Combining notification modes – all switched off with one click.
- Space-saving charging: pagers are stacked on the charger.
- Reach: 350 m.
- Pager dimensions: 70x68x20 mm.
- Included in set: 10 pagers, charging station, USB-C to USB-C cable.
- Pagers operate only with the controller from the HENDI Restaurant calling system – sold separately (code: 201633).

code	mm
201640	80x80x(H)100



CATERING FURNITURE, FOLDABLE

AMER★BOX®

HDPE
polyethylene

- Frame made of powder-coated metal profiles.
- Foldable to suitcase model for easy transporting and storage.

- For outdoor and indoor use.
- Easy to clean and stain resistant surfaces.



BUFFET TABLE FOLDABLE


- Foldable to suitcase model for easy transporting and storage.

code	mm
810927	1520x700x(H)740
810910	1830x750x(H)740

BENCH

- Foldable to suitcase model for easy transporting and storage.

code	mm
811191	1830x300x(H)430



BUFFET TABLE, SQUARE

- Max. load up to 150 kg with even load distribution

code	mm
810347	870x870x(H)740
810897	1800x740x(H)740





BUFFET TABLE

- Max. load up to 130 kg with even load distribution.

code	mm
810934	1220x610x(H)740


NEW

FURNITURE COVERS PROFI LINE

- Heavy 240 GSM fabric.
- 90% polyester 10% elastane.
- Simple design for quick installation and removal.
- Provides a clean and professional table presentation.
- Durable fabric suitable for repeated use.

Care instructions:

- Wash at temperatures up to 40°C.
- Wash dark colours separately.
- Use a light spin cycle and hang while damp.
- Bleach may be used in limited amounts on white and ecru colours.
- Do not use chlorinated bleach on coloured fabrics.
- Fits tables with a standard height of 74 cm.
- Designed for table codes: 810910 and 810897.

code	colour	mm
817957	White	1830x760x(H)730
817964	Black	1830x760x(H)730

240
g/m²


TABLE COVER, RECTANGULAR KITCHEN LINE

- No ironing needed.
- Excellent colour fastness.

code	colour	-	mm
814369	White	810934	1200x760x(H)730
814376	Black	810934	1200x760x(H)730
814390	White	810927	1500x760x(H)730
814406	Black	810927	1500x760x(H)730
814420	White	810910 810897	1830x760x(H)730
814437	Black	810910 810897	1830x760x(H)730

160
g/m²




BUFFET TABLE, ROUND

- Available in various sizes.

code	mm
810996	ø1500x(H)740
817407	ø1830x(H)740

N

160
g/m²

FURNITURE COVERS KITCHEN LINE

- 160 GSM fabric.
- 90% polyester 10% elastane.
- Simple design for quick installation and removal.
- Provides a clean and professional table presentation.
- Durable fabric suitable for repeated use.

Care instructions:

- Wash at temperatures up to 40°C.
- Wash dark colours separately.
- Use a light spin cycle and hang while damp.
- Bleach may be used in limited amounts on white and ecru colours.
- Do not use chlorinated bleach on coloured fabrics.



TABLE COVER, ROUND KITCHEN LINE

- No ironing needed.
- Fits tables with table top ø1800 mm.

code	colour	-	mm
814468	Black	817407	ø1800x(H)760
814451	White	817407	ø1800x(H)760
814512	White	810996, 810996	ø1500x(H)760
814529	Black	810996, 810996	ø1500x(H)760



TROLLEY FOR TABLES

- Eases transport of round and square tables.
- Can hold up to 10 round tables upright or 20+ rectangular tables stacked.
- Maximum load: 500kg

code	mm
811221	1800x850x(H)990



AMER★BOX®

BAR TABLE

- Tabletop made of HDPE polyethylene.
- Powder coated metal frame.
- Multifunctional, foldable table for indoor and outdoor use.
- Surface is easy to clean and stain resistant.
- Easy to transport and store.

code	colour	mm
811047	Black	ø800x(H)1100
810958	White	ø800x(H)1100



FURNITURE COVERS KITCHEN LINE

- 160 GSM fabric.
- 90% polyester 10% elastane.
- Simple design for quick installation and removal.
- Provides a clean and professional table presentation.
- Durable fabric suitable for repeated use.

Care instructions:

- Wash at temperatures up to 40°C.
- Wash dark colours separately.
- Use a light spin cycle and hang while damp.
- Bleach may be used in limited amounts on white and ecru colours.
- Do not use chlorinated bleach on coloured fabrics.

TABLE COVER, ROUND KITCHEN LINE

- Designed for table codes: 811047 and 810958.
- Fits tables with table top diameters ø800-850 mm.

code	colour	-	mm
813157	White	811047, 810958	ø850x(H)970
813164	Black	811047, 810958	ø850x(H)970

TABLE COVER, ROUND KITCHEN LINE

- Designed for table codes: 811047 and 810958.
- Fits tables with tabletop diameter of 700-800 mm.

code	colour	-	mm
813829	White	811047, 810958	ø800x(H)970
813836	Black	811047, 810958	ø800x(H)970



FURNITURE COVERS PROFI LINE

- Heavy 240 GSM fabric.
- 90% polyester 10% elastane.
- Simple design for quick installation and removal.
- Provides a clean and professional table presentation.
- Durable fabric suitable for repeated use.

Care instructions:

- Wash at temperatures up to 40°C.
- Wash dark colours separately.
- Use a light spin cycle and hang while damp.
- Bleach may be used in limited amounts on white and ecru colours.
- Do not use chlorinated bleach on coloured fabrics.

TABLE COVER, ROUND

- Designed for table codes: 811047 and 810958.
- Fits tables with table top diameters ø800-850 mm.

code	colour	mm
817919	White	ø850x(H)1020
817926	Black	ø850x(H)1020

TABLE COVER, ROUND

- Designed for table codes: 811047 and 810958.
- Fits tables with tabletop diameter of 700-800 mm.

code	colour	mm
817933	White	ø800x(H)1050
817940	Black	ø800x(H)1050



BARUP
BARWARE





160
g/m²



CATERING CHAIR

- Max. load up to 175 kg with even load distribution

code	colour	mm
810965	White	540x440x(H)840
810989	Black	540x440x(H)840



FOLDING CHAIR COVER KITCHEN LINE

- No ironing needed.

code	colour	mm
816363	White	540x440x(H)840
816370	Black	540x440x(H)840



TROLLEY FOR CHAIRS

- Housing made of powder coated carbon steel.
- 2 fixed and 2 swivel wheels with brakes.
- For chairs transport, storage and protection.
- Loading up to 25 chairs.

code	mm
811054	1140x492x(H)1895

12

Bar

Raise the bar





BARUP

B A R W A R E

Discover the world of professional bartending accessories.

We share our knowledge by presenting innovative and professionally designed products for comprehensive bar setups.

Our designs, resulting from the best bartending practices, are a professional response to the ever-changing, creative world of cocktail preparation.

The functionality and modern design of our shakers, muddlers, bar spoons, and citrus squeezers perfectly meet the needs of every bartender.

The BAR UP brand means eye-catching accessories which elevate the art of creating surprising alcoholic and non-alcoholic drinks and cocktails to a higher level.

BAR UP! BE INSPIRED!





596746

**BAR BLADE**

- Dishwasher safe.

code	mm
596746	179x40x(H)2



596388

**BAR BLADE**

- With an anti-slip silicone grip

code	mm
596388	180x40



596371

**BAR BLADE**

- Copper plated with a polished finish.

- Not dishwasher safe.

code	mm
596371	180x40x(H)2

**BAR BLADE**

- With an anti-slip silicone grip.
- Not dishwasher safe.

code	mm
596661	180x40



596883

**WALL MOUNTED BOTTLE OPENER**

code
596883

NEW**BOTTLE OPENER, AUTOMATIC**

- Housing made of stainless steel.
- Base made of ABS.
- Removes caps with a single press.

code	mm
596593	ø50x(H)83

**BOTTLE OPENER WITH CATCHER BIN**

- This bottle opener is intended to be mounted on the wall.
- Bin can be easily removed to ease emptying.
- Supplied with two screws and wall plugs.

code	mm
643914	135x70x(H)295



Watch the video



643914





18/0
stainless steel



597033

WAITER'S CORKSCREW

- Made of stainless steel.
- Features a blade for cutting foil.
- 3 functions: foil-cutting blade, classic corkscrew, and a bottle opener.
- Not dishwasher safe.

code	mm
597033	(L)142

Cr
chrome plated

CORKSCREW

- Lever model.
- Chrome-plated.
- With bottle-opener.

code	mm
597507	(L)170



597507

BARUP
BARWARE



Watch the video



Ni
nickel plated



594025

FRENCH CORKSCREW

- Handle made of durable chrome-plated zinc alloy.
- Screw made of nickel-plated carbon steel.
- High quality guaranteed without the risk of bending or breaking.
- The sharpened thread has a wider diameter (1cm) than typical corkscrews and thus reducing the risk of crushing or breaking the cork when pulling it out.
- Not dishwasher safe.

code	mm
594025	105x85x(H)10



18/0
stainless steel



597040

WAITER'S CORKSCREW

- Made of stainless steel.
- 3 functions: foil-cutting blade, classic corkscrew, and a bottle opener.
- Features handle.

code	mm
597040	(L)120



S.S.
stainless steel

597316

WAITER'S CORKSCREW

- With metal handle.
- 3 functions.
- With extra kink in lever for long corks.

code	mm
597316	(L)120



596807

Cr
chrome plated

WAITER'S CORKSCREW

- Chrome plated, with ABS handle.
- 4 functions.
- With separate bottle-opener.

code	mm
596807	(L)140



597200

S.S.
stainless steel

WAITER'S CORKSCREW

- Curved model 3 functions.

code	mm
597200	(L)110



597323

ABS
plastic

S.S.
stainless steel

WAITER'S CORKSCREW

- Made of stainless steel, ABS grip.
- 3 functions.
- Patented lever, spiral for long corks and foil cutter.

code	mm
597323	37x130x(H)14



599334

18/8

stainless steel

POURER WITH FLIP TOP

- For use in bars, pubs and restaurants
- Facilitates precise dosing
- Made of stainless steel with rubber stopper
- Suitable for standard 0.5 - 1.5 liter bottles with holes up to ø20 mm in diameter

code	packed per	mm
599334	6	ø30x120



599372

FREE-FLOW POURER

- EVA plastic.

code	packed per
599372	6



599488

599464

599471

18/8

stainless steel

FREE-FLOW POURER

- The pourer is a practical bartender accessory that allows for precise flow control of the drink that is being poured.
- Made of stainless steel and durable plastic.
- Suitable for standard 0.5-1.5 liter bottles, fits bottle openings up to 20 mm in diameter.
- Perfect for making drinks.
- Available models: flip top pourers, slow flow pourer and fast flow pourer (599471, 599464, 599488).
- Dishwasher safe

code	-	packed per
599488	Fast flow	6
599464	Slow flow	6
599471	With flip top	6



590140

FREE-FLOW POURER LONG

- With plastic stopper.

code
590140

S.S.

stainless steel



599327

18/8


stainless steel

FREE-FLOW POURER - 3 PIECES

- For use in bars, pubs and restaurants
- Durable stainless steel construction
- Counterbalanced pouring flap, which causes the nozzle to open and close automatically when the bottle is tilted
- Facilitates precise dispensing
- Suitable for standard 0.5 - 1.5 liter bottles with holes up to ø20 mm in diameter

code	packed per	mm
599327	3	ø30x120





599440

599457



599426

BARUP
BARWARE

FREE FLOW POURERS

- Made of EVA material.

code	-	packed per
599440	2 black, 2 white, 2 red	6
599457	2 blue, 2 red, 2 green	6

FREE-FLOW POURER

- EVA plastic.

code	packed per
599426	4



ABS
plastic

ABS
plastic **S.S.**
stainless steel

shelf mounted

wall mounted



NON-DRIP BRACKET WALL MOUNTED

- Bottle height: 240-350 mm.

code	-
598818	wall mounted
598719	shelf mounted



NON-DRIP POURER

- Made of durable plastic with stainless steel elements.
- Suitable for standard 0.5-1.5 litre bottles.
- It fits bottle openings up to 20 mm in diameter.
- Dishwasher safe.
- Available in a variety of portion sizes, sold separately.

code	liters
598016	0.02
598214	0.035
598313	0.04
598412	0.05



BALL MEASURED POURER

code	packed per	liters
599013	2	0.02
599112	2	0.035
599198	2	0.04
599211	2	0.05





552049

CLAMP BOTTLE STOPPER

- Prevents leaks and spills of the beverage
- Hermetic seal extends the life of the product in an already opened bottle
- Made of nylon with a very durable ABS lever
- Integrated silicone ring that seals the bottle tightly when the lever is pressed
- Suitable for standard bottles with a capacity of 0.5 - 1.5 litres, holes up to $\varnothing 20$ mm in diameter
- Includes 3 caps in green, white and red

code	packed per	mm
552049	3	$\varnothing 36 \times 81$



595558

STOPPER

- For use in bars, pubs and restaurants
- Made of hard and flexible black EVA
- Protect against spillage of open bottles
- Sealed closure to extend product life
- Suitable for standard 0.5 - 1.5 liter bottles with holes up to $\varnothing 20$ mm in diameter

code	packed per	mm
595558	6	$\varnothing 31 \times 31$



595589



CHAMPAGNE STOPPER

- For storing opened bottles.
- With silicone gasket.

code
595589



595565



STOPPER WITH CAP

- For use in bars, pubs and restaurants
- Protect against spillage of open bottles
- Made of hard and flexible EVA
- Sealed closure to extend product life
- Suitable for standard 0.5 - 1.5 liter bottles with holes up to $\varnothing 20$ mm in diameter

code	packed per	mm
595565	6	$\varnothing 30 \times [H] 37$



557600



STORE & POUR BOTTLE

- Intended for storing and serving juices and pre-mixes.
- Supplied with 5 coloured spouts, red, blue, green, orange, yellow.
- Made of polypropylene and polystyrene.
- Completely detachable, all parts have a secure fit.
- Spout provides an even flow thanks to the air hole.
- Comes with a screw on lid for storing.
- Suitable for dishwasher cleaning.

code	liters	mm
557600	0.8	$\varnothing 90 \times [H] 300$



588420

588598

CREAM WHIPPER KITCHEN LINE

- Matte black coated aluminium bottle and head.
- Not suitable for preparing hot sauces.
- Supplied with: 3 different polypropylene nozzles and a cleaning brush.
- To be used with cream whipper chargers (N₂O) (chargers not included).

code	liters	mm
588420	0.5	ø80x(H)260
588598	0.95	ø95x(H)320



CREAM WHIPPER CHARGERS

- Suitable for commercially available cream dispensers.
- N₂O
- Best before 5 years after production date.

code	packed per	order unit
588208	10	36
588215	24	25
586907	50	12



588574

SODA SIPHON

- Made of stainless steel.
- Not dishwasher safe.
- Suitable for use with HENDI Soda chargers 588406.
- Supplied with a gas cap and a hook.

code	liters	mm
588574	1	ø95x(H)310



588406

SODA CHARGERS

- Contains 7,8 grams of CO₂, a single filling of a 1L soda siphon.

code	packed per	order unit
588406	10	36



INGREDIENT BOXES



BARUP
BARWARE

- For use in bars, pubs and restaurants
- Made of premium plastics
- HIPS enclosure and transparent ABS lid to protect food from contamination or insects
- 3 polypropylene containers to store fruit or spice additives separately
- Each container can be easily removed from the holder, e.g. to replenish the product
- Dishwasher safe containers



552018



552025



552131



552032

CONDIMENT HOLDER - 3 CONTAINERS

- 3 polypropylene containers to store fruit or spice additives separately

code	mm
552018	480x150x(H)100

CONDIMENT HOLDER - 4 CONTAINERS

- 4 polypropylene containers to store fruit or spice additives separately.

code	mm
552025	480x150x(H)100

CONDIMENT HOLDER - 5 CONTAINERS

- With 5 polypropylene storage containers.

code	mm
552131	480x150x(H)100

CONDIMENT HOLDER - 6 CONTAINERS

- 6 polypropylene containers to store fruit or spice additives separately.

code	mm
552032	480x150x(H)100

BAR



552100



CONDIMENT HOLDER

- Frame made of stainless steel.
- Lid made of transparent polypropylene.
- Storage containers made of HDPE.
- The containers can be easily lifted out of the holder.
- Containers are dishwasher safe.

code	-	mm
552100	5 containers	375x140x(H)90



CUTTING BOARD WITH HANDLE

- Made of polyethylene HDPE.
- Both sides suitable for cutting.

code	colour	mm	thickness (mm)
826348	White	250x150	10
826478	Black	250x150	10
826355	White	300x200	10
826485	Black	300x200	10



BAR CADDY - 6 COMPARTMENTS

- 6 compartments for organizing straws, napkins, stirrers etc.
- Container for napkins 130x130 mm, 2 compartments 51x48 mm, 2 compartments 51x44 mm, 1 compartment 102x46 mm.
- Made of ABS plastic.

code	mm
596760	240x145x(H)105



3-TIER GLASS RIMMER

- For decorating glass rims.
- 3 appropriately labelled tiers: lime juice, salt, sugar.
- Sponge in lime juice container to prevent spilling.
- Made of ABS plastic.

code	mm
596777	200x160x(H)75





596685



596524



596531



596753



596456



596463

JULEP STRAINER

code	colour	mm
596685	Silver	160x75
596524	Copper	160x75
596531	Black	160x76

HAWTHORNE STRAINER

code	colour	mm
596753	Silver	160x75x(H)15
596456	Copper	160x75x(H)15
596463	Black	160x75x(H)15



596449

TRIANGLE COCKTAIL STRAINER

- Made of stainless steel.
- Removable spring for easy cleaning.
- Spring can also be used as a spring whisk for the "dry shake" method.
- With an eyelet in the grip.
- Dishwasher safe.

code	mm
596449	97x105



596692



HAWTHORNE STRAINER

- Made of stainless steel.
- Flat disc with 4 prongs.
- Removable spring.
- Strains chunks of ice, herbs and fruits (including seeds).
- Dishwasher safe.

code	mm
596692	150x115x(H)18





BARUP
BARWARE



596968



596555



596562



593097



596579



596586

BAR SPOON

code	colour	mm
596968	Silver	385x35
596555	Copper	385x35
596562	Black	385x35

BAR SPOON WITH MUDDLER

code	colour	mm
593097	Silver	280x35
596579	Copper	280x35
596586	Black	280x35



HENDI

BARWARE





BARUP
BARWARE



635612

638118

638132

638163

638170

S.S.
stainless steel



SIEVE – SET OF 3 PCS.

- Made of powder coated stainless steel.
- With a small support to place the sieve on a pot or bowl, or to hang it.
- Dimensions:
 - black coloured sieve: ø74 mm, (L)215mm, (H)25 mm,
 - silver coloured sieve: ø105 mm, (L)245 mm, (H)30 mm,
 - copper coloured sieve: ø144 mm, (L)337 mm, (H)45 mm.
- Handle length:
 - black coloured sieve: 115 mm,
 - silver coloured sieve: 120 mm,
 - copper coloured sieve: 165 mm.
- Mesh size:
 - black coloured sieve: 1x1 mm,
 - silver coloured sieve: 1x1 mm,
 - copper coloured sieve: 1,5x1,5 mm.
- Not dishwasher safe.

code

635612

BAR STRAINER

- For use in bars, pubs, restaurants and patisseries.
- Made of stainless steel.
- Thin mesh with wire handle.
- Dishwasher safe.

code	colour	mm
638118	Silver	ø65x220
638132	Black	ø65x220
638149	Black	ø75x220

BAR STRAINER CONICAL

- For use in bars, pubs, restaurants and patisseries.
- Made of stainless steel.
- Thin mesh with wire handle.
- Dishwasher safe.

code	colour	mm
638163	Silver	ø75x220
638170	Black	ø75x220

BAR





596838

596852

596845



MUDDLER

- Body made of stainless steel.
- Head made of ABS.
- For grinding and crushing drink ingredients, e.g. raspberries, limes, mint etc.

code	colour	mm
596838	Silver	(L)210
596852	Black	(L)210
596845	Copper	(L)210



596739

596951



MUDDLER

- Made of ABS.
- For grinding and crushing drink ingredients, e.g. raspberries, limes, mint etc.

code	-	mm
596739	profiled, grid	ø34x207
596951	profiled, star-shaped	ø34x207



NEW

SPEED RACK

- Made of stainless steel.
- Wall-mountable design.
- Suitable for standard-size bottles.
- Width: 22" / 55 cm.
- Approximate capacity: 6 bottles.
- Maximum load capacity: 20 kg.
- Smooth rounded edges.
- Mounting screws not included.

code	mm
599990	105x559x(H)166



599990





COBBLER SHAKER 3-PART

- Dishwasher safe.

code	liters	mm
596999	0.5	ø79x(H)199

COBBLER SHAKER 3-PART

code	colour	liters	mm
593004	Silver	0.75	ø80x(H)240
596425	Copper	0.75	ø85x(H)240
596432	Black	0.75	ø85x(H)240



COCKTAIL MUG

- Made of copper plated stainless steel.
- Polished finish.
- Available in two sizes (codes: 596982, 596975).

code	liters	mm
596975	0.5	ø97x(H)1100
596982	0.4	ø85x(H)105

TIN-ON-TIN BOSTON SHAKER

code	colour	liters	mm
596401	Silver	0.8	ø90x(H)303
593318	Copper	0.8	ø90x(H)303
596418	Black	0.8	ø90x(H)303





COBBLER SHAKER 3-PART

- Dishwasher safe.

code	liters	mm
593035	0.75	ø90x(H)255

BOSTON SHAKER GLASS

- Made of tempered glass.
- Capacity: 0,45 L
- Stainless steel boston shaker cup can be purchased separately (codes: 593042, 596678).

code	liters
593066	0.45

BOSTON SHAKER

- Dishwasher safe.

code	colour	liters	mm
593042	Silver	0.8	ø90x(H)175
596395	Copper	0.8	ø90x(H)175
596678	Black	0.8	ø90x(H)175



700259

BARTENDER BAG

- Made of thick cotton with plain weave. The bag has a rim with over stitching for reinforcement and an elegant finish.
- Stainless steel fittings finished in an antique gold colour.
- Straps made from brown natural leather (suede).
- Black cotton shoulder strap adjustable in length and detachable.
- Secure fastening by means of buckles and leather straps.
- Lay-out:
 - 8 pockets (e.g. for bartending spoons, tweezers),
 - 8 elastic open compartments (e.g for jiggers),
 - 3 flaps secured with velcro,
 - zippered compartment for a shaker/boston shaker glass, measuring 37x15 cm.
- Dimensions of the internal part (with closed flaps): 37x33,5 cm.
- Bartender tools are not included.

code	mm
700259	210x370x(H)70

**JIGGER 25/50 ML**

- Made of stainless steel.
- Fitted with a banded ring for extra grip.
- Capacities: 25/50 ml (dual).

code	colour	mm
596920	Silver	ø44x(H)110
593332	Copper	ø45x(H)114
596654	Black	ø44x(H)110

**JIGGER 25/50 ML**

- Made of stainless steel with matte finish.
- Capacities: 25/50 ml.
- Dishwasher safe.

code	colour	mm
596722	Silver	ø43x(H)85
596548	Copper	ø42x(H)86
596647	Black	ø45x(H)86

**JIGGER 25/35 ML**

- Made of stainless steel.
- Capacities: 25/35 ml.
- Dishwasher safe.

code	colour	mm
596715	Silver	ø40x(H)73
596630	Black	ø40x(H)75

**NEW****JIGGER 20/40 ML**

- Made of stainless steel with matte finish.
- Capacities: 20/40 ml (dual).
- Fitted with a banded ring for extra grip.

code	mm
597064	ø42x(H)100

NEW**JIGGER 20/40 ML**

- Made of stainless steel.
- Capacities: 20/40 ml.

code	mm
597057	ø40x(H)80

BARKIT IN TUBE

- Muddler tip is made of polyamide (PA).
- Tube made of thick cardboard.
- Boston shaker Tin-on-Tin: 2 weighted cups, with capacities 500 ml and 800 ml.
- Classic jigger with capacities 50 ml and 25 ml.
- Hawthorne strainer: with an ergonomic handle and a removable spring (for easy cleaning, can also be used as a "spring whisk"). Fits perfectly to the shaker, thoroughly strains pieces of ice, fruit and herbs.
- Muddler: with serrated surface for fast mashing pieces of fruit and herbs.
- Spiral bartending spoon of 27 cm length and 5 ml capacity, with a muddler (tip is disc-shaped): for fast mixing iced drinks without diluting them, pouring sodas without fizzing and precise creating of layered cocktails. The disc - muddler can also be used for mashing fruit and herbs.
- The set is put in a cardboard tube with and elegant artwork.

596616



BARKIT IN TUBE

- Consists of 5 items, made of AISI 201 stainless steel.
- All elements of the set are dishwasher safe.

code	mm
596616	ø120x(H)320



BARKIT IN TUBE

- Made of copper plated stainless steel.
- Elements of the set are not dishwasher safe.

code	mm
596623	ø120x(H)320



BARKIT IN TUBE

- Made of stainless steel.
- Elements of the set are not dishwasher safe.

code	mm
596609	ø120x(H)320

BARUP
BARWARE



596609





471500



PARTY TUB

code	liters	mm
471500	13.5	ø370x(H)230



471524



PARTY TUB

code	liters	mm
471524	9.5	ø350x(H)230

BARUP
BARWARE



471548



CHAMPAGNE BOWL

- Made of stainless steel.
- Dishwasher safe.

code	liters	mm
471548	13	ø393x(H)214



471531



CHAMPAGNE BOWL

- Made of stainless steel.
- With black powder coating.
- Not dishwasher safe.

code	liters	mm
471531	13	ø393x(H)214



593103



CHAMPAGNE COOLER

- With tulip handles.

code	liters	mm
593103	3.5	ø210x(H)210



593202


594049



CHAMPAGNE COOLER

- With ring handles.
- The large format ensures that most wine bottles fit without problems.

code	colour	liters	mm
593202	Silver	3.3	ø220x(H)190
594049	Black	3.3	ø220x(H)190



521496

593165



WINE AND CHAMPAGNE BUCKET

- Made of SAN.
- Not dishwasher safe.

code	mm
521496	300x240x(H)260

PARTY TUB

- Transparent.
- Oval.

code	mm
593165	470x290x(H)230

BAR






593158



CHAMPAGNE COOLER

- Transparent.

code	liters	mm
593158	3	220x185x(H)226



593806




WINE COOLER

- Double-walled stainless steel.
- For use without ice cubes.
- Inside diameter: 105 mm.

code	mm
593806	ø120x(H)180

For use without
ice cubes

BARUP
BARWARE



593608



WINE COOLER STAND

- Very compactly packed 4-part assembly.

code	mm
593608	ø185x(H)750

NEW



592823



427729

WINE COOLER

- Double-wall.
- Simple cylindrical shape.
- Suitable for wine and bottled drinks.
- Suitable for different table settings.
- Does not require cooling inserts or ice packs.

code	mm
592823	ø150x(H)210
427729	ø135x(H)230



593905

WINE COOLER TABLE BRACKET

- The ring is Ø 185 mm, so most wine coolers will fit.
- The mounting rods are finished with rubber ends to prevent damage.
- Wine cooler not included.

code	mm
593905	ø195x(H)510



639207



CHAMPAGNE COOLER HOLDER

- Made of chrome-plated iron.
- Designed for easy table mounting.
- Fitted with rubber elements to prevent tabletop scratches.
- Compatible with coolers up to 194 mm in diameter

code	mm
639207	ø194x(H)193



594742

ICE BUCKET

- Ice cylinder with perforated bottom, black lid with handle.
- Made of polystyrene.

code	liters	mm
594742	5	ø190x(H)200
594759	10	ø292x(H)220



594766

ICE BUCKET

- Made of stainless steel.
- Double-walled to maintain temperature.
- With lid and handle.
- Not dishwasher safe.

code	liters	mm
594766	2	ø153x(H)165



594704

ICE BUCKET DOUBLE WALLED



code	liters	mm
594704	5	ø200x(H)230



521410



521434



521489



BAR SCOOP

code	liters	mm
521410	0.35	220x80



ICE SCOOP SLOTTED

code	liters	mm
521434	0.35	220x80



SCOOP

- Made of stainless steel.
- Handle with hook.
- Dishwasher safe.

code	liters	mm
521441	0.11	235x70
521458	0.19	263x80
521465	0.36	335x100
521472	0.54	360x117
521489	0.92	432x140



ICE CUBE TONGS

code	packed per	mm
523520	2	(L)180



523520





ICE CUBE MOULD GEM-SHAPED

- Ideal for cocktails, a must have for bar professionals.
- Consists of 2 moulds, each creating 6 gem-shaped ice cubes.
- Made of durable, food-grade silicone.

code	mm
679012	190x105x(H)30



BARUP
BARWARE



ICE CUBE MOULD MINI CUBE

- For preparing 15 small ice cubes (≈3x3x3 cm).
- Made of durable, food-grade silicone.

code	mm
679043	190x120x(H)35



ICE CUBE MOULD XL

- For preparing 6 large slow-melting ice cubes (≈5x5x5 cm).
- Made of durable, food-grade silicone.

code	mm
679036	170x110x(H)52



SPHERE ICE MOULD

- Ideal for whisky, a must have for bar professionals.
- Creates 6 big spherical shaped (≈ Ø 4,5 cm), slow melting ice cubes.
- Consists of 2 parts with locking ring so the balls can be made without leaking.
- Made of durable, food grade silicone.

code	mm
679029	180x125x(H)50



ICE SHOT GLASS MOULD

- For preparing 4 shot glass-shaped ice cubes.
- Made of durable, food-grade silicone.

code	mm
679067	122x122x(H)60



ICE SHOT GLASS MOULD

- Ideal for serving shots, a must have for bar professionals. Creates 6 shot glass shaped ice cubes. Made of durable, food grade silicone.

code	mm
679050	125x190x(H)60



ICE CUBE MOULD WITH LID

- Made of silicone.
- Lid made of polypropylene.
- For preparing 18 small ice cubes (≈2.6x2.6x2.6 cm).

code	mm
679074	217x114x(H)30

ICE CUBE MOULD WITH LID AND BOTTOM TRAY

- Made of silicone.
- Lid made of polypropylene.
- Bottom tray made of ABS.
- For preparing 32 small ice cubes (≈3.2x3.2x3.4 cm).

code	mm
679005	337x170



Soft rubber in holder





NEW

DESSERT MIXING MACHINE

- Housing made of carbon steel with a powder-coated finish.
- Mixing shaft made of 18/8 stainless steel.
- Rotary knob made of ABS.
- Transparent anti-splash guard.
- Powered by a durable DC motor.
- Speed control via rotary knob for simple, one-hand operation.
- Designed for mixing thick frozen desserts.
- Pulse function for short bursts of power.
- ON/OFF switch with indicator light.
- Non-slip feet for stable operation.
- Open design with base support for cups.
- Recessed mixing area helps reduce splashing during use.
- Suitable for use in ice cream shops, cafés, smoothie bars, and restaurant.

code	V	W	mm
237373	230	200	253x252x(H)650



237373





2x 12 l



425206

3x 12 l

NEW



425510

JUICE DISPENSER

- Housing and lid made of ABS.
- Beverage containers made of BPA-free material.
- Adjustable temperature from 0°C to 10°C.
- Each tank capacity: 12 L.
- Each tank can be controlled independently.
- Removable tank for easy cleaning.
- Magnetic paddle system gently mixes juice for consistent freshness.
- Drip tray included.

code	liters	mm
425206	2x12	415x485x(H)645
425510	3x12	445x630x(H)655

N



1x 12 l



274255

2x 12 l



274224

3x 12 l



274385

NEW

- Housing made of ABS.
- Tank and lid bottom made of BPA-free material.
- High-end design.
- Each tank capacity: 12 L.
- Digital temperature controller with cold beverage and slush modes.
- In slush mode, temperature adjustable from -10°C to -2°C .
- **A sugar content of only 7% in the mixture is required to achieve the slushy effect.**
- Two modes: day and night.
- Efficient compressor.

- Removable tank and handle for easy cleaning.
- LED illumination.
- Drip tray included.
- Quick-dispense tap.
- For models with more than 1 tank, each tank can be controlled independently.

code	liters	V	W	mm
274255	1x12	230	400	422x270x(H)815
274224	2x12	230	740	515x470x(H)750
274385	3x12	230	1080	515x670x(H)810

N





1x 12 l



274354

2x 12 l



274361

3x 12 l



274378

- Tank and lid bottom made of BPA-free material.
- High-end design.
- Each tank capacity: 12 L.
- Digital temperature controller with cold beverage and slush modes.
- In slush mode, temperature adjustable from -10°C to -2°C.
- **A minimum sugar content of 10% is required for a slushy effect.**
- 2 modes: day and night.
- Efficient compressor.

- High-quality metal handle.
- Removable tank and handle for easy cleaning.
- LED illumination.
- Drip tray with float indicator included.
- For models with more than 1 tank, each tank can be controlled independently.

code	liters	V	W	mm
274354	1x12	230	380	507x205x(H)810
274361	2x12	230	710	507x415x(H)810
274378	3x12	230	1080	507x615x(H)810





COFFEE SLUSH MACHINE

- Tank and lid bottom made of BPA-free material.
- High-end design.
- Lid made of ABS.
- Tank capacity: 12 L.
- **A sugar content of only 3% in the mixture is required to achieve the slushy effect.**
- The lid feature adjustable LED light colours, providing customisable illumination.

NEW

ABS
plastic

indoor

- Digital temperature controller with cold beverage and slush modes.
- Temperature adjustable from -12°C to -2°C .
- Efficient compressor.
- Removable tank for easy cleaning.
- Drip tray included.
- Quick-dispense tap.

code	liters	V	W	mm
274392	12	230	435	610x280x(H)936

ABS
plastic

18/8
stainless steel

SAN
plastic

indoor

NEW



JUICE EXTRACTOR VITO KITCHEN LINE

- Housing made of stainless steel.
- Large feed opening: $\varnothing 75$ mm.
- Pulp container capacity: 3.25 l.
- Specially designed lid for pulp transfer into the container.
- Safety lock.

- Turbo function.
- Waterproof control panel cover.
- Air-cooled motor.
- Speed: up to 6,300 rpm.

code	V	W	mm
219881	230	240	350x200x(H)400



ELECTRIC JUICE EXTRACTORS PROFI LINE

- Housing, bowl, pulp container, and grating disc made of stainless steel.
- Feed chute opening and pusher made of ABS plastic.
- Pulp container and lid made of polypropylene.
- Internal diameter of the feed chute: 80 mm.
- To ensure safety, operation is only possible when the lid and safety arm are securely closed.
- For making juice from hard fruits and vegetables; not intended for ice or frozen ingredients.



CAPACITY
120
kg/h



JUICE EXTRACTOR TITAN PROFI LINE

- Speed: 3000 RPM.
- Production capacity approximately 120 kg/h.
- Pulp container capacity: 7 L.

code	V	W	mm
221105	230	700	246x439x(H)525



ELECTRIC JUICE EXTRACTORS PROFI LINE

- Housing, bowl, pulp container, and grating disc made of stainless steel.
- Feed chute opening and pusher made of ABS plastic.
- Pulp container and lid made of polypropylene.
- Internal diameter of the feed chute: 80 mm.
- To ensure safety, operation is only possible when the lid and safety arm are securely closed.
- For making juice from hard fruits and vegetables; not intended for ice or frozen ingredients.



CAPACITY
100
kg/h



JUICE EXTRACTOR COMPACT PROFI LINE

- Speed: 2800 RPM.
- Production capacity approximately 100 kg/h.
- Pulp container capacity: 4.4 L.

code	V	W	mm
220238	230	500	233x416x(H)493



VACUUM WINE SAVER

- Can be used with all kinds of wines (still and sparkling) and wine bottles: standard - 750 ml and larger - 1000 ml.
- Pump and stoppers made of ABS and TPE.
- The pump quickly removes the air from the bottle - creating the optimal vacuum and hermetic seal for preserving the taste and aroma up to 7 days (when refrigerated).
- 2 stoppers included in the set.
- Stoppers fitted with a vacuum release button - easy extraction of a stopper.
- Pump and stoppers are not dishwasher safe.

ABS
plastic



595541

BARUP
BARWARE



594534

ADDITIONAL STOPPERS FOR VACUUM WINE SAVER

code	mm
595541	140x65x(H)50

code	packed per	mm
595534	2	ø40x(H)40

596517

S.S.
stainless steel



GLASS HOLDER

- Made of stainless steel.
- Possible to hang under a shelf.
- 1 row intended for placing glasses.
- Screws and wall plugs included.

code	mm
596517	408x115x(H)30



696064

ABS
plastic

LDPE
polyethylene

PP
polypropylene

GLASS WASHER

- For self-assembly, intended for sink placement.
- Suitable for glasses with 50-140 mm diameter and max. 240 mm height, including German Stein beer glasses (with an ear) or English pint glasses.
- Housing made of ABS, brush bristles made of polypropylene.
- Middle brush is removable.
- Fitted with a rinse system inside of one of the containers - it has jets for rinsing glasses, sprays the inside and outside of glasses at the same time.
- With direct water connection - efficiently wash glasses in cold water (below 30°C).
- With an overflow - helpful when excess water reaches over the brushes.
- Fitted with 4 suction feet made of PVC, ensuring stability.
- Included in set: 3/8" water supplying hose with 70 cm length.

code	mm
696064	370x200x(H)360

596500

S.S.
stainless steel



GLASS HANGING RACK

- Made of stainless steel.
- Possible to hang on a wall.
- 3 rows intended for placing glasses.
- Supplied with screws and wall plugs.

code	mm
596500	350x293x(H)50





BARUP
BARWARE



696002



GLASS BRUSHES

- Polypropylene with 3 nylon brushes.
- Bottom plate fitted with 4 suction pads.

code	mm
696002	185x95x(H)190



696040



GLASS BRUSHES

- Polypropylene with 3 nylon brushes.
- Bottom plate fitted with 4 suction pads.

code	mm
696040	185x95x(H)230

BAR MAT

- Made of TPE.
- Suitable for drying glasses, cocktail glasses, and bar accessories.
- Ideal for use in bars, pubs, and other beverage service areas.
- Supports hygienic drying and storage of glassware.

code	mm
597989	300x150x(H)9
597965	610x85x(H)15
597972	457x305x(H)10



597972




597965

DRAINAGE MAT

- Made of white polypropylene.
- Connectable.
- HACCP compliant.



code	packed per	mm
597958	5	313x209



Connectable

597958



MANUAL CITRUS JUICER

- Body made of cast iron.
- Press cup made of aluminum alloy.
- Juicing cup and strainer made of stainless steel 18/8.
- Finished with epoxy powder coating.
- Press cup, juicing cup and strainer are dishwasher safe.

code	mm
695906	225x180x(H)510



695906



596470



CITRUS SQUEEZER

- Multifunctional: for lemons, limes, mandarins, and small oranges.
- Made of stainless steel.
- Large handles offer plenty of leverage for easy pressing.
- Strong, durable hinge doesn't break easily.
- Bowl diameter: ø75 mm.
- Dishwasher safe.

code	mm
596470	215x70x(H)55



592076



CITRUS SQUEEZER

- Made of powder coated thick aluminium alloy.
- Double bowl design (for smaller and bigger citrus fruits): ø55 mm and ø70 mm.
- Not dishwasher safe.

code	mm
592076	225x80x(H)55



CITRUS SQUEEZER

- Aluminium alloy with powder coating.

code	-	mm
592045	green (for limes)	203x60x(H)40
592052	yellow (for lemons)	223x75x(H)45
592069	orange (for oranges)	232x91x(H)60

592069

592052

592045



BAR BLENDERS

- Housing made of ABS.
- Transparent jug with a sturdy PP lid and a small cover made of BPA-free material.
- Replaceable stainless steel blades with titanium coating.
- Pulse switch for blending function.
- Removable, break resistant jug withstands temperatures from -40°C to 90°C.



- Jug capacity: 2.5 L
- Overheating and overcurrent protection.
- This blender can do it all: fruit, vegetables, cocktails, smoothies, desserts and even crushed ice.



Watch the video



230688



230695

Noise cover reduces sound significantly

Anti-slip base

BAR BLENDER WITH SOUND ENCLOSURE

- Sound enclosure made of BPA-free plastic.
- Safety lock system to prevent accidental activation of the blender if the jug is not in place or the sound enclosure is not fully closed.
- Manual control panel.
- With stepless speed control.
- High speed motor with variable speed of the blade from 16000 RPM up to 24800 RPM (without load).

code	V	W	mm
230688	230	1680	250x300x(H)540

DIGITAL BAR BLENDER WITH SOUND ENCLOSURE

- Sound enclosure made of BPA-free plastic.
- Safety lock system to prevent accidental activation of the blender if the jug is not in place or the sound enclosure is not fully closed.
- Digital touch screen control panel.
- High speed motor with variable speed of the blade from 8350 RPM up to 24800 RPM (without load).
- 3 speed levels: LOW ca. 8350 RPM, MEDIUM ca. 13500 RPM, HIGH ca. 24800 RPM (without load).
- 3 timer settings: 30, 45, 90 seconds.

code	V	W	mm
230695	230	1680	250x300x(H)546



BAR BLENDER JAR BPA-FREE

- Replacement jar for blender 230718/230695/230688/230213/230602/230664.
- 2,5L break-resistant BPA free Tritan jug, firm lid made of polypropylene and a small BPA free material lid cover.
- Fitted with blades made of stainless steel with titanium coating.

code	mm
933688	200x170x(H)360



933688



230718

Very powerfull,
can even crush ice

Comes complete with
2,5L break-resistant
jug, pusher and firm lid



238097

BAR BLENDER

- Safety lock system which prevents accidental activation of the blender without the jug.
- Manual control panel.
- With a 10-step power control knob.
- High speed motor with variable speed of the blade from 16000 RPM up to 24800 RPM (without load).
- Included a polypropylene pusher for thicker ingredients.

code	V	W	mm
230718	230	1680	320x250x(H)532

BAR BLENDER DIGITAL

- LED digital touchscreen control panel.
- 3 speed levels: LOW ca. 8350 RPM, MEDIUM ca. 13.500 RPM, HIGH ca. 24.800 RPM (without load).
- 3 time settings: 30, 45, 90 seconds.
- Included in the set: pusher made of polypropylene.

code	V	W	mm
238097	230	1680	220x240x(H)535





221228



CITRUS JUICER ELECTRIC

- Made of 18/8 stainless steel, aluminium.
- 3 pressing cones included in the set: small, medium, large (medium is default).
- Possible to operate up to 10 minutes continuously.
- Spout is placed at the height of 250 mm, offering the possibility to put high glasses or a jug directly under it.
- With overheating protection.
- Waterproof rating: IPX1.
- NOTE: no drip tray.

code	V	W	mm
221228	230	180	213x207x(H)417



221204



CITRUS JUICER ELECTRIC

- Housing made of rust-resistant material.
- Stainless steel squeeze bowl.
- Including 3 interchangeable ABS cones for small and large citrus fruit.
- ABS sieve.
- Operated with an on/off switch.
- Speed 1500 RPM.
- Including anti-splash cover.

code	V	W	mm
221204	230	180	218x307x(H)466



221099



CITRUS JUICER ELECTRIC

- Top with lever provides easy and safe operation.
- Removable bowl and cone of stainless steel.
- With splash screen.
- RPM: 980/min.

code	V	W	mm
221099	230	230	210x330x(H)585



3 cones for different sizes of fruit



Top with lever provides easy and safe operation



BEER GLASS CARRIER

- Made of ABS.
- For 12 glasses.
- Hole diameter: 55mm.
- Dishwasher safe.



code	colour	mm
696200	Orange	ø315x(H)35
696217	Black	ø315x(H)35



696200



696217

BEER BUCKET

- With bottle opener integrated in the handle.



code	mm
516751	ø230x(H)180



516751



BEER SKIMMER

- White, made of plastic.

code	mm
565360	235x26



565360



COIN TOKENS - 100 PCS.

code	packed per	colour	mm
665145	100	Red	ø25
665138	100	Green	ø25
665121	100	Blue	ø25
665152	100	White	ø25
665169	100	Black	ø25
665381	100	Yellow	ø25





695708




Watch the video

**ICE CRUSHER – MANUAL**

- Chrome-plated zinc alloy.
- Stainless steel blade.
- Ice scoop included.
- Removable container.

code	mm
695708	160x140x(H)270



271520

ICE CRUSHER

- Large ABS plastic ice chute and brushed stainless steel housing.
- Stainless steel blades and durable grinding mechanism.
- Clear, break resistant container with capacity for 12 cups of crushed ice.
- Crushes up to 12 kilos of ice per hour.
- Not for continuous use.

code	V	W	mm
271520	230	70	170x290x(H)462

Safety sensor

It makes it impossible to start up in an open processing space.

Horizontal breaker

Stainless steel blades set on horizontal drive plates – fast and effective processing up to 120 kg/h.



271599

Long service life of the drive unit

The fan uses the energy of rotation of the crushing axis while cooling the motor.

Base shock absorbers

They eliminate vibrations and prevent spontaneous movement of the device.

ICE CRUSHER

- Cup and stainless steel blades made of stainless steel.
- Motor housing made of cast aluminium.
- Powerful ventilated motor – it can handle a full cup of ice without overheating.
- Hinged lid, equipped with a safety microswitch.
- Cup capacity: 3 L.
- Cup wall thickness: 0.8 mm.
- Knife speed: 1000 RPM.
- Crushing a full cup of ice takes ≈35 s.
- Output: 160 kg/h.
- Water protection rating: IP23.

18/8

stainless steel

code	V	W	mm
271599	230	200	189x344x(H)525





ICE CUBE MAKER

- Made of stainless steel and ABS.
- Produces bullet ice (hollow ice).
- Static cooling with a compressor.
- Low water level and full ice container indicators.
- Cycle duration time: ≈ 8-13 min.
- Ice container capacity: 0.7 kg.
- Production capacity: 12 kg / 24 h.
- Ice scoop included in the set.

code	V	W	mm
271292	230	100	358x242x(H)328



271292



arktic ARCTIC HENDI

ABS
plastic

S.S.
stainless steel

indoor





ABS
plastic

18/0
stainless steel



271568



271551



3 ice cube
sizes possible

3 ice cube
sizes possible

ICE CUBE MAKER

- Body made of stainless steel.
- Lid made from black ABS.
- Tabletop model.
- Makes bullet shaped ice cubes.
- Capacity of 12 kg per 24 hours, buffer stock of 3,2 kg - 9 cubes per cycle.
- Choice of 3 ice cube sizes, cubes are formed around cooling rods.
- Stores 100 ice cubes.
- No fixed water connection.

code	V	W	mm
271568	230	130	400x320x(H)575

ICE CUBE MAKER

- Body made of stainless steel.
- Tabletop model.
- Makes bullet shaped ice cubes.
- Capacity of 15 kg per 24 hours, buffer stock of 4,5 kg - 12 cubes per cycle.
- Choice of 3 ice cube sizes, cubes are formed around cooling rods.
- Holds 150 ice cubes.
- No fixed water connection.

code	V	W	mm
271551	230	130	455x390x(H)699

Ice container



Cubes made with
the pour method



Compressor
cooling (271551)



Electronic control



Bullet shaped
ice cubes

271773

ICE CUBE MACHINE

- Housing made from stainless steel.
- Makes bullet shaped ice cubes.
- Fitted with blue LED light.
- Can store up to 7 kg of ice.
- Inlet & outlet hoses and ice scoop included.

code	-	V	W	mm
271773	~26 kg/day	230	241	600x400x(H)675
271780	~50 kg/day	230	293	600x400x(H)675



271797

ICE FLAKE MACHINE

- Housing made of stainless steel.
- Produces flakes of ice.
- Ice container capacity: up to 20 kg.
- Fitted with blue LED light.
- Inlet & outlet hoses and ice scoop included.

code	-	V	W	mm
271797	~85 kg/day	230	430	612x548x(H)820



Cubes need
to be separated
from each other



ICE CUBE MACHINE

- Stainless steel casing suitable for installation under the counter.
- Can produce up to 35 kg of ice per day and has buffer stock for 15 kg.
- Produces 45 square ice cubes per cycle of 13-16 minute.
- Cubes need to be separated from each other.
- Comes with supply hose and ice scoop.
- Air-cooled injection system, coolant R290.

code	V	W	mm
271575	230	280	400x448x(H)795



271575

ICE CUBE MACHINES

- Housing made of stainless steel.
- Ice container made of ABS.
- Produces clear ice cubes that last longer in drinks.
- Air cooled - fan assisted static cooling.
- Low water level and full ice container indicators.
- Auto-defrost and auto-cleaning functions.
- Includes 1x ice scoop.

arktic
PROFESSIONAL REFRIGERATION



Crystal-clear ice cubes
that melt more slowly
than other types of ice.



NEW

NEW



code	271353	271391	271438
color	Silver	Black	Silver
capacity	22 kg/24 h	22 kg/24 h	60 kg/24 h
ice container capacity	6 kg	6 kg	30 kg
dimensions	520x380x(H)637 mm	520x380x(H)637 mm	715x605x(H)835 mm
refrigerant	R290	R290	R290
power/voltage	385 W/230 V	385 W/230 V	630 W/230 V





GLASS POLISHER

- Housing made of stainless steel.
- Brushes made of aluminium and POM, bristles made of microfibre.
- Polishes up to 330 glasses per hour, polishes and dries at the same time.
- Included: 4 brushes 220 mm long, and 1 brush 190 mm long.
- Brushes are not dishwasher safe.

code	mm
236666	305x330x(H)504



236666



230138



BRUSHES FOR GLASS POLISHER - 2 PCS

- Intended for use with the HENDI glass polisher (code: 236666).
- Bristles made of microfibre.
- Shafts made of aluminium and POM (polyoxymethylene).
- Not dishwasher safe.

code	-	mm
230138	Medium	205x55
230145	Large	235x55



13

Coffee and accessories, hot drinks

Exceptional hot drinks
without compromise







Large fresh water
container: 6 L

Backlit water
container

Suitable also
for ground coffee

Hot milk and hot frothed milk
temperature adjustment
function

Movable coffee
dispenser for cup of up
to 165 mm in height

Espresso	Latte Macchiato	Double Cappuccino
Lungo	Flat White	Frothed milk
Ristretto	Latte	Hot milk
Ristretto Lungo	Coffee pot	Double hot milk
Americano	Hot water	Double frothed milk
Cappuccino	Double Espresso	

Possibility to connect
to water supply

AUTOMATIC COFFEE MACHINE

- Housing made of ABS plastic.
- Starter program 17 beverages.
- 6 L water tank or connecting directly to the water mains.
- Hot milk and hot frothed milk with 2 temperature levels.
- Fixed hopper with a 1 kg capacity for coffee beans.
- Recommended daily workload: up to 100 cups.
- Max. hourly output capacity (per beverage) - 100 espressos or 100 cappuccinos.
- Used coffee grounds container: up to 35 portions.
- Movable coffee dispenser, adjustable height between 80-165 mm.
- USB connection.
- Water pump pressure 19 bar.
- Maximum cup height: 165 mm.
- Intuitive 10" colour touch screen.
- Drip tray capacity: 2 L
- 2-cup function.
- Cleaning function.

- Accessories included:
 - 1 milk hose, 50 cm.
 - 1 water drain hose with adapter, 100 cm.
 - 1 water supply hose 1/2", 150 cm.
 - 1 filter connector.
- Adjustable features:
 - Grinder levels adjustable: 5-9 levels, grinding speed 1,9 g/s.
 - Coffee strength: choose from 7g to 16g per cup.
 - Volume of coffee.
 - Coffee temperature.
 - "PRE-BREW" option.
 - Hot water amount, temperature and dispensing time.
 - Frothed milk dispensing time.
 - Brewed coffee.

code	V	W	mm
209950	230	3000	390x544x(H)578



XXL coffee beans
container can contain
1 kg



209950

240007



NEW

MILK COOLER PROFI LINE

- Compressor cooling system.
- Touch control panel.
- Temperature and lighting controls.
- Temperature range: from 0°C to 8°C.
- Suitable for up to 4 x 1 L milk packs.
- 2 milk hose openings on the left side and 2 on the right side.
- Milk hose opening height: from 280 to 320 mm.
- Suitable for 7 / 10 / 13 mm milk plugs.
- Auto-defrost function.
- Bottom lock with 2 keys included.
- Internal chamber dimensions: 160x190x(H)280 mm.
- Separate milk container (not included), code 240014, available separately.

code	liters	V	W	mm
240007	8.5	230	65	220x450x(H)455



NEW



240014

MILK CONTAINER WITH LID

- Made of ABS.
- Lid with milk pipe opening.
- Suitable for milk coolers and coffee equipment.
- Compatible with the HENDI Milk cooler, code 240007.

code	liters	mm
240014	4.5	150x173x(H)237



COFFEE MACHINES VERONA

- Traditional espresso machines made of stainless steel.
- Connected to the water supply.
- Automatic group cleaning.
- Automatic boiler filling.
- Pressure gauge for monitoring brew or boiler pressure.
- Pre-infusion system for evenly moistening the coffee grounds before extraction.
- Reliable and efficient espresso machines designed to produce consistent results.
- Built with high-quality components and materials to ensure durability.
- Designed for connection to a 3/8" water supply.
- Adjustable feet.



207499



207598

Coffee machine Romeo Easy, 1-group, semi-automatic

Semi-automatic control.
Features a cup holder on top.
Built-in vibration pump.
Comes with a steam wand and hot water tap.
Boiler capacity: 3L.
Maximum cup height: 80 mm.
Number of brewing groups: 1.
Accessories:
- 2-cup portafilter with filter basket.
- 1-cup portafilter with filter basket.
- Cleaning brush for portafilter and filter basket.
Can deliver an average of over 200 espressos per hour.

375x530x(H)485 mm

1800 W/230 V

30,5 kg



207642

Coffee machine Romeo, 1-group, automatic

Automatic control.
Features a cup holder on top.
Built-in vibration pump.
Comes with a steam wand and hot water tap.
Boiler capacity: 3L.
Maximum cup height: 80 mm.
Number of brewing groups: 1.
Programmable coffee dosing: coffee volume can be stored in memory.
Accessories:
- 2-cup portafilter with filter basket.
- 1-cup portafilter with filter basket.
- Cleaning brush for portafilter and filter basket.
Can deliver an average of over 200 espressos per hour.

375x530x(H)485 mm

1800 W/230 V

30,5 kg



NEW



207581



207499

Coffee machine Julia Compact, 2-group, automatic

Automatic control.

Features a cup holder on top.

Built-in rotary pump.

Comes with a steam wand and a hot water tap.

Boiler capacity: 6.5L.

Maximum cup height: 140 mm.

Number of brewing groups: 2.

Programmable coffee dosing: coffee volume can be stored in memory.

Accessories:

- 2x 2-cup portafilter with filter basket.

- 1-cup portafilter with filter basket.

- Cleaning brush for portafilter and filter basket.

Can deliver an average of over 400 espressos per hour.

475x563x(H)530 mm

2700 W/230 V

53 kg



207581

Coffee machine Julia, 2-group, automatic

Automatic control.

Built-in cup warmer with integrated cup holder on top.

Built-in rotary pump.

Comes with 2 steam wands and a hot water tap.

Boiler capacity: 11L.

Maximum cup height: 140 mm.

Number of brewing groups: 2.

Programmable coffee dosing: coffee volume can be stored in memory.

Accessories:

- 2x 2-cup portafilter with filter basket.

- 1-cup portafilter with filter basket.

- Cleaning brush for portafilter and filter basket.

Can deliver an average of over 400 espressos per hour.

665x563x(H)530 mm

3700 W/230 V

53 kg





207451

VERONA
MACCHINE PER CAFFÈ

NEW

COFFEE GRINDER, ELECTRIC

- Housing made of aluminium.
- Large bean hopper with 1.65 kg capacity.
- Titanium-coated burr helps extend burr lifespan.
- Grinding burr hardness: 48-52 HRC.
- Grinding burr lifespan: up to 800 kg.
- Grinding capacity up to 40 g per cycle.
- Stepped grind adjustment with 12 settings.
- Tempered glass touchscreen interface.
- 4 operating modes for flexible grinding.
- Half-dose and automatic dosing options.
- Backlit coffee outlet.
- Integrated dose counter.
- Grinding speed: 1360 RPM.
- Anti-electrostatic function helps prevent coffee grounds from sticking inside the grinder.
- Removable grinding head for cleaning and maintenance.
- IP54 protection rating, resistant to dust and splashes.
- Max continuous operating time: 5 minutes.

code	V	mm
207451	220	410x240x(H)625



648

HENDI



Watch the video



HOT CHOCOLATE DISPENSER

- Tap, lid, and stirring part made of PP.
- Container made of BPA-free material.
- Bain-Marie heating system prevents chocolate from burning at the bottom.
- Container base made of stainless steel, with transparent side walls.
- Integrated stirring system ensures homogeneous consistency.
- Equipped with a special anti-drip tap for controlled dispensing.
- Drip tray fitted with a float indicator warning when full.
- Overheating protection enhances operational safety.
- Temperature adjustable from 65°C to 85°C.
- Required ambient temperature: 10°C to 32°C.

code	liters	V	W	mm
274125	5	230	1006	440x360x(H)471
274149	10	230	1006	415x300x(H)580

Bain-Marie heating system prevents hot chocolate from being burned to the bottom



274125

274149



MILK FROTHER

- Housing made of 18/0 stainless steel.
- Jug made of 18/8 stainless steel.
- Handle made of polypropylene.
- Lid made of AS.
- Frothing part made of POM.
- Indication light: Red for hot, blue for cold.
- Detachable milk jug.
- Functions:
 - Milk foaming for cappuccino.
 - Milk foaming for latte.
 - Heating for all types of milk.
 - Foaming for cold milk.
- Jug capacity: 300ml for frothing, 500ml for heating.

code	V	W	mm
209165	230	500	178x143x(H)220



209165





207390

COFFEE DISTRIBUTOR

- Distributor made of stainless steel, for all portafilters with 58 mm diameter.
- Grip made of black aluminium.
- With 3 angled slopes on the top to evenly distribute coffee grounds in a portafilter.

code	mm
207390	ø64x(H)35



208731

COFFEE TAMPER

- Used to compact coffee, suitable for most espresso machines.
- Tamper made of stainless steel.
- Wooden painted handle.
- Weight: 380 g.

code	mm
208731	ø58x(H)95



208625

COFFEE TAMPER WITH SPRING

- Used to compact coffee, suitable for most portafilters.
- Tamper made of stainless steel with spring.
- Black aluminium handle.

code	mm
208625	ø58x(H)100



208670

TAMPING MAT

- Made of silicone, with recess for placing a portafilter during tamping.
- With a socket to place the tamper in.

code	mm
208670	125x140x(H)30



208649

TAMPING MAT DOUBLE

- Made of silicone, with recess for placing 2 portafilters during tamping.
- With two sockets to place the tampers in.

code	mm
208649	205x150x(H)45



208687

TAMPING STAND

- With recess for placing a portafilter during tamping.
- With a socket to place the tamper in.

code	mm
208687	93x142x(H)60



208724

GROUP HEAD CLEANING BRUSH

- Brush made of PBT.
- Measuring spoon for cleaning agents.
- Splash screen keeps the handle dry.
- Set of 2 pcs.

code	mm
208724	(L)225



208618

ROUND KNOCK BOX

- Made from stainless steel.
- Fitted with removable knock bar.

code	mm
208618	153x185x(H)165





208694

**KNOCK BOX DRAWER**

- Drawer model made from carbon steel.
- Fitted with removable knock bar and perforated top.

code	mm
208694	350x250x(H)90



208335

**KNOCK BOX GN**

- Made from stainless steel.
- Removable knock bar fitted with silicone sleeve.

code	mm
208342	265x162x(H)100
208335	176x162x(H)100



208380

**KNOCK BOX IN WOODEN FRAME**

- Frame made from dark wood, with a stainless steel GN 1/4 knock box.
- Removable knock bar fitted with silicone sleeve.

code	mm
208380	275x175x(H)110



271247

MILK FROTHING THERMOMETER

- With a clip to fasten the thermometer to the milk jug.
- Green marking indicates the perfect milk temperature for cappuccino etc.
- Temperature adjustable from -10°C to 110°C.
- 1°C gradation, accuracy: ±2%.
- Stainless steel probe, cover with clip.
- Easy to read.

code	range	mm
271247	-10/110°	ø44x(H)140



458198

MILK JUG BLACK

- Made from stainless steel with a black non-stick coating.

code	liters	mm
458198	0.6	ø90x(H)112



451045

MILK JUG - MATT BLACK

- Made of extra thick stainless steel, helps keep the content hot.
- V-shaped spout gives extra control during pouring.

code	liters	mm
451045	0.7	ø84x(H)130



451052

**MILK JUG WITH MEASURE**

- Made of stainless steel.
- Shape with an easy-pour spout designed for clean and efficient work.
- Dishwasher safe.
- Available in multiple sizes [codes: 450109, 450208, 450307, 450406, 450505].

code	liters	mm
451052	0.6	130x77x(H)112



451533

MULTIPURPOSE JUGS

code	liters	mm
451502	0.35	ø76x(H)93
451519	0.6	ø90x(H)112
451526	0.9	ø102x(H)125
451533	1.5	ø112x(H)161



COFFEE MACHINES



208533



208304



FILTER COFFEE MAKER

- Housing made of polypropylene with stainless steel front, top, and rear panels.
- Matte finish.
- Direct heating brewing system.
- Brewing temperature: 93-96°C.
- Brewing time: approx. 9 min.
- Brews from 0.5 to 1.8 L per cycle.
- Two independently controlled hot plates: one on top of the machine and one in the brewing area.
- Integrated limescale detection sensor with automatic warning indicator.
- Compatible with 248 x 114 mm paper coffee filters.
- Includes filter holder, 1.8 L tempered glass coffee decanter (code 445907), and 100 paper filters.
- Compatible replacement paper filters available separately (code 208656).
- The decanter is not dishwasher safe.

code	V	W	mm
208533	230	1480	421x213x(H)423

FILTER COFFEE MAKER

- 2 heating plates made of stainless steel (upper and lower), for keeping coffee warm after brewing.
- 2 separate switches, for upper heating plate and for water boiling/lower heating plate.
- Water tank: 1,8 L.
- Included in the set: 2x 1,8 L decanters and 100 pcs of paper filters.
- Decanters are not dishwasher safe.

code	V	W	mm
208304	230	1480	220x383x(H)465





211052



FILTER COFFEE MAKER

- Body and holder for coffee filter made of stainless steel.
- Heating temperature: 93-96°C.
- Brewing time: approx. 7 min.
- Indicator lights for heating and descaling.
- Overheating protection.
- Protection against dry heating.
- Water tank: 2 L.
- Included in the set: 2 L vacuum jug and 100 pcs of paper filters.

code	liters	V	W	mm
211052	2	230	1400	215x410x(H)520

208656



PAPER COFFEE FILTERS FOR FILTER COFFEE MAKERS

- Set of 1000 filters for filter coffee makers.
- Made from bleached filter paper.
- Upper diameter: 245 mm.
- Bottom diameter: approx. 133 mm.
- Suitable for commercial filter coffee makers, e.g. HENDI.

code	packed per	mm
208656	1000	ø245x(H)62



445907



COFFEE DECANTER

- Suitable for the HENDI Drip coffee maker (code: 208304/208533).
- Made of glass with a polypropylene handle and lid.
- Not dishwasher safe.

code	liters	mm
445907	1.8	200x185x(H)170



448526



VACUUM JUG

- Suitable for the HENDI Drip coffee maker (code: 211052).
- Made of stainless steel with a polypropylene handle and lid.
- Not dishwasher safe.

code	liters	mm
448526	2	150x180x(H)265





Watch the video



209998

ELECTRIC KETTLE CORDLESS

- Housing and heating element made of stainless steel.
- Handle, lid and base made of polypropylene.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.

code	liters	V	W	mm
209998	4.2	230	2000	341x226x(H)305



209936

ELECTRIC KETTLE CORDLESS

- Perfect for intensive use.
- With fast-boil.
- Separate power base for easier kettle handling, enabling full 360° rotation of the kettle.
- Fitted with ergonomic polypropylene handle.
- With heating indicator light.
- Heater placed under the bottom, protected against limescale.
- Automatic switch-off when water boils.
- With dry-boil protection, doesn't work without water.
- 18/8 stainless steel housing and bottom.
- Weight: 1.12 kg

code	liters	V	W	mm
209936	2.5	230	2200	242x172x(H)294

HOT DRINKS



624302



KETTLE

- Designed for use on gas stoves.
- Made of stainless steel.
- With a lid and a comfortable handle for easy carrying.
- Capacity: 6 L.
- Dishwasher safe.

code	liters	mm
624302	6	ø245x(H)290



Watch the video



209981

ELECTRIC KETTLE CORDLESS

- Housing and heating element made of 18/8 stainless steel.
- Handle, lid and base made of polypropylene.
- 360-degree swivel base.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- External water level indicator.
- Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.
- Only suitable for boiling water, boiling other liquids will damage the appliance.

code	liters	V	W	mm
209981	1.8	230	2150	226x165x(H)310



209943

ELECTRIC KETTLE CORDLESS WITH TEMPERATURE CONTROL

- For preparing beverages with indicated brewing conditions, such as green tea, white tea, or yerba mate.
- 18/8 stainless steel housing and heater.
- Polypropylene handle, lid, and base.
- Temperature regulation and maintenance - water can be heated to one of these temperatures: 40°C, 60°C, 80°C, 100°C.
- Heater placed under the bottom, protected against scale.
- Control panel with digital display.
- Thermostat indicator light.
- Internal maximum water level indicator.
- Automatic shut-off function after the water boiled.
- Double protection against switching on an empty kettle.
- Kettle can be rotated - 360° base.
- CAUTION: intended for boiling water only, boiling other liquids may damage the kettle.

code	liters	V	W	mm
209943	1.8	230	1800	230x165x(H)255



456514

TEA BOX

- Box made of wood in a natural light shade.
- Lid: a wooden frame with an acrylic window, on hinges, opened upwards.
- 12 compartments in the box, each can store 12 tea bags.

code	mm
456514	300x280x(H)90







NEW

BEVERAGE DISPENSER

- Outer body made of stainless steel.
- Inner container made of stainless steel 18/8.
- Equipped with 1 tap.
- PU insulation.
- Suitable for hot and cold beverages.
- Handle included.
- Suitable for hot chocolate, mulled wine, or juices.
- Temperature range: from -10°C to 100°C.

code	liters	mm
425336	9	290x245x(H)430
424513	11	292x266x(H)440
424520	13.8	292x266x(H)490

N
N

425336



240700



HOT DRINKS BOILER

- Kettle made from stainless steel.
- Fitted with polypropylene insulated handles and non-drip tap.
- Thermostat adjustable up to 110°C.
- Ideal for mulled wine or hot water.
- Time needed for boiling = 75 min.
- Not suitable for chocolate milk.

code	liters	V	W	mm
240700	25	230	2500	442x426x(H)491



240601



HOT DRINKS BOILER

- Kettle made from coated stainless steel.
- Fitted with polypropylene insulated handles and non-drip tap.
- Thermostat adjustable up to 110°C.
- Ideal for mulled wine or hot water.
- Time needed for boiling = 75 min.
- Not suitable for chocolate milk.

code	liters	V	W	mm
240601	25	230	2500	435x441x(H)500



HOT DRINKS BOILER DOUBLE-WALLED



- Ideal for mulled wine and boiling water for tea.
- Operates automatically and keeps drinks at serving temperature.
- Heat loss and energy consumption are reduced by the insulated double-walled polished stainless steel housing.
- Lid with safe "twist-lock" system.
- Scale-protected heating element under the tank with overheat protection.
- Fitted with cool-touch grips, cover handle and anti-drip spout, all made of polypropylene.

- Clear level indicator in litres.
- Maximum cup height: 130 mm (without drip tray).
- With power switch and indicator lights for heating and troubleshooting.
- Temperature can be set from 30°C to 100°C.
- Drip tray included.
- Not suitable for chocolate milk.

UP TO **20%**
OF ENERGY
SAVINGS

Drip tray
included



code	usable capacity (l)	V	W	mm	time to boil the wholebowser (min)
211168	9	230	1500	340x315x(H)430	40 ±5
211175	17	230	2500	415x382x(H)480	37 ±5

Supplied with
a drip tray

Lid with safe "Twist-lock"
system fitted with cool-touch,
polypropylene grips

Double walled -
up to 20% lower
energy consumption



HOT DRINKS BOILER SINGLE-WALLED

- Ideal for mulled wine and boiling water for tea.
- Operates automatically and keeps drinks at serving temperature.
- Single-walled brushed stainless steel housing and lid with safe "Twist-lock" system.
- Scale-protected heating element under the tank with overheat protection.
- Fitted with cool-touch grips, cover handle and anti-drip spout, all made of polypropylene.



- Clear water level indicator in liters.
- Maximum cup height: 130 mm (without drip tray).
- With a power switch and indicator lights for heating and troubleshooting.
- Temperature can be set from 30° to 100°C.
- Not suitable for chocolate milk.



code	usable capacity (l)	V	W	mm	time to boil the wholebowser (min)
211137	10	230	1500	340x315x(H)430	40 ±5
211144	20	230	2500	415x382x(H)480	42 ±5
211151	30	230	2500	415x382x(H)620	65 ±2
211298	Drip tray				



211298

Dripping tray - to be ordered separately

Internal maximum water level indicator



With non-drip tap



Lid with safe "Twist-lock" system fitted with cool-touch, polypropylene grips



UNIQ

Buffet reinvented



211434



211472

PERCOLATOR UNIQ

- Single-walled housing made of stainless steel.
- Handles made of polypropylene.
- Liquid level indicator.
- Non-drip tap.
- Drip tray attached with a magnet, easy to clean.
- Maximum cup height: 100mm.
- Thermostat indicator.
- Keep warm function: the thermostat automatically maintains the temperature.
- Indicator light signals overheating or descaling requirement.
- Percolators automatically retain the heat after brewing.
- Filtering basket for coarse ground coffee.

Unique non-drip tap design
with integrated graduated glass



The drip tray
is magnetic



Filter pan has built-in filter for coarsely
ground coffee, filter paper not needed





design by
Robert Bronwasser



211557



211564

- Indicator light signalling the end of brewing.
- Available in 2 capacities: 7 and 14 litres.
- Available in 4 colours that match other elements of the UNIQ collection: off-white, taupe, silver and black.

code	colour	liters	V	W	mm	time to boil the wholebrowser (min)
211434	Silver	7	230	1070	307x330x(H)450	52
211441	Silver	14	230	1770	354x418x(H)500	57
211472	Black	7	230	1070	307x330x(H)450	52
211489	Black	14	230	1770	357x380x(H)502	57
211557	Cream	7	230	1070	307x330x(H)450	52
211571	Cream	14	230	1770	357x380x(H)502	57
211564	Taupe	7	230	1070	307x330x(H)450	52
211588	Taupe	14	230	1770	357x380x(H)502	57

UNIQ

Buffet reinvented



211410



211458

HOT DRINKS BOILER UNIQ

- Single-walled housing made of stainless steel.
- Handles made of polypropylene.
- Liquid level indicator.
- Non-drip tap.
- Drip tray attached with a magnet, easy to clean.
- Max cup height: 100mm.
- Thermostat indicator.
- Keep warm function: the thermostat automatically maintains the temperature.
- Temperature can be set from 30°C up to 100°C.
- Reset button - for use in case of overheating.
- Indicator light signals overheating or descaling requirement.

Unique non-drip tap design
with integrated graduated glass



The drip tray
is magnetic



The boiler keeps the drink at serving
temperature after heating





design by
Robert Bronwasser



211519



211526

- For boiling water or heating wine only – not suitable for other liquids such as milk or hot chocolate.
- Available in 2 capacities: 9 and 16 litres.
- Available in 4 colours that match other elements of the UNIQ collection: off-white, taupe, silver and black.

code	colour	liters	V	W	mm	time to boil the wholebrowser (min)
211410	Silver	9	230	950	307x330x(H)450	58
211427	Silver	16	230	1650	352x357x(H)380	63
211458	Black	9	230	950	307x330x(H)450	58
211465	Black	16	230	1650	357x380x(H)502	63
211519	Cream	9	230	950	307x330x(H)450	58
211533	Cream	16	230	1650	357x380x(H)502	63
211526	Taupe	9	230	950	307x330x(H)450	58
211540	Taupe	16	230	1650	357x380x(H)502	63



208007



209882

PERCOLATOR, SINGLE-WALLED

- Single walled stainless steel body.
- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.
- With graduated glass, non-drip tap and fitted with automatic reset.
- The indicator light signals the end of the brewing process and if descaling is needed.

code	liters	V	W	mm	time to boil the wholebawser (min)
208007	6	230	1500	355x355x(H)470	21
208106	10	230	1500	406x390x(H)522	34
208205	16	230	1500	407x382x(H)595	51

HOT DRINKS BOILER

- Single-walled.
- Ideal for mulled wine and boiling water for tea.
- Time to boiling: 209882 - 9liter ≈ 23 min /
209899 - 18 liter ≈ 52 min.
- Maximum temperature 94-99°C.
- Protected against boiling dry.
- Not suitable for hot chocolate.

code	liters	V	W	mm	time to boil the wholebawser (min)
209882	9	230	2200	340x227x(H)468	52
209899	18	230	2200	387x275x(H)595	23
209905	28	230	2200	500x500x(H)488	76



PERCOLATORS DOUBLE-WALLED

S.S.
stainless steel

UP TO **20%**
OF ENERGY
SAVINGS



211205



211403

PERCOLATOR, DOUBLE-WALLED

- Insulated double-wall polished stainless steel structure reduces heat loss through conduction, convection and radiation.
- Up to 20% lower energy consumption compared to similar single-walled percolators.
- Body and tank made of stainless steel.
- Welded stainless steel handles with silicone grip.
- Anti-drip tap.
- Glass gauge.
- Descaling indicator.
- Dripping tray with stainless steel grid.
- Easy disassembly of parts for cleaning.

code	liters	V	W	mm	time to boil the wholebowser [min]
211106	6	230	1500	316x350x(H)480	20
211205	10	230	1500	370x390x(H)525	32
211304	16	230	1500	360x401x(H)647	50

HOT DRINKS BOILER, DOUBLE-WALLED

- Insulated double-wall polished stainless steel structure reduces heat loss through conduction, convection and radiation.
- Thermostatic temperature control adjustable up to 110°C.
- Body and tank made of stainless steel.
- Maintenance-free heating element under the tank.
- Parts can be easily disassembled to facilitate cleaning.
- Welded stainless steel handles with silicone grip.
- Anti-drip tap.
- Glass water gauge.
- Descaling indicator.
- Dripping tray with stainless steel grid.
- Not suitable for chocolate milk.

code	liters	V	W	mm
211403	9	230	2200	322x390x(H)522
211502	18	230	2200	386x393x(H)641




14

Thermoboxes, trolleys

Preserve quality,
wherever you are







15x GN 1/1

15x 600x400



7x GN 1/1



810668

810613

810651



CLEARING TROLLEY - 7 X GN 1/1, PROFI LINE

- Designed to fit GN 1/1
- Trays/containers - interspaced at 80 mm.
- With working surface.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- GN 1/1 - 530x325.
- Permissible load of the trolley 70 kg with an evenly distributed weight.
- Flatpack delivery.

code	mm
810668	445x615x(H)945

CLEARING TROLLEY - 15 X GN 1/1, PROFI LINE

- GN 1/1 with 15 layers - interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Permissible load of the trolley 150 kg with an evenly distributed weight.
- Flatpack delivery.

code	mm
810613	440x610x(H)1710

CLEARING TROLLEY - 15X 600X400, PROFI LINE

- 600x400 mm 15 layers - interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Permissible load of the trolley 150 kg with an evenly distributed weight.
- Flatpack delivery.

code	mm
810651	515x680x(H)1710



15x GN 1/1

15x 600x400



813270

813287

CLEARING TROLLEY, KITCHEN LINE

- Housing made of stainless steel.
- Guides are placed 80 mm apart.
- Compatible with GN 1/1, GN 1/2, GN 1/3 trays.
- Fitted with 4 large rubber castors (ø100mm).
- Includes 4 rubber bumpers.
- Maximum load: 100kg.
- Maximum capacity: 15x trays.
- Comes flat packed.

code	mm
813270	380x550x(H)1705

RACKING TROLLEY, KITCHEN LINE

- Frame made of stainless steel.
- Guides are placed 80 mm apart.
- Fitted with 4 large rubber castors (ø100mm).
- Includes 4 rubber bumpers.
- Maximum load: 100kg.
- Maximum capacity: 15 trays.
- Comes flat packed.
- Tray guide dimensions: 600x400mm.

code	mm
813287	470x620x(H)1735

DOUBLE MOBILE TROLLEY - 12 X GN 1/1

- GN 1/1 with 12 layers - interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Permissible load of the trolley 150 kg with an evenly distributed weight.
- Flatpack delivery.

code	mm
810569	810x610x(H)960



12x GN 1/1



810569



**30x GN 1/1**

810576

DOUBLE TROLLEY - 30 X GN 1/1

- GN 1/1 with 30 layers - interspaced at 80mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution - 150 kg.

code	mm
810576	798x610x(H)1710

**15x GN 1/1**

810606



In order to save space during storage trolleys can be pushed into one another

CLEARING TROLLEY COMPACT STORAGE - 15 X GN 1/1

- In order to save space during storage trolleys can be pushed into one another.
- GN 1/1 with 15 layers - interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution - 150 kg.

code	mm
810606	445x610x(H)1710



NEW



817667

COVER FOR TROLLEYS

- Made of thick transparent PVC material.
- Front opening with 2 corner zips.
- Helps protect food from dust, dirt, and external contamination.
- Transparent material.

code	suitable for	mm
817650	801576	760x570x(H)1630
817667	810613, 810606	400x570x(H)1595
817674	810651	640x480x(H)1595
817681	810668	400x570x(H)830





816691



810224

S.S.
 stainless steel

SERVING TROLLEY, WELDED

- Welded construction ensuring high strength and stability.
- Shelves with a 10 mm raised edge to prevent dishes from falling off.
- Total shelf size: 800x500 mm.
- Shelf dimensions without the raised edge: 750x450 mm.
- Vertical stainless steel handle with a 100 mm projection.

- 4 swivel castors Ø100 mm with bumpers, including 2 castors with brakes.

code	mm
810224	865x565x(H)950
816691	865x565x(H)950



809648



809655

NEW
S.S.
 stainless steel

 user assembly

SERVING TROLLEY

- Made of stainless steel.
- Available in 2 models:
 - 809648: 2 shelves, distance between shelves: 440 mm.
 - 809655: 3 shelves, distance between shelves: 205 mm.
- Noise-reducing material underneath.
- Max. load per shelf: 50 kg.
- 4 swivel castors with bumpers, ø100 mm.

- 2 castors with brakes.
- Worktop dimensions: 695x398 mm.
- Flat-packed delivery for self-assembly.

code	mm
809655	745x398x(H)810
809648	745x398x(H)810



810101

SERVING TROLLEY

- Made of stainless steel.
- 3 shelves with noise reducing material underneath.
- Maximum load per shelf 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between shelves 270 mm.
- Worktop 830x510 mm.
- Flatpack delivery.

code	mm
810101	905x585x(H)945



811320

SERVING TROLLEY MATT BLACK

- Made of stainless steel with a matt black finish.
- 3 shelves with noise reducing material underneath.
- Maximum load per shelf 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between shelves 270 mm.
- Worktop 830x510 mm.
- Flatpack delivery.

code	mm
811320	905x585x(H)945



SERVING TROLLEY

- Made of stainless steel.
- Fitted with 2 shelves and sound insulation material underneath.
- Maximum load per shelf 50 kg.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Distance between shelves 550 mm.
- Worktop 830x510 mm.
- Flatpack delivery.

code	mm
810002	905x585x(H)945



810002





810118



810125

SERVING TROLLEY WITH 4 SHELVES

- Made of stainless steel.
- Fitted with 4 shelves.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Flatpack delivery.

code	mm
810118	905x585x(H)1245

SERVING TROLLEY WITH 5 SHELVES

- Made of stainless steel.
- Fitted with 5 shelves.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Flatpack delivery.

code	mm
810125	905x585x(H)1545



3-SHELF POLYPROPYLENE SERVICE CART

- Can be used as a mobile tool, suitable for storage.
- Can be moved easily over uneven surfaces, in lifts or in corridors.
- Top shelf placed at an ergonomic height for greater comfort.
- Maximum load per shelf (evenly distributed): 50 kg.
- Fitted with 4 swivel castors, 2 with brakes.
- Rounded corners.



3-SHELF POLYPROPYLENE SERVICE CART, LARGE

- Shelf dimensions: 842x486 mm.
- Shelf spacing: 308 mm.

code	mm
816264	1010x500x(H)960
816271	1010x500x(H)960

3-SHELF POLYPROPYLENE SERVICE CART, SMALL

- Shelf spacing: 293 mm.
- Shelf dimensions: 625x400mm.

code	mm
810200	800x420x(H)945



CONTAINER FOR SERVICE CART

- Bottom dimensions: 238x173 mm.
- Compatible with products: 810200, 816264, 816271

code	mm
816288	325x240x(H)447



816288



CONTAINER FOR SERVICE CART

- Bottom dimensions: 294x185 mm.
- Compatible with products: 810200, 816264, 816271.

code	mm
816295	325x240x(H)180



816295





877913

877920

877210

MAX.
102 l



INGREDIENT TROLLEY

- Made of polypropylene.
- Lid made of ABS.
- Rounded corners and smooth inner walls.
- Guides located in the upper, inner part of the trolley for fitting the scoop.
- 4 rubber wheels including 2 castor wheels.
- Wheel diameter: 75 mm.
- Ingredient scoop included.

code	liters	mm
877210	62	345x720x(H)570
877913	82	355x720x(H)600
877920	102	600x720x(H)700

877913



scoop

transparent cover



four torsional
wheels



flour



sugar



groats



cereal





MAX.

110 L


877883



drip tray



2 torsion wheels
with brakes



tap



scoop

ICE CONTAINER, INSULATED

- Housing made of robust polyethylene [HDPE] that is resistant to shocks and impacts.
- Thick foam insulation ensures the ice temperature is maintained for a long time.
- Inner walls are resistant to scratches and stains.
- The ergonomic grip is integrated with the housing.
- Designed for transporting ice cubes or flakes over long distances.
- Sliding, sealed lid for easy ice scooping.

- Profiled drain for melted ice in the chamber with a tap.
- Equipped with 2 large $\varnothing 20$ mm wheels for stability on uneven ground and 2 smaller $\varnothing 10$ mm caster wheels with brakes.
- Profiled drain for melted ice in the chamber with a tap.
- Delivered ready to use, no assembly required.
- Tap, scoop and drip tray included.

code	liters	mm
877883	110	585x800x(H)745





877906



Includes vinyl cover
with every caddy for
sanitary storage



up to 50 plates
in one stack



front wheels
with brakes

PLATE TROLLEY

- Assures safe transport of tableware.
- Mobile polyethylene guards make it possible to load plates of various sizes.
- Extremely robust design made of polyethylene protects the tableware from chipping or breaking.
- Number of plates stacks: 6.
- Number of plates per stack: 50.
- Wheels resistant to uneven ground, non-marking even at full load.
- Two castor wheels with brakes Ø 10 mm, large wheels Ø 20 mm.
- Shock and impact resistant.
- Vinyl cover to meet strict sanitary standards included.
- Plates diameter from Ø 115 to Ø 330 mm.

code	mm
877906	930x720x(H)785



Examples of sets



4 columns - plates of
Ø230-335mm



6 columns -
plates of
Ø140-225 mm



4 columns -
plates of Ø115 mm
2 columns -
plates of Ø140-175 mm
2 columns -
plates of Ø175-225 mm



5 columns -
plates of Ø115 mm
3 columns -
plates of
Ø175-225 mm





TROLLEY FOR THERMO CONTAINER

- Transport platform made of PE.
- Brakes mounted on 2 wheels.
- Includes a 184cm belt.
- Suitable for 877814 container.

code	mm
877821	530x710x(H)230



877821



NEW

TROLLEY FOR CONTAINERS, 6 WHEELS

- Made of 18/8 stainless steel.
- Open frame construction.
- Equipped with 6 fixed PA wheels.
- Designed for stable movement during routine transport tasks.

code	mm
809884	655x415x(H)130
809891	680x490x(H)133
809907	735x500x(H)133



877821



PLATFORM TROLLEY

- Foldable to minimise transport dimensions.
- Dimensions before folding: 720x480x845(H)mm.
- Dimensions when folded: 742x480x235(H)mm.
- Maximum load: 200 kg.


code	mm
810514	742x480x(H)845



810514

Collapsible to minimize transport dimensions





vent cup



Door with seal.



AMER★BOX



THERMO CATERING CONTAINER 2X GN 1/1 200

- Double-walled insulated polyethylene LDPE.
- Keeps hot and cold.
- With 2 sturdy carrying handles.
- Press-formed guides fitted in chamber housing.
- Inside dimensions: 335x533x(H)590 mm.
- Suitable for 1/1 Gastronorm trays:
 - 12 GN trays, 20 mm deep;
 - 6 GN trays, 65 mm deep;
 - 4 GN trays, 100 mm deep;
 - 3 GN trays, 150 mm deep;
 - 2 GN trays, 200 mm deep.

code	mm int.	mm
877814	477x680x(H)620	335x533x(H)590

877814




877821




2 wheels with
brakes

Temperature retention


hot



cold



Examples of sets



TROLLEY FOR THERMO CONTAINER

- Transport platform made of PE.
- Brakes mounted on 2 wheels.
- Includes a 184cm belt.
- Suitable for 877814 container.

code	mm
877821	530x710x(H)230



fastening
strap
included

877821





707692



THERMO-INSULATED CONTAINER WITH HEATING FUNCTION – CATERING

- Double HDPE impact-resistant insulating walls.
- It keeps food at safe serving temperatures for up to 4 hours after unplugging.
- 2 large ergonomic handles.
- Large and easy-to-read LED display indicating the temperature in the chamber.
- Maintains both high and low content temperature.
- Punched rails in the chamber housing.

- Suitable for 1/1 GN containers:
 - GN 1/1 (H) 20 mm: 12 pcs.
 - GN 1/1 (H) 65 mm: 6 pcs.
 - GN 1/1 (H) 100 mm: 4 pcs.
 - GN 1/1 (H) 150 mm: 3 pcs.
 - GN 1/1 (H) 200 mm: 2 pcs.
 - GN 1/2 (H) 150 mm: 6 pcs.
- Max. temperature: 68°C.
- Water resistance class: IPX3.

code	V	W	mm
707692	230	200	477x680x(H)620

TROLLEY FOR THERMO CONTAINER

- Transport platform made of PE.
- Brakes mounted on 2 wheels.
- Includes a 184cm belt.
- Suitable for 877814 container.

code	mm
877821	530x710x(H)230



877821





INSULATED BEVERAGE DISPENSER WITH TAP


- Ideal for storage, transport and serving of hot and cold drinks.
- Robust LDPE polyethylene housing.
- Good polyurethane foam insulation.
- 4 heavy duty clamps, 25 mm wide, at either side of the jug, for easy and quick opening and closing.
- Comfortable transport grips.
- Tap distance from the floor: 95 mm.
- Recessed tap - protection against transport damage.
- Delivered with stickers for quick identification of drinks.
- Vent for easier lid opening.
- Shock and impact resistant.
- Rounded chamber with grooves leading to the tap.

code	liters	mm
877869	9.4	230x420x(H)470
877876	18	230x420x(H)620




Temperature retention

hot



cold




INSULATED CATERING CONTAINER GN 1/1, TOP-LOADED

- Made of HDPE polyethylene.
- Double walls filled with high quality polyurethane foam assure perfect insulation and long holding of food temperature.
- Tight lid with 4 clamps made of tough nylon.


code	mm	mm int.
877852	630x460x(H)305	530x325x(H)200

Temperature retention

hot



cold



Examples of sets




9x 600x400



THERMO BOX 9X 600X400MM

- Box made of EPP.
- Ultra-lightweight, front-closing with a separate lid.
- High temperature resistance.
- Suitable for transporting and storing hot and cold food.
- Stackable.
- Rounded corners.
- 9 rails for 600x400mm trays (trays not included).
- Distance between rails: 50 mm.
- Dishwasher safe up to 80°C.

code	liters	mm	mm int.
707685	128	540x700x(H)640	410x610x(H)580



Temperature decrease in the insulated container, at full load
 — initial temperature 20°C
 — ambient temperature 2.3°C



THERMO FRONT LOADERS

5x GN 1/1



707661



THERMO CATERING BOX

- Ultra-lightweight, durable container with perfectly sealable opening.
- Removable door – even if the boxes are stacked With 5 grooves spaced 65 mm apart to slide in containers, fits GN1/1 containers.
- The high stacking ledges with locking profile ensures stable stacking without sliding.
- Fits perfectly on Euro pallets – four boxes per layer

code	liters	mm	mm int.
707661	66	600x400x(H)490	535x310x(H)400

Examples of sets



Fits perfectly on Euro pallets
- four boxes per layer.



KEEP WARM ELEMENT

- Made of HDPE.
- Contains paraffin wax.
- Suitable for thermoboxes.
- Can be heated up to 90°C.
- To heat the element, place it on a stainless steel tray or in a container and place in a convection oven, max 90°C for up to 40 minutes.

code	GN	mm
707784	GN 1/2	320x260x(H)30
707845	GN 1/1	530x325x(H)35



FREEZING ELEMENT

- Made of HDPE.
- Contains water and ammonium chloride.
- Suitable for thermoboxes.
- Keeps the temperature between -15 to -10°C for 4 to 5 hours.
- Before use: freeze at -18°C for at least 12 hours or until frozen solid.
- To check if ready, shake the element and when you feel and hear nothing moving inside it's ready.

code	GN	mm
707753	GN 1/1	530x325x(H)35
707760	GN 1/2	320x260x(H)30





THERMO CATERING BOX

- Ultra-lightweight, durable container with perfectly sealable opening.
- Suitable for Gastronorm 1/1 containers.
- With 8 grooves spaced 61 mm apart to slide in GN containers.
- The high stacking ledges with locking profile ensures stable stacking without sliding.

code	liters	mm	mm int.
707999	100	635x465x(H)660	550x335x(H)545



707999

Examples of sets



COOLING ELEMENT

- Made of HDPE.
- Contains water & sodium polyacrylate.
- Suitable for thermoboxes.
- Keeps the temperature between 0 and 4°C for approximately 4 to 5 hours.
- Before use: freeze at -6°C for at least 12 hours or until frozen solid.
- To check if ready, shake the element and when you feel and hear nothing moving inside it's ready.

code	GN	mm
707777	GN 1/2	320x260x(H)30
707821	GN 1/1	530x325x(H)35



With ergonomic handles to transport



THERMOBOX PROFI LINE

- Perfect for transport of hot or cold products.
- Containers offer high insulation levels.
- Withstands temperatures ranging from -20°C to +110°C.
- With recessed handles at the side.

code	liters	mm int.	mm int.
707906	40	600x400x(H)285	538x338x(H)234
707968	46	600x400x(H)320	538x338x(H)257
707951	53	685x485x(H)260	625x425x(H)200
707944	80	685x485x(H)360	625x425x(H)300

PIZZA THERMOBOX PROFI LINE

- Made of polypropylene.
- Integrated grips for easier carrying.
- Special profile in the inside for easier unloading.
- Sturdy and stable structure designed for long-term use.
- Ultralight, closed from the top with a separate lid.
- Stackable thanks to grooves in housing.

code	liters	mm	mm int.
707975	21	410x410x(H)240	350x350x(H)175



707968



707814



COOLING ADAPTOR GN 1/1

- Place this adaptor with cooling element on top of your Thermobox GN 1/1 and keep the goods cold for extra long periods of time.
- Supplied without cooling element.
- Fits on top of 707906 and 707968.

code	mm
707814	600x400x(H)85



707975



707982



Very resistant
and springy frame



With ergonomic handles
to transport



Dedicated dimple
for easy opening

THERMOBOX PROFI LINE

- Perfect for transport of hot or cold products.
- The special heat-sealed inner lining provides reinforcement, facilitates easy cleaning and substantially improves the useful life.
- The thermobox is suitable for containers sizes up to Gastronorm 1/1.
- Boxes have a sealed structure which provides exceptional insulation, up to 50% better than other HENDI thermoboxes.
- Temperature resistant from -20°C up to 110°C.
- Practical integrated handles allow for comfortable carrying.
- The thermoboxes are stackable both with and without lids.

code	liters	mm	mm int.
707982	39	674x400x(H)287	538x338x(H)217



Extremely smooth
internal surface



707746

THERMAL INSULATION CONTAINER MADE OF PIOCELAN

- Thermo-insulated container with fitted lid for ensuing safety of food products during transport and storage; especially useful in catering and gastronomy establishments, where high resistance to mechanical damage and maintaining constant temperature inside the container are required.
- Intended for direct or indirect contact with food during its long-term cooling or freezing, and also during its heating to 70°C for no longer than 2 hours, heating to 100°C for no longer than 15 minutes and storage at room temperature for up to 30 days (depending on the type of food).
- Made of black LSP EB PIOCelan using moulding technology.
- Easy cleaning.
- Very light.
- Perfectly maintains both low and high temperatures of food.
- Extremely resistant to mechanical damage.
- Ergonomic handles for easy transport.
- Dishwasher safe.
- Stackable. Internal container size suitable for GN 1/1 or 600x400 mm trays, depending on the model.
- Meets legal and hygienic requirements regarding packaging that has direct contact with food.

code	liters	mm int.	mm int.
707746	40	600x400x(H)283	540x340x(H)230
707425	46	600x400x(H)320	538x338x(H)257
707432	53	685x485x(H)260	625x425x(H)200
707456	80	685x485x(H)360	625x425x(H)300



INSULATED PORTABLE CONTAINER KITCHEN LINE



- Thermos housing and lid made of stainless steel with satin finish.
- Inner made of stainless steel, thickness 0.5 mm.
- Keep food and drinks warm during transport.
- The space between the walls is filled insulating material.
- 2 handles. Insulated lid with handle.
- Removable profile gasket.
- Lid with 2 snap fasteners and 1 fixed.

- Non-stackable.
- Not dishwasher safe.

code	liters	mm
708071	11	ø300x(H)345
708088	19	ø350x(H)400
708095	31	ø400x(H)445
710241	23	ø350x(H)440
710258	36	ø400x(H)500



INSULATED PORTABLE CONTAINER PROFI LINE

6 latches – ideal for transporting liquid meals

The same diameters make them easier to stack and transport



710203



Space between the walls is filled with special insulating material which keeps hot or cold temperature of food for up to 6-8 hours



710326

710234

710227



710128

710135

710333

Stainless steel tap

690

 HENDI





710203

- Container exterior made of 0.8 mm thick satin-finished stainless steel.
- Container interior made of 0.8 mm thick high-gloss polished 18/8 stainless steel.
- Lid made of 0.6 mm thick satin-finished stainless steel.
- Fitted with 2 ergonomic insulated handles, each fixed with 7 welds.
- The insulated lid is fitted with a handle and air release valve for easy opening.
- Lid seal is profiled and removable for easy cleaning.



710227

- The lid is securely closed with 6-8 latches, depending on capacity size.
- Bottom fitted with a black rubber rim, this protects the container and makes it possible to stack multiple containers on top of each other.
- Designed for catering companies to keep food and liquids warm.
- Keeps the content on temperature for up to 6 hours.
- Stackable.

INSULATED PORTABLE CONTAINER PROFI LINE

code	liters	mm
710104	10	ø330x(H)220
710111	15	ø330x(H)280
710203	20	ø330x(H)360
710210	25	ø330x(H)430
710302	35	ø330x(H)570
710319	50	ø480x(H)380

INSULATED PORTABLE CONTAINER – WITH A TAP PROFI LINE

- Tap made of stainless steel.
- Spout placed at approximately 45 mm.

code	liters	mm
710128	10	ø330x(H)220
710135	15	ø330x(H)280
710227	20	ø330x(H)360
710234	25	ø330x(H)430
710326	35	ø330x(H)570
710333	50	ø480x(H)380

Ergonomic handles



Air valve



Double lid secured with a seal
and equipped with 6 latches



Flexible material protects the container
and the floor against damage



812266



812273

ALUMINIUM STORAGE RACK FOR GN CONTAINERS

- GN 1/1 containers fit directly between the aluminum supports.
- Anodized aluminium frame.
- With dishwasher safe polypropylene shelves.
- Easily expandable.
- Carrying capacity 80 kg, distributed across the surface.

code	-	mm	
812266		1120x355x(H)1685	
817995	Shelf	530x358x(H)26	N
817988	Connecting hook for storage rack	15x42x(H)48	N

STORAGE RACK, ALUMINIUM

- Frame made of corrosion-resistant anodised aluminium.
- 4-tier design.
- Each tier consists of 3 removable polypropylene shelves (12 shelves in total).
- Supplied with 16 sets of screws and nuts for secure assembly.
- Adjustable feet for stable, level placement.
- Can be connected to other racks or used to create corner setups with a compatible hook (code: 812372).
- Max. load per shelf: 80 kg.

code	-	mm	
812273		1280x405x(H)1685	
817971	Shelf	398x400x(H)23	N
817988	Extension hook for storage rack	15x42x(H)42	N

Easily
expandable




GN 1/1 containers fit directly
between the aluminum supports



Plastic shelves can be
cleaned in a dishwasher





812259

HEAVY-DUTY STORAGE RACK

- 4 adjustable shelves.
- Maximum load per shelf 125 kg.
- Fitted with adjustable feet.
- Chrome-plated iron.

code	mm
812259	910x455x(H)1830



812204

STORAGE RACK WITH 5 SHELVES

- Made of steel.
- Available in a chrome plated finish or black powder coated finish.
- Easy to assemble, shelf height is easily set.
- Includes 5 wire shelves.
- Spread load capacity per shelf: 80 kg.
- Fitted with adjustable feet.

code	colour	mm
812990	Black	910x455x(H)1830
812204	Chrome	910x455x(H)1830

Assembly instruction



15

Dishwashers, hygiene

Cutting-edge technology





DISHWASHERS DOUBLE-SKIN MODEL PROFI LINE



DOUBLE-WALL CONSTRUCTION
Enhanced thermal insulation reduces heat loss, lowering energy consumption and ensuring quieter operation.



washing time
60, 120, 180, 480 s



dispenser
of washing
detergent



rinse aid
dispenser



drain
pump



dual
filtration



max H
250 mm



max H
300 mm



max H
320 mm



238738



240045



238752

dishwasher 35x35

dishwasher 40x40

dishwasher 50x50

HYGIENE



NEW

18/8
stainless steel



238783

pot washer



238776

pass-through
dishwasher




washing time
60, 120, 180, 480 s

 max H
300 mm

 max H
250 mm


dispenser
of washing
detergent


rinse aid
dispenser


drain
pump


dual
filtration



240045



238738



DOUBLE-WALL CONSTRUCTION
Enhanced thermal insulation reduces
heat loss, lowering energy consumption
and ensuring quieter operation.



An angled control panel designed for user
comfort and ergonomic operation.



Rounded corners
and basket guide rails.



Stainless steel chamber.
Hygienic, durable, and easy to clean.


code	control	basket size	voltage [V]	rinse aid dispenser	dispenser of washing detergent	drain pump
238738	electronic	35x35	230	YES	YES	YES
240045	electronic	40x40	230	YES	YES	YES
238745	electronic	40x40	230	YES	YES	YES

		DISHWASHER 35X35		DISHWASHER 40X40	
Code		238738		240045	238745
CONTROL		electronic			
INTENDED USE		mugs, cups, glasses, cutlery, plates			
WASHING PARAMETERS					
Washing cycles number/duration	s	4/60, 120, 180, 480			
Capacity	baskets/h	60/30/20/8			
Maximum height	mm	250	300		
Water consumption per cycle	l	2,4			
Washing water temperature	°C	50-60			
Rinse and sanitizing water temperature	°C	82-85			
Boiler (capacity/power)	l / kW	6,0/2,8			
Tank (capacity/power)	l / kW	11/1,6	14/1,6		
Safety thermostat for boiler	°C	110			
Safety thermostat for tank	°C	99			
STANDARD EQUIPMENT					
Touch-sensitive electronic control panel		YES			
Water thermometer in the boiler		YES			
Separate wash and rinse arms		wash arm made of plastic, rinse arms made of stainless steel			
Rinse aid dispenser		YES			
Dispenser of washing detergent		YES			
Drain pump		YES			
Break tank and rinse booster pump		NO	NO	YES	
Equipment		2x universal baskets 350x350x(H)105 mm 1x cutlery basket 110x110x(H)130 mm Water supply hose length 1,5 m with connection 3/4" inner thread Drain hose length 2 m, Ø25 mm Power supply cable without plug	2x universal baskets 400x400x(H)105 mm 1x cutlery basket 110x110x(H)130 mm Water supply hose length 1,5 m with connection 3/4" inner thread Drain hose length 2 m, Ø25 mm Power supply cable without plug		
Dual internal tank filtration system		YES			
Specialized rinse pumps mounted directly at the bottom of the tank		YES			
Water supply hose length 1,5 m, with connection 3/4" inner thread		YES			
Power supply cable without plug		YES			
TECHNICAL PARAMETERS					
Dimensions	mm	423x466x(H)639	473x513x(H)689		
Power	kW	2,97			
Pump power	hp	0,17			
Pump leakage rate	kW	IPX1			
Voltage	V	230			
Weight	kg	27			
FUNCTIONS					
System „Smart cycle management“		YES			
Automatic drain pump activation		YES			
Multicolor status indicator		YES			
Automatic water softener regeneration		YES			
Low salt indicator		YES			
CONSTRUCTION					
Housing made of AISI 304 steel		YES			
Double-wall construction		YES			
Vertically adjustable feet ø40 mm		mm	±10		
FLOOR STAND		222980			
Dimensions	mm	470x500x(H)500			
Floor stand with 2 pairs of basket guide rails 400x400x(H)150 mm					

DISHWASHERS DOUBLE-SKIN MODEL PROFI LINE

NEW

18/8
stainless steel




washing time
60, 120, 180, 480 s


dispenser
of washing
detergent


rinse aid
dispenser


drain
pump


dual
filtration

230 V
↓↑
400 V

238752



DOUBLE-WALL CONSTRUCTION
Enhanced thermal insulation reduces
heat loss, lowering energy consumption
and ensuring quieter operation.



An angled control panel designed for user
comfort and ergonomic operation.



Rounded corners
on basket guide rails.



Stainless steel chamber.
Hygienic, durable, and easy to clean.

code	control	basket size	voltage [V]	rinse aid dispenser	dispenser of washing detergent	drain pump
240052	electronic	50x50	400 or 230	YES	YES	YES
238752	electronic	50x50	400 or 230	YES	YES	YES
238769	electronic	50x50	400 or 230	YES	YES	YES

700

 **HENDI**

HYGIENE



**DISHWASHER 50X50**

Code	240052	238752	238769
CONTROL	electronic		
INTENDED USE	plates, cutlery, glasses, mugs, trays		
WASHING PARAMETERS			
Washing cycles number/duration	s	4/60, 120, 180, 480	
Capacity	baskets/h	60/30/20/8	
Maximum height	mm	320	
Water consumption per cycle	l	2,4-2,6	
Washing water temperature	°C	50-60	
Rinse and sanitizing water temperature	°C	82-85	
Boiler (capacity/power)	l / kW	400 V - 6/4,5 or 230 V - 6/3,0	
Tank (capacity/power)	l / kW	23/2,5	
Safety thermostat for boiler	°C	110	
Safety thermostat for tank	°C	99	
STANDARD EQUIPMENT			
Touch-sensitive electronic control panel	YES		
Water thermometer in the boiler	electronic		
Separate wash and rinse arms	wash arm made of plastic, rinse arms made of stainless steel		
Rinse aid dispenser	YES		
Dispenser of washing detergent	YES		
Drain pump	YES		
Break tank and rinse booster pump	NO	YES	YES
Built-in water softener	NO	NO	YES
Equipment	2x universal baskets 500x500x(H)105 mm 1x cutlery basket 110x110x(H)130 mm Water supply hose length 1,5 m with connection 3/4" inner thread Drain hose length 2 m, Ø25 mm Power supply cable without plug		
Dual internal tank filtration system	YES		
Specialized rinse pumps mounted directly at the bottom of the tank	YES		
Water supply hose length 1,5 m, with connection 3/4" inner thread	YES		
Power supply cable without plug	YES		
TECHNICAL PARAMETERS			
Dimensions	mm	582x610x(H)822	
Power	kW	400 V - 4,9 or 230 V - 3,4	
Pump power	hp	0,4	
Pump leakage rate	kW	IPX1	
Voltage	V	400/230	
Weight	kg	54	
FUNCTIONS			
System „Smart cycle management“	YES		
Automatic drain pump activation	YES		
Multicolor status indicator	YES		
Automatic water softener regeneration	Only models with a water softener		
Low salt indicator	Only models with a water softener		
CONSTRUCTION			
Housing made of AISI 304 steel	YES		
Double-wall construction	YES		
Vertically adjustable feet ø40 mm	mm	±10	
FLOOR STAND	231050 (welded)	817711 (bolted)	
Dimensions	mm	560x560x(H)500	
	Floor stand with 2 pairs of basket guide rails 500x500x(H)105 mm		

DISHWASHERS DOUBLE-SKIN MODEL PROFI LINE

NEW 18/8 stainless steel


washing time
60, 120, 180, 480 s


dispenser
of washing
detergent


rinse aid
dispenser


drain
pump


dual
filtration

 max H
400 mm



DOUBLE-WALL CONSTRUCTION
Enhanced thermal insulation reduces heat loss, lowering energy consumption and ensuring quieter operation.


 max H
395 mm

238776

238783



Stainless steel chamber.
Hygienic, durable, and easy to clean.



A control panel designed for user comfort
and ergonomic operation.



Stainless steel rinsing arms

code	control	basket size	voltage [V]	rinse aid dispenser	dispenser of washing detergent	drain pump
Pass-through dishwasher						
238776	electronic	50x50	400	YES	YES	YES
Pot washer						
238783	electronic	57x62	400	YES	YES	YES

PASS-THROUGH DISHWASHER		POT WASHER	
Code	238776	238783	
CONTROL	electronic		
INTENDED USE	plates, cutlery, glassware, cups, trays, and GN 1/1 containers	pots, GN containers, 600x400 mm bakery trays, flasks, trays, and cutler	
WASHING PARAMETERS			
Washing cycles number/duration	s	4/60, 120, 180, 480	
Capacity	baskets/h	60/30/20/8	
Maximum height	mm	400	395
Water consumption per cycle	l	2,4-2,6	
Washing water temperature	°C	50-60	
Rinse and sanitizing water temperature	°C	82-85	85
Boiler (capacity/power)	l / kW	12/6,0	
Tank (capacity/power)	l / kW	30/3,0	20/2,5
Safety thermostat for boiler	°C	110	
Safety thermostat for tank	°C	99	
STANDARD EQUIPMENT			
Touch-sensitive electronic control panel			YES
Water thermometer in the boiler			electronic
Separate wash and rinse arms			YES
Rinse aid dispenser			YES
Dispenser of washing detergent			YES
Drain pump			YES
Break tank and rinse booster pump			YES
Equipment	2x basket with pins for 18 plates 500x500x(H)105 mm 1x universal basket 500x500x(H)105 mm 2x cutlery baskets 110x110x(H)130 mm Water supply hose, 1.5 m, with ¾" inner thread Drain hose, 2 m, Ø25 mm Power cord without plug	1x basket with pins for 24 plates 570x620x(H)105 mm 1x universal basket 570x620x(H)105 mm 2x cutlery baskets 110x110x(H)130 mm 1x baking tray rack for up to 9 trays Water supply hose, 1.5 m, with ¾" inner thread Drain hose, 2 m, Ø25 mm Power cord without plug	
Dual internal tank filtration system			YES
Specialized rinse pumps mounted directly at the bottom of the tank			YES
TECHNICAL PARAMETERS			
Dimensions	mm	655x785x(H)1500	670x725x(H)1368
Power	kW	6,52	
Pump power	hp	0,52	
Pump leakage rate	kW	IPX1	
Voltage	V	400	
Weight	kg	120	80
FUNCTIONS			
"SOFT START" system	NO		YES
System THERMO-STOP	NO		YES
Special "PowerWash" spray arms for enhanced washing performance		YES	
ECO system	NO		YES
Cold water rinse function	NO		YES
Multicolor status indicator		YES	
Automatic drain pump activation		YES	
Intelligent cycle management		YES	
CONSTRUCTION			
Housing made of AISI 304 steel		YES	
Double-wall construction		YES	
Vertically adjustable feet ø40 mm	mm	100-150	





240021



240038



washing time
60, 120, 180, 480 s



dispenser of washing
detergent



rinse aid
dispenser



drain
pump



dual
filtration



Stainless steel chamber.
Hygienic, durable, and easy to clean.



Separate plastic washing arms
and stainless steel rinsing arms



A control panel designed for user comfort
and ergonomic operation.

code	control	basket size	voltage [V]	rinse aid dispenser	dispenser of washing detergent	drain pump
240021	electronic	50x50	400	YES	YES	YES
240038	electronic	50x50	400	YES	YES	YES

DISHWASHER 50X50

Code	240021	240038
CONTROL	electronic	
INTENDED USE	plates, cutlery, glasses, mugs, trays	plates, cutlery, glasses, mugs, trays, tace GN 1/1
WASHING PARAMETERS		
Washing cycles number/duration	s	4/60, 120, 180, 480
Capacity	baskets/h	60/30/20/8
Maximum height	mm	320
Water consumption per cycle	l	2,4-2,6
Washing water temperature	°C	50-60
Rinse and sanitizing water temperature	°C	85
Boiler (capacity/power)	l / kW	6,0/6,0
Tank (capacity/power)	l / kW	23/2,5
Safety thermostat for boiler	°C	110
Safety thermostat for tank	°C	99
STANDARD EQUIPMENT		
Touch-sensitive electronic control panel	YES	
Water thermometer in the boiler	electronic	
Separate wash and rinse arms	wash arm made of plastic, rinse arms made of stainless steel	
Rinse aid dispenser	YES	
Dispenser of washing detergent	YES	
Drain pump	YES	
Break tank and rinse booster pump	YES	
Equipment	2x universal baskets 500x500x(H)105 mm 1x cutlery basket 110x110x(H)130 mm Water supply hose length 1,5 m with connection 3/4" inner thread Drain hose length 2 m, Ø25 mm Power supply cable without plug	1x universal basket 500x500x(H)105 mm 1x cutlery basket 110x110x(H)130 mm 1x GN 1/1 tray rack for up to 6 trays Water supply hose, 1,5 m, with ¾" inner thread Drain hose, 2 m, Ø25 mm Power cord without plug
Dual internal tank filtration system	YES	
Specialized rinse pumps mounted directly at the bottom of the tank	YES	
TECHNICAL PARAMETERS		
Dimensions	mm	565x605x(H)830
Power	kW	6,4
Pump power	hp	0,4
Pump leakage rate	kW	IPX1
Voltage	V	400
Weight	kg	50
FUNCTIONS		
System „Smart cycle management“	YES	
Automatic drain pump activation	YES	
Multicolor status indicator	YES	
Cold water rinse function	YES	
Self-cleaning dishwasher program	YES	
System THERMO-STOP	YES	
Self-diagnosis system	YES	
ECO system	YES	
CONSTRUCTION		
Housing made of AISI 304 steel	YES	
Double-wall construction	YES	
Vertically adjustable feet ø40 mm	mm	±10
FLOOR STAND	231050 (welded)	817711 (bolted)
Dimensions	mm	560x560x(H)500
Floor stand with 2 pairs of basket guide rails 500x500x(H)105 mm		





230 V
↓↑
400 V



washing time
120, 180 s



dispenser
of washing
detergent



rinse aid
dispenser



drain
pump



dual
filtration



Stainless steel chamber.
Hygienic, durable, and easy to clean.



Separate plastic washing arms
and stainless steel rinsing arms



A control panel designed for user comfort
and ergonomic operation.

code	control	basket size	voltage (V)	rinse aid dispenser	dispenser of washing detergent	drain pump
237366	electronic	50x50	400 or 230	YES	YES	YES

**DISHWASHER 50X50**

Code	237366	
CONTROL	electromechanical	
INTENDED USE	plates, cutlery, glasses, mugs, trays	
WASHING PARAMETERS		
Washing cycles number/duration	s	2/120, 180
Capacity	baskets/h	30/20
Maximum height	mm	320
Water consumption per cycle	l	2,4-2,6
Washing water temperature	°C	50-60
Rinse and sanitizing water temperature	°C	82-85
Boiler (capacity/power)	l / kW	400 V - 6/4,5 or 230 V - 6/3,0
Tank (capacity/power)	l / kW	23 l / 2,5
Safety thermostat for boiler	°C	110
Safety thermostat for tank	°C	99
STANDARD EQUIPMENT		
Water thermometer in the boiler		analog
Separate wash and rinse arms		wash arm made of plastic, rinse arms made of stainless steel
Rinse aid dispenser		YES
Dispenser of washing detergent		YES
Drain pump		YES
Equipment		2x universal baskets 500x500x(H)105 mm 1x cutlery basket 110x110x(H)130 mm Water supply hose length 1,5 m with connection 3/4" inner thread Drain hose length 2 m, Ø25 mm Power supply cable without plug
Podwójny system filtracji wewnątrz zbiornika		YES
Specialized rinse pumps mounted directly at the bottom of the tank		YES
Water supply hose length 1,5 m, with connection 3/4" inner thread		YES
Power supply cable without plug		YES
TECHNICAL PARAMETERS		
Dimensions	mm	582x610x(H)822
Power	kW	400 V - 4,9 or 230 V - 3,4
Pump power	hp	0,4
Pump leakage rate	kW	IPX1
Voltage	V	400/230
Weight	kg	47
FUNCTIONS		
Convertible to 230 V installation (with technician assistance)		YES
CONSTRUCTION		
Housing made of AISI 304 steel		YES
Double-wall construction		YES
Vertically adjustable feet ø40 mm	mm	±10
FLOOR STAND		231050 (welded) 817711 (bolted)
Dimensions	mm	560x560x(H)500
Floor stand with 2 pairs of basket guide rails 500x500x(H)105 mm		

DISHWASHER 50X50 – ELECTRONIC CONTROL

- Extremely easy to use, clean and service
- Ideal for washing plates, cutlery, glassware, cups, trays
- Electronic control, touch control, electronic panel
- Detergent and rinse aid dispensers and pump as standard
- AISI 304 stainless steel housing
- Bottom rotating, separate plastic washing and stainless steel rinsing arms
- At the top stationary plastic wash arms, rotating stainless steel rinse arms
- Robust double-skinned door with microswitch for operation at opening
- Safety thermostat for boiler/bath: up to 105°C / 99°C
- Electronic boiler and bath water thermometer
- Sealing factor of the pump: IP 44
- Vertically adjustable feet ± 10 mm, $\varnothing 40$ mm

FUNCTIONS:

- Three washing programs: 60, 120, 180 s. (The washing program can be automatically extended by the time of warming up the rinsing water to +85°C)
- Dishwasher compartment washing programme
- Can be rinsed with cold water - especially suitable for glass washing
- THERMO-PROTECTOR" system to prevent cold flushing water - guarantees the start of rinsing at temp. 85°
- SOFT START" system starts the water pump at a lower level pressure and a gradual increase in pressure to protect delicate vessels
- 8-point self-diagnostic system
- ECO system - for reduced power consumption

EQUIPMENT:

- 1 universal glass basket 500x500x(H)105 mm
- 1 basket with pins for deep and shallow plates with 5x8 pcs, 500x500x(H)105 mm
- 1 cutlery basket 110x110x(H)130 mm
- Electric detergent and rinse aid dispenser
- Water hose 1.5 m long, with $\frac{3}{4}$ " female thread connection
- Drain pump
- Drain hose
- Electric cable without plug



max H
335 mm

Dishwasher 50x50
– electronic control



Floor stand



Unloading table
for dishwashers

Single pedestal
pre-rinser

Loading table with sink
for dishwasher

Dishwasher basket
for glassware

Trolley for
dishwasher
racks

Round waste bin

**DISPENSER
AND DRAIN
PUMP
INCLUDED**



GLASS DISHWASHER 40X40



electromechanical control



electronic control

Separate stainless steel washing and rinsing arms at the top



Separate stainless steel washing and rinsing arms at the bottom

DISHWASHER 50X50



electromechanical control



electronic control

Separate stainless steel washing and rinsing arms at the top



Separate plastic washing arms and stainless steel rinsing arms at the bottom

code	control	basket size	voltage (V)	rinse aid dispenser	dispenser of washing detergent	drain pump
230299	electromechanical	40x40	230	YES		
233009	electromechanical	40x40	230	YES	YES	
233016	electromechanical	40x40	230	YES		YES
233023	electromechanical	40x40	230	YES	YES	YES
230268	electronic	40x40	230	YES	YES	YES
230305	electromechanical	50x50	400	YES		
230220	electromechanical	50x50	230	YES		N
233030	electromechanical	50x50	400	YES	YES	
230237	electromechanical	50x50	230	YES	YES	N
233047	electromechanical	50x50	400	YES		YES
233054	electromechanical	50x50	400	YES	YES	YES
230251	electromechanical	50x50	230	YES	YES	YES N
231753	electronic	50x50	400	YES	YES	YES
237540	electronic	50x50	230	YES	YES	YES

GLASS DISHWASHER 40X40			DISHWASHER 50X50	
CONTROL	electromechanical		electronic	
INTENDED USE	mugs, cups, glasses, cutlery, plates		plates, cutlery, glasses, mugs, trays	
WASHING PARAMETERS				
Washing cycles number/duration	s	1 – 120 ¹⁾	3/60, 120, 180 ¹⁾	1 – 120 ¹⁾
Capacity	baskets/h	30	60/30/20	30
Maximum height	mm	plate 290 / glass 295		
Water consumption per cycle	l	2-2,5	1,7	2-2,5
Washing water temperature	°C	62		62
Rinse water temperature	°C	85		85
Boiler (capacity/power)	l / kW	3,5/2,5		6/6 (400 V) or 6/3 (230 V)
Tank (capacity/power)	l / kW	17/2,5		35/2,8 (400 V) or 35/3,6 (230 V)
Safety thermostat for boiler	°C	105		105
Safety thermostat for tank	°C	99		99
STANDARD EQUIPMENT				
Water thermometer in the boiler		electronic		analog
Separate washing/rinsing arms	washing and rinsing stainless steel arms		plastic washing arms, stainless steel rinsing arms	
Rinse aid dispenser	YES		YES	
Dispenser of washing detergent	OPTION		YES	
Drain pump	OPTION		YES	
Equipment	1x universal baskets 400x400x(H)150 mm for glasses 1x basket with pins 400x400x(H)110 mm for plates 1x cutlery basket 110x110x(H)130 mm water supply hose length 1,5 m, with connection 3/4" inner thread drain hose length 2 m, Ø25 mm		1x universal baskets 500x500x(H)105 mm for glasses 1x basket with pins 500x500x(H)105 mm for plates 1x cutlery basket 110x110x(H)130 mm water supply hose length 1,5 m, with connection 3/4" inner thread drain hose length 2 m, Ø25 mm	
TECHNICAL PARAMETERS				
Dimensions	mm	470x510x(H)710		570x600x(H)830
Power	kW	2,8		6 (400 V) or 3,6 (230 V)
Pump power	hp	0,1	0,3	0,75
Pump leakage rate		IP 44		IP 44
Voltage	V	230		400 or 230
Weight	kg	39		57
FUNCTIONS				
Dishwasher self-cleaning programme		YES		YES
"SOFT START" system ²⁾		YES		YES
THERMO-PROTECTOR system ³⁾		YES		YES
Self-diagnosis system ⁴⁾		YES		YES, 8-point
ECO system				YES
CONSTRUCTION				
Housing made of AISI 304 steel		YES		YES
Double-layer insulated doors		YES		YES
Vertically adjustable feet ø40 mm	mm	±10		±10
FLOOR STAND		222980		231050
Dimensions	mm	470x500x(H)500		560x560x(H)500
Capacity		For 2 baskets 400x400x(H)150 mm		For 2 baskets 500x500x(H)105 mm

¹⁾ Indicated time may be extended due to the time needed for the water in the boiler to reach 85°C

DISHWASHER FUNCTIONS

²⁾ "SOFT START" – activates the water pump at a lower pressure and gradually raises the pressure to avoid damaging delicate dishes

³⁾ "THERMO-PROTECTOR" system – prevents rinsing with cold water – guarantees that rinsing will start at 85°C

⁴⁾ Self-diagnosis system for a quick check of the dishwasher condition

HOOD DISHWASHER - ELECTRONIC CONTROLLER

- Extremely easy to use, clean and service
- Ideal for washing plates, cutlery, glassware, cups, trays, GN 1/1 containers
- Electronic control
- Detergent and rinse aid dispensers and drain pump as standard
- Maximum height of washed plates 400 mm
- Maximum height of glass to be cleaned 395 mm
- Touch electronic control panel
- AISI 304 stainless steel housing
- Stainless steel upper and lower washing and rinsing arms
- Lifting of the hood facilitated by built-in springs
- Washing water temperature 60°C
- Temperature of rinsing, scalding water 85°C
- Electronic water thermometers for the boiler and bath separately
- Safety thermostat for boiler/bath up to 105°C / 99°C
- Sealing factor of the pump: IP 44
- Corner installation of dishwasher possible
- Water connection: ¾"
- Adjustable stainless steel feet from 100 to 150 mm

FUNCTIONS:

- Three washing programs: 60, 120, 240 s
- Dishwasher compartment washing programme
- Possibility of a final rinse with cold water - especially useful when washing glass
- „THERMO-PROTECTOR“ system to prevent rinsing with cold water
- 8-point self-diagnostic system
- „SOFT START“ function to start the water pump at a lower pressure and raise it gradually so as not to damage delicate dishes
- Door with microswitch for operation when hood is raised
- ECO function - reduces power consumption when the device is not used for more than 15 minutes

EQUIPMENT:

- 1 universal glass basket 500x500x(H)105 mm
- 1 basket with pins for deep and shallow plates with 5x8 pcs, 500x500x(H)105 mm
- 1 cutlery basket 110x110x(H)130 mm
- Rinse aid and detergent dispenser
- Drain pump
- Water hose 1.5 m long, with ¾" female thread connection.
- Drain hose
- Electric cable without plug



max H
400 mm

Hood dishwasher - electronic controller

Unloading table for dishwashers



Dishwasher basket
for glassware

Trolley for
dishwasher racks

**DISPENSER
AND DRAIN
PUMP
INCLUDED**

Single pedestal pre-rinser

Loading table
with sink
for dishwasher

Round waste bin



HOOD DISHWASHER 50X50



230312



max H
400 mm



231340



Separate stainless steel washing
and rinsing arms at the top



Separate stainless steel washing
and rinsing arms at the bottom

code	control	basket size	voltage (V)	rinse aid dispenser	dispenser of washing detergent	drain pump
230312	electromechanical	50x50	400	YES		
233061	electromechanical	50x50	400	YES	YES	
231340	electronic	50x50	400	YES	YES	YES



HOOD DISHWASHER 50X50

CONTROL		electromechanical	electronic
INTENDED USE		plates, cutlery, glasses, mugs, trays, GN containers	
WASHING PARAMETERS			
Washing cycles number/duration	s	1 – 120 ¹⁾	3/60, 120, 180 ¹⁾
Capacity	baskets/h	30	60/30/15
Maximum height	mm	glass 395 / plate 400	
Water consumption per cycle	l	2-2,5	1,7
Washing water temperature	°C	62	
Rinse water temperature	°C	85	
Boiler (capacity/power)	l / kW	7,4/7,5	13,5/7,5
Tank (capacity/power)	l / kW	68/6	
Safety thermostat for boiler	°C	105	
Safety thermostat for tank	°C	99	
STANDARD EQUIPMENT			
Electronic touch control panel			YES
Water thermometer in the boiler and the basin		analog	electronic
Separate washing/rinsing arms		stainless steel washing and rinsing arms at the bottom and top	
Rinse aid dispenser		YES	
Dispenser of washing detergent		OPTION	YES
Equipment		1x universal basket 500x500x(H)105 mm for glasses 1x basket with pins 500x500x(H)105 mm for plates 1x cutlery basket 110x110x(H)130 mm	
Surface filters above water level in the basin		4 pcs	
Additional screen in front of the pump inlet		YES	
Water supply hose, length 1.5 m, with 3/4" female thread		YES	
Power cord without plug		YES	
TECHNICAL PARAMETERS			
Dimensions	mm	750x880x(H)1390/1830	
Power	kW	8,6	
Pump power	hp	1,5	
Pump leakage rate	kW	IP 44	
Voltage	V	400	
Weight	kg	111	131,5
FUNCTIONS			
Dishwasher self-cleaning programme			YES
"SOFT START" system ²⁾			YES
THERMO-PROTECTOR system ³⁾			YES
Self-diagnosis system ⁴⁾			YES, 8-point
ECO system			YES
Door with microswitch for operation with the hood raised			YES
CONSTRUCTION			
Housing made of AISI 304 steel		YES	
Double-layer insulated doors		YES	
Vertically adjustable feet	mm	from 100 to 150 mm	

¹⁾ Indicated time may be extended due to the time needed for the water in the boiler to reach 85°C

DISHWASHER FUNCTIONS

²⁾ "SOFT START" – activates the water pump at a lower pressure and gradually raises the pressure to avoid damaging delicate dishes

³⁾ "THERMO-PROTECTOR" system – prevents rinsing with cold water – guarantees that rinsing will start at 85°C

⁴⁾ Self-diagnosis system for a quick check of the dishwasher condition

**50X60 DISHWASHER FOR TRAYS AND POTS – ELECTRONICALLY CONTROLLED,
WITH DETERGENT DOSING SYSTEM AND DRAIN PUMP**



236574

- Specialised dishwasher, perfect for washing and scalding pots, GN containers, 600x400 mm confectionery trays, flasks, trays or cutlery.
- 3 electronically controlled washing cycles: 120s, 180s, 240s.
- Scalding temperature: 82°C.
- Washing temperature: 60°C.
- Boiler capacity/power: 7.4 L/4 kW (236567), 7.4 L/6 kW (236574).
- Basin capacity/power: 58 L/4 kW (236567), 58 L/6 kW (236574).
- Electronic touch panel.
- Automatic cleaning system.
- Pump tightness coefficient: IP 44.
- Large basket: 500x600 mm.
- Two-layer housing made of AISI 304 stainless steel.

- Washing and rinsing arms made of stainless steel.
- Weight: 57 kg.

EQUIPMENT:

- Detergent dispenser.
- Rinse aid dispenser.
- Electronic thermometer in boiler.
- Electronic thermometer in basin.
- 1,2 kW washing pump.
- Drain pump.
- Plate basket 500x600x(H)105 mm.
- Universal basket 500x600x(H)105 mm.
- Cutlery basket 110x110x(H)130 mm.

code	V	W	mm	boiler capacity/ power	basin capacity/ power
236574	400	7100	595x777x(H)1335	7,4 l/6 kW	58 l/6 kW

DISHWASHER RACKS & TOTE BOX PROFI LINE




DISHWASHER BASKET FOR GLASSWARE

code	compartments	mm
877050	9	500x500x(H)104
877043	16	500x500x(H)104
877036	25	500x500x(H)104
877029	36	500x500x(H)104
877012	49	500x500x(H)104

EXTENDER FOR DISHWASHER BASKET


code	compartments/size	mm
877500	49 / 62x62mm	500x500x(H)45
877517	36 / 73x73 mm	500x500x(H)45
877524	25 / 88x88 mm	500x500x(H)45
877531	16 / 112x112 mm	500x500x(H)45
877548	9 / 150x150 mm	500x500x(H)45
877302	1	500x500x(H)45



DISHWASHER UNIVERSAL BASKET

- Suitable for cups, pots, bowls, etc.
- The structure allows for maximum flow of water between the dishes in all directions
- With coarse mesh bottom


code	mm
877005	500x500x(H)100



DISHWASHER BASKET FOR PLATES

- The structure allows for maximum flow of water between the dishes in all directions.
- With pre-shaped pins.
- The spaces between separators create the optimum tilt of plates necessary for effective washing.

code	mm
877104	500x500x(H)100




DISHWASHER BASKET FOR CUTLERY

- The structure allows for maximum flow of water between the dishes in all directions.
- The fine mesh bottom prevents cutlery from falling through.

code	mm
877203	500x500x(H)100






DISHWASHER BASKET FOR TRAYS

- The structure allows for maximum flow of water between the trays in all directions.
- With pre-shaped pins.
- With one open end for trays and other long items.


code	mm
877111	500x500x(H)100



DISHWASHER BASKET FOR GLASSES

- The structure allows for maximum flow of water between the glasses in all directions.

code	-	mm
871331		405x405x(H)150
871348	with 20 support pins	400x400x(H)110



CUTLERY BASKET

code	mm
871324	125x84x(H)135



CUTLERY BASKET

code	mm
871300	110x110x(H)140



CUTLERY BASKET

- 8 sections with handle.

code	mm
871102	425x205x(H)150



TOTÉ BOX

- Grey, with handles.

code	mm
552001	555x410x(H)130

560044



CHEF'S HAT - 10 PCS

- Pleated nonwoven PP material.
- Perforated crown.
- Adjustable size

code	mm
560044	300x(H)230



877197

TROLLEY FOR DISHWASHER RACKS WITH HANDLE

- 4 wheels, 2 revolving with brake and 2 fixed.
- Stainless steel handle.

code	mm
877197	575x545x(H)920



877173



877173

TROLLEY FOR DISHWASHER RACKS

- 4 wheels, 2 revolving with brake and 2 fixed.

code	mm
877173	575x545x(H)210



877180

LID FOR RACKS

code	mm
877180	500x500



MOBILE TROLLEY FOR DISHWASHER BASKETS - 7 X 500X500 MM

- For dishwasher baskets 500x500 mm.
- Keep the work area around the dishwasher organised.
- 7 layers - basket supports interspaced at 200 mm.
- Fitted with basket locks on both sides.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution - 100 kg.

code	mm
810583	615x560x(H)1710



810583



877807

AMER★BOX®



CART FOR 500×500 MM UNIVERSAL RACKS

- Made of polypropylene.
- 4 swivel castors.
- Designed to transport 500x500 mm universal racks.

code	mm
877807	500x500x(H)180





975725



GREASE TRAP

- Prevents sewage from clogging with grease.
- Made of stainless steel.
- Cover with seal closed with 4 clasps.
- Input and output connections: $\varnothing 50$ mm.
- 2 vertical internal compartments for separating fat and sludge.
- Equipped with a ball valve for emptying the fat compartment.

code	-	liters	mm
975718	300l/h	30	650x346x(H)308
975725	600l/h	60	728x416x(H)398
979945	1800l/h	180	903x548x(H)629



221808

HAND DRYER

- Electric activation by motion detector.
- Fitted with lead and plug Impact resistant metal casing in white epoxy finish.

code	V	W	mm
221808	230	1500	239x208x(H)265



281246

UV STERILIZER

- Perfect for sterilizing knives, capacity for 14 knives.
- Made of stainless steel with plexiglass door.
- Fitted with stainless steel knife holder.
- Sterilizes by means of bactericidal ultraviolet light.
- Equipped with a microswitch to prevent operation while the door is open.
- Integrated timer adjustable up to 60 minutes.
- Accommodates the maximum size knives:
handle length - max 150 mm,
blade length - max 350 mm,
grip thickness - min 15 mm.

code	V	W	mm
281246	230	25	510x160x(H)625



639245

SINK STRAINER

- Made of stainless steel.
- Effectively filters out food residues to prevent drain clogs.
- Dishwasher safe.

code	mm
639245	$\varnothing 110$ x(H)35



810163

BASIN TAP WITH SHOWER

- Tap made of polished stainless steel
- Single hole, rotary spout
- Stream control
- Required table opening: 30 mm
- Connector hoses: 3/8", length: 400 mm
- Spout range: 190 mm
- Tap height: 370 mm

code

810163



810170

RINSE TAP, EXTENDIBLE

- Housing made of polished stainless steel.
- Single hole, rotary spout.
- Stream control.
- Required table opening: 30 mm.
- Connector hoses: 3/8", length: 350 mm.
- Tap height: 445 mm.

code

810170



810255

PULL-OUT BASIN TAP

- Made from stainless steel
- Single hole, rotary spout
- Stream control
- Shower length: 120 cm
- Required table opening: 32 mm
- Connector hoses: 3/8", length: 350 mm
- Spout range: 230 mm
- Tap height: 230 mm

code

810255



810316



WASHBASIN KNEE OPERATED

- Made of stainless steel, button made from chrome plated plastic and the valve from copper.
- The basin has a diameter of 360 mm and a depth of 114 mm.
- Easy to operate with a knee.
- Connecting materials included.

code

810316

mm

400x428x(H)406



With
knee-operated
faucet

810309

KITCHEN SINK - WITH KNEE-OPERATED FAUCET

- Turn on the water in a hygienic way by simply pressing your knee against the front panel.
- Equipped with hot and cold water mixer which is located under the front panel.
- Basin and backsplash made of 18/8 stainless steel.
- Comes with spout and soap dispenser.
- Front panel dimensions: 284x(H)183 mm.
- Sink dimensions: 335x235x(H)114 mm.
- Water connection: 1/2", drain hole Ø 50 mm.

code

810309

mm

400x330x(H)560





TAP WITH PULL OUT RINSER

- Single-hole pillar tap.
- Rinser resistant to high pressure water flow.
- Plastic rinser casing.
- Adjustable column support.
- Wall mount (optional shortening).
- Connection hoses: 1/2".
- Table hole required: Ø 30 mm.
- Spout reach 280 mm.

code

970515



970515

SUSPENDED SHOWER UNIT

- Includes: shower hose, tension spring and steel cable with fastening
- Feed water temperature: 5-85 °C
- Maximum water flow: 12 l/min at 3 bar
- Feed water operating pressure: 0.5-7 bar
- Connection to water mains valve: 1/2"
- Chrome-plated steel parts
- Hose length 3 meters

code

810330



810330



810293

RINSE TAP, WALL-MOUNTED

- Made from stainless steel.
- Shower resistant to high-pressure water stream.
- Traditional wall connection separately for cold and hot water, rotary spout.
- Plastic shield.
- Wall-mounted handle that can be shortened.
- Tap height: 1010 mm.

code

810293



810279

RINSE TAP

- Made of stainless steel.
- Shower resistant to high-pressure water stream
- Single-hole tap, rotary spout
- Plastic shield
- Wall-mounted handle that can be shortened
- Required table opening: 32.5 mm
- Connector hoses: 3/8", length: 400 mm
- Tap height: 1060 mm

code

810279



810262

RINSE TAP

- Made of stainless steel.
- Shower resistant to high-pressure water stream.
- Plastic shield.
- Wall-mounted handle that can be shortened.
- Required table opening: 27 mm.
- Connector hoses: 1/2", length: 400 mm.
- Tap height: 1030 mm.

code

810262



SINK TAP

- Single-hole, separate knobs for hot and cold.
- Connection hoses: 1/2".
- Mounting hole required: ø30 mm.
- Swivel spout, radius 250 mm.

code

970508



SINK TAP WITH LONG LEVER

- Long lever for mixing hot and cold water.
- Connection hoses: 3/8".
- Mounting hole required: ø35 mm.
- Swivel spout, radius 215 mm.

code

970522

SINGLE PEDESTAL PRE-RINSE

- Single pedestal pillar tap.
- Rinser resistant to high pressure water flow.
- Maximum water flow: 17 L/min. at a pressure of 4 bar.
- Plastic rinser handle.
- Adjustable column support.
- Wall mount (optional shortening).
- Connection hoses: 1/2", 400 mm long each.
- Table hole required: Ø 27 mm.

code

970300



970300

HOSE WITH RINSE HEAD FOR APPLIANCES

- Ideal for any chef to keep their appliances spotless.
- Suitable for cleaning any number of waterproof appliance parts and surfaces.
- A 2 meter long hose brings many objects into range.
- Ergonomic handle with valve lever is comfortable to hold.
- Supplied with a dedicated holder that can be placed on oven housing (as indicated by technician) or on the wall using 3 screws.
- Jet is divided into a number of smaller ones using a strainer which increases the cleaning area covered.
- Water temperatures from 5°C to 85°C are ideal.
- Maximum water flow rate up to 11 L/m at pressure of 3 bar.



810323

- Recommended supply water pressure: 3 bar.
- Operating pressure of supply water: 0.5 to 7 bar.
- PA66 nylon housing, metal parts made of chrome-plated steel.
- Water supply connection: 1/2" inner diameter.

code

810323

mm

56x42x(H)56



HENDI WATER FILTERS

NEW

PROFIT WITH THE HENDI WATER FILTERS

- Soft, contaminant-free water.
- Reduced chlorine content.
- Bacteriostatic protection.
- Limescale-free water with excellent taste and odour.
- Helps prevent corrosion of equipment components.

ADVANTAGES OF THE HENDI FILTERS



Quick installation



Built-in head with adjustable bypass setting: 0-70%



Ring-shaped carbon cartridge - effective filtration



Starter kit for installation - no additional tools required



One filter can be used simultaneously for multiple devices



Integrated head design for optimal hygiene

HENDI
WATER FILTER

HYGIENE






- Especially recommended for use with: convection-steam ovens, coffee machines, ice cube machines, vending machines, undercounter dishwashers.
- Water treatment technology:
 - removal of calcium and magnesium ions responsible for water hardness, helping to reduce limescale build-up
 - decarbonisation, i.e. the removal of calcium and magnesium carbonates
- Benefits: removes unwanted odours and flavours from water, reduces chlorine content, decreases water hardness and provides bacteriostatic protection, all of which contribute to improved taste and help protect catering equipment.
- The filter consists of:
 - the first carbon filter retains large particles, chlorine, organic matter and other substances that negatively affect the taste and odour of water
 - a resin filter that reduces carbonate hardness
 - a second carbon filter that retains fine particles
 - a final filter for the removal of suspended particles
 - built-in head with an adjustable bypass setting from 0-70% (no need to purchase a separate head)
- Service life: the filter should be replaced 365 days after installation to maintain bacteriological safety, or earlier if the maximum rated capacity is reached.

The HENDI filters are suitable for appliances from all manufacturers



Dishwashers



Convection-steam ovens



Coffee makers



Ice makers





Micrometric pre-filtration – carbon filter removes chlorine, particles and organic substances.

Upper water distribution zone – ensures even water distribution.

Resin filter – reduces carbonate hardness and decarbonizes water.


Carbon filter – retains fine particles and removes calcium and magnesium ions that cause scale buildup.

Final filtration – removal of suspended particles.

FILTRATION POTENTIAL

Activated carbon features an extremely porous structure that effectively traps organic contaminants, chemical compounds, and other impurities. Its vast internal surface area enables highly efficient filtration—just 1 gram of HENDI activated carbon provides a filtration surface area comparable to that of a football pitch.

Activated carbon



- Max. output: depends on carbonate hardness of water and the bypass setting.
- Water temperature range at the input: 5-35°C.
- Operating pressure: 2-6 bar.
- Connectors: 3/8" M.

- Installation and operation only in vertical position.
- For the filter's proper installation and operation we recommend purchasing:
 - Installation kit for HENDI water filters (code: 237908),
 - Electronic water flow meter for HENDI filters (code: 237915).

CHOOSE THE APPROPRIATE HENDI FILTER

NEW



code	237892	237885	237878	237793	237861
model	Water filter XS	Water filter S	Water filter M	Water filter L	Water filter XL
technology	removal of calcium and magnesium ions, decarbonization				
max. operating pressure water inlet temperature	2-6 bar 5-35°C				
nominal flow	1 l/min	2 l/min	3 l/min	4 l/min	5 l/min
dimensions	ø87x(H)302 mm	ø87x(H)562 mm	ø135x(H)384 mm	ø173x(H)395 mm	ø173x(H)463 mm
weight (dry/wet)	1,0/1,6 kg	1,8/2,8 kg	2,8/4,2 kg	4,6/6,9 kg	7,7/12,5 kg
connections (inlet/outlet)	M 3/8"				
operating position usage	vertical				
10° dH - 10% By-pass	787	1 798	3 370	5 056	6 742
10° dH - 30% By-pass	1 010	2 310	4 334	6 500	8 668
10° dH - 40% By-pass	1 180	2 700	5 050	7 585	10 100
10° dH - 0% By-pass	708	1 618	3 034	4 551	6 067

237915



NEW

ELECTRONIC WATER FLOW METER FOR HENDI FILTERS

- After setting the production capacity of the filter (0-9900 L) the meter keeps track of the remaining output of the filter.
- The meter can be set to display the remaining operation time (0-720 days).
- Display can also show the current flow in L/min.
- With 3 alarms (sound signals):
 - when the filter's remaining output is lower than 113 L or less than 7 days,
 - when the filters remaining output reaches 0 L or 0 days,
 - low battery warning.
- Vertical installation position.
- Battery-powered: 2 AAA batteries included in the set.
- Suitable connectors: 3/8" M (female or male).

code	mm
237915	110x53x(H)70

237908



NEW

INSTALLATION KIT FOR HENDI FILTERS

- The set is intended for the HENDI filters S, M, L and Vending of codes: 237793, 237861, 237878, 237885, 237892.
- The set includes:
 - water tube,
 - vent breather hose,
 - 2 connectors,
 - 5 valves.

code	mm
237908	ø18

WATER SOFTENERS (SEMI-)AUTOMATIC

- Using water softeners helps extend the life cycle of catering equipment.
- The softeners are based on an ion-exchange process wherein the calcium and magnesium ions that cause water hardness are captured by ion exchange resin inside the softener.
- It helps reduce maintenance costs thanks to effective prevention of lime scale deposits. The device is fitted with a control head that makes it possible to configure working parameters of the water softening system as required.
- The elements inside the head are made of high quality ceramics, resistant to abrasion, corrosion and build-up of impurities (e.g. iron).
- This technology assures perfect seal inside the controller and therefore long and trouble-free operation.
- Water connection diameter 3/4".
- Working pressure: 1.5-6.0 bar.
- Working ambient temperature: 5 – 38°C.
- Max. supply water temperature: 38°C.
- Regeneration time: 37 min.
- Output for 10°dH – 1200 L.
- Resin bed 4,0 L.
- Regeneration tank: 8 kg.
- Maximum water flow: 5 L/min.
- Regeneration salt consumption per 1 cycle: 0.5 kg.



230442



230459

WATER SOFTENER, SEMI-AUTOMATIC

- The semi-automatic resin bed regeneration process using brine is initiated manually.
- Weight: 8 kg.

code	V	W	mm
230442	230	18	216x404x(H)504

WATER SOFTENER, AUTOMATIC

- The automatic resin bed regeneration process using brine is initiated automatically.
- Using the control panel the working time, regeneration time and water amount to be treated can be set.
- Automatic lock prevents unwanted access.
- Weight: 7.7 kg.

code	V	W	mm
230459	230	18	214x417x(H)505

WATER SOFTENERS MANUAL

- Hard water contains dissolved minerals - calcium and magnesium compounds, among others.
- Calcium and magnesium ions cause scale build-up, which is risky for objects and tools in contact with water or steam.
- Water softening is a process in which all calcium and magnesium compounds causing water hardness are removed.
- When passing through the resin column, calcium and magnesium ions are absorbed by resin particles.
- When ion-exchange ability of the resin wears off, it ought to be restored in an appropriate regeneration process with the use of a salt solution.

- Water softener may be installed wherever water temperature is below 45°C and the water input pressure does not exceed 2 bars.
- Regeneration: uniodised salt only.
- For drinking water only.
- Suitable for softening water for coffee makers, combi steamers, dishwashers and ice cubers.
- Thanks to its small size it is perfect for bars and restaurants.
- Thanks to highest quality components used, the device remains fail-safe and operational for many years.
- Optimum working water pressure: 1-2 bar.

WATER SOFTENER

- During softener regeneration the connected machine must not be used.
- Maximum/minimum water pressure: from 1 to 8 bar.
- Nominal flow: 1000 L/h.
- Ambient temperature: from 4 °C to 35 °C.
- Supply water temperature: from 4 °C to 25 °C.
- Connection size: 3/8".

code	filter capacity (20°dH/30°dH/40°dH)	liters	mm
231210	1200/1000/900	8	ø185x(H)400
231227	2520/1680/1260	12	ø185x(H)500
231234	3360/2240/1680	16	ø185x(H)600




SALT TABLETS FOR WATER SOFTENING

- Made of compressed salt - raw material composition is only sodium chloride NaCl.
- Tablet shape - salt dissolves evenly without clumping.
- Intended for:
- Softening water and preventing limescale.
- Water disinfection.
- Extending service life of appliances.
- Great for food service appliances, car washes, water plants, and many other purposes.
- Can be used in all kinds of water softeners.
- Salt tablets comply with Standard EN 973 - Type A.

code	weight (kg)
231265	25
237984	10



THE PUREST
SALT ON THE
MARKET, OVER
99,9%



INSECT KILLERS FOR USE IN THE KITCHEN & RESTAURANT




270080

INSECT KILLER WITH ADHESIVE PLATE 100 M²

- Suitable for use in food preparation and serving areas.
- Metal casing including wall mounting.
- 2x15 W UV-A shatter-proof fluorescent tubes.
- Adhesive plate at the rear to catch the insects.
- Maximum range approx. 100 m².
- Adhesive plate included.

code	V	W	mm
270080	230	30	544x285x(H)92
270028	230	2x 15W - 270080	2 Replacement lamps for insect killers
270233	Adhesive plate for insect killers		

INSECT KILLERS FOR INDOOR USE



270097

270646


NEW

INSECT KILLER

- Body made of fire resistant ABS for high safety.
- Features a durable UV-A LED light.
- Average working life of the lamp: 20.000 hours.
- Insects are electrocuted with 4000 V.
- Removable collection tray, easy to clean.
- Can be mounted to ceiling by chain or used free standing.

code	For	V	W	mm
270097	300 m ²	230	13	470x100x(H)265
270646	100 m ²	230	11	330x100x(H)263

N



270172

270165

270158



Chain included

Removable collection tray

HIGH VOLTAGE INSECT KILLER

- For indoor use.
- Body made of special treated aluminum alloy and ABS, fire resistant materials for high safety.
- 2x UV-A tubes.
- Insects are electrocuted with 2000 - 2500 V.
- Removable collection tray, easy to clean.
- Can be mounted to ceiling by chain or used free standing.

code	V	W	mm
270158	230	26	379x103x(H)265
270165	230	40	515x104x(H)315
270172	230	45	655x90x(H)360

HYGIENE





INSECT KILLER WITH ADHESIVE PLATE 120 M²

- Suitable for use in food preparation and serving areas.
- ABS fire-resistant casing, back panel of metal, suitable for wall mounting.
- 1x36 W UV-A shatter-proof fluorescent tubes.
- Adhesive plate at the rear to catch the insects.
- Lamp and adhesive plate are easily replaceable.
- Maximum range approx. 120 m².
- Adhesive plate (390x270 mm) included.

code	V	W	mm
270196	230	36	540x80x(H)281
270233	Adhesive plate for insect killers x10		390x270
270240	Replacement lamp for Insect killers		



270196




INSECT KILLERS FOR OUTDOOR USE

INSECT KILLER WATER RESISTANT

- ABS fire proof material for high safety.
- 2x UV-A tube.
- Insects are electrocuted with 2000 V.
- IPX4 waterproof, can be used indoor or outdoor.
- Removable collection tray, easy to clean.
- Chain mounting.

code	-	V	W	mm
270066	100 m ²	230	40	510x135x(H)305
270141	150 m ²	230	45	680x140x(H)305



270066



Chain included



Removable collection tray

REPLACEMENT LAMP FOR FLY KILLERS

- UV-A fluorescent tube.

code	For	V	W	mm
934159	270158	230	8	300x15x(H)15
934166	270172 & 270141	230	20	602x24x(H)24
935286	270066 & 270165	230	2x 15	450x25x(H)25



934159



UNIQ

Buffet reinvented



design by
Robert Bronwasser



HYGIENE





270653

18/8
stainless steel

indoor

NEW

INSECT KILLER WITH ADHESIVE PLATE, 80 M²

- Housing made of 18/8 stainless steel.
- Suitable for areas up to approximately 80 m².
- Features a shatterproof 7W E27 UV-A LED lamp.
- Average working life of the lamp: 20.000 hours.
- Adhesive plate at the rear to catch insects, easily replaceable.
- Designed for wall mounting.
- Includes an adhesive plate (355 x 215 mm).
- Spare lamps are available to purchase separately (code 270660).
- Ideal for restaurants, bakeries, food shops and supermarkets.

code	V	W	mm
270653	230	7	400x166x(H)240



270677

NEW

ADHESIVE PLATE FOR INSECT KILLERS

- Pack of 10 adhesive plates.
- Wear disposable gloves during replacement.
- Wash hands after handling.
- Do not eat or drink during replacement.
- Compatible with insect killer lamp 270653.

code	packed per	mm
270677	10	355x215



270660

NEW

LED LAMP FOR INSECT KILLERS

- Replacement LED for insect killers (code 270653).
- E27, 7W UV-A LED lamp dedicated for insect killer lamps.
- Average working life of the lamp: 20,000 hours.

code
270660



EXTREME

PROFESSIONAL



191026

191019

EXTREME WASH PROFESSIONAL DISHWASHING DETERGENT FOR COMMERCIAL DISHWASHER

- Contains alkaline concentrate.
- Removes food-based residues, deposits and discolorations.
- No pre-soaking required.
- Anti-corrosive properties.
- Neutral as solution.
- Recommended for all domestic and industrial dishwashers.
- pH 13.

code	-
191019	10 L
191026	20 L



975015

975022

EXTREME SHINE PROFESSIONAL RINSE AID FOR TABLEWARE AND CATERING EQUIPMENT

- Contains organic acids, pH 2.
- Removes mineral deposits contained in water.
- Recommended for glass, ceramic, faience, enamel-coated, metal, and non-stick coated dishes.
- Safe for hand-painted dishes.
- No wiping required.
- Suitable for domestic and commercial dishwashers.

code	-
975015	10 L
975022	5 L



191033

EXTREME WASH & SHINE PROFESSIONAL SET

- Set includes:
 - HENDI Extreme Wash Professional dishwasher detergent (975053).
 - HENDI Extreme Shine Professional rinse aid (975022).

code	-
191033	



191002

EXTREME PROFESSIONAL COMBI OVEN CLEANER

- Strongly alkaline concentrate, pH 13.
- Suitable for daily and periodic cleaning of combi ovens.
- Removes burnt-on oily and tar-like residues, hardened grease, organic deposits, and discolouration.
- Contains corrosion inhibitors.
- Recommended for appliances with a CIP cleaning option.
- Rinsing required.

code	liters
191002	10



DEGREASER FOAM

- Thoroughly removes all greases, oils and dirt from grills, deep fryers, ovens, extractor hoods and tiles.
- Foam can be used on all washable, alkali-resistant surfaces.
- Not suitable for aluminum or painted surfaces!
- The thick foam is ideal for vertical surfaces.

code	liters
976791	1



976791



975039

PROFESSIONAL GRILL AND OVEN CLEANER

- Ready-to-use, strongly alkaline product for daily removal of oily and tarry deposits, burnt grease and organic discolourations.
- Cleans and degreases.
- Recommended for daily washing of grill, ovens, hoods.
- Helps keep the natural shine of surface.
- Fragrance free.
- pH 14.

code	liters
975039	1





976739

COFFEE AUTOMAT CLEANER, 120 TABS

- The coffee automat cleaner is suitable for regular use in coffee, espresso and tea machines.
- Removes stubborn deposits such as coffee or tea oil.
- Can also be used for cleaning thermo flasks.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs.

code	order unit	weight (kg)
976739	12	0.24



976777

DESCALER POWDER

- Concentrated, professional descaling agent.
- Removes limescale deposits on commercial dishwashers, hot water devices, coffee machines and washing machines (washing program 40°C).
- Can also be used to clean stainless steel surfaces.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs.

code	order unit	weight (kg)
976777	12	1



976753

COFFEE MACHINE CLEANER

- The coffee machine cleaner is suitable for regular use in coffee, espresso and tea machines.
- Removes stubborn deposits such as coffee or tea oil.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs.

code	order unit	weight (kg)
976753	12	1



976760

DESCALER CONCENTRATE

- Highly concentrated, based on citric acid for the effective decalcification of hot water devices, coffee and washing machines, boilers, stainless steel pots and tiles.
- 1 liter bottle, dosage 100-200 ml per 1 liter of cold water.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs.

code	order unit	liters
976760	12	1



NEW

976678

EXTREME MILK SYSTEM CLEANER NEW FORMULA, A PROFESSIONAL MILK FROTHER LIQUID CLEANER FOR AUTOMATIC COFFEE MACHINES

- For cleaning of the milk frother in all coffee machines with foaming systems or attachments.
- Removes old, crystallised proteins and fat.
- Continuously purges the lines.
- A bottle with a convenient dispenser.
- pH 1.

code	liters
976678	1



976746

SOFT SERVE AND WHIPPED CREAM MACHINE CLEANER

- Cleaner for all common cream & ice cream makers.
- Dissolves fat and protein residues.
- Can also be used on the outer surfaces of the device.
- Use regularly to keep your appliances in perfect condition, and prevent replacement costs.

code	order unit	liters
976746	12	1

STAINLESS STEEL CLEANER

- Clean all kinds of stainless steel and aluminum surfaces.
- Ready for use, just spray and wipe.
- Comes in a 500ml spray bottle.
- Removes fingerprints and has an anti-static effect.
- After use the treated surfaces are dirt and water repellent.

code	order unit	liters
976784	12	0,5



976784





NEW

809693



PAPER TOWEL DISPENSER

- Made of stainless steel 18/8.
- Integrated viewing slot for quick fill-level control.
- Wall-mounted design.
- Suitable for standard folded paper towels, size: max. 250x115 mm (unfolded size 250x230 mm).
- Capacity: 250 pcs.
- Intended for washrooms, kitchen areas, back-of-house spaces, and other shared work areas.

code	mm
809693	270x130x(H)130



NEW

809792



HAIR NET DISPENSER

- Made of stainless steel 18/8.
- Closed front design protects disposable hair nets from external contamination.
- Top-opening lid for quick refilling.
- Bottom opening supports neat one-by-one dispensing.
- Integrated fill-level indicator.
- Wall-mounted construction.
- Intended for hygiene stations in food preparation areas, production spaces, and laboratories.

code	mm
809792	400x230x(H)505



NEW

809778



809785



PAPER TOWEL DISPENSER, LOCKABLE

- Made of stainless steel 18/8.
- Front-loading construction for convenient and fast refilling.
- Enclosed design.
- Integrated viewing slot for quick fill-level control.
- Lockable design, key included.
- Suitable for standard folded paper towels, size: max. 250x115 mm (unfolded size 250x230 mm).
- Wall-mounted design.
- Intended for washrooms, kitchen areas, back-of-house spaces, and other shared work areas.

code		mm
809778	250 pieces	260x120x(H)160
809785	500 pieces	260x120x(H)270



NEW

809808



APRON DISPENSER

- Made of 18/8 stainless steel.
- Designed for storing and dispensing disposable aprons.
- Wall-mounted design.
- Closed housing helps protect the aprons from external contamination.
- Supports tidy storage in hygiene and prep areas.
- Suitable for both loose aprons and aprons on a roll.

code	mm
809808	350x140x(H)500

NEW

18/8

stainless steel

GLOVE DISPENSER

- Made of stainless steel 18/8.
- Suitable for disposable glove boxes.
- Open-front design for quick access.
- Wall-mounted construction.
- Fits glove boxes up to 255x130x(H)80 mm.
- Intended for entrances, workstations, and preparation areas.

code	mm
809662	260x96x(H)130
809679	260x96x(H)260
809686	260x96x(H)390



809662



809679



809686

NEW

18/8

stainless steel



809839



809846

PAPER TOWEL BIN

- Made of stainless steel 18/8.
- Perforated body.
- Open-top design for quick disposal.
- Suitable for collecting used paper towels.
- Can be wall-mounted or hung under a sink.
- Intended for washrooms, back-of-house spaces, production facilities, and other shared work areas.

code	liters	mm
809839	35	220x270x(H)400
809846	60	350x270x(H)550

NEW

18/8

stainless steel

WASTE BIN

- Made of stainless steel 18/8.
- Hinged lid.
- Designed for everyday waste collection.
- Side handles for easy lifting and moving.
- Suitable for washrooms, kitchen areas, utility rooms, and back-of-house spaces.

code	liters	mm
809815	60	350x350x(H)600
809822	80	350x350x(H)770



809822

AMER★BOX®



NEW

SLIM WASTE BIN

code	liters	mm
691137	60	455x315x(H)580



691137

873465



873458



TRASH CONTAINER

- Made of Polypropylene.
- Pedal-operated.
- Includes handle and wheels.
- Lids sold separately in 6 colours.

code	liters	mm
873458	120	510x425x(H)875



LID FOR TRASH CONTAINER

- Lid for waste bin, code 873458.

code	colour	mm
873465	Green	505x415
873472	Black	505x415
873489	Yellow	505x415
873496	Red	505x415
873502	Blue	505x415
873519	Brown	505x415



873465

873472

873489

873496

873502

873519

740



HYGIENE






WALL-MOUNTED PAPER TOWEL DISPENSER

- Made of stainless steel.
- Serrated limiter for easy tearing off a single paper towel leaf.
- Max. width of a paper towel roll: 297 mm.
- Screws for wall-mounting included.

code	mm
809952	395x290x(H)260



FREE-STANDING PAPER TOWEL DISPENSER

- Made of stainless steel.
- Serrated limiter for easy tear-off of paper sheets.
- Max. width of a paper towel roll: 430 mm.

code	mm
809914	540x395x(H)975

MOP BUCKET

- Made of plastic.
- Includes large wringer.
- 4 wheels.
- Includes handle.
- Capacity: 16L.



code	liters
873397	16



LAUNDRY TROLLEY

- Stainless steel structure with removable laundry bag.
- The laundry bag is made of oxford fabric and it is washable.
- 4 wheels of which 2 are castor wheels.

code	mm
691083	900x650x(H)850



WET FLOOR SIGN

- Warning in 5 languages.

code	mm
663950	300x460x(H)615

663950

NEW

LAUNDRY BAG FOR LAUNDRY TROLLEY

- Laundry bag for HENDI Laundry trolley 691083.
- Made of Oxford fabric.
- Can be cleaned in a washing machine.

code	
691090	





691038

ROUND WASTE BIN

code	liters	mm
691038	120	ø550x(H)690
691403	80	ø490x(H)620

LID FOR ROUND WASTE BIN

code	-	mm
691045	fits 691038	ø570x(H)35
691410	fits 691403	ø505x(H)35



691045

OPEN COVER FOR ROUND WASTE BIN

code	-	mm
691052	fits 691038	ø570x(H)135
691427	fits 691403	ø510x(H)120



691052

PUSH LID FOR ROUND WASTE BIN

code	-	mm
691069	fits 691038	ø580x(H)190
691434	fits 691403	ø505x(H)190



691069

TROLLEY FOR ROUND WASTE BIN

code	-	mm
691076	fits 691038	ø455x(H)165
691441	fits 691403	ø400x(H)165



691076



AMER★BOX®



691151

PEDAL BIN

code	liters	mm
691151	68	490x410x(H)660
691168	87	500x410x(H)815



TRASH BAG HOLDER

- Frame made of stainless steel.
- Intended for 70x110 cm, 120L garbage bags.
- Foot-operated clamping mechanism keeps the bag closed.
- 2 castors with brakes.

code	mm
691021	420x580x(H)960

RUBBER BAND FOR TRASH BAG HOLDER

- For HENDI Trash bag holder 691021.

code
944660



Foot-operated clamping mechanism keeps the bag closed



691021



ROUND PEDAL WASTE BIN WITH INNER BIN

- Body made of stainless steel.
- Polished surface finish.
- Comfortable, hygienic opening.
- Anti-slip pedal Innovative "click-lock" system locking the lid after opening.
- Polypropylene inner bin with a double handle to keep the bin liner in place.

code	liters	mm
691311	5	ø210x(H)280
691335	20	ø300x(H)440
691342	30	ø300x(H)650



691342



STANDING WASTE BIN WITH ASHTRAY

- Stainless steel body.
- Polished surface finish.
- Removable ashtray placed over the bin for easy cleaning and emptying of the bin.
- Bin opening Ø 135 mm.
- Anti-slip, rubber bottom to enhance bin stability and protect the floor against scratching.

code	liters	mm
691380	15	ø200x(H)700
691397	33	ø240x(H)660

STANDING WASTE BIN WITH ASHTRAY

- Stainless steel body.
- Polished surface finish.
- Removable ashtray placed over the bin for easy cleaning and emptying of the bin.
- Bin opening Ø 135 mm.
- Anti-slip, rubber bottom to enhance bin stability and protect the floor against scratching.

code	liters	mm
691397	33	ø240x(H)660



WALL MOUNTED ASHTRAY

- Very robust design, easy to mount against walls and poles.
- Easy to empty thanks to the bottom that can be opened and closed with a key.

code	mm
440216	ø75x(H)460



440216



STANDING ASHTRAY POLE

- Very robust design, can be mounted on the floor or stand free.
- Easy to empty, upper part can be unlocked with a key and then emptied.
- Base is Ø 170 mm, pole is Ø 75 mm.

code	mm
440223	ø170x(H)920



440223



16

Furniture

Durability you can rely on



Stainless steel furniture for self-assembly.
Fast and easy fastening.
Compact packaging - low shipping costs.



ADJUSTMENT HEX KEY
FOR QUICK ASSEMBLY



SOLID FASTENING OF LEGS
USING TWO SCREWS



STABLE LEVELLING
AND HEIGHT ADJUSTMENT

STAINLESS STEEL FURNITURE



812457



817568

CENTRAL WORK TABLE BUDGET LINE

- Worktop and shelf made of stainless steel.
- Shelf connected to the stainless steel legs with an aluminium collar.
- Height-adjustable legs.
- Tabletop and shelf load capacity: 130 kg.

code	mm
812457	1200x600x(H)850
812440	1000x600x(H)850
812464	1400x600x(H)850
812471	1600x600x(H)850
812488	1800x600x(H)850

WORK TABLE WITH BACKSPLASH BUDGET LINE

- Worktop and shelf made of stainless steel.
- Shelf connected to legs with aluminium collar.
- Height-adjustable legs.
- With backsplash.
- Load capacity: 130kg.

code	mm
817568	1000x600x(H)950
817575	1200x600x(H)950
817582	1400x600x(H)950
817599	1600x600x(H)950
817605	1800x600x(H)950



811818



SINK

- Made of durable stainless steel [AISI 304].
- Intended for wall-mounting.
- Internal dimensions 350x250x(H)103mm.
- ø35mm opening for tap instalment, fits HENDI 970522 tap.
- ø51mm drain compatible with standard traps

code	mm
811818	400x290x(H)145



CENTRAL AND WALL TABLES – BOLTED PROFI LINE

- Made of stainless steel.
- Bolted construction for self-assembly, enabling easy transport and storage.
- The worktop is filled with a laminated, waterproof strengthening and soundproofing board.
- Approximate permissible load on the countertop: 70 kg/m².
- Legs made of 40 x 40 mm profiles.
- Adjustable feet in the range: +25/-5 mm.



811511



811467

CENTRAL TABLE WITH SHELF – BOLTED,

- Non-adjustable shelf – the distance from the floor to the lower edge of the shelf is 160 mm.
- Access to the workspace from all sides.
- Approximate permissible shelf load: 70 kg/m².

code	mm
WITH SHELF, DEPTH 600 MM	
811511	1000x600x(H)850
811535	1400x600x(H)850
811542	1600x600x(H)850
811559	1800x600x(H)850
811528	1200x600x(H)850

WITH SHELF, DEPTH 700 MM

810705	1000x700x(H)850
810712	1200x700x(H)850
810729	1400x700x(H)850
810736	1600x700x(H)850
810743	1800x700x(H)850

WALL TABLE WITH SHELF – BOLTED

- Splashback 40 mm high protecting the wall against stains.
- Non-adjustable shelf – the distance from the floor to the lower edge of the shelf is 160 mm.
- Approximate permissible shelf load: 70 kg/m².

code	mm
DEPTH 600 MM	
811467	1000x600x(H)850
811474	1200x600x(H)850
811481	1400x600x(H)850
811498	1600x600x(H)850
811504	1800x600x(H)850
811450	800x600x(H)850

DEPTH 700 MM

812716	800x700x(H)850
812723	1000x700x(H)850
812730	1200x700x(H)850
812747	1400x700x(H)850
812754	1600x700x(H)850
812761	1800x700x(H)850



SINK TABLES – BOLTED PROFI LINE

- Bolted construction for self-assembly, enabling easy transport and storage.
- Made of stainless steel.
- The chamber is bolted seamlessly into the countertop, pressed from one sheet of stainless steel.
- Sink dimensions: 400x400x(H)250 mm.
- Standard embossing in the bottom for the siphon: ø50 mm.
- Tap hole: ø30 mm.



811849

- 10 mm embossing of the worktop to prevent water from spilling out.
- The approximate permissible load on the countertop is 70 kg/m².
- Splashback 40 mm high to protect the wall against stains.
- The rear legs of the table are moved away from the wall by 50 mm to facilitate wall installation.
- Legs made of 40x40 mm profiles.
- Adjustable feet in the range: +25/-5 mm.



811870

SINK TABLE – BOLTED, DEPTH 600 MM

code	mm	sink location
DEPTH 600 MM		
811849	600x600x(H)850	in the middle

SINK TABLE WITH SHELF – BOLTED

- Shelf without filling, non-adjustable – distance from the floor to the lower edge of the shelf is 160 mm.

code	mm	sink location
DEPTH 600 MM		
811856	600x600x(H)850	in the middle
811863	800x600x(H)850	on the right
812495	800x600x(H)850	on the left
811870	1000x600x(H)850	on the right
812631	1000x600x(H)850	on the left

DEPTH 700 MM

812938	1000x700x(H)850	on the right
812945	1000x700x(H)850	on the left

TABLE WITH 2 SINKS AND SHELF – BOLTED

- Shelf without filling.
- Non-adjustable.
- Distance from the floor to the lower edge of the shelf is 160 mm.

code	mm
DEPTH 600 MM	
811887	1000x600x(H)850
DEPTH 700 MM	
812969	1000x700x(H)850



811887



CENTRAL AND WALL TABLES – BOLTED KITCHEN LINE

- Bolted construction for self-assembly, enabling easy transport and storage.
- Made of stainless steel.
- The worktop is reinforced with a longitudinal profile at the bottom.
- Maximum load on the countertop: approx 70 kg/m².
- Available with or without a 40 mm backsplash.
- Legs made of 40x40 mm profiles.
- Adjustable feet in the range: +25/-5 mm.



817162



817278

CENTRAL TABLE WITH SHELF – BOLTED, DEPTH 600 MM

code	mm
817094	600x600x(H)850
817100	800x600x(H)850
817162	1000x600x(H)850
817179	1200x600x(H)850

WALL TABLE WITH SHELF – BOLTED, DEPTH 600 MM

code	mm
817223	600x600x(H)850
817261	800x600x(H)850
817278	1000x600x(H)850
817285	1200x600x(H)850



NEW

WORK CABINET WITH SLIDING DOORS, BOLTED

- Made of stainless steel.
- Sliding doors with handles made of synthetic material.
- Stainless steel worktop with waterproof laminated board.
- Bolted construction for self-assembly, making transport and storage easier.
- Removable internal shelf, not adjustable.
- Approx. max. load on worktop and shelf: 70 kg/m².
- 40 mm high splashback.
- 100 mm wall clearance for easier installation against kitchen walls.
- Leg height: 160 mm.
- Adjustable feet: +25/-5 mm.



817759

code	mm
817742	800x600x(H)850
817759	1000x600x(H)850
817766	1200x600x(H)850
817773	1400x600x(H)850
817780	1600x600x(H)850

SINK TABLES – BOLTED KITCHEN LINE

- Bolted construction for self-assembly, enabling easy transport and storage.
- Made of stainless steel.
- Sink dimensions 400x400x(H)250 mm.
- Standard hole in the bottom for the siphon: ø50 mm.
- Tap hole: ø30 mm.



- Splashback 40 mm high to protect the wall against stains.
- Approximate permissible load on the tabletop and shelf (if applicable): 70 kg/m².
- Legs made of 40x40 mm profiles.
- Adjustable feet in the range: +25/-5 mm.



816790



817025

SINK TABLE, BOLTED

- Depth: 600 mm.

code	mm	sink location
816752	600x600x(H)850	in the middle
816769	800x600x(H)850	on the right
816776	800x600x(H)850	on the left
816783	1000x600x(H)850	on the right
816790	1000x600x(H)850	on the left

SINK TABLE WITH SHELF, BOLTED

code	mm	sink location
816806	600x600x(H)850	in the middle
816998	800x600x(H)850	on the right
817001	800x600x(H)850	on the left
817018	1000x600x(H)850	on the right
817025	1000x600x(H)850	on the left



817049



817032

TABLE WITH 2 SINKS – BOLTED

- 2 sink chambers welded seamlessly into the countertop, each pressed from one sheet of stainless steel.

code	mm
817049	1000x600x(H)850

TABLE WITH 2 SINKS AND SHELF, BOLTED

code	mm
817032	1000x600x(H)850



TABLE WITH 2 SINKS – WELDED

- Welded construction for extra strength.
- Sink measures 400x400x (H) 250mm, pressed from a single sheet of steel and seamlessly welded into the worktop.
- Predrilled drain opening ø 50 mm, compatible with standard traps.
- Predrilled ø 30 mm tap instalment opening.
- Worktop fitted with 40 mm backsplash and 10 mm water edge.
- Feet placed 50 mm from the edge for easy wall instalment.
- Adjustable feet: +25/-5 mm.



815007



WALL WORK TABLE CABINETS – WELDED

- Made of stainless steel.
- Door handles made of synthetic material.
- Welded construction ensuring durability and stability.
- Worktop filled with a waterproof laminated board, strengthening and soundproofing the furniture.
- Removable shelf in the cabinet, not adjustable.
- Approximate permissible load on the tabletop and shelf is 70 kg/m².
- Splashback 40 mm high to protect the wall against stains.
- Cabinet moved away from the wall by 100 mm to facilitate wall installation.
- Leg height: 160 mm, with adjustable feet in the range of: +25/-5 mm.



811658



code	mm
815007	1000x600x(H)850


WALL TABLE CABINET WITH SLIDING DOORS – WELDED

code	mm
811641	800x600x(H)850
811658	1000x600x(H)850
811665	1200x600x(H)850
811672	1400x600x(H)850
811689	1600x600x(H)850

HANGING CABINETS – WELDED, WITH SLIDING DOORS PROFI LINE

- Welded construction ensuring durability and stability.
- Made of stainless steel.
- Sliding doors on running units.
- Door handles made of synthetic material.
- Approximate permissible shelf load: 70 kg/m².
- The set includes hangers to hang on the wall.

code	mm
DEPTH 300 MM	
811207	1000x300x(H)600
814154	800x300x(H)600
DEPTH 400 MM	
814178	800x400x(H)600
814185	1000x400x(H)600
811214	1200x400x(H)600



811207



SINK TABLES, CABINETS, WELDED

- Made of stainless steel.
- Welded construction.
- Standard embossing in the bottom for the siphon: Ø50 mm.
- Tap hole: Ø30 mm.
- Includes a front cover.
- Legs made of 40x40 mm profiles.
- Approximate permissible load on the countertop: 70 kg/m².

- Splashback 40 mm high to protect the wall against stains.
- Rear legs moved 100 mm away from the wall to facilitate wall installation.
- Leg height: 160 mm.
- Adjustable feet (+25/-5 mm).
- Includes hinged doors.
- Does not include back wall.



813546



813690

SINK TABLE, WELDED, WITH CABINET AND HINGED DOORS

- Cabined with hinged doors, with hinges on the left.
- Magnetic latches.

code	mm
SINGLE SINK, DEPTH 600 MM	
813522	600x600x(H)850

SINGLE SINK, DEPTH 700 MM	
813546	600x700x(H)850

TABLE WITH 2 SINKS, CABINET – WELDED, WITH SLIDING DOORS

- Cabinet with sliding doors.

code	mm
813690	1000x600x(H)850





811832



TABLES WITH WASH TROUGHS – WELDED PROFI LINE

- Made of stainless steel.
- Welded construction ensuring durability and stability.
- Embossing in the bottom of the trough - the so-called "envelope" to completely drain the water.
- Standard embossing in the bottom for the siphon: Ø50 mm.
- Tap hole: Ø30 mm.
- With a front cover.
- Legs made of 40x40 mm profiles.
- Approximate permissible load on the countertop: 70 kg/m².
- Splashback 40 mm high to protect the wall against stains.
- Rear legs moved 100 mm away from the wall to facilitate wall installation.
- Leg height: 160 mm.
- Adjustable feet in the range: +25/-5 mm.

code	mm	basin size (mm)
SINGLE BASIN, DEPTH 600 MM, HEIGHT 300 MM		
811825	800x600x(H)850	686x443x(H)300
811832	1000x600x(H)850	886x443x(H)300

SINGLE BASIN, DEPTH 700 MM, HEIGHT 300 MM

812853	800x700x(H)850	686x540x(H)300
812860	1000x700x(H)850	886x540x(H)300



811009



TABLE WITH SINGLE WASH TROUGH, WITH SPLASHBACK – BOLTED, DEPTH 600 MM

- Bolted construction for self-assembly, enabling easy transport and storage of the furniture.
- Made of stainless steel.
- Version without front cover and side covers.
- Embossment in the chamber - a slope towards the siphon, the so-called "envelope".
- Chamber height: 300 mm.
- Standard hole in the bottom for the siphon: ø50 mm.
- Centrally located place for mounting the battery: ø30 mm.
- Splashback 40 mm high to protect the wall against stains.
- Distance from the rear edge to the chamber: 100 mm.
- Legs made of 40x40 mm profiles.
- Adjustable feet in the range: +25/-5 mm.

code	mm
811009	800x600x(H)850
811023	1000x600x(H)850

NEW


817698





811719



811726

WALL SHELF ADJUSTABLE, SINGLE, WITH 2 BRACKETS

- Made of stainless steel.
- Includes 2 consoles for hanging.
- Possibility to disassemble.
- Splashback: 30 mm.
- Approximate permissible shelf load: 25 kg/m².

code	mm
811788	1000x300x(H)600
811719	800x300x(H)600
811795	1200x300x(H)600
811801	1400x300x(H)600

DOUBLE WALL SHELF, ADJUSTABLE, WITH 2 BRACKETS

- Made of stainless steel.
- Splashback 30 mm high to protect the goods against falling off the shelf.
- The approximate permissible load on the shelf is 25 kg/m².
- The set includes 2 consoles for hanging on the wall.

code	mm
DEPTH 300 MM	
811771	800x300x(H)600
811726	1000x300x(H)600
811733	1200x300x(H)600
811740	1400x300x(H)600
DEPTH 400 MM	
816592	1000x400x(H)600



NEW

SINK TABLE

- Sink made of 18/8 stainless steel, construction made of 18/0 stainless steel.
- Sink bowl size: 600x500x(H)300 mm.
- Sink bowl with rounded corners.
- Standard embossed siphon opening: Ø50 mm.
- Tap hole: Ø30 mm.
- With front cover.
- 40x40 mm square legs.
- 40 mm splashback.
- Rear legs positioned 100 mm from the wall for easier installation.
- Leg height: 160 mm.
- Adjustable feet: +25/-5 mm.

code	mm
817698	800x650x(H)850



816486

WALL SHELF, WITH 2 BRACKETS

- Made of stainless steel.
- Splashback 30 mm high to protect the goods against falling off the shelf.
- The approximate permissible load on the shelf is 25 kg/m².
- The set includes 2 consoles for hanging on the wall.

code	mm
816486	800x300x(H)250
816493	1000x300x(H)250
816509	1200x300x(H)250
816516	1400x300x(H)250

PASS-THROUGH CUPBOARDS WITH SLIDING DOORS

- Bolted construction for self-assembly, enabling easy transport and storage.
- Made of stainless steel.
- 2 removable shelves, not adjustable.
- 2 non-removable shelves (bottom and middle shelf).
- Approximate permissible load on the tabletop and shelf: 70 kg/m².
- Adjustable feet in the range: +25/-5 mm.



811108



812402

PASS-THROUGH CUPBOARD WITH PARTITION AND SLIDING DOORS - BOLTED

- 8 sliding doors with vertical plastic handles, all on polyamide roller bearings.

code	mm
811634	800x500x(H)1800
811108	1000x600x(H)1800

PASS-THROUGH CUPBOARD WITH SLIDING DOORS - BOLTED

- 4 sliding doors with vertical handles made of synthetic material, all on polyamide roller bearings.

code	mm
812402	800x700x(H)1800



STORAGE RACK WITH 4 FULL SHELVES - BOLTED

- Made of AISI 430 stainless steel.
- Legs made of 30x30 mm profiles.
- Approximate permissible shelf load: 70 kg/m².
- Adjustable feet in the range: +25/-5 mm.

code	mm
812501	600x400x(H)1800
812518	800x400x(H)1800
812525	1000x400x(H)1800
812532	1000x500x(H)1800
812556	1000x600x(H)1800
812549	1200x500x(H)1800
812563	1200x600x(H)1800



812525



219782

NEW



EXTRACTOR HOOD, ANGLED, WALL-MOUNTED, BOLTED

- Made of 18/0 stainless steel.
- Wall-mounted angled design.
- Bolted construction for self-assembly.
- Equipped with 1 ventilation spigot: $\varnothing 200$ mm.
- Supplied with stainless steel labyrinth filters.
- Labyrinth filters are dishwasher safe.
- Grease collected by the labyrinth filters drains into an integrated trough.
- Prepared for wall installation with mounting holes and suspension points.
- Suitable for connection to an external extractor fan or building ventilation system.

code	mm
219775	1000x1000x(H)450
219782	1200x1000x(H)450



220986



229286

WALL-MOUNTED EXTRACTOR HOOD, BOLTED

- Made of stainless steel 18/0.
- Bolted construction for self-assembly.
- Labyrinth filters made of stainless steel, dishwasher safe.
- Grease and dirt collected in a built-in trough.
- With spigot for connection to ventilation: 1x $\varnothing 200$ mm.
- Pre-drilled holes and suspension points for installation.
- Should be connected to an external fan or ventilation system.
- Without lighting.

code	mm
220986	1005x1000x(H)450
220993	1205x1000x(H)450

WALL-MOUNTED EXTRACTOR HOOD, ANGLED

- Made of stainless steel.
- With spigot for connection to ventilation: 1x $\varnothing 200$ mm.
- A set of labyrinth filters made of stainless steel, dishwasher safe.
- Dirt and grease deposited on the labyrinth filters flow into a special trough.
- System of holes and suspensions for assembly.
- Should be connected to the fan or ventilation system in the building.

code	-	mm
229286	without lighting	1000x700x(H)450
229293	without lighting	1200x700x(H)450
229309	with LED lighting	1000x700x(H)450
229316	with LED lighting	1200x700x(H)450

NEW**S.S.**
stainless steel

238592

PASS-THROUGH DISHWASHER TABLE WITH SINK

- Made of stainless steel.
- Equipped with sink and basket guide.
- Basket guide width: 510 mm.
- With upstand.
- Clasp for connection to hood-type dishwashers.
- Adjustable legs: +25/-5 mm.
- Flat-pack delivery for self-assembly.

code	-	mm
238585	left	1200x815x(H)850
238592	right	1200x815x(H)850

NEW**S.S.**
stainless steel

238691

PASS-THROUGH DISHWASHER TABLE

- Made of stainless steel.
- Equipped with basket guide.
- Basket guide width: 510 mm.
- With upstand.
- Clasp for connection to hood-type dishwashers.
- Adjustable legs: +25/-5 mm.
- Flat-pack delivery for self-assembly.

code	-	mm
238691	left	1000x815x(H)850
238721	right	1000x815x(H)850

SINK TABLE WITH SHELF AND SPACE FOR UNDERCOUNTER DISHWASHER

- For placement over an undercounter appliance.
- Made of high-quality stainless steel (AISI 430).
- Worktop is reinforced and deepened, with a 40 mm upstand at the back. Spread load capacity: 70kg/m².
- The integrated sink measures 400x400x(H)250 mm, comes with a ø30 mm pre-drilled tap hole.
- The reinforced shelf measures 575x585 mm and is non-adjustable.
- The legs are adjustable in height to guarantee level instalment (+25/-5 mm).
- Spread load capacity: ≈70 kg/m².
- Versions available for left- & right-side instalment.
- Flat pack delivery, assembly required.



237519

code	-	mm
237519	left	1200x700x(H)850
237526	right	1200x700x(H)850





MOBILE TABLE, WITH SHELF - BOLTED

- Bolted construction for self-assembly, enabling easy transport and storage of the furniture.
- Made of stainless steel.
- Tabletop filled at the bottom with a waterproof laminated soundproofing board.
- Shelf mounted at a height of 200 mm, not adjustable.
- Approximate permissible load on the tabletop and shelf is 70 kg/m².
- Legs made of 40x40 mm profiles.
- 4 swivel castors with a diameter of 125 mm, two of which are equipped with a brake.

code	mm
815786	1000x700x(H)850
815793	1200x600x(H)850



815786



812044

POT STAND

- Made of stainless steel.
- Welded construction ensuring durability and stability.
- The tabletop is reinforced at the bottom with a steel profile.
- Approximate permissible uniform load on the countertop: 70 kg/m².
- Legs made of 30x30 mm profiles.
- Adjustable feet: +25/-5 mm.

code	mm
812044	550x550x(H)450



817704

POT STAND, BOLTED

- Made of stainless steel.
- Bolted construction.
- Tabletop reinforced underneath with a steel profile.
- Approximate maximum evenly distributed load: 70 kg/m².
- 30x30 mm square legs.
- Adjustable feet: +25/-5 mm.

code	mm
817704	550x550x(H)450



NEW

DISHWASHER STAND

- Made of stainless steel.
- Bolted construction for self-assembly.
- 2 pairs of basket guides.
- Suitable for 500x500 mm baskets.
- Adjustable feet: +25/-5 mm.
- Compatible with the HENDI Dishwashers 50x50.

code	mm
817711	570x560x(H)500



817711



17

Barbecues

Grill masters experience





GRILL BARBECUE GREEN FIRE

- Frame made of 18/0 stainless steel.
- Technical components concealed within the frame.
- Improved burners provide 90% useful heat coverage across the cooking surface.
- Fully removable burners and GN dripping tray.
- Elevated chrome-plated steel warming rack.
- Detachable legs.
- Supplied with windscreen.
- Gas hose with quick connector fitting to the barbecue.
- Gas hose and gas regulator included for connection to a gas bottle.



149508

GREEN FIRE WITH 2 BURNERS

- Both include:
 - 1x Chrome plated warming rack.
 - 1x GN 2/1 dripping tray.
- 149621 is equipped with:
 - 1x Flame tamer (code 939956).
 - 2x Grid (code 939949).
- 149508 is equipped with:
 - 1x Cast iron grid (code 932001).
 - 1x Cast iron grid (code 932018).

code	-	kW[HS]	mm
149621	2x GN 1/1 barbecue grids	11.6	740x612x(H)825
149508	Enamelled cast iron Gastronorm 1/1 griddle and grid	11.6	740x615x(H)825





149591

GREEN FIRE WITH 3 BURNERS

- Includes:
 - 2x Cast iron grid (code 932018).
 - 1x Cast iron griddle (code 932001).
 - 1x Chrome plated warming rack.
 - 1x GN 2/1 dripping tray.
 - 1x GN 1/1 dripping tray.

code	-	kW[HS]	mm
149591	equipped with a lower shelf and wheels	17.4	1078x612x(H)825




149614

GREEN FIRE WITH 4 BURNERS

- Included:
 - 2x Cast iron grid (code 932018).
 - 2x Cast iron griddle (code 932001).
 - 2x Chrome plated warming rack.
 - 2x GN 2/1 dripping tray.

code	-	kW[HS]	mm
149614	on wheeled base	22	1400x612x(H)825



side with
groove

932001



932018



CAST IRON GRIDDLE

- Suitable for all Green Fire Profi Line barbecues.
- Both sides usable, one side smooth, one side ribbed.

code	GN	mm
932001	GN 1/1	325x530

CAST IRON GRID

- Suitable for all Green Fire Profi Line barbecues.

code	GN	mm
932018	GN 1/1	325x530



170045

18/0
stainless steel

BARBECUE SKEWERS

code	packed per	mm
170045	24	(L)210

170120

170328



18/0
stainless steel

BARBECUE SKEWERS

code	packed per	mm
170120	6	(L)250
170328	6	(L)350



932094

GAS HOSE ASSEMBLY GREEN FIRE BARBECUES

- For HENDI Green Fire barbecues 149607 149614 149621 149508 149591.

code
932094





939949



GRID

- Chrome plated grid.
- Suitable for all Green Fire Profi Line barbecues.

code	mm
939949	325x530



939956



FLAME TAMER

- Place the flame tamer over the burner element to prevent fat dripping directly on the burner element.
- Flame tamer made of stainless steel.
- Suitable for all Green Fire Profi Line barbecues.

code	mm
939956	650x530



152706

152805



152904

LAVA ROCKS - FINE

- Suitable for various types of gas barbecues.
- Fine, relatively small rocks.

code	-	weight (kg)
152706	box	3

LAVA ROCKS - COARSE

- Suitable for various types of gas barbecues.
- Coarse, relatively large rocks.

code	-	weight (kg)
152904	bag	9
152805	box	5



BAKE- & GRILL-MASTER



154601



BAKE-MASTER MINI

- Frame made of 18/0 stainless steel.
- With enamelled roasting tray.
- Internal dimensions of roasting tray: 290x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,215 m³/h.

code	kW(HS)	mm
154601	5.8	340x540x(H)300

154618



BAKE-MASTER MAXI

- Frame made of 18/0 stainless steel.
- With enamelled roasting tray.
- Internal dimensions of roasting tray: 590x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,430 m³/h.

code	kW(HS)	mm
154618	11.6	650x540x(H)300

154700



Enamelled frying
pan included



GRILL-MASTER MINI

- Frame made of 18/0 stainless steel.
- With chrome-plated grill and enamelled roasting tray.
- Internal dimensions of roasting tray: 290x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,215 m³/h.

code	kW(HS)	mm
154700	5.8	340x540x(H)840

154717



GRILL-MASTER MAXI

- Frame made of 18/0 stainless steel.
- With chrome-plated grill and enamelled roasting tray.
- Internal dimensions of roasting tray: 590x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,430 m³/h.

code	kW(HS)	mm
154717	11.6	650x540x(H)840



154687




ENAMELLED ROASTING TRAY

- For HENDI Bake-master & Grill-master mini barbecues 154601 154700.

code

154687

154632



GRID FOR GRILL MASTER

- For HENDI Grill-master barbecues: 154717, 154878, 154908.

code

154632

GRILL-MASTER PRO GAS GRILLS

- 2 independent gas burners with a piezo ignition.
- 2 flame tamers made of stainless steel 18/0.
- 2 chromed steel grids measuring 470x320 mm.
- A large drip tray which also helps to retain heat within the housing.
- Copper valves with an automatic gas shut-off system - stops the flow of gas when the flame is extinguished.
- Gas hose with a pressure regulator included.
- Suitable for propane and butane gas.



148822



GAS GRILL ROAST-MASTER PRO BLACK

- Housing made of stainless steel 18/0 finished with black enamel.
- Front and 4 legs made of stainless steel finished with black powder coating.

code

kW[HS]

mm

148822

11.6

790x560x(H)900

148808



ROAST-MASTER PRO GAS BARBECUE

- Housing made of stainless steel AISI 430.
- 4 legs made of stainless steel AISI 201.

code

kW[HS]

mm

148808

11.6

790x560x(H)900





154878



ROAST-MASTER MAXI

- With chrome plated grid and heavy duty flame tamer.
- Frame and flame tamer made of 18/0 stainless steel.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane or butane gas.
- Consumption 0,430 m³/h.

code	kW(HS)	mm
154878	11	650x540x(H)840
144923	Protective cover	720x560x(H)360



144923



154540



ROAST-MASTER MAXI 50/50

- Frame made of stainless steel.
- Dual surface: half stainless steel grill, half enamelled roasting tray.
- Dimensions of roasting tray: 603x360x(H)60 mm.
- Cooking surface dimensions of the roasting tray: 290x480 mm.
- Piezoelectric ignition.
- Gas hose and pressure regulator included.

code	kW(HS)	mm
154540	11	850x675x(H)600





154908

GRILL-MASTER QUATTRO

- Fully stainless steel frame with 2 dripping trays.
- Suitable for propane and butane gas and fitted with 4 burners which can be regulated independently.
- Supplied with 2 nickel-plated grids and 1 enamelled roasting tray (590x480x(H)55 mm internal dimensions).
- Thermocouple and electronic ignition.
- Gas hose and pressure regulator included.
- Consumption 0,8 m³/h.
- On a base with bottom shelf and 4 wheels for easy moving.

code	kW[HS]	mm
154908	22	1330x600x(H)920



154656

ENAMELLED ROASTING TRAY

- Inner dimensions: 590x480 mm.



code	mm
154656	590x480x(H)55

FIESTA XL

- Frame made of powder coated steel.
- Stainless steel base and sheet steel paella pan Ø 800 mm.
- Includes gas hose, electronic ignition and pressure regulator.
- With thermocouple and a round burner.
- Burner unit can be removed for easy cleaning.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.
- Suitable for propane gas, consumption 489 g/h.

code	mm
146842	1180x810x(H)1000



146842



GASGRILLS FIESTA

- Base made of stainless steel.
- Equipped with a round gas burner.
- Includes gas hose, electronic ignition, and pressure regulator.

- Thermocouple for flame safety.
- Removable burner unit for easy cleaning.
- Suitable for propane gas.

18/0
stainless steel

outdoor



146002



Burner unit can be removed for easy cleaning



146804

GASGRILL FIESTA 600

- Paella pan made of carbon steel, Ø 600 mm.
- Open base allows space for gas cylinders (5 or 6 kg).
- Gas consumption: 334 g/h.

code	kW[HS]	mm
146002	4.8	600x600x(H)870

GASGRILL FIESTA 800

- Paella pan made of carbon steel, Ø 800 mm.
- Open base allows space for gas cylinders (5 or 11 kg).
- Gas consumption: 489 g/h.

code	kW[HS]	mm
146804	7	800x800x(H)900

PAELLA PAN

- Carbon steel construction with excellent heat conductivity.
- Traditional Spanish-style paella pan.
- Wide, shallow design.
- Suitable for use on gas burners, charcoal grills, open fires, and in ovens.
- Sturdy side handles.
- Requires seasoning before first use.

code	capacity	suitable for Fiesta gas grill	mm
622094	4 portions*		ø300x(H)45
622100	6 portions*		ø340x(H)50
622117	8 portions*		ø380x(H)45
622216	10 portions*		ø420x(H)50
622308	12 portions*		ø460x(H)55
622353	16 portions*		ø550x(H)60
622407	20 portions*	146002	ø600x(H)55
622605	40 portions*	146804 & 146842	ø800x(H)75

* 1 portion = 550 g



622094
622100
622308
622407



622605





700044

GAS BARBECUE TAMPA

- The Tampa has excellent cooking properties due to the optimal heat distribution and hot air circulation inside the burner enclosure.
- The high temperature sears meat evenly and quickly, reducing adhesion to the grid even when the grid hasn't been greased.
- The burner assembly is made entirely of stainless steel and can be completely disassembled for easy cleaning.
- The single lengthwise burner is adjustable, has thermocouple security and piezo ignition.
- The Tampa has a completely black epoxy coated frame with four wheels, two of which are caster wheels, and a secure gas bottle holder.
- Grease which is drained from meat during cooking is led through a special channel to a grease collector.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.
- Griddle surface: 1022 x 500 mm.

code	kW(HS)	mm
700044	10	1260x580x(H)900



XENON PRO

- This stainless steel power grill with folding base is easy to move thanks to its wheels and can be flat-packed into a compact unit during transport.
- The burner develops a high temperature in the windproof unit and therefore this barbecue is suitable for high volume production.
- The unit itself is easy to clean thanks to these high temperatures.
- The grill is fitted with a thermocouple and electronic ignition, gas hose and pressure regulator are included.
- Suitable for propane gas.
- Grid surface area 860x260 mm (2 grids of 430x260 mm).
- Folding and mobile base.
- Gas hose, electronic ignition and pressure regulator included.
- Consumption 536 g/h.

code	kW(HS)	mm
148105	7.5	1120x410x(H)900





700051

GAS BARBECUE EUROPA

- The Europa has excellent cooking properties. The high temperature sears meat evenly and quickly, reducing adhesion to the grid even when the grid hasn't been greased.
- The three, separately adjustable, lengthwise burners have thermocouple security and electronic ignition.
- The Europa 3 has a completely black epoxy coated frame with four wheels, two of which are castor wheels, and a secure gas bottle holder.
- Grease which is drained from meat during cooking is led through a special channel to a grease collector.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.
- The Europa 3 is supplied complete with lava rocks and a roasting pan.
- Griddle surface: 1100 x 500 mm.

code	kW(HS)	mm
700051	21.6	1260x580x(H)900



700105

GAS BARBECUE ATLANTA

- The Atlanta has excellent cooking properties due to the optimal heat distribution and hot air circulation inside the burner enclosure. The high temperature sears meat evenly and quickly, reducing adhesion to the grid even when the grid hasn't been greased.
- The 3 separately adjustable transverse burners have thermocouple security and electronic ignition.
- The burner assembly is made entirely of stainless steel and the grids are removable for easy cleaning.
- The three burners also allow the surface to be divided in separate heat zones for simultaneous cooking of meat, vegetables & fish.
- The Atlanta has a completely black epoxy coated frame with four castor wheels and a secure gas bottle holder.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.
- Griddle surface: 1100 x 500 mm.

code	kW(HS)	mm
700105	13	1285x770x(H)917



GAS BARBECUE TAMPA

- The Tampa has excellent cooking properties due to the optimal heat distribution and hot air circulation inside the burner enclosure.
- The high temperature sears meat evenly and quickly, reducing adhesion to the grid even when the grid hasn't been greased.
- The burner assembly is made entirely of stainless steel and can be completely disassembled for easy cleaning.
- The single lengthwise burner is adjustable, has thermocouple security and piezo ignition.
- The Tampa has a completely black epoxy coated frame with four wheels, two of which are caster wheels, and a secure gas bottle holder.
- Grease which is drained from meat during cooking is led through a special channel to a grease collector.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.
- Griddle surface: 1022 x 500 mm.

code	kW(HS)	mm
700044	10	1260x580x(H)900



700044



XENON PRO

- This stainless steel power grill with folding base is easy to move thanks to its wheels and can be flat-packed into a compact unit during transport.
- The burner develops a high temperature in the windproof unit and therefore this barbecue is suitable for high volume production.
- The unit itself is easy to clean thanks to these high temperatures.
- The grill is fitted with a thermocouple and electronic ignition, gas hose and pressure regulator are included.
- Suitable for propane gas.
- Grid surface area 860x260 mm (2 grids of 430x260 mm).
- Folding and mobile base.
- Gas hose, electronic ignition and pressure regulator included.
- Consumption 536 g/h.

code	kW(HS)	mm
148105	7.5	1120x410x(H)900



148105



GAS HOSE ASSEMBLY XENON PRO & FIESTA BARBECUES

- For HENDI Xenon Pro 148105.
- For HENDI Fiesta 600 146002 & Fiesta 800 146804.

code
152171



152171





155028

GRID FOR ROAST MASTER MAXI 50/50

- Made from chrome plated steel.

code	mm
155028	477x300



154885

TOP GRID FOR ROAST-MASTER

- For HENDI Roast-master barbecues 154878.

code
154885



154632

GRID FOR GRILL MASTER

- For HENDI Grill-master barbecues 154717 154878 154908.

code
154632



GRID FOR GRILL-MASTER MINI

- Grid made from stainless steel for HENDI Grill-Master Mini 154700

code	mm
154663	540x340



148723

TOP GRID FOR XANTOS BARBECUE

- For HENDI Xantos barbecue 148624

code
148723





154687

ENAMELLED ROASTING TRAY FOR BAKE & GRILL - MASTER MINI

- For HENDI Bake- & Grill-master mini barbecues 154601 154700.

code

154687



145753

GAS HOSE ASSEMBLY BAKE-, GRILL- & ROAST-MASTER

- For HENDI Bake-, Grill- & Roast-master barbecues 154908 154502 154601 154618 154700 154717.

code

145753



152157

PRESSURE REGULATOR 50 MBAR

- For HENDI gas barbecues & Hokkers.

code

152157



152188

PRESSURE REGULATOR 37MBAR

- Pressure regulator 37mBar uni with pillar and hose clamp.
- For use with barbecues and patio heaters.

code

152188

RUBBER SEAL FOR PRESSURE REGULATOR

code

145678



145678





148624

XANTOS GAS GRILL

- This stainless steel power grill has 4 detachable legs which can be flat-packed into a compact unit for transport.
- The burners develop a high temperature in the windproof unit and therefore this barbecue is suitable for high volume production.
- The unit itself is easy to clean thanks to these high temperatures.
- The two burners can be operated independently.
- Fitted with a thermocouple and electronic ignition, gas hose and pressure regulator are included.
- Suitable for propane gas.
- Grid surface area 540x540 mm (2 grids of 540x270 mm).

code	kW(HS)	mm
148624	9.5	770x710x(H)870



148631

XANTOS BLACK GAS GRILL

- This stainless steel power grill has 4 detachable legs which can be flat-packed into a compact unit for transport.
- The burners develop a high temperature in the windproof unit and therefore this barbecue is suitable for high volume production.
- The unit itself is easy to clean thanks to these high temperatures.
- The two burners can be operated independently.
- Fitted with a thermocouple and electronic ignition, gas hose and pressure regulator are included.
- Suitable for propane gas.
- Grid surface area 540x540 mm (2 grids of 540x270 mm).
- The main housing of the burners is enameled in black.
- Front panel and legs powder coated in black.

code	kW(HS)	mm
148631	9.5	770x710x(H)870



CHARCOAL BARBECUES

- 18/0 stainless steel with removable stands.



150603



150801

CHARCOAL BARBECUE PATIO

- Fitted with 2 grids of 345x345 mm each.
- Inside dimensions basin: 710x350x(H)max110 mm.
- Double bottom for ash collection.

code	mm
150603	770x380x(H)760

CHARCOAL BARBECUE RESTO

- Fitted with 3 grids of 345x345 mm each.
- Inside dimensions basin: 1070x350x(H)max110 mm.
- Double bottom for ash collection.

code	mm
150801	1145x380x(H)770



TOP GRID FOR CHARCOAL BARBECUES

- Fits HENDI charcoal barbecues: 150603, 150801.

code
151617



151617



OVEN MITTS

- HENDI protective gloves are certified personal protective equipment and comply with the requirements of REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC. The regulation defines hazard categories I through III, and for each category, methods, and certification requirements are specified. HENDI protective gloves are a category II protective equipment.
- They are CE marked as certified personal protective equipment.
- All our gloves meet the requirements of the general standard EN 420 Protective gloves – General requirements and test methods.
- They provide thermal protection according to EN 407 Protective gloves and other hand protection against thermal risks (heat and/or fire)



11 XX XX

Protection against thermal hazards

Gloves that protect against thermal hazards are marked with a pictogram and numbers describing the degree of protection provided, e.g:

- The first digit indicates the burning behaviour, the second resistance to contact heat, the third resistance to convection heat, and the fourth resistance to radiation heat, the fifth resistance to small splashes of molten metal, the sixth resistance to large splash of molten metal.



HEAT RESISTANT BARBECUE GLOVES - 2 PCS

- Heat resistant up to 250°C for 15 seconds.
- Comfortable fit.

code	packed per	mm
556634	2	(L)300



556634

HEAT RESISTANT LEATHER BARBECUE GLOVES - 2 PCS

- Heat resistant up to 250°C for 15 seconds.
- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm
556689	2	(L)460



556689

HEAT RESISTANT LEATHER BARBECUE MITTS, 2 PCS

- Heat resistant up to 100°C, ≤ 15 seconds.
- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm
556658	2	(L)460



556658



HEAT RESISTANT GLOVES, LEATHER

- Made of cow leather.
- Inside material made of jersey on palm and woven cotton on cuff.
- Double-layered inner side for added heat protection.
- Extended length for added forearm protection.
- Temperature resistance: 100°C for up to 15 seconds.

code	packed per	mm
556597	2	(L)410



556597

NEW

HEAT RESISTANT GLOVES, LEATHER

- Made of cow leather.
- Inside material made of jersey on palm and woven cotton on cuff.
- Extended length for added forearm protection.
- Temperature resistance: 100°C for up to 15 seconds.
- 2pcs.

code	packed per	mm
556580	2	(L)410



556580

NEW

BARBECUE APRON

- Canvas 280 g/m².
- Flame retardant coating.

code	mm
556696	810x660



556696





525524

WIRE BRUSH SET NARROW - 3 PCS

- Set of 3 different narrow wire brushes.
- Consists of one brush with stainless steel bristles, one with brass bristles and one with nylon bristles.

code	packed per	mm
525524	3	(L)178
525531	3	(L)230

525531

525555

BRASS & STAINLESS STEEL WIRE BRUSH SET - 2 PCS

- Set of 2 different wire brushes with 4 rows of 14 bristles.
- Consists of one brush with stainless steel bristles and one with brass bristles.

code	packed per	mm
525555	2	(L)290



525548

**WIRE BRUSH**

- Polypropylene with 8 rows of 8 stainless steel wire bristles.
- With steel scraper and long handle.

code	mm
525548	70x310x(H)85



525425

525432

**WIRE BRUSH Y-SHAPED**

- Stainless steel wires, with comfortable handle fitted with a loop.

code	mm
525425	310x170
525432	520x170



525562

**WIRE BRUSH**

- Comfortable black plastic handle with steel bristles.

code	mm
525562	150x55



525418

WIRE BRUSH

- Polypropylene with 8 rows of 9 stainless steel wire bristles.
- Steel scraper for grids.

code	mm
525418	70x200x(H)80



525517

**WIRE BRUSH - 2 PCS**

- Wood with 4 rows of 14 steel wire bristles.

code	packed per	mm
525517	2	(L)290



855201

**GRIDDLE SCRAPER**

code	mm
855201	100x320



LEGEND OF THE ICONS USED IN THIS CATALOGUE



Energy saving product



HACCP compliant



New product



For indoor and outdoor use



For indoor use only



For outdoor use only



Suitable for gas stoves



Suitable for gas stoves only



Suitable for electric stoves



Suitable for ceramic stoves



Suitable for induction stoves



Not suitable for induction stoves



Microwave proof



Not microwave proof



Dishwasher proof



Not dishwasher proof



Suitable for use in ovens



Stackable



Food Contact compliant



Not Food Contact compliant



Cooling



Self-assembly



Temperature resistance



Temperature resistance range



Aluminium



Aluminium casting



Stainless steel



Stainless steel 18/0



Stainless steel 18/8



Stainless steel 18/10



German steel X50CrMoV15



Carbon steel



Tin plated



Chrome plated



Nickel plated



Polyethylene



High density polyethylene



Low density polyethylene



Polypropylene



Expanded Polypropylene



Polycarbonate



ABS plastic



POM plastic



Polyamide



SAN plastic



Hard polymer heat resistant



Silicone



Plexiglas



BPA free – no Bisphenol A



Fiberglass



Melamine



Porcelain



Non slip



Magnetic

GENERAL INFORMATION

This product is protected by copyright. Use for commercial activities is only allowed if the original context is left intact, unless explicit permission for adaptation is given in writing by the author. In all cases of (partial) reproduction HENDI is to be clearly credited as source. Because of our striving for continuous product development, we reserve the right to change a product's specification, price and appearance without prior warning. Printing and typesetting errors reserved. The printed colors of products in this catalogue may have a limited deviation from the physical product. Product visualizations are provided for illustrative purposes only. Certain images have been created or enhanced using advanced digital image processing techniques, including artificial intelligence (AI) tools. Such processing does not alter the accurate presentation of the products' actual features, specifications, or appearance.

For more information see www.hendi.eu



INDEX OF CODES

code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
1xxx		171127	144	2xxx		208335	651	211410	547,663	220245	432	223448	354-355	229033	305	232149	412
111420	562	171301	142	201107	301	208342	651	211427	547,663	220252	432	224052	253	229064	304	232170	437
144923	770	171318	142	201206	301	208380	651	211434	547,661	220283	378	224328	253	229200	252	232187	437
145478	777	171325	142	201435	273	208533	652	211441	547,661	220290	378	224335	253	229217	252	232194	437
145753	777	171349	142	201442	273	208618	650	211458	547,663	220306	337,378	224342	253	229224	252	232491	437
146002	772	171400	144	201466	301	208625	650	211465	547,663	220348	382	224359	253	229286	759	232514	415
146804	772	171417	144	201473	303	208649	650	211472	547,661	220795	363-365	224373	254	229293	759	232699	422
146842	771	171509	144	201626	268	208656	653	211489	547,661	220986	759	224380	254	229309	759	232729	415
147108	280	171516	144	201633	589	208650	650	211502	665	220993	759	224397	253	229316	759	232736	415
147139	281	171608	144	201640	589	208687	650	211519	547,663	221099	634	224403	120	229521	363-365	232781	428
147207	280	171615	145	201718	215	208694	651	211526	547,663	221105	626	224410	120	229583	363	232798	428
147276	280	171622	144	201725	215	208724	650	211533	547,663	221129	326	224434	359	229590	363	232804	428
147306	280	171707	142	201732	215	208731	650	211540	547,663	221136	326	224470	357	229606	364	232811	428
147801	280	171721	143	201749	551	209066	315	211557	547,661	221143	327	224823	356	229613	364	232842	433
148105	773,775	171738	143	201756	215	209165	649	211564	547,661	221150	247	224830	404	229620	365	232859	428
148624	778	171745	143	201763	215	209202	311	211571	547,661	221181	256	224847	404	229637	365	232873	428
148631	778	171752	143	203125	316	209301	311	211588	547,661	221198	259	225165	357	229628	120	232880	428
148723	776	171783	143	203149	316	209424	307	212028	213	221204	634	225244	325	229835	119	232897	428
148808	769	171790	143	203156	316	209431	309	212103	212	221228	634	225448	325	229842	365	232903	430
148822	769	171806	142	203163	316	209509	295	212127	212	221280	126	225479	328	229859	365	232910	430
149508	764	171837	143	203170	316	209882	664	212134	212	221297	126	225516	359	229873	363	232927	430
149591	765	171844	143	203521	175	209899	664	212165	211	221327	259	225523	359	229880	352	232965	430
149614	765	171851	143	203538	175	209905	664	212172	210	221334	259	225707	278	229903	125	232972	430
149621	764	171875	143	203545	175	209936	654	212189	211	221341	259	225806	278	230107	405	232989	430
150603	779	171882	143	203552	573	209943	655	212196	210	221419	257	225882	276	230114	249	232996	430
150801	779	171899	143	203569	573	209950	644	215012	314	221433	420	225899	277	230121	249	233009	710
151617	779	171905	142	203576	573	209981	655	215029	314	221570	249	225929	356	230138	641	233016	710
152157	281,777	190036	562	203583	575	209998	654	218945	380	221600	190	225967	368	230145	641	233023	710
152171	775	190401	562	203590	575	210000	239	218952	380	221617	190	226001	400	230220	710	233030	710
152188	777	191002	735	204825	550	210017	239	218969	380	221624	190	226018	401	230237	710	233047	710
152706	767	191019	734	204832	551	210031	238	218976	380	221631	190	226094	277	230251	710	233054	710
152805	767	191026	734	204900	550	210048	238	218983	380	221648	190	226209	384	230268	710	233061	714
152904	767	191033	734	204962	420	210086	240	218990	380	221655	190	226308	384	230299	710	233092	299
154540	770	193716	561	204979	421	210215	241	219744	351	221761	286	226315	384	230305	710	233108	413
154601	768	193761	561	204986	420	210222	241	219768	402	221792	286	226339	384	230312	714	233115	413
154618	768	193938	561	205631	313	210244	241	219775	759	221808	720	226346	384	230442	728	233122	413
154632	769,776	193952	561	205648	313	210284	227	219782	759	222140	259	226353	384	230459	728	233139	413
154656	771	194300	560	205808	312	210291	227	219799	368	222157	255	226568	448	230468	632	233146	414
154663	776	194355	560	205815	312	210802	229	219805	368	222164	259	226599	382	230495	632	233153	414
154687	769,777	194362	560	205822	312	210819	229	219812	368	222225	258	226605	382	230718	633	233238	442
154700	768	195109	562	205839	312	210864	230	219829	368	222249	258	226612	382	231050	701,705	233269	442
154717	768	195505	562	205846	312	210918	243	219836	368	222292	258	226629	382	231210	729	233283	441
154878	770	195604	562	205853	312	210925	243	219843	368	222256	258	226636	382	231227	729	233290	442
154885	776	195789	202	205914	209,306	210932	243	219850	368	222263	258	226643	382	231234	729	233306	444
154908	777	196007	136	207208	311	210949	243	219867	368	222293	260	226681	379	231265	729	233320	444
154922	317	196038	136	207307	311	210956	244	219874	368	222553	127	226698	379	231340	714	233337	444
154939	317	198124	177,281	207369	310	210963	244	219881	625	222560	127	226797	379	231753	710	233344	425
154946	317	198209	208	207376	310	211052	653	219911	360	222614	125	226827	405	231807	224	233351	425
154953	317	198223	208	207390	650	211106	665	219928	363	222652	124	226957	379	231852	225	233375	444
154960	317	198247	206	207451	648	211137	659	219935	363	222676	125	226995	379	232019	426	233382	425
154977	318	198254	206	207499	647	211144	659	219942	361	222805	230	227060	354	232026	426	233399	425
154984	318	199039	207	207581	647	211151	659	219959	364	222829	251	227077	355	232033	433	233412	450
154991	318	199046	208	207598	646	211168	658	219966	364	222836	251	227107	379	232040	422	233436	427
155028	776	199640	176	207642	646	211175	658	219973	357	222843	251	227169	379	232057	422	233443	444
170045	766	199657	177	208007	664	211205	665	219980	357	222867	385	227206	379	232064	422	233450	444
170120	766	199664	177	208106	664	211298	659	219997	357	222874	385	227381	276	232118	412	233467	444
170328	766	199978	177	208205	664	211304	665	220207	281	222898	385	227589	276	232125	412	233610	442
171028	744	199992	177	208304	652	211403	665	220238	627	222980	699,711	229026	305	232132	412	233627	442



code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
233634	442	236932	450	238769	700-701	241042	458	264607	334	271308	166	274057	465	282762	216	424056	543		
233641	442	236949	450	238776	702-703	241066	452	264706	334	271315	166	274064	464	282779	219	424155	570		
233658	442	236956	450	238783	702-703	241073	452	265000	338	271339	169	274071	468	282793	235	424193	541		
233665	442	237014	450	238790	302	241080	452	265031	338	271346	170	274088	438	282809	220	424469	567		
233672	440	237069	424	238837	554	241097	453	265048	217, 324	271353	469, 640	274101	221	282816	218	424476	567		
233689	440	237106	462	238868	303	241134	453	265055	213, 324	271384	169	274125	649	282823	219	424483	567		
233696	442	237113	462	238899	404	241141	453	265109	230	271391	469, 640	274149	649	282830	217	424490	567		
233702	439	237120	462	238905	302	241189	455	265116	237	271407	167	274156	221	282847	229	424513	657		
233719	439	237137	462	238912	302	241196	455	265123	237	271438	469, 640	274163	221	282854	229	424520	657		
233726	297	237144	463	238967	303	241219	455	267219	403	271445	170	274187	465	282861	229	425008	545		
233733	297	237151	352-353	239186	295	241226	457	267240	403	271520	636	274194	464	282878	229	425015	545		
233740	298	237366	706-707	239193	295	241233	457	267257	403	271551	467, 638	274224	622	282885	229	425022	545		
233757	438	237373	183, 620	239209	293	241240	456	267264	403	271568	467, 638	274231	183	282908	223	425039	545		
233764	424	237380	461	239230	293	241264	456	268667	339	271575	468, 639	274255	622	282915	218	425046	545		
233788	448	237397	279	239322	291	241271	456	268674	339	271599	636	274354	623	297315	265	425053	545		
233795	448	237519	760	239346	291	241288	459	268803	339	271773	468, 639	274361	623	297414	271	425107	567		
233825	441	237526	760	239384	289, 295	241295	459	268810	339	271780	468, 639	274378	623	297421	271	425121	567		
233832	441	237540	710	239391	288	241301	459	268827	339	271797	468, 639	274385	622	297438	271	425138	567		
233856	434	237670	281	239414	289	241318	459	268834	339	272077	539	274392	624	297445	271	425190	569		
233863	434	237687	279	239421	288	241325	446	268841	339	272084	539	280096	226	297452	271	425206	621		
233900	448	237731	437	239506	337	241332	446	268858	339	273562	285	280102	226	297469	271	425299	568		
233917	448	237793	727	239551	295	241349	446	270028	730	273579	285	280126	226	297476	271	425336	657		
233924	448	237861	727	239599	337	241356	446	270066	731	273586	285	280201	226			425343	569		
233931	448	237878	727	239605	337	241363	446	270080	730	273593	285	280218	226	3xxx		425411	568		
233948	430	237885	727	239681	290	241370	446	270097	730	273609	282	280225	226	330005	267	425428	568		
233955	430	237892	727	239698	290	241387	446	270141	731	273616	282	280294	226			425435	568		
233962	297	237908	727	239711	290	241394	446	270158	730	273623	282	280300	226	4xxx		425473	577		
233979	430	237915	727	239766	290	241400	446	270165	730	273630	282	280317	226	400012	501	425503	506		
233986	430	237922	124	239773	291	241417	446	270172	730	273647	282	280416	226	400029	501	425510	621		
233993	430	237977	360-361	239780	291	241424	454	270196	731	273654	282	280423	226	400036	501	425602	506		
234030	226	237984	729	239889	292	241431	454	270233	730-731	273661	282	280461	226	400043	501	425619	492		
234047	226	237991	227	239957	292	250167	296	270240	731	273678	282	280490	226	400074	116	425626	492		
234054	226	238077	633	239964	435	250174	296	270646	730	273685	282	281246	220	400081	116	425633	492		
234061	226	238110	423	239971	435	261163	336	270653	733	273692	282	281291	341, 347	400098	203	425657	492		
233829	448	238127	423	240007	645	261187	335	270660	733	273708	282	281352	342, 347	400203	583	425664	492		
235836	448	238134	423	240014	645	261200	336	270677	733	273715	282	281369	345, 347	401002	500	425671	493		
235904	434	238141	423	240021	704-705	261309	336	270813	171	273722	284	281376	346-347	401101	500	425688	492		
235911	434	238158	423	240038	704-705	261354	336	270820	171	273739	284	281383	344, 347	401200	500	425695	493		
236000	417	238165	422	240045	698-699	262214	335	270875	139	273746	284	281444	343, 347	402221	525	425701	506		
236017	416	238233	411	240052	700-701	262801	335	270882	139	273753	284	281512	351	402528	525	425718	498		
236024	417	238240	411	240069	279	263501	320	270929	315	273760	299	281710	340, 347	403716	525	425725	498		
236031	416	238257	411	240076	279	263525	323, 401	270936	168	273777	283	282076	229	403747	525	425732	498		
236048	417	238264	411	240083	293	263532	323, 401	270943	168	273784	283	282083	229	403754	525	425763	567		
236055	416	238318	424	240403	330	263549	321	270981	168	273791	283	282090	236	404003	583	425787	519		
236062	419	238325	424	240410	330	263594	319	270998	169	273821	283	282113	235	404102	583	425800	506		
236079	418	238332	426	240441	331	263600	320	271117	170	273838	284	282120	235	404201	583	425879	502		
236086	419	238349	426	240458	331	263617	321	271124	170	273845	283	282151	236	404300	583	425909	500		
236093	418	238356	426	240472	329	263624	322	271148	166	273852	283	282229	229	404409	583	425916	500		
236109	418	238363	426	240496	407	263655	321	271155	172	273869	283	282236	229	404508	583	425923	500		
236116	419	238486	305	240502	338	263662	320	271162	167	273876	283	282243	229	404607	583	425978	500		
236574	716	238561	436	240540	329	263709	322	271179	171	273883	283	282250	229	405000	582	425985	500		
236666	641	238578	436	240557	329	263808	322	271186	171	273890	283	282267	229	405208	582	425992	500		
236864	450	238585	760	240564	329	263907	322	271209	167	273906	284	282281	233	405307	582	426081	502		
236871	450	238592	760	240601	657	263914	323	271216	169	273913	284	282359	229	407202	300, 471	426098	502		
236888	450	238691	760	240700	657	264119	332	271230	167	273920	283	282571	236	407400	300, 471	426197	502		
236895	450	238721	760	240809	303, 559	264126	332	271247	169, 651	273937	283	282588	236	408308	471	426210	502		
236901	450	238738	698-699	241011	458	264300	332	271254	166	273982	298	282731	220	410110	582	426227	502		
236918	448	238745	698-699	241028	458	264331	333	271261	170	273999	298	282748	216	412154	514	426234	502		
236925	448	238752	700-701	241035	458	264409	333	271292	466, 637	274040	438	282755	218, 220	424001	573	426241	502		

code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
550854	270	557808	174	564158	565	570159	133	593806	617	596845	611	616901	396	621202	496	627655	44
550885	270	557815	174	564202	565	570173	113	593905	617	596852	611	616918	396	621219	496	627662	44
550892	270	557822	174	564400	565	570715	113	594025	601	596883	600	616925	396	621226	496	627679	44
550922	270	557853	174	564455	565	570807	513	594032	197	596920	614	616932	396	621233	496	627686	44
550939	270, 273	557891	174	564509	491	572016	186	594049	616	596951	611	616949	396	621240	496	627716	44
550946	270, 273	557907	174	564516	491	572115	186	594704	618	596968	609	617007	119, 388	621257	496	627730	44
550953	270, 273	557914	174	564523	491	572214	186	594742	618	596975	612	617014	119, 388	621264	496	627747	44
550984	270, 273	557921	174	564530	491	572313	186	594759	618	596982	612	617083	396	621271	496	627907	47
550991	270, 273	557952	174	564547	491	572412	186	594766	618	596999	612	617090	396	621288	496	627914	46
551011	193	557969	175	564554	491	572511	186	595008	515	597033	601	617106	396	621295	496	627921	44
551110	193	557976	175	564561	501	572610	186	595206	518	597040	601	617113	390	621301	496	627938	46
551202	194	557983	175	564578	501	572719	186	595305	518	597057	614	617120	390	621318	496	627945	46
551400	193	557990	174	564585	501	580011	160	595534	628	597064	614	617137	390	621325	496	627952	46
551592	194	558003	174	564592	501	580028	161	595541	628	597200	601	617144	390	621332	496	627969	46
551615	194	558010	174	565360	635	580035	160	595558	604	597316	601	617151	390	622094	45, 772	627976	46
551691	194	558027	174	565405	501	580042	161	595565	604	597323	601	617168	390	622100	45, 772	627983	46
551714	194	558058	174	565412	501	580226	160	595589	604	597507	601	617175	391	622117	45, 772	627990	47
551790	194	558096	174	565443	501	580233	161	596371	600	597880	479	617182	390	622216	45, 772	628003	46
551806	173	558102	214	565450	501	580462	160	596388	600	597897	479	617199	390	622308	45, 772	628010	46
551813	173	558119	214	566008	578	580493	163	596395	613	597927	479	617205	396	622353	45, 772	628027	46
551998	326	558133	214	566015	578	582015	172	596401	612	597934	479	617304	396	622407	45, 772	628034	46
552001	718	558140	214	566022	578	582022	172	596418	612	597941	479	617403	396	622513	53	628041	46
552018	606	558157	214	566046	578	582039	172	596425	612	597958	629	617410	396	622520	53	628058	46
552025	606	558164	215	566053	578	582046	172	596432	612	597965	629	617434	396	622537	53	628614	49
552032	606	559208	131	566527	579	586907	185, 605	596449	608	597972	629	617458	397	622544	53, 497	628621	49
552049	604	559222	131	566572	579	588017	180	596456	608	597989	629	617465	397	622551	53	628638	49
552100	606	559239	131	566589	579	588024	180	596463	608	598016	603	617472	397	622605	45, 772	628706	49
552131	606	560044	718	566930	578	588031	181	596470	631	598047	95	617502	397	622704	53, 497	628805	49
552308	581	561003	504	567104	138	588208	185, 605	596487	155	598214	603	617519	397	622711	53, 497	629109	43
552315	581	561102	504	567203	138	588215	185, 605	596494	155	598313	603	617526	397	622728	53, 497	629130	42
552353	581	561201	504	567302	138	588369	181	596500	628	598412	603	617533	397	622735	53, 497	629154	42
552360	581	561492	501	567401	138	588376	181	596517	628	598719	603	617540	397	622742	53, 497	629208	43
552407	580	561508	578	567500	138	588406	605	596524	608	598818	603	617557	397	622773	53, 497	629253	42
552483	581	561515	578	567555	157	588420	181, 605	596531	608	599013	603	617564	397	622780	53, 497	629291	51
552490	581	561560	578	567562	154	588574	605	596548	614	599112	603	617571	397	622810	53, 497	629307	43
553404	195	561577	578	567579	154	588598	181, 605	596555	609	599198	603	617588	397	622827	53, 497	629314	50
554166	195	561584	578	567616	137	588697	184	596562	609	599211	603	617595	397	622834	53, 497	629321	50
554364	195	561607	578	567630	137	589007	181	596579	609	599327	524, 602	617700	388	622841	53, 497	629338	50
554432	195	561706	501	567654	137	589106	180	596586	609	599334	602	617724	388	622858	53, 497	629345	42
554573	366	561713	501	567814	138	589205	180	596593	600	599372	602	617731	389	623032	654	629352	43
554580	367, 781	561720	501	567821	138	590140	602	596609	615	599426	603	617816	391	625002	52	629369	51
554597	367, 781	561775	579	567838	138	592045	631	596616	615	599440	603	617861	391	625057	52	629376	51
554603	366	561966	579	567845	138	592052	631	596623	615	599457	603	618028	391	625101	52	629383	51
554610	366	561973	579	567852	138	592069	631	596630	614	599464	602	618035	389	625705	52, 497	629390	43
554627	366	562000	149	567906	567	592076	631	596647	614	599471	602	618042	389	625804	52, 497	629413	43
554634	367, 780	562017	149, 216	567918	470	592816	567	596654	614	599488	602	618059	389	626504	280	629420	48
554641	122	562079	149	568200	470	592823	617	596661	600	599990	611	618066	389	626825	40	629437	48
554658	367, 780	563007	148	568309	470	593004	612	596678	613			618073	389	626832	40	629444	48
554665	122	563106	148	568408	470	593035	613	596685	608	607015	499	618080	389	626849	40	629451	48
554672	122	563205	148	568507	470	593042	613	596692	608	607015	499	618097	389	626856	40	629468	48
554689	367, 780	563502	565	568804	470	593066	613	596715	614	607022	499	618127	392	626863	40	629475	48
554696	781	563557	565	569009	470	593097	609	596722	614	607039	499	618196	391	626870	40	629482	48
554719	157	563632	565	569016	470	593103	614	596739	611	607046	499	618219	393	626887	40	629499	48
557105	192	563649	565	569108	470	593158	617	596746	600	611012	41	618226	392	626894	40	629505	43
557112	192	563700	565	569207	470	593165	614	596753	608	611029	41	621103	45	627600	44	629512	48
557150	192	563755	565	569757	528	593202	614	596760	607	611036	41	621110	45	627617	44	629529	48
557303	192	563908	565	570012	122	593318	612	596777	607	611043	41	621127	45	627624	44	629536	48
557402	569	564004	565	570029	122	593332	614	596807	601	611050	233	621134	45	627631	44	629604	43
557600	604	564103	565	570104	122	593608	617	596838	611	611067	233	621158	45	627648	44	629802	43

code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
629925	50	639276	158	663745	516	678176	495	691342	744	709870	398	764039	477	781395	99	786383	487
629932	51	639283	159	663790	517	678244	495	691380	529, 744	709900	388	764077	477	781401	99	786413	522
630006	134	639290	159	663844	517	678251	495	691397	529, 744	710104	691	764084	477	781418	99, 101	786420	522
630105	135	639306	159	663851	517	678268	495	691403	742	710111	691	764091	477	781432	478	786437	489
630136	135	639313	205	663868	517	678275	495	691410	742	710128	691	764138	477	781449	478	786499	489
630204	135	639320	205	663875	517	678282	495	691427	742	710135	691	764206	476	781456	478	787007	481
630235	135	640104	134	663882	517	678299	372	691434	742	710203	691	764213	476	781913	117	787014	481
630402	130	640203	134	663899	517	678305	372	691441	742	710210	691	764220	476	781920	117	787021	481
630419	130	640401	134	663929	516	678312	372	693001	156	710227	691	764237	476	782590	112	787038	481
630716	230	640500	134	663936	516	679005	619	693100	156	710234	691	764244	476	783009	580	787045	481
630808	134	640609	134	663950	741	679012	619	693209	156	710241	689	764251	476	783016	580	787052	481
630907	493	640708	134	664001	526	679029	619	693216	156	710258	689	764268	476	783023	580	787069	481
630914	493	640807	134	664018	526	679036	619	693223	156	710302	691	764404	475	783078	478	787076	481
630938	493	640913	134	664025	526	679043	619	693254	156	710319	691	764411	475	783085	478	787083	481
631102	522	640920	134	664032	526	679050	619	693261	156	710326	691	764428	475	783153	208, 501	787090	481
631201	522	642504	134	664049	526	679067	619	695708	636	710333	691	764435	475	783160	208, 501	787113	481
631300	522	642559	135	664056	527	679074	619	695906	630	722107	564	764442	475	783177	208, 501	787120	481
632802	136	642566	135	664063	527	680018	140	696002	629	755006	186	764459	475	783227	208, 501	787144	481
632901	136	642603	134	664070	526	680025	140	696040	629	755013	186	764466	475	783233	96	787151	481
635001	158	643914	600	664100	526	680032	140	696064	628	755020	186	764473	475	783240	96	787175	481
635155	158	646205	135	664117	526	680049	140	696200	635	755037	186	764480	475	783257	96	787182	481
635209	158	646304	135	664124	527	680056	140	696217	635	755044	186	764497	475	783264	96	787197	481
635308	158	647509	157	664131	527	680063	140			755051	186	764503	475	783271	96	787205	485
635407	158	647516	157	664148	519	680070	140	7xxx		755068	186	764510	475	783278	96	787207	485
635605	158	647554	157	664155	515	680087	140	700044	773, 775	755075	186	764527	475	783295	96	787214	485
635612	610	647561	157	664162	515	680094	140	700051	774	755082	186	764534	478	783301	96	787217	485
637104	158	657607	143	664179	515	680100	141	700105	774	755099	186	768730	488	783818	96	787219	485
637203	158	658000	146	664186	519	680117	141	700259	613	755105	186	768747	488	783825	96	787319	483
637302	158	658404	148	664209	527	680124	140	707425	688	755112	186	768754	488	783832	96	787326	483
637401	158	658703	148	664216	527	680131	141	707432	688	755143	186	768761	394	783849	96	787333	483
637500	158	658802	148	664223	527	680148	141	707456	688	755204	187	768778	394	784006	487	787340	483
637609	158	658901	148	664278	527	680155	141	707461	684	755211	187	768785	395	784013	487	787357	483
637791	205	659007	149	664308	516	680162	140	707485	683	755228	187	768792	394	784020	487	787364	483
637807	205	659014	149	664315	519	680186	140	707492	681	755259	187	768808	395	784027	490	787395	483
637814	205	659106	149	665121	635	680193	140	707746	688	755273	187	768815	395	784334	490	787401	483
637821	205	659205	149	665138	635	680216	141	707753	684	755303	233	769911	395	784365	490	787418	483
637838	205	659304	149	665145	635	680223	133	707760	684	755310	233	769928	395	784372	490	787425	483
637845	205	659403	149	665152	635	680230	140	707777	685	755334	187	769935	394	784389	490	787432	483
637852	205	659410	148	665169	635	682104	196	707784	684	755341	187	774830	395	784396	490	787449	483
638101	513	659427	148	665251	518	682302	196	707814	686	755358	187	774847	395	784419	490	787456	483
638118	610	659434	148	665381	635	682401	196	707821	685	755365	187	774854	395	784426	490	787463	483
638132	610	659458	149	665503	518	689608	196	707845	684	755372	187	774861	395	784433	490	787470	483
638149	610	659465	149	665510	518	689606	196	707906	686	755389	187	774885	395	784454	489	787487	483
638163	610	659472	149	673416	197	689851	375	707944	686	755396	187	774892	395	784761	489	787517	483
638170	610	659502	146	674413	197	689868	375	707951	686	755556	187	778855	394	784778	489	787524	483
638309	158	659601	146	677216	198	690000	123	707968	686	755563	188	778906	395	785010	580	787531	483
638507	158	659700	148	677223	198	691021	743	707975	686	755570	188	778913	395	785324	490	787538	485
638705	158	659809	148	677230	198	691038	742	707982	687	755579	188	778920	394	785546	489	787545	485
638903	158	663442	516	677247	198	691045	742	707999	685	755586	187	778944	394	785553	489	787552	485
639009	158	663479	516	677254	198	691052	742	708071	689	755815	187	781029	115	785560	489	787561	485
639016	158	663486	516	677261	198	691069	742	708088	689	755822	187	781032	99	785577	489	787578	485
639023	158	663408	517	677810	201	691076	742	708095	689	755839	187	781319	99	785904	487	787585	485
639207	617	663615	517	677827	201	691083	741	708316	572	759233	186	781326	99	786239	489	787590	485
639214	576	663622	517	677834	201	691090	741	708323	572	759240	186	781333	99	786307	487	787606	485
639221	576	663639	517	678091	494	691137	740	708330	572	759257	186	781340	99	786321	487	787613	485
639238	158	663646	517	678107	494	691151	743	708347	572	759264	186	781357	99	786338	487	787620	485
639245	720	663660	517	678114	494	691168	743	708361	399	759301	188	781364	99	786352	487	787627	485
639252	158	663691	516	678121	494	691131	744	708378	398	764015	477	781371	99	786369	487	787634	485
639269	158	663707	516	678138	494	691335	744	708385	398	764022	477	781388	99	786376	487	787641	485

code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
799468	485	801420	63	802601	65	806326	66	808221	374	809846	739	811450	750	812853	756	817162	752		
799475	485	801437	63	802618	65	806333	66	808269	471	809853	374	811467	750	812860	756	817179	752		
799482	485	801444	63	802625	65	806340	66	808276	397	809860	374	811474	750	812938	751	817223	752		
		801451	63	802632	65	806357	66	808283	375, 495	809877	374	811481	750	812945	751	817261	752		
xxxx		801505	63	802649	65	806395	67, 69	808290	375, 495	809884	679	811498	750	812969	751	817278	752		
800102	68	801512	63	802656	65	806401	66	808306	374	809891	679	811504	750	812990	693	817285	752		
800119	68	801529	63	802602	65	806418	66	808313	374	809907	679	811511	750	813157	593	817346	69		
800126	68	801536	63	802640	65	806425	66	808337	351	809914	741	811528	750	813164	593	817353	69		
800133	68	801543	63	802657	65	806432	66	808344	351	809952	741	811535	750	813270	669	817407	592		
800140	68	801550	63	802664	65	806449	66	808351	351	810002	673	811542	750	813287	669	817445	69		
800157	68	801604	64	803400	65	806456	66	808368	374	810101	673	811559	750	813522	755	817452	69		
800164	372	801611	64	803509	65	806494	67, 69	808375	374	810118	674	811634	758	813546	755	817568	749		
800218	68	801628	64	804100	65	806524	66	808382	374	810125	674	811641	754	813690	755	817575	749		
800225	68	801635	64	804117	65	806531	66	808399	374	810163	721	811658	754	813829	593	817582	749		
800232	68	801642	64	804124	65	806548	66	808405	374	810170	721	811665	754	813836	593	817599	749		
800249	68	801659	64	804131	65	806555	66	808412	374	810200	675	811672	754	814154	754	817605	749		
800300	68	801666	63	804148	65	806593	67, 69	808429	374	810224	672	811689	754	814178	754	817643	369		
800317	68	801703	64	804155	65	806623	66	808436	374	810255	721	811719	757	814185	754	817650	671		
800324	68	801710	64	804162	65	806630	66	808443	374	810262	722	811726	757	814369	591	817667	671		
800331	68	801727	64	804179	65	806647	66	808450	374	810279	722	811733	757	814376	591	817674	671		
800348	68	801734	64	804209	65	806654	66	808467	300, 470	810293	722	811740	757	814390	591	817681	671		
800355	68	801826	64	804223	65	806692	67, 69	808504	300, 470	810309	721	811771	757	814406	591	817698	757		
800409	68	801833	64	804230	65	806722	66	808511	300, 470	810316	721	811788	757	814420	591	817704	761		
800416	68	801840	63	804322	65	806739	66	808528	300, 470	810323	369, 723	811795	757	814437	591	817711	701, 705		
800423	68	801857	63	804339	65	806746	66	808535	300, 470	810330	722	811801	757	814451	592	817728	354-355		
800430	68	801864	63	805107	65	806814	67, 69	808542	300, 470	810347	590	811818	749	814468	592	817735	352-353		
800447	68	801871	63	805114	65	806821	67, 69	808559	300, 470	810361	397	811825	756	814512	592	817742	752		
800454	68	801888	411-413	805121	65	806838	67, 69	808566	300, 470	810507	584	811832	756	814529	592	817759	752		
800522	68	801901	373	805138	65	806845	67, 69	808573	300, 470	810514	679	811849	751	815007	754	817766	752		
800539	68	801918	373	805145	65	806852	67, 69	808577	371	810569	669	811856	751	815786	761	817773	752		
800546	68	801925	373	805152	65	806869	67, 69	808818	372	810576	670	811863	751	815793	761	817780	752		
800553	68	801932	373	805534	375	806876	67, 69	808825	371	810583	719	811870	751	816264	675	817810	69		
800621	68	801949	373	805541	375	806913	67, 69	808832	371	810606	670	811887	751	816271	675	817834	69		
800638	68	801963	373	805558	375	806920	67, 69	808849	371	810613	668	812044	761	816288	675	817841	69		
800645	68	801970	354-355	805572	267	806937	67, 69	808856	371	810651	668	812204	693	816295	675	817919	593		
800652	68	802007	188	805589	267	806944	67, 69	808863	371	810668	668	812259	693	816363	595	817926	593		
800720	68	802014	188	805596	267	806951	67, 69	808870	375	810705	750	812266	692	816370	595	817933	593		
800737	68	802038	189	805619	267	806968	67, 69	808887	375	810712	750	812273	692	816486	757	817940	593		
800744	68	802045	189	805626	267	806975	67, 69	808894	375	810729	750	812402	758	816493	757	817957	591		
801109	63	802052	189	805633	267	807002	189	808900	375	810736	750	812440	749	816509	757	817964	591		
801116	63	802083	189	805640	267	807019	189	809150	372	810743	750	812457	749	816516	757	817971	692		
801123	63	802120	423	805657	267	807118	67	809181	582	810897	590	812464	749	816592	757	817988	692		
801130	63	802168	64	805664	267	807125	67	809242	372	810910	590	812471	749	816691	672	817995	692		
801147	63	802205	64	806104	66	807132	67	809259	372	810927	590	812488	749	816752	753	818008	60		
801154	63	802212	64	806111	66	807224	67	809600	555	810934	591	812495	751	816769	753	818015	60		
801208	63	802229	64	806128	66	807323	67	809648	672	810958	593	812501	758	816776	753	818022	60		
801215	63	802236	64	806135	66	807330	67	809655	672	810965	595	812518	758	816783	753	818039	60		
801222	63	802243	64	806142	66	807406	67, 69	809662	739	810989	595	812525	758	816790	753	818046	60		
801239	63	802328	64	806159	66	807613	67, 69	809679	739	810996	592	812532	758	816806	753	818053	60		
801246	63	802335	64	806167	67, 69	807620	67, 69	809686	739	811009	756	812549	758	816998	753	818060	60		
801253	63	802342	64	806203	66	807637	67, 69	809693	738	811023	756	812556	758	817001	753	818077	60		
801307	63	802427	64	806210	66	807644	67, 69	809709	555	811047	593	812563	758	817018	753	818084	60		
801314	63	802434	64	806227	66	807651	67, 69	809778	738	811054	595	812631	751	817025	753	818091	60		
801321	63	802441	64	806234	66	807705	582	809785	738	811108	758	812716	750	817032	753	818107	60		
801338	63	802502	64	806241	66	807804	583	809792	738	811191	590	812723	750	817049	753	818114	60		
801345	63	802519	64	806258	66	808108	67, 69	809808	738	811207	754	812730	750	817094	752	818121	60		
801352	63	802526	64	806296	67, 69	808153	67, 69	809815	739	811214	754	812747	750	817100	752	818138	60		
801406	63	802533	64	806302	66	808207	374	809822	739	811221	592	812754	750	817148	69	818145	60		
801413	63	802540	64	806319	66	808214	374	809839	739	811320	673	812761	750	817155	69	818152	60		

code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
818169	60	818756	61	825686	92	827260	91	832004	32-33	837603	36	842010	109	844403	97	845547	103
818176	60	818763	61	825693	94	827277	91	832202	33	837641	37	842102	101	844410	101	845554	105
818183	60	818770	61	826003	89	827284	91	832400	33	837658	37	842119	107	844427	101	845561	100
818190	60	818787	61	826010	89	827291	91	832509	33	837665	37	842201	101	844434	101	845578	105
818204	60	818794	61	826027	89	827307	91	832608	33	837672	37	842218	107	844441	101	845585	103
818213	59	818800	61	826034	89	827314	91	832707	33	837689	37	842317	107	844445	48	845592	105
818220	59	818817	61	826041	89	827321	91	832806	33	837696	37	842355	107	844452	98	845608	105
818237	59	818824	61	826058	89	827338	91	832820	38	837719	37	842409	101	844489	98	845615	100
818244	59	818831	61	826065	89	827345	91	832837	38	837726	37	842423	106	844496	98	845622	105
818251	59	818848	60	826072	89	827352	91	832844	38	837733	37	842447	109	844502	98	845639	105
818268	59	818855	60	826102	89	827369	91	832851	38	837740	37	842454	109	844519	98	845646	100
818275	59	818862	60	826119	89	827376	91	832862	38	837757	37	842461	109	844526	98	845653	105
818282	59	818879	60	826126	89	827383	91	832899	38	837764	37	842485	109	844533	98	845660	105
818299	59	818886	60	826133	89	827390	91	832929	33	837771	37	842492	109	844540	98	845677	103
818305	59	818893	60	826140	89	827406	91	833032	39, 200	837788	37	842522	106	844557	98	845684	105
818312	59	818909	60	826157	89	827413	91	833100	39	837795	37	842539	106	844564	98	845691	105
818329	59	818916	60	826164	89	827420	91	833506	39	837818	37	842546	106	844571	98	845707	105
818336	59	818923	60	826171	89	827437	91	833919	34	837825	37	842607	101	844588	98	845714	100
818343	59	818930	61	826201	94	827444	91	833926	34	837832	37	842614	107	844595	98	845721	105
818350	59	818947	61	826300	93	827451	91	833933	34	837849	37	842621	106	845028	108	845738	103
818367	59	818954	61	826348	93, 607	827468	91	833940	34	837856	37	842638	106	845035	108	845745	105
818374	59	818961	61	826485	93, 607	827475	91	833957	34	837863	37	842645	106	845042	108	845752	100
818381	59	818978	61	826362	93	827482	91	833964	34	837870	37	842652	107	845059	108	845769	105
818398	59	818985	61	826379	93	830000	33	833971	34	838105	37	842669	106	845097	108	845776	103
818404	59	818992	60	826386	93	830048	35	833988	34	838204	37	842676	107	845127	108	845783	105
818411	59	819005	60	826393	93	830055	32, 35	834206	38	838303	37	842683	115	845202	100	850473	82
818428	59	819012	60	826478	93, 607	830130	34	834404	38	838501	37	842706	101	845219	105	850480	82
818435	59	819029	60	826485	93, 607	830147	34	834701	38	838600	37	842713	107	845226	105	850497	82
818442	59	819036	60	826676	89	830154	35	834909	38	838617	37	842720	106	845233	100	850503	82
818459	59	819043	60	826805	92	830161	34	835104	38	839003	52	842737	106	845240	105	850510	82
818466	59	819050	61	826812	92	830178	34	835401	35	839010	43	842744	106	845257	105	850527	82
818473	59	819067	61	826829	92	830185	34	835432	35	839300	36	842751	107	845264	100	850534	82
818480	59	819074	61	826836	92	830208	33	835449	35	839409	36	842775	107	845271	105	850541	82
818497	59	819081	61	826843	92	830253	35	835456	35	839997	35, 278	842799	106	845288	103	850558	82
818503	59	819098	61	826850	92	830307	34	835500	35	841020	109	842904	101	845295	105	850565	82
818510	59	820032	83	826904	92	830314	34	835531	35	841105	110	842928	106	845301	105	850572	82
818527	59	820049	83	826911	92	830321	34	835609	35	841112	110	842966	106	845318	100	855119	146
818534	59	820209	117	826928	92	830338	34	835630	35	841129	110	843000	101	845325	105	855201	316, 782
818541	59	820308	117	826935	92	830345	34	836002	36	841136	110	843055	107	845332	105	855218	316
818558	59	820407	117	826942	92	830352	35	836019	36	841228	111	843109	101	845349	103	855492	389
818565	59	820605	120	826959	92	830376	35	836026	36	841235	111	843154	107	845356	105	855508	146
818572	59	820612	120	827000	92	830390	34	836033	36	841471	111	843383	131	845363	105	855539	389
818589	59	820681	121	827017	92	830406	33	836040	36	841488	111	843390	131	845370	105	855577	393
818596	59	820698	121	827024	92	830505	33	836101	36	841495	111	843451	133	845387	100	855607	146
818602	59	820704	121	827031	92	830529	34	836200	36	841501	111	844205	97	845394	105	855621	393
818619	59	825518	88	827048	92	830536	34	836309	36	841518	111	844212	97	845400	103	855638	393
818626	59	825525	88	827055	92	830543	34	836408	36	841525	111	844229	97	845417	105	855645	393
818633	59	825532	88	827109	92	830567	34	836507	36	841532	110	844236	97	845424	105	855652	147
818640	59	825549	88	827116	92	830574	34	836514	38	841549	110	844250	97	845431	100	855669	147
818657	59	825556	88	827123	92	830581	34	836521	38	841556	110	844267	97	845448	105	855676	147
818664	59	825563	88	827130	92	830604	33	837108	36	841563	110	844274	97	845455	103	855683	201
818671	59	825570	88	827147	92	830628	34	837115	37	841570	110	844281	97	845462	100	855690	201
818688	59	825600	88	827154	92	830635	34	837122	37	841587	110	844298	97	845479	105	855706	201
818695	61	825617	88	827208	91	831007	32-33	837139	36	841594	110	844304	97	845486	103	855713	146
818701	61	825624	88	827215	91	831205	33	837146	36	841600	110	844311	97	845493	100	855720	147
818718	61	825631	88	827222	91	831403	33	837153	37	841617	110	844328	97	845509	105	855737	147
818725	61	825648	88	827239	91	831502	33	837207	36	841624	110	844335	97	845516	103	855744	201
818732	61	825655	88	827246	91	831601	33	837306	36	841631	110	844359	128	845523	100	855751	195
818749	61	825662	88	827253	91	831700	33	837405	36	842003	109	844366	128	845530	105	855768	118

code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
855775	201	865057	72	870969	80	873328	78	878552	586	880487	77	882177	74	919217	284	970614	271		
855782	201	865064	72	870976	80	873335	78	878559	586	880524	71	882184	75	926574	548	970621	271		
855799	147	865071	72	870983	80	873342	78	878576	586	880555	77	882191	74	930618	307	970638	269		
856000	118	865088	72	870990	80	873359	78	878583	586	880562	77	882207	75	930632	307	970652	271		
856024	118	865095	72	871102	718	873366	78	878590	586	880609	71, 77	882214	74	930656	307	970669	271		
856031	118	865118	72	871201	581	873397	741	878606	587	880616	71, 77	882221	75	931257	229	970676	271		
856062	118	865163	72	871300	718	873410	83	878705	586	880623	71, 77	882238	74	931561	428	970683	271		
856079	118	865170	72	871324	718	873427	83	878712	586	880630	71, 77	882245	75	932001	373, 766	970690	271		
856086	118	865187	72	871331	718	873434	83	878729	586	880647	71, 77	882252	74	932018	373, 766	970720	267		
856109	152	865194	72	871348	718	873441	83	878736	586	880654	71, 77	882269	75	932094	766	971017	270		
856116	123	865200	72	871546	77, 79	873458	740	878743	586	880661	77	882276	74	932902	130	971024	270		
856123	113	865217	72	871553	77, 79	873465	740	878750	586	880678	77	882283	75	932919	130	971031	270		
856147	156	865224	72	871614	571	873472	740	878804	586	880685	77	882290	74	932926	130	971048	270		
856154	118	865231	72	871621	571	873489	740	878811	586	880692	77	882306	74	932933	130	971055	270		
856161	123	865248	72	871638	571	873496	740	878828	586	880699	77	882313	75	933367	229	971062	271		
856178	118	865255	72	871645	571	873502	740	878835	586	880706	387	882320	74	933664	307	971079	271		
856185	118	865262	72	871652	571	873519	740	878842	586	880913	387	882337	75	933688	633	972323	267		
856192	118	865279	72	871669	575	876602	585	878859	586	880920	387	882344	74	934029	253	975015	734		
856208	119	865286	72	871676	575	876619	585	878903	586	880968	387	882351	75	934159	731	975022	734		
856215	119	865293	72	871683	572	876657	585	878910	586	880975	387	882368	74	934166	731	975039	369, 735		
856222	119	865309	72	871690	572	877005	717	878927	586	880982	387	882375	75	935286	731	975251	272		
856239	119	865316	72	871706	571	877012	717	878934	586	880999	387	882382	74	934191	412	975268	272		
856246	119	865323	73	871713	571	877029	717	878941	586	881033	387	882399	74	936801	273	975275	272		
856253	118	865330	73	871768	571	877036	717	878958	586	881040	387	882405	75	939949	372, 767	975305	231		
856260	113	865347	73	871775	571	877043	717	880005	71	881046	387	882412	74	939956	372, 767	975312	231		
856277	117	865354	73	871805	543	877050	717	880012	71	881071	387	882429	74	941058	422	975329	231		
856284	112	865361	73	871812	543	877104	717	880029	71	881088	387	882436	75	941461	304	975350	268		
856291	116	865378	73	871829	583	877111	718	880036	76	881095	387	882443	74	943380	354-355	975374	269		
856307	112	865385	73	871874	570	877173	719	880050	76	881705	77	882450	75	944387	307	975398	272		
856314	112	865392	73	871881	570	877180	719	880067	76	881712	77	882467	74	944660	743	975718	720		
856321	128	865408	73	871904	540	877197	719	880074	76	881729	77	882474	75	944628	304	975725	720		
856338	128	865415	73	871911	540	877203	717	880104	71	881736	77	882481	74	949276	425	975732	239		
856345	128	865422	73	871928	540	877210	676	880111	71	881743	77	882498	75	954775	425	975749	239		
856352	128	865439	73	871935	540	877302	717	880128	71	881750	77	882504	74	956113	425	975756	239		
856369	128	865446	73	871942	543	877500	717	880159	76	881804	71	882511	75	956403	428	975770	114		
856376	128	865453	73	871959	543	877517	717	880166	76	881811	71	882528	74	961117	191	975800	239		
856383	117	865460	73	871966	543	877524	717	880173	76	881828	71	882535	74	961124	191	975855	182		
856406	111	865477	73	871973	543	877531	717	880203	71	881835	71	882542	74	961131	191	975862	182		
856413	109	865484	73	871980	543	877548	717	880210	71	881842	71	882559	74	963388	533	975879	182		
856420	112	865491	73	873120	79	877807	719	880227	71	881859	71	882566	74	965351	309	975886	182		
856437	113	865507	73	873137	79	877814	680	880258	76	882009	74	882573	74	967317	250	975893	182		
856444	119	865514	73	873144	79	877821	679-681	880265	76	882016	75	882580	74	967324	250	976678	737		
860083	548	865521	73	873151	79	877852	682	880272	76	882023	74	882587	70	967331	250	976722	264		
860502	548	865538	73	873168	79	877869	682	880289	76	882030	75	882594	70	967348	250	976739	736		
860526	533	865545	73	873175	79	877876	682	880302	71	882047	74	882601	70	967355	250	976746	736		
860533	533	865552	73	873182	79	877883	677	880319	71	882054	75	882608	70	967362	250	976753	737		
860540	533	865569	73	873199	79	877906	678	880326	71	882061	74	882615	70	967369	250	976760	736		
860557	533	865576	73	873212	79	877913	676	880357	77	882078	74	882622	70	967376	250	976767	736		
860564	549	865583	73	873229	79	877920	676	880364	77	882085	75	882629	70	967383	250	976774	737		
860571	533	870785	81	873236	79	878101	587	880371	77	882092	74	882636	70	967390	250	976781	736		
860588	533	870792	81	873243	79	878118	587	880388	77	882109	74	882643	70	967397	250	976788	737		
860595	537	870907	80	873250	79	878125	587	880401	71	882116	74	882650	70	967404	250	976795	736		
865002	72	870914	80	873267	79	878132	587	880418	71	882123	75	882657	70	967411	250	976802	736		
865019	72	870921	80	873274	79	878149	587	880425	71	882130	74	882664	70	967418	250	976809	736		
865026	72	870938	80	873281	79	878156	587	880432	71	882137	74	882671	70	967425	250	976816	736		
865033	72	870945	80	873298	78	878538	586	880463	77	882153	74	918500	226	970522	723				
865040	72	870952	80	873311	78	878545	586	880470	77	882160	75	919200	284	970607	271				

RACK 1 PASTRY, CREAM WHIPPERS & SCALES

39 products

164 units



code		N°
554364	Dough scrapers, rectangular	4
554166	Dough scraper flexible	4
677827	Non-stick silicone baking mat	4
677810	Non-stick silicone baking mat	4
677834	Non-stick silicone baking mat	4
659014	Scraper Kitchen Line	4
659007	Scraper Kitchen Line	4
659106	Scraper Kitchen Line	4
659205	Scraper	4
659304	Scraper	4
659403	Scraper	4
855751	Dough cutter	4
550328	Pastry bags, reusable	4
550427	Pastry bags, reusable	4
550229	Pastry bags, reusable	4
515358	Butter and fat brush flat silicone	4
515365	Butter and fat brush flat silicone	4
551691	Icing tips - smooth	4
551592	Icing tips	4
515037	Dough roller	3

code		N°
580233	Kitchen scale 15 kg	4
580028	Kitchen scale 10 kg	3
580226	Kitchen scale 5 kg	3
580011	Kitchen scale 3 kg	3
557112	Pastry bags	4
557105	Pastry bags	4
586907	Cream whipper chargers	5
588215	Cream whipper chargers	5
588208	Cream whipper chargers	5
588017	Cream whipper	2
588024	Cream whipper	2
588031	Cream whipper	2
588369	Cream whipper	2
588376	Cream whipper	2
198247	HENDI Jet chefs' torch	4
198254	HENDI Jet chefs' torch - set with cartridge	4
199039	LPG gas cartridge	7
855690	Spatula	12
855744	Spatula	12



RACK 2 WHISKS, SPOONS, COLLANDERS & BOWLS

42 products

158 units




code	N°
509401 French whisk with 8 stiff wires	5
509302 French whisk with 8 stiff wires	5
509203 French whisk with 8 stiff wires	5
509104 French whisk with 8 stiff wires	5
509005 French whisk with 8 stiff wires	5
527306 Ladle	5
527207 Ladle	5
527108 Ladle	5
526309 Vegetable spoon	5
528204 Skimmer	5
528105 Skimmer	5
509418 Piano whisk with 12 piano wires	5
509425 Piano whisk with 12 piano wires	5
509432 Piano whisk with 12 piano wires	5
509449 Piano whisk with 12 piano wires	5
509456 Piano whisk with 12 piano wires	5
509463 Piano whisk with 12 piano wires	5
525142 Wooden spatula	5
525005 Wooden spoon - set of 3, various sizes	5
563205 Spoon	5
563007 Spoon	5

code	N°
524008 Universal tongs	5
523018 Pastry tong	5
523216 Spaghetti tong	5
515006 Rolling pin, stainless steel	1
515020 Wooden rolling pin	1
515013 Rolling pin with non-stick coating	1
833032 Bain-marie pan	1
551806 Confectionery funnel Profi Line	2
516720 Bucket with reinforced base Profi Line	1
516706 Bucket with reinforced base Profi Line	1
535509 Colander Profi Line	1
535516 Colander Profi Line	1
535523 Colander Profi Line	1
535301 Colander Kitchen Line	1
517604 Mixing bowl	5
517406 Mixing bowl	5
517307 Mixing bowl	5
517208 Mixing bowl	5
517109 Mixing bowl	5
567562 Mixing bowl with rubber base	3
567579 Mixing bowl with rubber base	3

RACK 3 TONGS, TURNERS, TWEEZERS & DISPENSERS

46 products
221 units



code	N°
171905 Salad tongs	5
171806 Salad tongs	5
171707 Salad tongs	5
171325 Serving tongs	5
171318 Serving tongs	5
171301 Serving tongs	5
171851 Serving tongs	5
171752 Serving tongs	5
171622 Pastry tong	5
171608 Pastry tong	5
171349 Silicone tong for cooking	5
855652 Hamburger turner	5
855737 Turner flexible	5
855720 Turner flexible, perforated	5
855669 Turner flexible	5
855508 Hamburger turner	5
855119 Scraper	5
855607 Hamburger turner	5
856352 Zester	5
856369 Zester	5
856321 Zester	5
657607 Universal tongs	5
855676 Hamburger turner	5


code	N°
855713 Scraper	5
680025 Multipurpose tweezers	5
680049 Multipurpose tweezers	5
680056 Tweezers, curved	5
680063 Tweezers, curved	5
680070 Tweezers, curved	5
680094 Offset tweezers	5
680162 Tweezer, square head	5
680124 Tweezer, round head	5
642559 French fries and nachos funnel scoop	5
642566 French fries and nachos funnel scoop	2
558096 Non-drip sauce bottle	2
558027 Dispenser bottle	10
557822 Dispenser bottle	10
557921 Dispenser bottle	10
400074 Chef plating set, 6 pcs, black	10
400081 Chef plating set, 6 pcs, satined	2
630235 Pepper shaker	2
630136 Salt shaker	2
630808 Chips colander stainless steel	2
630402 French fries cutter	1
642559 French fries and nachos funnel scoop	1
642566 French fries and nachos funnel scoop	2



RACK 4 CUTTING BOARDS & KNIVES HACCP

49 products

155 units



code	N°
842720 Chef's knife	5
842737 Chef's knife	5
842744 Chef's knife	5
842713 Chef's knife	5
842751 Chef's knife	5
842621 Chef's knife	5
842638 Chef's knife	5
842645 Chef's knife	5
842614 Chef's knife	5
842652 Chef's knife	5
781319 Chef's knife	5
781357 Chef's knife	5
781388 Kitchen knife	5
781395 Paring knife	5
781333 Bread knife	5
781418 Knife sharpener	5
820308 Knife magnet with hooks	5
842003 Paring knives	5
842010 Paring knives	5
820612 Knife sharpener	2
826300 HACCP Cutting mat set - 6 pieces	2
506905 Cutting board	2
506912 Cutting board	2
556641 Cut resistant gloves, certified - set of 2 pcs.	2

code	N°
826010 Cutting board HACCP GN 1/1	2
826034 Cutting board HACCP GN 1/1	2
826003 Cutting board HACCP GN 1/1	2
826027 Cutting board HACCP GN 1/1	2
826058 Cutting board HACCP GN 1/1	2
826126 Cutting board HACCP GN 1/2	2
826102 Cutting board HACCP GN 1/2	2
826119 Cutting board HACCP GN 1/2	2
826171 Cutting board HACCP GN 1/2	2
826157 Cutting board HACCP GN 1/2	2
826133 Cutting board HACCP GN 1/2	2
826485 Cutting board with handle	2
826355 Cutting board with handle	2
826478 Cutting board with handle	2
826348 Cutting board with handle	2
825617 Cutting board HACCP 600x400	2
825655 Cutting board HACCP 600x400	2
825624 Cutting board HACCP 600x400	2
825600 Cutting board HACCP 600x400	2
825631 Cutting board HACCP 600x400	2
825549 Cutting board HACCP 450x300	2
825525 Cutting board HACCP 450x300	2
825518 Cutting board HACCP 450x300	2
825563 Cutting board HACCP 450x300	2
825532 Cutting board HACCP 450x300	2

RACK 5 SIEVES, SCOOPS & STRAINERS


21 products

87 units



code	N°
638309 Sieve	5
638507 Sieve	5
638705 Sieve	5
638903 Sieve	5
637104 Sieve	5
637203 Sieve	5
637302 Sieve	5
637401 Sieve	5
637500 Sieve	5
637609 Sieve	5
640401 Chips scoop	5
640500 Chips scoop	5
640609 Chips scoop	5
640708 Chips scoop	5
640807 Chips scoop	5
647516 Conical strainer, wire mesh	2
647509 Conical strainer, wire mesh	2
647554 Conical strainer with wire mesh	2
647561 Conical strainer with wire mesh	2
535509 Colander Profi Line	2
535516 Colander Profi Line	2





RACK 7
BAR UP 1 & 2

101 products
315 units

code	N°
597323 Waiter's corkscrew	5
597316 Waiter's corkscrew	5
597200 Waiter's corkscrew	5
596807 Waiter's corkscrew	5
597507 Corkscrew	5
594025 French corkscrew	5
596388 Bar blade	5
596371 Bar blade	5
596746 Bar blade	5
596555 Bar spoon	5
596968 Bar spoon	5
593097 Bar spoon with muddler	5
596654 Jigger 25/50 ml	5
596647 Jigger 25/50 ml	5
596548 Jigger 25/50 ml	5
596722 Jigger 25/50 ml	5
596630 Jigger 25/35 ml	5
596951 Muddler	5
596739 Muddler	5
680216 Round tip tweezers	5
596753 Hawthorne strainer	5
596449 Triangle cocktail strainer	5
596685 Julep strainer	5
596524 Julep strainer	5
665169 Coin tokens - 100 pcs.	5
665152 Coin tokens - 100 pcs.	5
596487 Measuring cup - set of 7 pcs.	5
596494 Measuring cup - set of 4 pcs.	5
596470 Citrus squeezer	2
592069 Citrus squeezer	2
592052 Citrus squeezer	2
521434 Ice scoop slotted	2
521410 Bar scoop	2
596982 Cocktail mug	5
596975 Cocktail mug	5
596395 Boston shaker	5
593042 Boston shaker	2
596678 Boston shaker	2
593004 Cobbler shaker 3-part	2
593035 Cobbler shaker 3-part	2
596432 Cobbler shaker 3-part	2
596425 Cobbler shaker 3-part	2
596401 Tin-on-Tin Boston shaker	2
596418 Tin-on-Tin Boston shaker	2
593318 Tin-on-Tin Boston shaker	2
594759 Ice bucket	1
594742 Ice bucket	1
594704 Ice bucket double walled	1
695708 Ice crusher - manual	1
593165 Party tub	1
425992 Party tub	1


code	N°
471524 Party tub	1
471500 Party tub	1
593103 Champagne cooler	1
599198 Ball measured pourer	5
599013 Ball measured pourer	5
599457 Free flow pourers	5
599471 Free-flow pourer	5
599334 Pourer with flip top	5
597965 Bar mat	5
598313 Non-drip pourer	5
598016 Non-drip pourer	5
599372 Free-flow pourer	5
598719 Non-drip bracket shelf mounted	5
679036 Ice cube mould XL	5
679043 Ice cube mould mini cube	5
679012 Ice cube mould gem-shaped	5
679029 Sphere ice mould	5
679067 Ice shot glass mould	5
696200 Beer glass carrier	1
565360 Beer skimmer	1
700259 Bartender bag	1
679005 Ice cube mould with lid and bottom tray	1
557600 Store & pour bottle	3
588574 Soda siphon	1
588406 Soda chargers	10
593806 Wine cooler	3
595541 Vacuum wine saver	4
271520 Ice crusher	1
552100 Condiment holder	1
552018 Condiment holder - 3 containers	1
552025 Condiment holder - 4 containers	1
552131 Condiment holder - 5 containers	1
552032 Condiment holder - 6 containers	1
696040 Glass brushes	1
596760 Bar Caddy - 6 compartments	1
596777 3-tier glass rimmer	1
643914 Bottle opener with catcher bin	1
597972 Bar mat	1
597989 Bar mat	1
597958 Drainage mat	1
696002 Glass brushes	1
593202 Champagne cooler	1
516751 Beer bucket	1
593158 Champagne cooler	1
593905 Wine cooler table bracket	1
593608 Wine cooler stand	1
596500 Glass hanging rack	1
596517 Glass holder	1
271599 Ice crusher	1
695906 Manual Citrus Juicer	1



RACK 6 THERMOMETERS, PEELERS & MANDOLINES

39 products

161 units



code	N°
271186 Refrigerator thermometer	5
271124 Refrigerator thermometer	5
271117 Refrigerator thermometer	5
271209 Pocket thermometer with probe	5
271308 Thermometer with foldable probe	5
271346 Roasting thermometer with timer	5
271148 Infrared thermometer	5
271230 Fast response thermometer	5
582015 Analog kitchen timer	5
271155 Digital kitchen timer	5
582022 Digital kitchen timer	5
271247 Milk frothing thermometer	5
513002 Meat tenderizing hammer	5
271162 Waterproof thermometer	5
271216 Analogue thermometer	5
856284 Kitchen shears	5
856123 Garlic press	5
570715 Garlic press	5
856116 Can opener	5
856246 Cheese knife for soft cheese	5

code	N°
513569 Butcher's hooks	5
513538 Butcher's hooks	5
841228 Speed peeler	5
841235 Peeler	5
690000 Can opener	2
617007 Pizza slicer	5
570012 Egg slicer - oval	3
570104 Egg slicer - rectangular	3
843451 Meat tenderiser	3
222614 Mandoline V-type	1
222652 Mandoline	2
443002 Grater 4-sided	5
222676 Mandoline V-type	3
559208 Butcher's twine	5
567401 Measuring jug polypropylene	2
567302 Measuring jug polypropylene	2
567203 Measuring jug polypropylene	2
567104 Measuring jug polypropylene	2
237922 Japanese mandoline Samurai	1



Available at your catering equipment supplier
www.hendi.eu